

Multithreaded CPU Benchmarks

This chart comparing the overall performance of CPUs is based on the average [PerformanceTest](#) benchmark results from millions of machines and is updated daily. These are the low end CPUs found on computers that are reasonably old or legacy systems.

AD

All	Desktop	Laptop	Server	Mobile/Embedded
CPU Mark		Price Performance		
Previous Page		Page 7 (of 7)		

Multithread - CPU Mark

Multithreaded performance, rank 4801 to 5276
Updated 18th of July 2025

CPU	CPU Mark	Price (USD)
AMD Turion Neo X2 Dual Core L625	432	NA
AMD Athlon LE-1640	430	\$127.95
MT8127	429	NA
AMD Opteron 152	428	NA
Sony Mobile fusion3	428	NA
AMD E-350	427	NA
MediaTek MT6737M	427	NA
Intel Core2 Duo T5270 @ 1.40GHz	427	NA
Intel Xeon 3.00GHz	425	NA
Qualcomm MSM8916	424	NA
AMD E-350 APU	423	NA
AMD V140	422	\$39.95*
AMD Athlon LE-1620	421	\$18.00*
Intel Core2 Duo U7700 @ 1.33GHz	420	NA

⌵	Intel Celeron G440 @ 1.60GHz	<div></div>	420	\$256.41*
⌵	MediaTek MT8735R	<div></div>	418	NA
<div> <div>🏠</div> <div>CPU Benchmarks</div> <div>▼</div> </div>				
⌵	ARM Cortex-A53 4 Core 1296 MHz	<div></div>	418	NA
⌵	ARM Cortex-A53 4 Core 1392 MHz	<div></div>	417	NA
⌵	AMD Sempron LE-1300	<div></div>	417	\$27.00*
⌵	AMD Athlon II Neo K325 Dual-Core	<div></div>	417	\$25.99*
⌵	ARM Cortex-A53 4 Core 2016 MHz	<div></div>	417	NA
⌵	AMD Athlon LE-1660	<div></div>	416	NA
⌵	Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba	<div></div>	415	NA
⌵	ARM Cortex-A35 4 Core 0 MHz	<div></div>	413	NA
⌵	AMD Athlon LE-1600	<div></div>	412	\$21.00*
⌵	Qualcomm Technologies, Inc MSM8916	<div></div>	412	NA
⌵	AMD Athlon 1640B	<div></div>	412	\$50.00*
⌵	Intel Core Duo T2450 @ 2.00GHz	<div></div>	411	NA
⌵	AMD E1-2100 APU	<div></div>	411	NA
⌵	Intel Atom D2550 @ 1.86GHz	<div></div>	409	NA
⌵	Qualcomm Technologies, Inc QCM2150	<div></div>	409	NA
⌵	Intel Core2 Duo U7500 @ 1.06GHz	<div></div>	408	NA
⌵	Intel Core Duo T2500 @ 2.00GHz	<div></div>	408	\$119.99*
⌵	ARM Cortex-A53 4 Core 1199 MHz	<div></div>	408	NA
⌵	Intel Celeron 900 @ 2.20GHz	<div></div>	407	\$18.99*
⌵	Intel Atom E3805 @ 1.33GHz	<div></div>	406	\$20.00*
⌵	Intel Atom D510 @ 1.66GHz	<div></div>	406	\$52.00
⌵	Qualcomm Technologies, Inc APQ8016	<div></div>	406	NA
⌵	Intel Xeon 5110 @ 1.60GHz	<div></div>	405	\$35.00*
⌵	AMD Athlon 64 FX-55	<div></div>	404	\$65.00*
⌵	Intel Core Duo L2500 @ 1.83GHz	<div></div>	404	NA
⌵	ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz	<div></div>	403	NA
⌵	Intel Xeon 3.60GHz	<div></div>	403	\$851.00*
⌵	MediaTek MT8167B	<div></div>	403	NA
⌵	MediaTek MT6739WA	<div></div>	402	NA
⌵	Intel Core i7-2630UM @ 1.60GHz	<div></div>	400	NA
⌵	AMD Turion 64 Mobile ML-42	<div></div>	400	NA
⌵	AMD Geode NX 2400+	<div></div>	400	NA
⌵	VIA Nano X2 U4025 @ 1.2 GHz	<div></div>	400	NA
⌵	QCT APQ8064 MAKO	<div></div>	399	NA
⌵	ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz	<div></div>	399	NA
⌵	Intel Atom D525 @ 1.80GHz	<div></div>	396	NA
⌵	Intel Celeron N2810 @ 2.00GHz	<div></div>	396	\$139.99*
⌵	MT6580	<div></div>	394	NA
⌵	AMD Athlon 64 3700+	<div></div>	394	\$89.95*
⌵	ARM Krait 4 Core 0 MHz	<div></div>	393	NA
⌵	AMD Opteron 150	<div></div>	393	\$352.94
⌵	Intel Xeon 3.80GHz	<div></div>	393	\$851.00*
⌵	AMD Opteron 148	<div></div>	392	NA
⌵	Intel Celeron 807 @ 1.50GHz	<div></div>	392	NA
⌵	UNIVERSAL3470	<div></div>	391	NA

⌵	Rockchip RK3399 Generic Board edp (Android)	<div></div>	391	NA
⌵	AMD F1-1500 API I	<div></div>	390	NA
<div><div></div><div><div>🏠</div><div>CPU Benchmarks</div><div>▼</div></div></div>				
⌵	QCT APQ8064 MTP	<div></div>	389	NA
⌵	MT8735M	<div></div>	388	NA
⌵	Intel Core Duo L2300 @ 1.50GHz	<div></div>	387	NA
⌵	Intel Core Duo T2350 @ 1.86GHz	<div></div>	385	NA
⌵	Intel Pentium 4 3.73GHz	<div></div>	385	NA
⌵	ARM Cortex-A53 4 Core 1368 MHz	<div></div>	385	NA
⌵	AMD V120	<div></div>	385	NA
⌵	MT6735P	<div></div>	384	NA
⌵	AMD Turion 64 Mobile ML-44	<div></div>	384	NA
⌵	Intel Atom 330 @ 1.60GHz	<div></div>	382	NA
⌵	Intel Pentium T2130 @ 1.86GHz	<div></div>	382	NA
⌵	QCT APQ8064 AWIFI	<div></div>	382	NA
⌵	AMD E1-1200 APU	<div></div>	380	NA
⌵	Qualcomm MSM8212	<div></div>	378	NA
⌵	Intel Atom E3825 @ 1.33GHz	<div></div>	378	\$70.32*
⌵	AMD Athlon 64 3500+	<div></div>	377	\$79.95*
⌵	AMD A4-1200 APU	<div></div>	375	NA
⌵	AMD Athlon 64 3300+	<div></div>	375	NA
⌵	Intel Pentium D 805 @ 2.66GHz	<div></div>	374	NA
⌵	Intel Celeron D 360 @ 3.46GHz	<div></div>	372	NA
⌵	Intel Celeron 827E @ 1.40GHz	<div></div>	371	NA
⌵	Intel Celeron 440 @ 2.00GHz	<div></div>	368	\$44.95
⌵	Qualcomm MSM8928	<div></div>	367	NA
⌵	Rockchip rk3326 863 rkisp1 board	<div></div>	365	NA
⌵	AMD Sempron 3600+	<div></div>	364	\$15.00*
⌵	Intel Core Duo T2400 @ 1.83GHz	<div></div>	362	\$16.00*
⌵	AMD Turion 64 Mobile MK-38	<div></div>	362	NA
⌵	AMD Sempron 3800+	<div></div>	360	\$14.99*
⌵	Intel Atom N570 @ 1.66GHz	<div></div>	360	\$86.00*
⌵	AMD Athlon II 160u	<div></div>	358	\$29.99*
⌵	Mobile AMD Athlon 64 3700+	<div></div>	356	NA
⌵	Manta	<div></div>	356	NA
⌵	Intel Pentium 4 3.80GHz	<div></div>	356	NA
⌵	AMD Athlon II 170u	<div></div>	355	\$24.00*
⌵	ARM Cortex-A7 4 Core 1368 MHz	<div></div>	354	NA
⌵	Nakamichi	<div></div>	353	NA
⌵	Intel Core Duo T2250 @ 1.73GHz	<div></div>	350	NA
⌵	AMD Sempron LE-1200	<div></div>	349	\$14.95*
⌵	Intel Core Duo L2400 @ 1.66GHz	<div></div>	348	NA
⌵	AMD Athlon X2 Dual Core 3250e	<div></div>	348	NA
⌵	Intel Core2 Duo U7600 @ 1.20GHz	<div></div>	347	NA
⌵	Qualcomm Technologies, Inc APQ8009	<div></div>	346	NA
⌵	AMD Opteron 146	<div></div>	346	\$217.34*
⌵	Qualcomm MSM8226	<div></div>	344	NA
⌵	Mobile Intel Pentium 4 3.33GHz	<div></div>	344	NA

⌵	Intel Celeron 570 @ 2.26GHz	<div></div>	344	NA
⌵	AMD Athlon X2 Dual Core I 310	<div></div>	343	NA
<div> <div>🏠</div> <div>CPU Benchmarks</div> <div>▼</div> </div>				
⌵	Intel 2.80GHz	<div></div>	341	NA
⌵	Intel Pentium T2080 @ 1.73GHz	<div></div>	341	\$149.95*
⌵	ARM Cortex-A53 4 Core 1500 MHz	<div></div>	340	NA
⌵	AMD Athlon 64 4000+	<div></div>	340	\$99.95*
⌵	ARM Cortex-A53 4 Core 1152 MHz	<div></div>	339	NA
⌵	Intel Celeron 560 @ 2.13GHz	<div></div>	339	\$69.95*
⌵	AMD Athlon TF-36	<div></div>	338	NA
⌵	MT6739WM	<div></div>	338	NA
⌵	AMD V160	<div></div>	337	NA
⌵	Unisoc SC7731e	<div></div>	337	NA
⌵	Rockchip RK3566 EVB2 LP4X V10 Board PDM Mic Array	<div></div>	337	NA
⌵	ARM Cortex-A53 4 Core 0 MHz	<div></div>	337	NA
⌵	AMD E-300 APU	<div></div>	336	NA
⌵	AMD Turion 64 Mobile ML-40	<div></div>	336	NA
⌵	Mobile AMD Sempron 3800+	<div></div>	335	NA
⌵	sun8iw11p1	<div></div>	335	NA
⌵	ARM Cortex-A72 4 Core 1750 MHz	<div></div>	335	NA
⌵	Intel Celeron N2805 @ 1.46GHz	<div></div>	335	NA
⌵	Intel Celeron 550 @ 2.00GHz	<div></div>	334	\$54.95*
⌵	AMD Turion 64 Mobile ML-37	<div></div>	334	\$25.99*
⌵	ARM Cortex-A35 4 Core 1296 MHz	<div></div>	334	NA
⌵	AMD Turion 64 Mobile MK-36	<div></div>	334	NA
⌵	AMD Athlon 64 3000+	<div></div>	334	\$20.00*
⌵	Spreadtrum SC7731e	<div></div>	333	NA
⌵	Mobile AMD Athlon 64 3400+	<div></div>	333	NA
⌵	AMD Athlon 2850e	<div></div>	333	NA
⌵	Intel Core Duo T2050 @ 1.60GHz	<div></div>	333	NA
⌵	AMD Sempron M100	<div></div>	332	\$12.00*
⌵	Qualcomm MSM8228	<div></div>	332	NA
⌵	AMD Athlon 64 3800+	<div></div>	332	\$131.01*
⌵	Qualcomm APQ8026	<div></div>	330	NA
⌵	Intel Pentium T2060 @ 1.60GHz	<div></div>	330	NA
⌵	ARM Cortex-A35 4 Core 1200 MHz	<div></div>	329	NA
⌵	Intel Pentium 4 3.20GHz	<div></div>	328	NA
⌵	VIA Eden X2 U4200 @ 1.0+ GHz	<div></div>	326	NA
⌵	Mobile AMD Athlon 64 3200+	<div></div>	326	NA
⌵	ARM ARMv7 rev 5 (v7l) 4 Core 1200 MHz	<div></div>	325	NA
⌵	Intel Core Duo T2300 @ 1.66GHz	<div></div>	325	NA
⌵	Intel Celeron M 530 @ 1.73GHz	<div></div>	320	NA
⌵	AMD Turion 64 Mobile ML-34	<div></div>	319	NA
⌵	Rockchip RK3328	<div></div>	319	NA
⌵	ARM Cortex-A7 4 Core 1392 MHz	<div></div>	318	NA
⌵	ARM Cortex-A57 2 Core 1479 MHz	<div></div>	318	NA
⌵	AMD Athlon 64 3400+	<div></div>	317	\$99.95*
⌵	AMD Opteron 144	<div></div>	316	\$29.95*

Intel Atom N2600 @ 1.60GHz		316	NA
AMD C-60 APU		316	NA
CPU Benchmarks			
AMD Sempron LE-1100		315	\$34.95*
Intel Pentium 4 3.60GHz		315	NA
AMD C-70 APU		315	NA
AMD Sempron 3300+		315	\$20.00*
ARM Cortex-A72 4 Core 2800 MHz		314	NA
Rockchip RK3228A		314	NA
Intel Celeron D 420 @ 1.60GHz		313	NA
ARM Cortex-A53 4 Core 1008 MHz		313	NA
Mobile AMD Athlon 64 4000+		313	NA
Samsung GrandPrimePlus LTE CIS rev04 board based o		312	NA
Qualcomm MSM8926		310	NA
UNIVERSAL3475		310	NA
Intel Pentium 4 3.00GHz		309	NA
MT6735M		308	NA
Intel Celeron 3.06GHz		307	NA
msm8960dt		306	NA
Intel Celeron 540 @ 1.86GHz		305	\$20.95*
AMD Athlon 64 3200+		305	\$149.95*
AMD Z-01		305	NA
Intel Atom N550 @ 1.50GHz		304	\$86.00*
Intel Atom E3826 @ 1.46GHz		304	NA
Intel Celeron 430 @ 1.80GHz		303	\$43.64
AMD Sempron LE-1250		301	\$109.95
AMD G-T40N		299	NA
AMD Sempron 3000+		299	\$34.95*
Intel Atom Z2760 @ 1.80GHz		298	NA
Intel Pentium 4 3.40GHz		298	NA
AMD Sempron 3100+		298	\$65.00*
AMD Athlon II Neo K145		298	NA
Intel Pentium 4 3.46GHz		295	NA
AMD Athlon 64 2800+		295	\$99.99*
Qualcomm MSM8626		294	NA
Mobile AMD Sempron 3300+		294	NA
Qualcomm Technologies, Inc MSM8909		293	NA
AMD Sempron 3400+		292	\$86.68*
Qualcomm Technologies, Inc MSM8216		292	NA
Intel Pentium M 2.10GHz		292	NA
AMD Athlon 2800+		291	\$109.95*
AMD C-60		290	NA
AMD G-T40E		289	NA
AMD Sempron SI-40		288	\$12.00*
AMD Turion 64 Mobile MT-32		286	NA
Rockchip RK3229		285	NA
AMD Turion 64 Mobile ML-32		285	NA
Mobile AMD Sempron 3600+		284	NA


AMD Athlon XP 3100+		282	NA
AMD Athlon XP 3200+		281	NA
Home CPU Benchmarks ▼			
AMD Sempron M120		281	NA
Intel Pentium M 1.80GHz		280	NA
ARM Cortex-A72 4 Core 800 MHz		279	NA
AMD Turion 64 Mobile MT-34		279	NA
VIA Nano L2100@1800MHz		279	NA
ARM Cortex-A7 4 Core 1000 MHz		278	NA
Mobile AMD Sempron 3100+		277	NA
AMD Turion 64 Mobile ML-30		277	NA
AMD Athlon XP 2900+		276	NA
Intel Celeron 743 @ 1.30GHz		275	NA
ARM Cortex-A53 4 Core 1200 MHz		274	NA
AMD Turion 64 Mobile MT-37		274	NA
AMD Athlon 2650e		274	\$19.00*
Intel Celeron D 352 @ 3.20GHz		274	NA
Intel Core2 Solo U3500 @ 1.40GHz		272	NA
ARM Cortex-A53 4 Core 1400 MHz		271	NA
Intel Pentium M 2.00GHz		270	NA
Mobile AMD Sempron 3400+		269	NA
ARM Cortex-A7 4 Core 1008 MHz		269	NA
Mobile AMD Sempron 3500+		269	NA
Mobile AMD Sempron 3000+		269	NA
Intel Celeron 530 @ 1.73GHz		268	\$13.00
AMD Sempron 210U		267	NA
Intel Celeron 3.20GHz		267	NA
Intel Celeron M 723 @ 1.20GHz		267	NA
SAMSUNG SERRANO		266	NA
AMD Athlon TF-20		265	NA
Intel Celeron 3.33GHz		263	NA
VIA Eden C1050@1.06GHz		263	NA
AMD Z-60 APU		262	NA
AMD Athlon XP 3000+		262	\$79.70*
AMD Athlon XP 2800+		260	NA
Intel Xeon 2.80GHz		260	NA
AMD C-50		258	NA
ARM Cortex-A55 4 Core 0 MHz		258	NA
Intel Celeron 420 @ 1.60GHz		257	\$69.95
Mobile AMD Sempron 2600+		256	NA
AMD Athlon XP 2700+		256	\$84.79*
Intel Core Duo U2400 @ 1.06GHz		255	NA
AMD Turion 64 Mobile ML-28		254	NA
ARM Cortex-A7 4 Core 1296 MHz		253	NA
Intel Core Solo T1400 @ 1.83GHz		253	NA
AMD Sempron 2600+		253	\$34.95*
Intel Celeron M 1.70GHz		252	NA
AMD Sempron LE-1150		251	\$14.94*

Intel Celeron D 356 @ 3.33GHz		251	NA
Intel Atom D2500 @ 1.86GHz		251	NA
Home CPU Benchmarks ▼			
Mediatek MT6739W		251	NA
Intel Pentium 4 3.06GHz		249	NA
AMD GX-210JA SOC		248	NA
AMD Turion 64 Mobile MT-30		246	NA
Mobile AMD Sempron 3200+		245	NA
AMD Sempron SI-42		245	\$29.99*
AMD Athlon XP2400+		243	NA
AMD Athlon 64 2600+		243	NA
AMD Sempron 2800+		243	\$29.95*
AMD Athlon XP 2600+		242	\$23.03*
Intel Pentium SU2700 @ 1.30GHz		242	NA
Mobile AMD Athlon XP-M 2600+		241	NA
Mobile AMD Athlon 2500+		241	NA
Intel Celeron 807UE @ 1.00GHz		241	NA
Intel Pentium M 1.50GHz		240	NA
Intel Pentium M 1.70GHz		239	NA
Intel Celeron M 520 @ 1.60GHz		239	NA
Mobile AMD Athlon XP-M 3000+		238	NA
VIA Nano L2007@1600MHz		238	NA
Mobile AMD Athlon XP-M 2800+		238	NA
Intel Pentium M 1700MHz		237	NA
Mobile AMD Athlon XP-M 2200+		237	NA
sun8iw7		237	NA
Mobile AMD Sempron 2800+		237	NA
Intel Pentium 4 2.80GHz		237	NA
AMD Athlon XP 2400+		234	\$79.99*
Intel Pentium M 2.13GHz		234	NA
Intel Core2 Solo U2100 @ 1.06GHz		233	NA
Mobile AMD Athlon 4 2400+		233	NA
SAMSUNG EXPRESS2		233	NA
Intel Celeron D 347 @ 3.06GHz		232	NA
Mobile Intel Pentium 4 3.20GHz		232	NA
AMD Sempron 3500+		232	\$24.99*
AMD Athlon XP 2500+		231	NA
ARM Cortex-A7 4 Core 900 MHz		230	NA
Intel Celeron 2.93GHz		230	NA
Intel Celeron M 450 @ 2.00GHz		230	NA
Intel Pentium M 2.26GHz		227	NA
Mobile AMD Athlon XP-M 2500+		226	NA
Mobile AMD Athlon XP-M 2400+		225	NA
Intel Pentium M 1.40GHz		225	NA
Intel Atom N470 @ 1.83GHz		224	NA
Intel Core Duo U2500 @ 1.20GHz		223	NA
Intel Celeron 2.53GHz		222	NA
Intel Pentium M 1.86GHz		222	NA

ARM Cortex-A53 4 Core 1536 MHz		222	NA
Intel Celeron M 360 1.40GHz		221	NA
<div> CPU Benchmarks </div>			
Mobile Intel Pentium 4 3.06GHz		220	NA
ARM Cortex-A7 4 Core 1200 MHz		219	NA
Intel Celeron M 1500MHz		217	NA
ARM Cortex-A53 4 Core 1000 MHz		215	NA
Intel Pentium 4 2.60GHz		215	NA
AMD Athlon XP 2200+		214	\$84.95*
Intel Celeron 723 @ 1.20GHz		213	NA
AMD Athlon L110		211	NA
AMD Athlon XP 2100+		210	\$63.75*
Intel Core Solo T1300 @ 1.66GHz		210	NA
Intel Celeron 220 @ 1.20GHz		209	NA
Intel Pentium M 1400MHz		208	NA
ARM Cortex-A53 4 Core 1333 MHz		207	NA
AMD Sempron 2500+		207	\$59.95*
AMD Sempron 2300+		207	\$45.00*
Intel Celeron M 1.30GHz		205	NA
Mobile Intel Pentium 4 2.80GHz		205	NA
Intel Pentium M 1.73GHz		205	NA
AMD Sempron 2400+		205	\$12.99*
AMD Athlon XP 1900+		203	\$45.80*
Intel Atom N450 @ 1.66GHz		203	NA
Intel Pentium M 1.20GHz		199	NA
ARM Cortex-A72 4 Core 1850 MHz		199	NA
VIA Nano U2500@1200MHz		199	NA
RK30board		198	NA
Intel Pentium M 1300MHz		197	NA
Intel Celeron M 1300MHz		197	NA
Intel Pentium M 1.30GHz		196	NA
Mobile AMD Athlon XP-M 2000+		196	NA
AMD E-240		195	NA
AMD Athlon XP 1800+		195	\$50.95*
AMD Athlon XP 2000+		195	\$58.99*
Intel Pentium III 1400S @ 1400MHz		194	NA
Intel Pentium M 1.60GHz		194	NA
Intel Core Solo T1350 @ 1.86GHz		194	NA
Mobile AMD Athlon XP-M 1800+		193	NA
Intel Pentium III 1400 @ 1400MHz		193	NA
Intel Atom N2100 @ 1.60GHz		193	NA
Intel Atom E3815 @ 1.46GHz		193	\$135.00*
Intel Pentium M 1600MHz		193	NA
Intel Celeron M 1.50GHz		192	NA
Mobile AMD Athlon MP-M 2400+		192	NA
AMD Athlon 1500+		191	NA
Intel Celeron M 1.60GHz		190	NA
Intel Celeron 2.80GHz		190	NA

≡	Intel Atom D425 @ 1.80GHz	<div></div>	188	\$992.98*
≡	Intel Atom N455 @ 1.66GHz	<div></div>	188	NA
<div> <div>🏠</div> <div>CPU Benchmarks ▼</div> </div>				
≡	VIA Nano U2250 (1.6GHz Capable)	<div></div>	187	NA
≡	Google R11 BtWifi Evt1.1	<div></div>	187	NA
≡	VIA Nano U3500@1000MHz	<div></div>	184	NA
≡	Intel Pentium M 1.10GHz	<div></div>	184	NA
≡	AMD V105	<div></div>	184	NA
≡	AMD Sempron 2200+	<div></div>	184	\$39.95*
≡	AMD Athlon XP1600+	<div></div>	183	NA
≡	Intel Atom Z530 @ 1.60GHz	<div></div>	183	NA
≡	Mobile Intel Celeron 1333MHz	<div></div>	183	NA
≡	Mobile Intel Pentium 4 2.66GHz	<div></div>	182	NA
≡	Intel Celeron 2.26GHz	<div></div>	182	NA
≡	Intel Atom D410 @ 1.66GHz	<div></div>	180	\$635.99*
≡	Intel Xeon 2.40GHz	<div></div>	180	\$9.10*
≡	Intel Atom N475 @ 1.83GHz	<div></div>	179	NA
≡	VIA Nano U2250@1300+MHz	<div></div>	179	NA
≡	AMD C-30	<div></div>	178	NA
≡	AMD G-T52R	<div></div>	177	NA
≡	AMD Athlon XP 1700+	<div></div>	176	\$51.25*
≡	AMD Athlon XP 1600+	<div></div>	174	NA
≡	ARM Cortex-A72 4 Core 1200 MHz	<div></div>	174	NA
≡	Intel Celeron 215 @ 1.33GHz	<div></div>	174	NA
≡	Mobile AMD Athlon MP-M 1800+	<div></div>	173	NA
≡	Intel Celeron M 440 @ 1.86GHz	<div></div>	169	NA
≡	Intel Atom 230 @ 1.60GHz	<div></div>	169	NA
≡	Intel Celeron M 430 @ 1.73GHz	<div></div>	169	NA
≡	Mobile AMD Athlon XP-M 1600+	<div></div>	169	NA
≡	AMD Athlon XP 1500+	<div></div>	167	NA
≡	Intel Celeron 2.13GHz	<div></div>	166	NA
≡	VIA Nano L2207@1600MHz	<div></div>	165	NA
≡	Intel XEON 2.20GHz	<div></div>	164	NA
≡	Intel Celeron 2.50GHz	<div></div>	164	NA
≡	Mobile AMD Sempron 2100+	<div></div>	164	NA
≡	Intel Core Solo U1500 @ 1.33GHz	<div></div>	164	NA
≡	Intel Pentium III Mobile 1133MHz	<div></div>	164	NA
≡	Intel Pentium 4 2.53GHz	<div></div>	162	NA
≡	ARM Cortex-A53 2 Core 0 MHz	<div></div>	161	NA
≡	Intel Pentium III Mobile 1066MHz	<div></div>	160	NA
≡	Intel Pentium 4 2.50GHz	<div></div>	160	NA
≡	Intel Celeron 2.70GHz	<div></div>	159	NA
≡	Intel Celeron 1200MHz	<div></div>	159	NA
≡	Intel Atom Z670 @ 1.50GHz	<div></div>	158	NA
≡	Intel Pentium 4 2.66GHz	<div></div>	157	NA
≡	Intel Pentium 4 2.20GHz	<div></div>	157	NA
≡	Intel Atom N280 @ 1.66GHz	<div></div>	157	NA
≡	Intel Pentium III Mobile 1200MHz	<div></div>	156	NA

⌵	Intel Pentium M 1000MHz	<div></div>	156	NA
⌵	Intel Pentium M 1200MHz	<div></div>	155	NA
<div> <div>🏠</div> <div>CPU Benchmarks</div> <div>▼</div> </div>				
⌵	AMD Athlon 64 2000+	<div></div>	154	NA
⌵	Mobile Intel Celeron 2.40GHz	<div></div>	154	NA
⌵	Intel Atom N435 @ 1.33GHz	<div></div>	153	NA
⌵	Intel Xeon 2.00GHz	<div></div>	152	NA
⌵	Intel Pentium 4 2.26GHz	<div></div>	151	NA
⌵	Intel Pentium 4 2.93GHz	<div></div>	150	NA
⌵	VIA C7-D 1800MHz	<div></div>	150	NA
⌵	Intel Celeron M 1.00GHz	<div></div>	149	\$13.99
⌵	Intel Celeron 2.30GHz	<div></div>	148	NA
⌵	Mobile Intel Celeron 2.20GHz	<div></div>	147	NA
⌵	Mobile Intel Pentium III - M 1200MHz	<div></div>	146	NA
⌵	VIA C7-M 6300MHz	<div></div>	145	NA
⌵	Mobile Intel Pentium 4 - M 2.20GHz	<div></div>	143	NA
⌵	Intel Celeron 2.60GHz	<div></div>	143	NA
⌵	Intel Celeron 2.40GHz	<div></div>	143	NA
⌵	ARM Cortex-A7 2 Core 1080 MHz	<div></div>	142	NA
⌵	Intel Pentium M 900MHz	<div></div>	141	NA
⌵	Mobile Intel Pentium 4 - M 2.40GHz	<div></div>	139	NA
⌵	Intel Celeron 1000MHz	<div></div>	139	NA
⌵	Intel Celeron M 420 @ 1.60GHz	<div></div>	139	NA
⌵	Intel Celeron 2.20GHz	<div></div>	139	NA
⌵	ARM Cortex-A7 2 Core 996 MHz	<div></div>	138	NA
⌵	Mobile Intel Pentium 4 - M 2.00GHz	<div></div>	138	NA
⌵	Intel Pentium 4 Mobile 1.90GHz	<div></div>	136	NA
⌵	Intel Atom N270 @ 1.60GHz	<div></div>	136	NA
⌵	VIA Esther 1500MHz	<div></div>	135	NA
⌵	Intel Pentium 4 2.00GHz	<div></div>	133	NA
⌵	Mobile Intel Celeron 2.00GHz	<div></div>	133	NA
⌵	Intel Pentium 4 Mobile 2.00GHz	<div></div>	132	NA
⌵	Intel Pentium 4 2.40GHz	<div></div>	131	NA
⌵	Intel Celeron 2.66GHz	<div></div>	131	NA
⌵	Intel Core Solo U1400 @ 1.20GHz	<div></div>	130	NA
⌵	Mobile Intel Pentium III - M 933MHz	<div></div>	130	NA
⌵	Intel Core Solo U1300 @ 1.06GHz	<div></div>	127	NA
⌵	Intel Celeron M 443 @ 1.20GHz	<div></div>	125	NA
⌵	Intel Celeron 2.00GHz	<div></div>	125	NA
⌵	AMD Sempron 200U	<div></div>	125	\$87.00*
⌵	Intel Celeron M 410 @ 1.46GHz	<div></div>	123	NA
⌵	Intel Celeron M 900MHz	<div></div>	123	NA
⌵	Intel Atom Z520 @ 1.33GHz	<div></div>	122	NA
⌵	Mobile Intel Pentium 4 - M 1.70GHz	<div></div>	121	\$47.00
⌵	Mobile Intel Celeron 1.80GHz	<div></div>	121	NA
⌵	AMD G-T40R	<div></div>	120	NA
⌵	Mobile Intel Pentium 4 - M 1.80GHz	<div></div>	119	NA
⌵	Intel Pentium III Mobile 800MHz	<div></div>	119	\$79.00*

⌵	Mobile Intel Celeron 1.70GHz	<div></div>	118	NA
⌵	Nenverse-N1	<div></div>	117	NA
<div><div></div><div>CPU Benchmarks</div><div>▼</div></div>				
⌵	Intel Pentium 4 Mobile 1.60GHz	<div></div>	116	NA
⌵	VIA C7-M 1600MHz	<div></div>	116	NA
⌵	Intel Pentium 4 1.80GHz	<div></div>	115	NA
⌵	Intel Pentium 4 Mobile 1.80GHz	<div></div>	114	NA
⌵	Intel Pentium 4 1800MHz	<div></div>	114	NA
⌵	Intel Celeron 1100MHz	<div></div>	113	\$15.00*
⌵	ARM ARMv7 rev 5 (v7l) 2 Core 0 MHz	<div></div>	113	NA
⌵	VIA C7-M 1200MHz	<div></div>	112	NA
⌵	ARM Cortex-A7 2 Core 960 MHz	<div></div>	111	NA
⌵	Intel Celeron B710 @ 1.60GHz	<div></div>	106	NA
⌵	Intel Pentium 4 1.90GHz	<div></div>	104	NA
⌵	VIA Nehemiah	<div></div>	101	NA
⌵	Intel Celeron 1.70GHz	<div></div>	101	NA
⌵	Intel Pentium 4 1700MHz	<div></div>	100	\$84.99
⌵	Intel Pentium III Mobile 866MHz	<div></div>	99	\$10.00
⌵	OMAP4 Espresso board	<div></div>	98	NA
⌵	Intel Celeron 1.80GHz	<div></div>	96	NA
⌵	VIA Esther 1000MHz	<div></div>	95	NA
⌵	VIA Eden 1200MHz	<div></div>	93	NA
⌵	Intel Pentium 4 1.70GHz	<div></div>	86	NA
⌵	Intel Pentium 4 1.50GHz	<div></div>	86	NA
⌵	Intel Pentium 4 1.60GHz	<div></div>	84	NA
⌵	Intel Pentium 4 1400MHz	<div></div>	83	NA
⌵	Intel Pentium 4 1500MHz	<div></div>	81	NA
⌵	VIA Eden 1000MHz	<div></div>	80	NA
⌵	Intel Pentium 4 1300MHz	<div></div>	77	NA
⌵	Cortex-A76	<div></div>	51	NA
<div><div>Previous Page</div><div>Page 7 (of 7)</div><div></div></div>				

Software

- > [BurnInTest](#)
- > [PerformanceTest](#)
- > [OSForensics](#)
- > [MemTest86](#)
- > [WirelessMon](#)
- > [Management Console](#)
- > [Zoom Search Engine](#)
- > [Free Software](#)

Benchmarks

- > [CPU Benchmarks](#)

Hardware

- > [USB3.0 Loopback Plugs](#)
- > [USB2.0 Loopback Plugs](#)
- > [PCIe Test Cards](#)
- > [USB Power Delivery Tester](#)
- > [Serial and Parallel Loopback Plugs](#)
- > [USB Short Circuit Testers](#)

About Us

- > [Company](#)

[> Hard Drive Benchmarks](#)

[> The Press Room](#)



CPU Benchmarks



[> Software Marketshare](#)

[> Database Benchmarks](#)

[> Android Benchmarks](#)

[> iOS Benchmarks](#)

[> Internet Bandwidth](#)

[Services](#)

[International](#)

[Store](#)

[Disclaimer](#)

[Support](#)

[Refunds](#)

[Forums](#)

[Privacy](#)

[Compliance](#)

[Social](#)



Copyright © 2025 PassMark® Software

