



Test Summary

Project Name	Lenovo V55t G2 13ACN
Benchmark Version	1.0.4.68
Completion Date	2022-04-08 06:24:05
Iterations	3
System Conditioning	True
Process Idle Tasks	False

Performance Scores

	Productivity	Creativity	Responsiveness	Overall Rating
Scenario Rating	1412	1762	1548	1568
Iteration 1	1414	1760	1540	
Iteration 2	1398	1749	1554	
Iteration 3	1424	1779	1551	
Calibration	1000	1000	1000	1000



System Information Comparison Table

System Info	This System	Calibration System
BIOS	LENOVO O5JKT19A, 9/9/2021	Dell Inc. 1.7.7, 12/10/2017

Core + Memory

Motherboard type	3752	0WWJRX
CPU	AMD Ryzen 3 5300G with Radeon Graphics, 4001 Mhz, 4 Core(s), 8 Logical Processor(s)	Intel(R) Core(TM) i3-7100 CPU @ 3.90GHz, 3912 Mhz, 2 Core(s), 4 Logical Processor(s)
Memory Size	8.00 GB, 1 Channel, 3200 MHz	4.00 GB
Power Source	AC	AC
Virtual Memory	7.48 GB Total, 5.96 GB Free	5.24 GB Total, 3.80 GB Free
Virtualization	Enabled in firmware	Enabled in firmware
Secure Boot	Secure Boot StateOff	Secure Boot StateOn

Video

Resolution	1920 x 1080 x 59 hertz	1920 x 1080 @ 60 Hz
GPU 0	AMD Radeon(TM) Graphics (version: 30.0.14029.5006)	Intel(R) HD Graphics 630 (version: 22.20.16.4836)

Storage

Drive 0	238.47 GB (256,052,966,400 bytes) SKHynix_HFM256GD3HX015N	119.24 GB (128,034,708,480 bytes) SK hynix SC311 SATA 128GB
Policies	Write caching: Default; Power protected: Default	Write caching: Default; Power protected: Default

Operating System

OS Type	Microsoft Windows 10 Pro	Microsoft Windows 10 Pro
OS Version	10.0.19044.1288	10.0.16299.15
Bitlocker	Volume C: Protection Off	Volume C: Protection Off
Tamper Protection	Disabled	Not Available
Windows Defender Antivirus	Disabled	Disabled

Windows Security Center	Disabled	Disabled
Power Policy	BAPCo SYSmark 2018	BAPCo SYSmark 2018
Power Slider Overlay	Best Performance	Not Applicable
Virtualization-based Security	Disabled	Disabled
Memory Integrity	Disabled	Disabled

BAPCO® MISSION

Business Applications Performance Corporation (BAPCo®) is a non-profit consortium with a charter to develop and distribute a set of objective performance benchmarks for personal computers based on popular computer applications and industry standard operating systems.

ABOUT THE CALIBRATION SYSTEM

The calibration system is a system chosen as a reference point for all other SYSmark® 2018 results. BAPCo chose the configuration above for its wide availability and its representation of a typical mainstream PC at the time of release of SYSmark 2018.

SYSmark® has been calibrated in such a way that a PC with performance equivalent to this calibration system for a given workload will have a performance rating of 1000. A system twice as fast as the calibration system on a given workload (or, equivalently, that responds in half the time on average) will have a performance rating of 2000. This is true for both overall ratings and scenario ratings.