

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Pakiet : 1**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebienie (TWP,TWN,TP P,TPN)	13-20-1-01-	1	182	100	100
	13-20-1-01-	1	997	200	200
	13-20-1-01-	1	565	300	300
	13-20-1-01-	1	51	400	400
	13-20-1-01-	1	16	500	500
	13-20-1-01-	1	119	600	600
Użytki przygodne (PR,PTW,PTP)	13-20-1-01-	1	313	100	100
	13-20-1-01-	1	1042	200	200
	13-20-1-01-	1	940	300	300
	13-20-1-01-	1	322	400	400
	13-20-1-01-	1	102	500	500
	13-20-1-01-	1	806	600	600
	13-20-1-01-	1	5	700	700
Zręby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-1-01-	1	610	100	100
	13-20-1-01-	1	849	200	200
	13-20-1-01-	1	8	288	288
	13-20-1-01-	1	673	300	300
	13-20-1-01-	1	328	400	400
	13-20-1-01-	1	28	500	500
	13-20-1-01-	1	276	600	600
	13-20-1-01-	1	152	700	700

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 2**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP, TWN, TP P, TPN)	13-20-1-02-	1	245	100	100
	13-20-1-02-	1	583	200	200
	13-20-1-02-	1	119	300	300
	13-20-1-02-	1	68	400	400
	13-20-1-02-	1	85	500	500
Użytki przygodne (PR, PTW, PTP)	13-20-1-02-	1	168	100	100
	13-20-1-02-	1	339	200	200
	13-20-1-02-	1	435	300	300
	13-20-1-02-	1	270	400	400
	13-20-1-02-	2	400	500	500
	13-20-1-02-	1	2	700	700
Zręby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-1-02-	2	667	100	100
	13-20-1-02-	1	605	200	200
	13-20-1-02-	1	607	300	300
	13-20-1-02-	1	58	400	400
	13-20-1-02-	1	493	500	500
	13-20-1-02-	2	248	600	600
	13-20-1-02-	1	17	700	700
	13-20-1-02-	1	83	800	800

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 3**

Grupa czynność	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP,TWN,TP P,TPN)	13-20-1-03-	1	408	100	100
	13-20-1-03-	1	50	150	150
	13-20-1-03-	1	1740	200	200
	13-20-1-03-	1	3	250	250
	13-20-1-03-	1	279	300	300
	13-20-1-03-	1	41	400	400
	13-20-1-03-	1	5	500	500
	13-20-1-03-	1	7	600	600
Użytki przygodne (PR,PTW,PTP)	13-20-1-03-	1	402	100	100
	13-20-1-03-	2	199	150	150
	13-20-1-03-	1	1175	200	200
	13-20-1-03-	1	120	300	300
	13-20-1-03-	2	5	350	350
	13-20-1-03-	1	8	400	400
	13-20-1-03-	1	7	500	500
	13-20-1-03-	1	6	600	600
	13-20-1-03-	1	8	700	700
	13-20-1-03-	1	1	900	900
Zręby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-1-03-	1	3	10	10
	13-20-1-03-	1	40	50	50
	13-20-1-03-	1	51	70	70
	13-20-1-03-	1	2044	100	100
	13-20-1-03-	1	4	150	150
	13-20-1-03-	1	1143	200	200
	13-20-1-03-	1	134	300	300
	13-20-1-03-	1	2	400	400

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 4**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP, TWN, TP P, TPN)	13-20-1-04-	2	233	100	100
	13-20-1-04-	2	461	200	200
	13-20-1-04-	2	387	300	300
	13-20-1-04-	2	37	400	400
	13-20-1-04-	2	10	600	600
	13-20-1-04-	2	18	700	700
Użytki przygodne (PR, PTW, PTP)	13-20-1-04-	2	139	100	100
	13-20-1-04-	1	843	200	200
	13-20-1-04-	2	1682	300	300
	13-20-1-04-	2	159	400	400
	13-20-1-04-	2	79	500	500
	13-20-1-04-	2	39	600	600
	13-20-1-04-	2	32	700	700
Zręby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-1-04-	2	319	100	100
	13-20-1-04-	2	356	200	200
	13-20-1-04-	2	1078	300	300
	13-20-1-04-	2	157	400	400
	13-20-1-04-	2	148	500	500
	13-20-1-04-	2	172	600	600
	13-20-1-04-	2	180	800	800

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku

Część : 5

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP, TWN, TP P, TPN)	13-20-1-05-	2	4	200	200
	13-20-1-05-	2	135	300	300
	13-20-1-05-	2	119	400	400
	13-20-1-05-	2	159	500	500
	13-20-1-05-	2	81	600	600
	13-20-1-05-	2	220	700	700
	13-20-1-05-	2	147	800	800
	13-20-1-05-	2	45	900	900
	13-20-1-05-	1	224	1000	1000
	13-20-1-05-	2	1	1100	1100
	13-20-1-05-	2	12	1200	1200
	13-20-1-05-	2	19	1400	1400
	13-20-1-05-	2	17	1700	1700
Uzyski przygodne (PR, PTW, PTP)	13-20-1-05-	2	29	200	200
	13-20-1-05-	2	56	300	300
	13-20-1-05-	2	85	400	400
	13-20-1-05-	2	63	500	500
	13-20-1-05-	2	40	600	600
	13-20-1-05-	2	60	700	700
	13-20-1-05-	2	12	800	800
	13-20-1-05-	2	9	900	900
	13-20-1-05-	2	24	1000	1000
	13-20-1-05-	2	3	1100	1100
	13-20-1-05-	2	27	1200	1200
	13-20-1-05-	2	3	1300	1300
Zreby (IB, IC, IB, IBU, IIA, IIA-U, IIB, IIBU, IVD)	13-20-1-05-	2	54	300	300
	13-20-1-05-	1	144	400	400
	13-20-1-05-	2	248	500	500
	13-20-1-05-	2	406	600	600
	13-20-1-05-	1	130	700	700
	13-20-1-05-	1	169	800	800
	13-20-1-05-	2	88	900	900
	13-20-1-05-	2	477	1000	1000
	13-20-1-05-	2	3	1100	1100
	13-20-1-05-	2	162	1200	1200
	13-20-1-05-	2	206	1300	1300
	13-20-1-05-	2	78	1700	1700

Załącznik 3.5.6

Znak spr. SA.270.25.2019

Załącznik Nr 3.5.6 do SIWZ w postępowaniu
„Wykonywanie usług z zakresu gospodarki leśnej na
terenie Nadleśnictwa Olawa w latach 2020-2021”

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku

Grupa czynność	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP, TWN, TP P, TPN)	13-20-1-06-	1	149	100	100
	13-20-1-06-	2	294	200	200
	13-20-1-06-	2	522	300	300
	13-20-1-06-	1	24	400	400
	13-20-1-06-	2	312	500	500
	13-20-1-06-	1	51	700	700
	13-20-1-06-	1	83	1000	1000
	13-20-1-06-	1	6	1500	1500
Użytki przygodne (PR, PTW, PTP)	13-20-1-06-	1	33	100	100
	13-20-1-06-	1	42	200	200
	13-20-1-06-	1	113	300	300
	13-20-1-06-	2	228	500	500
	13-20-1-06-	1	2	700	700
	13-20-1-06-	1	11	1000	1000
Zręby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-1-06-	1	316	100	100
	13-20-1-06-	1	143	200	200
	13-20-1-06-	1	409	300	300
	13-20-1-06-	1	21	400	400
	13-20-1-06-	2	279	500	500
	13-20-1-06-	2	12	600	600
	13-20-1-06-	2	103	800	800
	13-20-1-06-	1	387	1000	1000
	13-20-1-06-	2	14	1200	1200

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 7**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP, TWN, TP P, TPN)	13-20-1-07-	1	10	200	200
	13-20-1-07-	1	9	250	250
	13-20-1-07-	2	9	300	300
Użytki przygodne (PR, PTW, PTP)	13-20-1-07-	2	7	100	100
	13-20-1-07-	2	12	200	200
	13-20-1-07-	2	166	300	300
	13-20-1-07-	1	132	400	400
	13-20-1-07-	1	5	450	450
	13-20-1-07-	2	250	500	500
	13-20-1-07-	1	5	550	550
	13-20-1-07-	2	399	600	600
	13-20-1-07-	2	130	700	700
	13-20-1-07-	2	35	800	800
Zręby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-1-07-	1	70	100	100
	13-20-1-07-	2	338	200	200
	13-20-1-07-	2	731	300	300
	13-20-1-07-	1	23	350	350
	13-20-1-07-	2	427	400	400
	13-20-1-07-	1	22	450	450
	13-20-1-07-	1	716	500	500
	13-20-1-07-	2	1432	600	600
	13-20-1-07-	3	119	700	700
	13-20-1-07-	2	29	800	800
	13-20-1-07-	1	15	900	900
13-20-1-07-	2	112	1000	1000	

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 8**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP, TWN, TP P, TPN)	13-20-2-08-	1	77	100	100
	13-20-2-08-	1	28	150	150
	13-20-2-08-	1	547	200	200
	13-20-2-08-	1	64	250	250
	13-20-2-08-	1	603	300	300
	13-20-2-08-	1	124	350	350
Użytki przygodne (PR, PTW, PTP)	13-20-2-08-	1	72	100	100
	13-20-2-08-	1	12	150	150
	13-20-2-08-	1	993	200	200
	13-20-2-08-	1	11	250	250
	13-20-2-08-	1	126	300	300
Zręby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-2-08-	1	245	100	100
	13-20-2-08-	1	36	150	150
	13-20-2-08-	1	1635	200	200
	13-20-2-08-	1	324	250	250
	13-20-2-08-	1	275	300	300

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 9**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP, TWN, TP P, TPN)	13-20-2-09-	1	272	100	100
	13-20-2-09-	1	297	150	150
	13-20-2-09-	1	953	200	200
	13-20-2-09-	1	553	300	300
	13-20-2-09-	1	47	400	400
Użytki przygodne (PR, PTW, PTP)	13-20-2-09-	1	137	100	100
	13-20-2-09-	1	4	150	150
	13-20-2-09-	1	571	200	200
	13-20-2-09-	1	221	300	300
	13-20-2-09-	1	59	400	400
	13-20-2-09-	1	14	500	500
Zręby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-2-09-	1	867	100	100
	13-20-2-09-	1	467	150	150
	13-20-2-09-	1	892	200	200
	13-20-2-09-	1	4	250	250
	13-20-2-09-	1	485	300	300
	13-20-2-09-	1	86	400	400
	13-20-2-09-	1	15	500	500

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 10**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP, TWN, TP P, TPN)	13-20-2-10-	1	61	100	100
	13-20-2-10-	3	30	150	150
	13-20-2-10-	2	470	200	200
	13-20-2-10-	2	526	300	300
	13-20-2-10-	1	178	400	400
Użytki przygodne (PR, PTW, PTP)	13-20-2-10-	1	6	0	0
	13-20-2-10-	2	337	100	100
	13-20-2-10-	2	150	150	150
	13-20-2-10-	3	2386	200	200
	13-20-2-10-	1	51	250	250
	13-20-2-10-	2	1598	300	300
	13-20-2-10-	1	44	400	400
	13-20-2-10-	2	18	500	500
	13-20-2-10-	2	37	600	600
	13-20-2-10-	2	1	700	700
Zręby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-2-10-	2	175	100	100
	13-20-2-10-	2	336	150	150
	13-20-2-10-	2	788	200	200
	13-20-2-10-	1	9	250	250
	13-20-2-10-	1	401	300	300
	13-20-2-10-	2	4	400	400
	13-20-2-10-	3	10	500	500
	13-20-2-10-	3	4	600	600

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 11**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP,TWN,TP P,TPN)	13-20-2-11-	1	0	50	50
	13-20-2-11-	1	66	100	100
	13-20-2-11-	1	92	150	150
	13-20-2-11-	1	10	170	170
	13-20-2-11-	1	767	200	200
	13-20-2-11-	1	342	250	250
	13-20-2-11-	1	358	300	300
	13-20-2-11-	1	151	350	350
	13-20-2-11-	1	26	400	400
Uzyci przygodne (PR,PTW,PTP)	13-20-2-11-	1	1	100	100
	13-20-2-11-	1	4	150	150
	13-20-2-11-	1	47	200	200
	13-20-2-11-	1	23	250	250
	13-20-2-11-	1	95	300	300
	13-20-2-11-	1	1	350	350
	13-20-2-11-	1	30	400	400
	13-20-2-11-	1	7	500	500
	13-20-2-11-	1	2	1500	1500
Zreby (IB, IC, IIB, IIBU, IIIA, IIIAU, IIIB, IIIBU, IVD)	13-20-2-11-	1	25	50	50
	13-20-2-11-	1	304	100	100
	13-20-2-11-	1	399	150	150
	13-20-2-11-	1	1065	200	200
	13-20-2-11-	1	110	250	250
	13-20-2-11-	1	255	300	300
	13-20-2-11-	1	58	350	350
	13-20-2-11-	1	38	400	400
	13-20-2-11-	1	7	450	450

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 12**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP,TWN,TP P,TPN)	13-20-2-12-	1	560	100	100
	13-20-2-12-	1	1073	200	200
	13-20-2-12-	1	86	300	300
	13-20-2-12-	2	36	400	400
	13-20-2-12-	1	18	500	500
Użytki przygodne (PR,PTW,PTP)	13-20-2-12-	1	30	100	100
	13-20-2-12-	1	240	200	200
	13-20-2-12-	1	549	300	300
	13-20-2-12-	1	21	400	400
	13-20-2-12-	1	701	500	500
	13-20-2-12-	1	79	600	600
	13-20-2-12-	1	91	800	800
Zręby (IB, IC, IIB, IIBU, IIIA, III AU, IIIB, IIIBU, IVD)	13-20-2-12-	1	1342	100	100
	13-20-2-12-	1	413	200	200
	13-20-2-12-	1	165	300	300
	13-20-2-12-	1	176	400	400
	13-20-2-12-	1	77	500	500

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Część : 13**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP,TWN,TP P,TPN)	13-20-2-13-	1	59	100	100
	13-20-2-13-	1	595	200	200
	13-20-2-13-	1	94	300	300
Użytki przygodne (PR,PTW,PTP)	13-20-2-13-	1	183	100	100
	13-20-2-13-	2	483	200	200
	13-20-2-13-	2	173	300	300
	13-20-2-13-	1	57	500	500
	13-20-2-13-	2	14	600	600
Zręby (IB, IC, IIB, IIBU, IIIA, III AU, IIIB, IIIBU, IVD)	13-20-2-13-	1	705	100	100
	13-20-2-13-	2	1176	200	200
	13-20-2-13-	2	981	300	300
	13-20-2-13-	1	45	400	400
	13-20-2-13-	1	74	500	500
	13-20-2-13-	1	114	600	600
	13-20-2-13-	2	7	700	700

Strefy trudności i odległości zrywki dla prac projektowanych w 2021 roku**Pakiet 17**

Grupa czynności	Adres leśny	Strefa zrywki	Ilość	ZRYW-NASR	ZRYW-PODW
Trzebieże (TWP,TWN,T PP,TPN)	13-20-2-	1	509	100	100
	13-20-2-	1	2262	200	200
	13-20-2-	1	1255	300	300
	13-20-2-	1	289	400	400
	13-20-2-	1	8	500	500
	13-20-2-	2	169	200	200
	13-20-2-	2	189	300	300
	13-20-2-	2	15	400	400
	13-20-2-	3	11	200	200
Użytki przygodne (PR,PTW,PTP)	13-20-2-	1	199	100	100
	13-20-2-	1	1065	200	200
	13-20-2-	1	528	300	300
	13-20-2-	1	74	400	400
	13-20-2-	1	355	500	500
	13-20-2-	1	34	600	600
	13-20-2-	1	40	800	800

	13-20-2-	2	121	100	100
	13-20-2-	2	253	200	200
	13-20-2-	2	645	300	300
	13-20-2-	1	24	500	500
	13-20-2-	3	857	200	200
Zręby (IB, IC, IIB, IIBU, IIIA, III AU, IIIB, IIIBU, IVD)	13-20-2-	1	1646	100	100
	13-20-2-	1	2918	200	200
	13-20-2-	1	1091	300	300
	13-20-2-	1	201	400	400
	13-20-2-	1	76	500	500
	13-20-2-	2	63	100	100
	13-20-2-	2	887	200	200
	13-20-2-	2	405	300	300
	13-20-2-	1	47	600	600

16236

