Legionella-GVPC-Selektivagar (GVPC)

According to ISO 11731

Shorthand symbol:

Item number: 40-1602

Format: Petri dish, 90mm

Colour: Black, opaque

Storage conditions:

Keep away from light at constant temperature; at 4 – 25°C.

Shelf-life: 3 Months

pH: 6,8 ± 0,2 at 25°C



Intented use and fields of application

For the detection, isolation and enumeration of Legionella from water samples and clinical material.

Typical composition in g/l

in g per 1l Medium	
Yeast Extract	10
Activated Charcoal	2
ACES (Buffer/Potassium Hydroxide)	10
L-Cysteine	0.4
Ferric (III) Pyrophospate	0.25
α-Ketoglutarate	1
Potassium hydroxide	2.8
Glycine	3
Vancomycin	0.001
Polymyxin B (in IU)	80 000
Cycloheximid	0.08
Agar	13

^{*}Adjusted as required to meet performance standards

Microbiological quality control

The Microbiological Performance Test is carried out in accordance with the requirements of ISO 11133.

Productivity

Incubation conditions: 2–5 days and 5–10 days at 36 \pm 2 °C; Inoculation concentration: 80–120 CFU

Organism	Type Strain	Specification	Colony morphology
Legionella pneumophila	ATCC 33152 / WDCM 00107	>50 %	White-grey-blue-violet entire colonies with a smooth edge and a characteristic milky appearance.
Legionella anisa	ATCC 35292 / WDCM	. 50.0/	White-grey-blue-violet entire colonies with a smooth edge and a characteristic
(5-10 days)	00106	>50 %	milky appearance.

Selectivity

Incubation conditions: 3 days at 36 \pm 2 °C; Inoculation concentration: 10,000-1,000,000 CFU

Organism	Type Strain	Specification	Colony morphology
Escherichia coli	ATCC 8739 / WDCM 00012	Complete or partial inhibition.	-
Enterococcus faecalis	ATCC 19433 / WDCM 00009	Complete inhibition.	-

Microbial Contamination

Incubation conditions: $48 \pm 4h$ at 30 ± 1 °C

Specification

No microbial contamination