























































































Obiekt: Przedszkole w Katowicach									MKT	
Treść rys.: Zbrojenie ścian.										
2021-06-28	SPECYFIKACJA DO RYSUNKU NR:				KAT-PW-K-06				1 / 11	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	Φ	Φ	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na Σ el.			
1	2	3	4	5	6	7	8	9	10	11
Szczegół "d1.1"	67		-	12	277.0	4	16	44.3	39.3	Σ= 45.7
	164		-	8	100.0	4	16	16.0	6.3	
Szczegół "d1.2"	62		-	12	342.0	4	16	54.7	48.6	Σ= 61.2
	164		-	8	100.0	8	32	32.0	12.6	
Szczegół "o1"	164		-	8	100.0	-	8	8.0	3.2	Σ= 3.2
Ściana Sc.01	31		-	12	890.0	-	8	71.2	63.2	Σ= 582.5
	48		-	12	500.0	-	2	10.0	8.9	
	51		-	12	477.0	-	2	9.5	8.5	
	55		-	12	430.0	-	6	25.8	22.9	
	60		-	12	382.0	-	4	15.3	13.6	
	66		-	12	277.0	-	14	38.8	34.4	
	73		-	12	220.0	-	2	4.4	3.9	
	76		-	12	182.0	-	2	3.6	3.2	
	89		-	12	138.0	-	2	2.8	2.5	
	94		-	12	125.0	-	30	37.5	33.3	
	95		-	12	110.0	-	86	94.6	84.0	
	97		-	12	73.0	-	12	8.8	7.8	
	103		-	10	477.0	-	68	324.4	200.0	
	104		-	10	460.0	-	34	156.4	96.4	
























ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana Sc.01	106		-	10	445.0	-	36	160.2	98.8	$\Sigma = 442.4$
	109		-	10	430.0	-	12	51.6	31.8	
	112		-	10	382.0	-	68	259.8	160.2	
	126		-	10	182.0	-	14	25.5	15.7	
	129		-	10	173.0	-	16	27.7	17.1	
	131		-	10	165.0	-	16	26.4	16.3	
	145		-	10	139.0	-	74	102.9	63.4	
	147		-	10	139.0	-	22	30.6	18.9	
	153		-	10	111.0	-	11	12.2	7.5	
	155		-	10	105.0	-	12	12.6	7.8	
	164		-	8	100.0	-	2	2.0	0.8	
	166		4.5	-	28.0	-	123	34.4	4.3	
Ściana Sc.02	43		-	12	560.0	-	8	44.8	39.8	$\Sigma = 489.2$
	72		-	12	225.0	-	4	9.0	8.0	
	86		-	12	146.0	-	6	8.8	7.8	
	87		-	12	140.0	-	2	2.8	2.5	
	88		-	12	139.0	-	4	5.6	4.9	
	94		-	12	125.0	-	22	27.5	24.4	
	95		-	12	110.0	-	60	66.0	58.6	
	103		-	10	477.0	-	54	257.6	158.8	
	108		-	10	433.0	-	8	34.6	21.4	
	110		-	10	416.0	-	14	58.2	35.9	
	112		-	10	382.0	-	54	206.3	127.2	
























ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana Sc.02	113		-	10	375.0	-	14	52.5	32.4	$\Sigma= 232.9$
	117		-	10	268.0	-	46	123.3	76.0	
	128		-	10	179.0	-	16	28.6	17.7	
	132		-	10	163.0	-	16	26.1	16.1	
	140		-	10	156.0	-	29	45.2	27.9	
	145		-	10	139.0	-	14	19.5	12.0	
	150		-	10	129.0	-	23	29.7	18.3	
	156		-	10	104.0	-	44	45.8	28.2	
	164		-	8	100.0	-	4	4.0	1.6	
	166		4.5	-	28.0	-	81	22.7	2.8	
Ściana Sc.03	51		-	12	477.0	-	12	57.2	50.8	$\Sigma= 671.6$
	92		-	12	129.0	-	8	10.3	9.2	
	96		-	12	100.0	-	62	62.0	55.0	
	103		-	10	477.0	-	48	229.0	141.2	
	106		-	10	445.0	-	78	347.1	214.0	
	115		-	10	372.0	-	62	230.6	142.2	
	151		-	10	129.0	-	72	92.9	57.3	
	167		4.5	-	18.0	-	87	15.7	2.0	
Ściana Sc.04	46		-	12	525.0	-	2	10.5	9.3	$\Sigma= 62.2$
	70		-	12	235.0	-	2	4.7	4.2	
	75		-	12	216.0	-	6	13.0	11.5	
	81		-	12	166.0	-	18	29.9	26.5	
	96		-	12	100.0	-	12	12.0	10.7	
























Obiekt: Przedszkole w Katowicach									MKT	
Treść rys.: Zbrojenie ścian.										
2021-06-28		SPECYFIKACJA DO RYSUNKU NR:			KAT-PW-K-06				4 / 11	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	Φ	Φ	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na Σ el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana Sc.04	102		-	10	525.0	-	10	52.5	32.4	Σ= 164.7
	115		-	10	372.0	-	10	37.2	22.9	
	121		-	10	235.0	-	14	32.9	20.3	
	124		-	10	216.0	-	26	56.2	34.6	
	141		-	10	149.0	-	24	35.8	22.0	
	143		-	10	145.0	-	18	26.1	16.1	
	144		-	10	143.0	-	18	25.7	15.9	
	167		4.5	-	18.0	-	23	4.1	0.5	
Ściana Sc.05	102		-	10	525.0	-	28	147.0	90.6	Σ= 282.4
	114		-	10	373.0	-	28	104.4	64.4	
	124		-	10	216.0	-	82	177.1	109.2	
	158		-	10	100.0	-	28	28.0	17.3	
	167		4.5	-	18.0	-	41	7.4	0.9	
Ściana Sc.06	102		-	10	525.0	-	28	147.0	90.6	Σ= 297.7
	112		-	10	382.0	-	28	107.0	65.9	
	119		-	10	236.0	-	70	165.2	101.9	
	120		-	10	235.0	-	14	32.9	20.3	
	154		-	10	110.0	-	28	30.8	19.0	
Ściana Sc.07	20		-	16	535.0	-	2	10.7	16.9	Σ= 218.2
	39		-	12	660.0	-	14	92.4	82.0	
	61		-	12	380.0	-	4	15.2	13.5	
	63		-	12	340.0	-	4	13.6	12.1	
	79		-	12	176.0	-	60	105.6	93.8	
KAT-PW-K-06_specyfikacja									Adelante Solutions © 2014 - 2021	

Obiekt: Przedszkole w Katowicach									MKT	
Treść rys.: Zbrojenie ścian.										
2021-06-28		SPECYFIKACJA DO RYSUNKU NR:			KAT-PW-K-06				5 / 11	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	Φ	Φ	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		l	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana Sc.07	82		-	12	165.0	-	4	6.6	5.9	Σ= 371.8
	86		-	12	146.0	-	5	7.3	6.5	
	88		-	12	139.0	-	14	19.5	17.3	
	90		-	12	133.0	-	4	5.3	4.7	
	101		-	10	527.0	-	28	147.6	91.0	
	112		-	10	382.0	-	28	107.0	65.9	
	119		-	10	236.0	-	70	165.2	101.9	
	154		-	10	110.0	-	92	101.2	62.4	
	165		-	8	96.0	-	43	41.3	16.3	
Ściana w osi A/8'-14'	166		4.5	-	28.0	-	572	160.2	20.0	Σ= 20.0
Ściana w osi B'	4		-	20	435.0	-	4	17.4	42.9	Σ= 739.8
	9		-	16	1200.0	-	3	36.0	56.8	
	11		-	16	970.0	-	6	58.2	91.9	
	14		-	16	650.0	-	3	19.5	30.8	
	16		-	16	600.0	-	7	42.0	66.3	
	22		-	16	450.0	-	6	27.0	42.6	
	24		-	16	285.0	-	6	17.1	27.0	
	26		-	16	265.0	-	3	8.0	12.5	
	27		-	12	1200.0	-	18	216.0	191.8	
	29		-	12	970.0	-	16	155.2	137.8	
	37		-	12	740.0	-	6	44.4	39.4	
KAT-PW-K-06_specyfikacja										
Adelante Solutions © 2014 - 2021										

















































ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana w osi B'	51		-	12	477.0	-	18	85.9	76.2	$\Sigma = 1036.7$
	53		-	12	446.0	-	18	80.3	71.3	
	56		-	12	420.0	-	2	8.4	7.5	
	71		-	12	228.0	-	2	4.6	4.0	
	77		-	12	180.0	-	98	176.4	156.6	
	88		-	12	139.0	-	10	13.9	12.3	
	91		-	12	130.0	-	170	221.0	196.2	
	95		-	12	110.0	-	8	8.8	7.8	
	98		-	10	1200.0	-	8	96.0	59.2	
	99		-	10	970.0	-	8	77.6	47.8	
	116		-	10	281.0	-	133	373.7	230.4	
	139		-	10	157.0	-	47	73.8	45.5	
	145		-	10	139.0	-	8	11.1	6.9	
	148		-	10	135.0	-	109	147.2	90.7	
	149		-	10	133.0	-	19	25.3	15.6	
	160		-	8	128.0	-	17	21.8	8.6	
Ściana w osi F'	1		-	20	870.0	-	6	52.2	128.7	$\Sigma = 437.5$
	2		-	20	630.0	-	6	37.8	93.2	
	3		-	20	535.0	-	6	32.1	79.2	
	6		-	20	371.0	-	6	22.3	54.9	
	8		-	20	340.0	-	6	20.4	50.3	
	21		-	16	497.0	-	2	9.9	15.7	
	33		-	12	870.0	-	2	17.4	15.4	

















ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana w osi F'	34		-	12	850.0	-	8	68.0	60.4	$\Sigma = 1295.4$
	36		-	12	750.0	-	8	60.0	53.3	
	37		-	12	740.0	-	2	14.8	13.1	
	38		-	12	700.0	-	6	42.0	37.3	
	41		-	12	600.0	-	10	60.0	53.3	
	45		-	12	535.0	-	2	10.7	9.5	
	47		-	12	510.0	-	2	10.2	9.1	
	50		-	12	497.0	-	18	89.5	79.4	
	51		-	12	477.0	-	22	104.9	93.2	
	53		-	12	446.0	-	24	107.0	95.0	
	64		-	12	325.0	-	4	13.0	11.5	
	85		-	12	150.0	-	18	27.0	24.0	
	88		-	12	139.0	-	20	27.8	24.7	
	91		-	12	130.0	-	138	179.4	159.3	
	95		-	12	110.0	-	36	39.6	35.2	
	98		-	10	1200.0	-	8	96.0	59.2	
	103		-	10	477.0	-	20	95.4	58.8	
	105		-	10	446.0	-	38	169.5	104.5	
	116		-	10	281.0	-	69	193.9	119.5	
	118		-	10	250.0	-	8	20.0	12.3	
	125		-	10	200.0	-	38	76.0	46.9	
	130		-	10	166.0	-	72	119.5	73.7	
	137		-	10	158.0	-	64	101.1	62.3	

ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana w osi F'	138		-	10	157.0	-	74	116.2	71.6	$\Sigma=$ 138.5
	148		-	10	135.0	-	69	93.2	57.4	
	161		-	8	120.0	-	20	24.0	9.5	
Ściana w osi I	10		-	16	1060.0	-	4	42.4	66.9	$\Sigma=$ 1042.9
	12		-	16	770.0	-	2	15.4	24.3	
	13		-	16	700.0	-	4	28.0	44.2	
	18		-	16	560.0	-	2	11.2	17.7	
	25		-	16	275.0	-	4	11.0	17.4	
	30		-	12	900.0	-	18	162.0	143.8	
	51		-	12	477.0	-	20	95.4	84.7	
	52		-	12	460.0	-	6	27.6	24.5	
	53		-	12	446.0	-	14	62.4	55.4	
	54		-	12	435.0	-	18	78.3	69.5	
	68		-	12	260.0	-	6	15.6	13.8	
	88		-	12	139.0	-	8	11.1	9.9	
	91		-	12	130.0	-	156	202.8	180.0	
	95		-	12	110.0	-	18	19.8	17.6	
	100		-	10	900.0	-	8	72.0	44.4	
	105		-	10	446.0	-	6	26.8	16.5	
	107		-	10	435.0	-	8	34.8	21.5	
	116		-	10	281.0	-	77	216.4	133.4	
	136		-	10	159.0	-	48	76.3	47.1	
	145		-	10	139.0	-	12	16.7	10.3	



ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana w osi I	148		-	10	135.0	-	74	99.9	61.6	$\Sigma= 94.5$
	160		-	8	128.0	-	36	46.1	18.2	
	161		-	8	120.0	-	4	4.8	1.9	
	163		-	8	102.0	-	32	32.6	12.9	
Ściana w osi II	5		-	20	400.0	-	3	12.0	29.6	$\Sigma= 621.1$
	7		-	20	370.0	-	3	11.1	27.4	
	15		-	16	620.0	-	3	18.6	29.4	
	17		-	16	590.0	-	3	17.7	27.9	
	19		-	16	555.0	-	6	33.3	52.6	
	23		-	16	330.0	-	6	19.8	31.3	
	28		-	12	1040.0	-	8	83.2	73.9	
	40		-	12	620.0	-	2	12.4	11.0	
	42		-	12	590.0	-	2	11.8	10.5	
	44		-	12	555.0	-	6	33.3	29.6	
	51		-	12	477.0	-	20	95.4	84.7	
	59		-	12	383.0	-	2	7.7	6.8	
	60		-	12	382.0	-	6	22.9	20.3	
	74		-	12	218.0	-	4	8.7	7.7	
	80		-	12	173.0	-	16	27.7	24.6	
	84		-	12	163.0	-	16	26.1	23.2	
	86		-	12	146.0	-	5	7.3	6.5	
	88		-	12	139.0	-	16	22.2	19.7	
	93		-	12	128.0	-	92	117.8	104.5	

ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana w osi II	95		-	12	110.0	-	62	68.2	60.5	$\Sigma = 539.9$
	103		-	10	477.0	-	24	114.5	70.6	
	109		-	10	430.0	-	20	86.0	53.0	
	111		-	10	383.0	-	42	160.9	99.2	
	123		-	10	218.0	-	28	61.0	37.6	
	127		-	10	181.0	-	32	57.9	35.7	
	133		-	10	163.0	-	18	29.3	18.1	
	134		-	10	161.0	-	34	54.7	33.7	
	142		-	10	149.0	-	36	53.6	33.1	
	146		-	10	139.0	-	33	45.9	28.3	
	150		-	10	129.0	-	23	29.7	18.3	
	152		-	10	119.0	-	23	27.4	16.9	
	159		-	8	130.0	-	68	88.4	34.9	
Ściana w osi III	12		-	16	770.0	-	2	15.4	24.3	$\Sigma = 481.2$
	18		-	16	560.0	-	2	11.2	17.7	
	30		-	12	900.0	-	20	180.0	159.8	
	32		-	12	885.0	-	6	53.1	47.1	
	35		-	12	845.0	-	2	16.9	15.0	
	38		-	12	700.0	-	6	42.0	37.3	
	49		-	12	500.0	-	6	30.0	26.6	
	51		-	12	477.0	-	16	76.3	67.8	
	53		-	12	446.0	-	6	26.8	23.8	
	54		-	12	435.0	-	16	69.6	61.8	

ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St0S	B500B		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Ściana w osi III	57		-	12	415.0	-	6	24.9	22.1	$\Sigma = 715.2$
	58		-	12	395.0	-	10	39.5	35.1	
	65		-	12	317.0	-	32	101.4	90.1	
	69		-	12	239.0	-	28	66.9	59.4	
	78		-	12	178.0	-	118	210.0	186.5	
	83		-	12	164.0	-	28	45.9	40.8	
	88		-	12	139.0	-	14	19.5	17.3	
	91		-	12	130.0	-	48	62.4	55.4	
	105		-	10	446.0	-	10	44.6	27.5	
	116		-	10	281.0	-	24	67.4	41.6	
	122		-	10	227.0	-	40	90.8	56.0	
	135		-	10	161.0	-	22	35.4	21.8	
	145		-	10	139.0	-	4	5.6	3.4	
	148		-	10	135.0	-	24	32.4	20.0	
	157		-	10	101.0	-	40	40.4	24.9	
	162		-	8	106.0	-	32	33.9	13.4	