

# CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

## CPU Mega List

Below is a list of all single and multiple socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

Last Updated: 11th of August 2022

Columns

Show  entries

CPU Name <input type="text" value="Search..."/>	Cores	CPU Mark		Thread Mark		TDP (W)		Socket	Category
		Min... Max...	-	Min... Max...	-	Min... Max...	-		
<a href="#">AArch64 rev 0 (aarch64)</a>	8	2,711	-	1,088	-	NA	-	Unknown	Unknown
<a href="#">AArch64 rev 1 (aarch64)</a>	8	2,469	-	1,050	-	NA	-	Unknown	Unknown
<a href="#">AArch64 rev 2 (aarch64)</a>	8	2,287	-	947	-	NA	-	Unknown	Unknown
<a href="#">AArch64 rev 4 (aarch64)</a>	8	1,787	-	649	-	NA	-	Unknown	Unknown
<a href="#">AC8257V/WAB</a>	8	740	-	461	-	NA	-	Unknown	Unknown
<a href="#">AMD 3015Ce</a>	2	2,105	-	1,343	-	6	-	FT5	Mobile/Embedded
<a href="#">AMD 3015e</a>	2	2,720	-	1,391	-	6	-	Unknown	Laptop
<a href="#">AMD 3020e</a>	2	2,475	-	1,425	-	6	-	Unknown	Laptop
<a href="#">AMD 4700S</a>	8	18,263	-	2,403	-	NA	-	Unknown	Desktop
<a href="#">AMD A10 Micro-6700T APU</a>	4	1,345	-	700	-	5	-	FT3b	Laptop
<a href="#">AMD A10 PRO-7350B APU</a>	4	1,919	-	903	-	19	-	FP3	Laptop
<a href="#">AMD A10 PRO-7800B APU</a>	2	3,184	-	1,502	-	65	-	FM2+	Desktop
<a href="#">AMD A10 PRO-7850B APU</a>	2	3,458	-	1,587	-	95	-	FM2+	Desktop
<a href="#">AMD A10-4600M APU</a>	2	1,925	-	1,065	-	35	-	FS1r2	Laptop
<a href="#">AMD A10-4655M APU</a>	2	1,637	-	903	-	25	-	FP2	Laptop
<a href="#">AMD A10-4657M APU</a>	4	1,759	-	940	-	35	-	FP2	Laptop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">AMD A10-5757M APU</a>	4	2,031	1,143	35	FP2	Laptop
<a href="#">AMD A10-5800B APU</a>	2	2,897	1,526	100	FM2	Desktop
<a href="#">AMD A10-5800K APU</a>	2	2,940	1,493	100	FM2	Desktop
<a href="#">AMD A10-6700 APU</a>	4	3,094	1,604	65	FM2	Desktop
<a href="#">AMD A10-6700T APU</a>	2	2,311	1,310	45	FM2	Desktop
<a href="#">AMD A10-6790K APU</a>	2	3,072	1,560	100	FM2	Desktop
<a href="#">AMD A10-6800B APU</a>	2	3,114	1,622	100	FM2	Desktop
<a href="#">AMD A10-6800K APU</a>	2	3,166	1,601	100	FM2	Desktop
<a href="#">AMD A10-7300 APU</a>	4	1,725	853	19	FP3	Laptop
<a href="#">AMD A10-7400P</a>	4	2,122	1,052	35	FP3	Laptop
<a href="#">AMD A10-7700K APU</a>	2	3,171	1,426	95	FM2+	Desktop
<a href="#">AMD A10-7800 APU</a>	2	3,159	1,454	65	FM2+	Desktop
<a href="#">AMD A10-7850K APU</a>	2	3,376	1,516	95	FM2+	Desktop
<a href="#">AMD A10-7860K</a>	2	3,338	1,533	65	FM2+	Desktop
<a href="#">AMD A10-7870K</a>	2	3,492	1,511	95	FM2+	Desktop
<a href="#">AMD A10-7890K</a>	2	3,465	1,534	95	FM2+	Desktop
<a href="#">AMD A10-8700P</a>	2	2,243	1,132	35	FP4	Laptop
<a href="#">AMD A10-8750</a>	2	3,318	1,554	65	FM2+	Desktop
<a href="#">AMD A10-8850</a>	2	3,214	1,537	NA	Unknown	Desktop
<a href="#">AMD A10-9600P</a>	4	2,235	1,104	15	FP4	Laptop
<a href="#">AMD A10-9620P</a>	4	2,523	1,282	15	Unknown	Laptop
<a href="#">AMD A10-9630P</a>	4	2,899	1,355	35	FP4	Laptop
<a href="#">AMD A10-9700</a>	4	3,549	1,619	65	AM4	Desktop
<a href="#">AMD A10-9700E</a>	4	2,947	1,413	35	AM4	Desktop
<a href="#">AMD A12-9700P</a>	4	2,445	1,212	15	FP4	Laptop
<a href="#">AMD A12-9720P</a>	4	2,606	1,324	15	FP4	Laptop
<a href="#">AMD A12-9730P</a>	4	3,172	1,487	35	FP4	Laptop
<a href="#">AMD A12-9800</a>	2	3,447	1,607	65	AM4	Desktop
<a href="#">AMD A12-9800E</a>	4	3,447	1,604	35	AM4	Desktop
<a href="#">AMD A4 Micro-6400T APU</a>	4	1,004	530	4.5	FT3b	Laptop
<a href="#">AMD A4 PRO-3340B</a>	4	1,645	676	25	BGA769 (FT3)	Laptop
<a href="#">AMD A4 PRO-7300B APU</a>	1	1,481	1,522	65	Unknown	Desktop
<a href="#">AMD A4 PRO-7350B</a>	1	1,544	1,438	65	FM2+	Desktop
<a href="#">AMD A4-1200 APU</a>	2	366	301	3.9	FT3	Laptop
<a href="#">AMD A4-1250 APU</a>	2	432	338	8	FT3	Laptop
<a href="#">AMD A4-3300 APU</a>	2	979	1,029	65	FM1	Desktop
<a href="#">AMD A4-3300M APU</a>	2	687	783	65	FM1	Laptop
<a href="#">AMD A4-3305M APU</a>	2	718	821	35	FS1	Laptop
<a href="#">AMD A4-3310MX APU</a>	2	769	822	45	FS1	Laptop
<a href="#">AMD A4-3320M APU</a>	2	640	656	35	FS1	Laptop
<a href="#">AMD A4-3330MX APU</a>	2	752	910	45	FS1 uPGA	Laptop
<a href="#">AMD A4-3400 APU</a>	2	1,077	1,081	65	FM1	Desktop
<a href="#">AMD A4-3420 APU</a>	2	1,094	1,150	65	FM1	Desktop
<a href="#">AMD A4-4000 APU</a>	1	1,166	1,183	65	FM2	Desktop
<a href="#">AMD A4-4020 APU</a>	2	1,225	1,238	65	FM2	Desktop
<a href="#">AMD A4-4300M APU</a>	1	980	989	35	FS1	Laptop
<a href="#">AMD A4-4355M APU</a>	2	818	828	17	FP2	Laptop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">AMD A4-5150M APU</a>	2	765	800	35	FS1r2	Laptop
<a href="#">AMD A4-5300 APU</a>	2	1,355	1,346	65	FM2	Desktop
<a href="#">AMD A4-5300B APU</a>	2	1,222	1,253	65	FM2	Desktop
<a href="#">AMD A4-6210 APU</a>	4	1,485	609	15	FT3b	Laptop
<a href="#">AMD A4-6250J APU</a>	4	1,656	698	25	Unknown	Unknown
<a href="#">AMD A4-6300 APU</a>	1	1,431	1,418	65	FM2	Desktop
<a href="#">AMD A4-6300B APU</a>	1	1,328	1,373	65	Unknown	Desktop
<a href="#">AMD A4-6320 APU</a>	1	1,543	1,517	65	FM2	Desktop
<a href="#">AMD A4-7210 APU</a>	4	1,663	725	25	BGA	Laptop
<a href="#">AMD A4-7300 APU</a>	1	1,495	1,485	65	FM2	Desktop
<a href="#">AMD A4-9120</a>	2	1,230	1,061	15	BGA	Laptop
<a href="#">AMD A4-9120C</a>	2	869	943	6	FT4	Laptop
<a href="#">AMD A4-9120e</a>	2	894	784	NA	FT4	Laptop
<a href="#">AMD A4-9125</a>	2	1,211	1,042	15	BGA (FT4)	Laptop
<a href="#">AMD A6 Micro-6500T APU</a>	4	1,146	630	NA	Unknown	Laptop
<a href="#">AMD A6 PRO-7050B APU</a>	2	1,027	905	17	FP3	Laptop
<a href="#">AMD A6 PRO-7400B</a>	1	1,641	1,494	65	FM2+	Desktop
<a href="#">AMD A6-1450 APU</a>	4	1,117	468	8	FT3	Laptop
<a href="#">AMD A6-3400M APU</a>	4	1,206	707	35	FS1	Laptop
<a href="#">AMD A6-3410MX APU</a>	4	1,216	727	45	FS1	Laptop
<a href="#">AMD A6-3420M APU</a>	4	1,274	787	35	FS1	Laptop
<a href="#">AMD A6-3430MX APU</a>	4	1,448	822	45	FS1	Laptop
<a href="#">AMD A6-3500 APU</a>	3	1,390	965	65	FM1	Desktop
<a href="#">AMD A6-3600 APU</a>	4	1,633	901	65	FM1	Desktop
<a href="#">AMD A6-3620 APU</a>	4	1,857	991	65	FM1	Desktop
<a href="#">AMD A6-3650 APU</a>	4	1,995	1,006	100	FM1	Desktop
<a href="#">AMD A6-3670 APU</a>	4	2,070	1,131	100	FM1	Desktop
<a href="#">AMD A6-4400M APU</a>	1	1,022	1,042	35	FS1r2	Laptop
<a href="#">AMD A6-4455M APU</a>	1	774	768	17	FP2	Laptop
<a href="#">AMD A6-5200 APU</a>	4	1,645	659	25	FT3	Laptop
<a href="#">AMD A6-5345M APU</a>	2	1,122	1,094	17	FP2	Laptop
<a href="#">AMD A6-5350M APU</a>	2	1,120	1,184	35	FS1r2	Laptop
<a href="#">AMD A6-5357M APU</a>	2	1,260	1,268	35	FP2	Laptop
<a href="#">AMD A6-5400B APU</a>	1	1,428	1,380	65	FM2	Desktop
<a href="#">AMD A6-5400K APU</a>	1	1,239	1,244	65	FM2	Desktop
<a href="#">AMD A6-6310 APU</a>	4	1,671	751	15	FT3	Laptop
<a href="#">AMD A6-6400B APU</a>	1	1,616	1,608	65	FM2	Desktop
<a href="#">AMD A6-6400K APU</a>	1	1,454	1,433	65	FM2	Desktop
<a href="#">AMD A6-6420B APU</a>	1	1,550	1,629	65	FM2	Desktop
<a href="#">AMD A6-6420K APU</a>	2	1,539	1,557	65	FM2	Desktop
<a href="#">AMD A6-7000</a>	2	1,010	857	17	FP3	Laptop
<a href="#">AMD A6-7310 APU</a>	4	1,740	789	25	Unknown	Laptop
<a href="#">AMD A6-7400K APU</a>	2	1,589	1,424	65	FM2+	Desktop
<a href="#">AMD A6-7470K</a>	1	1,799	1,576	65	FM2+	Desktop
<a href="#">AMD A6-7480</a>	2	1,918	1,637	65	FM2+	Desktop
<a href="#">AMD A6-8500P</a>	2	1,469	1,274	15	BGA (FP4)	Laptop
<a href="#">AMD A6-8550</a>	2	1,604	1,474	65	FM2+	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD A6-9220C</a>	2	1,114	987	6	FT4	Laptop
<a href="#">AMD A6-9220e</a>	2	971	849	NA	Unknown	Laptop
<a href="#">AMD A6-9225</a>	2	1,343	1,183	15	BGA (FT4)	Laptop
<a href="#">AMD A6-9230</a>	2	1,279	1,158	15	Unknown	Desktop
<a href="#">AMD A6-9400</a>	2	2,717	1,664	10	FT4	Laptop
<a href="#">AMD A6-9500</a>	2	1,861	1,617	65	AM4	Desktop
<a href="#">AMD A6-9500E</a>	2	1,841	1,478	35	AM4	Desktop
<a href="#">AMD A8 PRO-7150B APU</a>	4	1,557	789	19	FP3	Laptop
<a href="#">AMD A8 PRO-7600B APU</a>	4	2,855	1,356	65	FM2+	Desktop
<a href="#">AMD A8-3500M APU</a>	4	1,308	781	35	FS1	Laptop
<a href="#">AMD A8-3510MX APU</a>	4	1,630	902	45	FS1	Laptop
<a href="#">AMD A8-3520M APU</a>	4	1,401	835	35	FS1	Laptop
<a href="#">AMD A8-3530MX APU</a>	4	1,570	933	45	FS1	Laptop
<a href="#">AMD A8-3550MX APU</a>	4	1,579	938	45	FS1	Laptop
<a href="#">AMD A8-3800 APU</a>	4	1,971	1,081	65	FM1	Desktop
<a href="#">AMD A8-3820 APU</a>	4	2,181	1,153	65	FM1	Desktop
<a href="#">AMD A8-3850 APU</a>	4	2,244	1,207	100	FM1	Desktop
<a href="#">AMD A8-3870K APU</a>	4	2,344	1,241	100	FM1	Desktop
<a href="#">AMD A8-4500M APU</a>	2	1,640	884	35	FS1r2	Laptop
<a href="#">AMD A8-4555M APU</a>	2	1,307	788	19	FP2	Laptop
<a href="#">AMD A8-5500 APU</a>	2	2,586	1,335	65	FM2	Desktop
<a href="#">AMD A8-5500B APU</a>	2	2,644	1,356	65	FM2	Desktop
<a href="#">AMD A8-5545M APU</a>	4	1,625	889	19	FP2	Laptop
<a href="#">AMD A8-5550M APU</a>	4	1,854	1,035	35	FS1r2	Laptop
<a href="#">AMD A8-5557M APU</a>	4	1,734	1,014	35	FP2	Laptop
<a href="#">AMD A8-5600K APU</a>	4	2,806	1,417	100	FM2	Desktop
<a href="#">AMD A8-6410 APU</a>	4	1,771	785	15	BGA769 (FT3b)	Laptop
<a href="#">AMD A8-6500 APU</a>	2	2,825	1,498	65	FM2	Desktop
<a href="#">AMD A8-6500B APU</a>	2	2,892	1,520	65	FM2	Desktop
<a href="#">AMD A8-6500T APU</a>	2	1,816	1,048	45	FM2	Desktop
<a href="#">AMD A8-6600K APU</a>	2	2,960	1,530	100	FM2	Desktop
<a href="#">AMD A8-7050</a>	2	1,074	913	15	Unknown	Laptop
<a href="#">AMD A8-7100 APU</a>	4	1,644	847	19	FP3	Laptop
<a href="#">AMD A8-7200P</a>	4	2,154	1,054	35	FP3	Laptop
<a href="#">AMD A8-7410 APU</a>	4	1,811	802	25	Unknown	Laptop
<a href="#">AMD A8-7500</a>	2	3,878	1,509	65	FM2+	Desktop
<a href="#">AMD A8-7600 APU</a>	2	3,214	1,453	65	FM2+	Desktop
<a href="#">AMD A8-7650K</a>	2	3,013	1,373	65	FM2+	Desktop
<a href="#">AMD A8-7670K</a>	4	3,182	1,478	95	FM2+	Desktop
<a href="#">AMD A8-7680</a>	4	3,481	1,629	45	FM2+	Laptop
<a href="#">AMD A8-8600P</a>	2	2,240	1,103	15	FP4	Laptop
<a href="#">AMD A8-8650</a>	4	2,774	1,408	65	FM2+	Desktop
<a href="#">AMD A8-9600</a>	4	3,292	1,486	65	AM4	Desktop
<a href="#">AMD A9-9400</a>	2	1,356	1,218	10	FP4	Laptop
<a href="#">AMD A9-9410</a>	2	1,505	1,316	25	FP4	Laptop
<a href="#">AMD A9-9420</a>	2	1,514	1,317	15	Unknown	Laptop
<a href="#">AMD A9-9420e</a>	2	1,127	994	NA	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Athlon 1500+</a>	1	191	275	NA	Unknown	Unknown
<a href="#">AMD Athlon 1640B</a>	1	412	462	45	AM2	Desktop
<a href="#">AMD Athlon 200GE</a>	2	4,117	1,809	35	AM4	Desktop
<a href="#">AMD Athlon 220GE</a>	2	4,424	1,958	35	AM4	Laptop
<a href="#">AMD Athlon 240GE</a>	2	4,551	1,986	35	AM4	Desktop
<a href="#">AMD Athlon 2650e</a>	1	274	304	15	AM2	Desktop
<a href="#">AMD Athlon 2800+</a>	1	291	439	89	754	Unknown
<a href="#">AMD Athlon 2850e</a>	1	333	337	22	AM2	Desktop
<a href="#">AMD Athlon 3000G</a>	2	4,482	1,998	35	AM4	Desktop
<a href="#">AMD Athlon 300GE</a>	2	4,301	1,880	35	AM4	Desktop
<a href="#">AMD Athlon 300U</a>	2	3,970	1,828	15	FP5	Laptop
<a href="#">AMD Athlon 320GE</a>	2	4,300	1,861	35	AM4	Desktop
<a href="#">AMD Athlon 5000 Dual-Core</a>	2	872	898	65	AM2,AM2+	Desktop
<a href="#">AMD Athlon 5150 APU</a>	4	1,378	550	25	AM1,FS1b	Desktop
<a href="#">AMD Athlon 5200 Dual-Core</a>	2	869	915	75	AM2	Desktop
<a href="#">AMD Athlon 5350 APU</a>	4	1,744	699	25	AM1,FS1B	Desktop
<a href="#">AMD Athlon 5370 APU</a>	4	1,923	755	25	AM1,FS1B	Desktop
<a href="#">AMD Athlon 64 2000+</a>	1	154	173	8	Unknown	Unknown
<a href="#">AMD Athlon 64 2600+</a>	1	243	292	15	Unknown	Unknown
<a href="#">AMD Athlon 64 2800+</a>	1	295	375	89	754	Unknown
<a href="#">AMD Athlon 64 3000+</a>	1	303	506	89	Socket 754	Desktop
<a href="#">AMD Athlon 64 3100+</a>	1	484	600	89	754	Desktop
<a href="#">AMD Athlon 64 3200+</a>	1	340	568	62	AM2	Unknown
<a href="#">AMD Athlon 64 3300+</a>	1	375	477	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 3400+</a>	1	317	547	89	754	Unknown
<a href="#">AMD Athlon 64 3500+</a>	1	396	568	45	AM2	Unknown
<a href="#">AMD Athlon 64 3700+</a>	1	394	435	89	939	Desktop
<a href="#">AMD Athlon 64 3800+</a>	1	292	461	45	AM2	Unknown
<a href="#">AMD Athlon 64 4000+</a>	1	340	565	62	AM2	Unknown
<a href="#">AMD Athlon 64 FX-55</a>	1	404	505	104	939	Desktop
<a href="#">AMD Athlon 64 FX-57</a>	1	517	552	104	939	Desktop
<a href="#">AMD Athlon 64 FX-59</a>	1	465	575	NA	939	Desktop
<a href="#">AMD Athlon 64 FX-60 Dual Core</a>	2	709	912	110	939	Desktop
<a href="#">AMD Athlon 64 FX-62 Dual Core</a>	2	943	1,000	125	AM2	Desktop
<a href="#">AMD Athlon 64 FX-74</a>	2	972	617	125	F (1207)	Desktop
<a href="#">AMD Athlon 64 X2 3800+</a>	2	566	745	89	939	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>	2	531	505	89	754	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>	2	596	686	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>	2	622	722	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>	2	656	727	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>	2	672	786	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>	2	691	787	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core</a>	2	716	839	65	AM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">4800+</a> <a href="#">AMD Athlon 64 X2 Dual Core 5000+</a>	2	773	886	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>	2	807	912	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>	2	907	999	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5600+</a>	2	929	1,028	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>	2	797	1,008	89	Unknown	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>	2	925	1,026	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 6400+</a>	2	967	1,142	125	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a>	2	594	624	45	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>	2	573	674	45	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>	2	577	537	20	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>	2	535	600	31	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>	2	518	609	35	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a>	2	634	675	31	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 QL-60</a>	2	547	609	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-62</a>	2	553	685	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-64</a>	2	622	732	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-65</a>	2	609	653	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-66</a>	2	641	751	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-67</a>	2	582	515	35	S1	Laptop
<a href="#">AMD Athlon 7450 Dual-Core</a>	2	789	853	95	AM2+	Desktop
<a href="#">AMD Athlon 7550 Dual-Core</a>	2	859	919	95	AM2+	Desktop
<a href="#">AMD Athlon 7750 Dual-Core</a>	2	951	1,034	95	AM2+	Desktop
<a href="#">AMD Athlon 7850 Dual-Core</a>	2	1,037	1,110	95	AM2+	Desktop
<a href="#">AMD Athlon Dual Core 4050e</a>	2	616	732	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 4450B</a>	2	684	780	45	AM2+	Desktop
<a href="#">AMD Athlon Dual Core 4450e</a>	2	682	799	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 4850B</a>	2	727	887	45	AM2+	Desktop
<a href="#">AMD Athlon Dual Core 4850e</a>	2	738	893	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5000B</a>	2	835	935	65	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5050e</a>	2	748	875	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5200B</a>	2	796	953	65	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5400B</a>	2	826	969	65	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5600B</a>	2	737	1,003	65	AM2+	Desktop
<a href="#">AMD Athlon Gold 3150C</a>	2	2,310	989	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Athlon Gold 3150G</a>	4	7,093	2,263	65	AM4	Desktop
<a href="#">AMD Athlon Gold 3150U</a>	2	3,988	1,767	15	FP5	Laptop
<a href="#">AMD Athlon Gold PRO 3150G</a>	4	7,702	2,321	65	AM4	Desktop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">AMD Athlon II Dual-Core M300</a>	2	634	758	35	Unknown	Unknown
<a href="#">AMD Athlon II Dual-Core M320</a>	2	719	839	35	Unknown	Unknown
<a href="#">AMD Athlon II Dual-Core M340</a>	2	676	774	35	Unknown	Unknown
<a href="#">AMD Athlon II N330 Dual-Core</a>	2	665	813	35	Unknown	Unknown
<a href="#">AMD Athlon II N350 Dual-Core</a>	2	767	945	35	Unknown	Unknown
<a href="#">AMD Athlon II N370 Dual-Core</a>	2	899	913	35	S1g4	Unknown
<a href="#">AMD Athlon II Neo K125</a>	1	302	613	12	S1	Laptop
<a href="#">AMD Athlon II Neo K145</a>	1	298	592	12	S1	Laptop
<a href="#">AMD Athlon II Neo K325 Dual-Core</a>	2	417	486	12	Unknown	Laptop
<a href="#">AMD Athlon II Neo K345 Dual-Core</a>	2	527	552	12	Unknown	Laptop
<a href="#">AMD Athlon II Neo N36L Dual-Core</a>	2	478	521	12	Unknown	Laptop
<a href="#">AMD Athlon II P320 Dual-Core</a>	2	684	814	25	Unknown	Unknown
<a href="#">AMD Athlon II P340 Dual-Core</a>	2	673	827	25	S1g4	Unknown
<a href="#">AMD Athlon II P360 Dual-Core</a>	2	711	879	25	S1g4	Unknown
<a href="#">AMD Athlon II X2 210e</a>	2	1,105	1,105	45	AM3	Desktop
<a href="#">AMD Athlon II X2 215</a>	2	967	1,040	65	AM3	Desktop
<a href="#">AMD Athlon II X2 220</a>	2	1,028	1,106	65	AM3	Desktop
<a href="#">AMD Athlon II X2 235e</a>	2	1,049	1,107	45	AM3	Desktop
<a href="#">AMD Athlon II X2 240</a>	2	935	1,027	65	AM3	Desktop
<a href="#">AMD Athlon II X2 240e</a>	2	980	1,092	45	AM3	Desktop
<a href="#">AMD Athlon II X2 245</a>	2	1,042	1,121	65	AM2+/AM3	Desktop
<a href="#">AMD Athlon II X2 245e</a>	2	1,075	1,145	45	AM3	Desktop
<a href="#">AMD Athlon II X2 250</a>	2	1,089	1,151	65	AM3	Desktop
<a href="#">AMD Athlon II X2 250e</a>	2	1,155	1,201	45	AM3	Desktop
<a href="#">AMD Athlon II X2 250u</a>	2	592	632	25	AM3	Desktop
<a href="#">AMD Athlon II X2 255</a>	2	1,165	1,250	65	AM3	Desktop
<a href="#">AMD Athlon II X2 260</a>	2	1,103	1,231	65	AM3	Desktop
<a href="#">AMD Athlon II X2 260u</a>	2	663	703	25	AM3	Desktop
<a href="#">AMD Athlon II X2 265</a>	2	1,233	1,344	65	AM3	Desktop
<a href="#">AMD Athlon II X2 270</a>	2	1,242	1,352	65	AM3	Desktop
<a href="#">AMD Athlon II X2 270u</a>	2	675	791	25	AM3	Desktop
<a href="#">AMD Athlon II X2 280</a>	2	1,355	1,462	65	AM3	Unknown
<a href="#">AMD Athlon II X2 4300e</a>	2	990	1,074	13	Unknown	Unknown
<a href="#">AMD Athlon II X2 4400e</a>	2	1,059	1,121	37	Unknown	Unknown
<a href="#">AMD Athlon II X2 4450e</a>	2	867	1,066	45	AM2	Desktop
<a href="#">AMD Athlon II X2 B22</a>	2	1,036	1,124	65	AM3	Desktop
<a href="#">AMD Athlon II X2 B24</a>	2	1,073	1,206	65	AM3	Desktop
<a href="#">AMD Athlon II X2 B26</a>	2	1,190	1,271	65	Unknown	Unknown
<a href="#">AMD Athlon II X2 B28</a>	2	1,251	1,366	65	AM3	Desktop
<a href="#">AMD Athlon II X3 400e</a>	3	1,320	908	45	AM3	Desktop
<a href="#">AMD Athlon II X3 405e</a>	3	1,331	973	45	AM3	Desktop
<a href="#">AMD Athlon II X3 415e</a>	3	1,441	1,028	45	AM3	Desktop
<a href="#">AMD Athlon II X3 420e</a>	3	1,557	1,058	45	AM3	Desktop
<a href="#">AMD Athlon II X3 425</a>	3	1,535	1,091	95	AM3	Desktop
<a href="#">AMD Athlon II X3 435</a>	3	1,682	1,189	95	AM3	Desktop
<a href="#">AMD Athlon II X3 440</a>	3	1,718	1,220	95	AM3	Desktop
<a href="#">AMD Athlon II X3 445</a>	3	1,811	1,278	95	AM3	Desktop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">AMD Athlon II X4 553</a>	4	2,418	1,204	NA	Unknown	Unknown
<a href="#">AMD Athlon II X4 555</a>	4	2,310	1,242	NA	Unknown	Unknown
<a href="#">AMD Athlon II X4 557</a>	4	2,567	1,345	160	AM3	Desktop
<a href="#">AMD Athlon II X4 559</a>	4	2,602	1,399	NA	Unknown	Unknown
<a href="#">AMD Athlon II X4 600e</a>	4	1,711	913	45	AM3	Desktop
<a href="#">AMD Athlon II X4 605e</a>	4	1,957	1,005	45	AM3	Desktop
<a href="#">AMD Athlon II X4 610e</a>	4	1,871	999	45	AM3	Desktop
<a href="#">AMD Athlon II X4 615e</a>	4	1,967	1,037	45	AM3	Desktop
<a href="#">AMD Athlon II X4 620</a>	4	1,934	1,054	95	AM3	Desktop
<a href="#">AMD Athlon II X4 630</a>	4	2,109	1,140	95	AM3	Desktop
<a href="#">AMD Athlon II X4 631 Quad-Core</a>	4	2,085	1,118	100	FM1	Desktop
<a href="#">AMD Athlon II X4 635</a>	4	2,120	1,144	95	AM3	Desktop
<a href="#">AMD Athlon II X4 638 Quad-Core</a>	4	2,250	1,163	65	FM1	Desktop
<a href="#">AMD Athlon II X4 640</a>	4	2,189	1,205	95	AM3	Desktop
<a href="#">AMD Athlon II X4 641 Quad-Core</a>	4	2,143	1,192	100	FM1	Desktop
<a href="#">AMD Athlon II X4 645</a>	4	2,326	1,268	95	AM3	Desktop
<a href="#">AMD Athlon II X4 650</a>	4	2,440	1,329	95	Unknown	Unknown
<a href="#">AMD Athlon II X4 651 Quad-Core</a>	4	2,338	1,296	100	FM1	Unknown
<a href="#">AMD Athlon II X4 655</a>	4	2,078	1,473	95	AM2+ (940-pin)	Unknown
<a href="#">AMD Athlon L110</a>	1	197	223	13	Unknown	Unknown
<a href="#">AMD Athlon LE-1600</a>	1	412	430	45	AM2	Desktop
<a href="#">AMD Athlon LE-1620</a>	1	421	475	45	AM2	Desktop
<a href="#">AMD Athlon LE-1640</a>	1	430	489	45	AM2	Desktop
<a href="#">AMD Athlon LE-1660</a>	1	416	428	45	AM2	Desktop
<a href="#">AMD Athlon Neo MV-40</a>	1	282	442	15	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>	2	456	566	22	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core L325</a>	2	476	527	18	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core L335</a>	2	529	570	18	Unknown	Unknown
<a href="#">AMD Athlon PRO 200GE</a>	2	4,139	1,821	35	AM4	Desktop
<a href="#">AMD Athlon PRO 300GE</a>	2	4,475	1,917	35	AM4	Desktop
<a href="#">AMD Athlon Silver 3050e</a>	2	2,955	1,451	6	Unknown	Laptop
<a href="#">AMD Athlon Silver 3050GE</a>	2	4,545	2,016	35	AM4	Laptop
<a href="#">AMD Athlon Silver 3050U</a>	2	3,042	1,709	15	FP5	Laptop
<a href="#">AMD Athlon Silver PRO 3125GE</a>	2	4,633	2,074	35	AM4	Desktop
<a href="#">AMD Athlon TF-20</a>	1	265	454	15	Unknown	Unknown
<a href="#">AMD Athlon TF-36</a>	1	338	349	25	Unknown	Unknown
<a href="#">AMD Athlon X2 215</a>	2	996	1,107	65	Unknown	Unknown
<a href="#">AMD Athlon X2 240</a>	2	921	1,017	65	Unknown	Unknown
<a href="#">AMD Athlon X2 240e</a>	2	1,015	1,092	45	Unknown	Unknown
<a href="#">AMD Athlon X2 250</a>	2	993	1,132	65	Unknown	Unknown
<a href="#">AMD Athlon X2 255</a>	2	938	1,095	65	AM2+/AM3	Unknown
<a href="#">AMD Athlon X2 280</a>	2	1,327	1,258	65	AM3	Unknown
<a href="#">AMD Athlon X2 340 Dual Core</a>	2	1,315	1,301	65	Unknown	Unknown
<a href="#">AMD Athlon X2 370K Dual Core</a>	1	1,504	1,514	65	Unknown	Unknown
<a href="#">AMD Athlon X2 450</a>	2	1,295	878	65	FM2+	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD Athlon X2 Dual Core BE-2350</a>	2	591	705	45	AM2	Desktop
<a href="#">AMD Athlon X2 Dual Core BE-2400</a>	2	688	693	18	FT1	Desktop
<a href="#">AMD Athlon X2 Dual Core L310</a>	2	379	434	13	S1	Laptop
<a href="#">AMD Athlon X3 425</a>	3	1,516	845	95	Unknown	Unknown
<a href="#">AMD Athlon X3 435</a>	3	1,781	1,192	95	Unknown	Unknown
<a href="#">AMD Athlon X3 440</a>	3	1,438	1,129	95	Unknown	Unknown
<a href="#">AMD Athlon X3 455</a>	3	1,783	1,227	95	AM2+/AM3	Unknown
<a href="#">AMD Athlon X4 530</a>	4	1,786	690	25	AM1	Desktop
<a href="#">AMD Athlon X4 620</a>	4	1,810	1,033	95	Unknown	Unknown
<a href="#">AMD Athlon X4 640</a>	4	2,115	1,224	95	Unknown	Unknown
<a href="#">AMD Athlon X4 730</a>	2	1,936	562	65	FM2	Desktop
<a href="#">AMD Athlon X4 740 Quad Core</a>	2	2,664	1,363	65	FM2	Desktop
<a href="#">AMD Athlon X4 750 Quad Core</a>	4	1,986	1,338	65	FM2	Desktop
<a href="#">AMD Athlon X4 750K Quad Core</a>	2	2,790	1,446	100	FM2	Unknown
<a href="#">AMD Athlon X4 760K Quad Core</a>	2	2,932	1,522	100	FM2	Desktop
<a href="#">AMD Athlon X4 830</a>	2	2,901	1,292	65	FM2+	Desktop
<a href="#">AMD Athlon X4 840</a>	2	3,287	1,482	65	FM2+	Desktop
<a href="#">AMD Athlon X4 845</a>	2	3,783	1,681	65	FM2+	Desktop
<a href="#">AMD Athlon X4 860K</a>	2	3,423	1,529	95	FM2+	Desktop
<a href="#">AMD Athlon X4 870K</a>	2	3,383	1,543	95	FM2+	Desktop
<a href="#">AMD Athlon X4 880K</a>	2	3,656	1,628	95	FM2+	Desktop
<a href="#">AMD Athlon X4 950</a>	4	3,610	1,662	65	AM4	Desktop
<a href="#">AMD Athlon XP 1500+</a>	1	167	251	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 1600+</a>	1	174	265	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 1700+</a>	1	176	272	64	Socket A (462)	Desktop
<a href="#">AMD Athlon XP 1800+</a>	1	195	301	66	Socket A	Desktop
<a href="#">AMD Athlon XP 1900+</a>	1	203	312	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2000+</a>	1	195	311	70	Socket A	Desktop
<a href="#">AMD Athlon XP 2100+</a>	1	210	327	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2200+</a>	1	214	335	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2400+</a>	1	234	375	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2500+</a>	1	231	353	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2600+</a>	1	242	380	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2700+</a>	1	256	398	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2800+</a>	1	260	408	89	754	Unknown
<a href="#">AMD Athlon XP 2900+</a>	1	276	410	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 3000+</a>	1	262	396	62	Socket A	Desktop
<a href="#">AMD Athlon XP 3100+</a>	1	282	431	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 3200+</a>	1	281	430	62	AM2	Unknown
<a href="#">AMD Athlon XP1600+</a>	1	183	272	NA	Unknown	Unknown
<a href="#">AMD Athlon XP2400+</a>	1	243	390	NA	Unknown	Unknown
<a href="#">AMD Athlon64 X2 Dual Core 4600+</a>	2	803	755	110	AM2	Desktop
<a href="#">AMD C-30</a>	1	178	375	9	FT1	Laptop
<a href="#">AMD C-50</a>	2	269	316	9	FT1	Laptop
<a href="#">AMD C-60</a>	2	290	354	9	Unknown	Unknown
<a href="#">AMD C-60 APU</a>	2	309	359	9	Unknown	Unknown
<a href="#">AMD C-70 APU</a>	2	314	368	9	Unknown	Unknown

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">AMD E-350 APU</a>	2	423	490	18	FT1 BGA	Desktop, Laptop
<a href="#">AMD E-350D APU</a>	2	486	523	18	Unknown	Unknown
<a href="#">AMD E-450 APU</a>	2	420	496	18	FT1	Laptop
<a href="#">AMD E1 Micro-6200T APU</a>	2	600	498	3.95	FT3b	Laptop
<a href="#">AMD E1-1200 APU</a>	2	375	427	18	FT1	Laptop
<a href="#">AMD E1-1500 APU</a>	2	392	458	18	FT1	Laptop
<a href="#">AMD E1-2100 APU</a>	2	407	327	9	FT3	Laptop
<a href="#">AMD E1-2200 APU</a>	2	474	368	9	FT3	Laptop
<a href="#">AMD E1-2500 APU</a>	2	593	461	15	FT3	Laptop
<a href="#">AMD E1-6010 APU</a>	2	528	421	10	FT3b	Laptop
<a href="#">AMD E1-6015 APU</a>	2	560	446	NA	BGA769 (FT3b)	Laptop
<a href="#">AMD E1-6050J APU</a>	2	1,385	787	10	Unknown	Unknown
<a href="#">AMD E1-7010 APU</a>	2	582	492	10	BGA769 (FT3b)	Laptop
<a href="#">AMD E2-1800 APU</a>	2	437	522	18	FT1	Desktop
<a href="#">AMD E2-2000 APU</a>	2	501	555	18	BGA413,FT1	Laptop
<a href="#">AMD E2-3000 APU</a>	2	726	547	15	FT3	Laptop
<a href="#">AMD E2-3000M APU</a>	2	674	736	35	FS1	Laptop
<a href="#">AMD E2-3200 APU</a>	2	953	964	65	FM1	Desktop
<a href="#">AMD E2-3800 APU</a>	4	1,137	447	15	FT3	Laptop
<a href="#">AMD E2-6110 APU</a>	4	1,136	469	15	AM1,FT3b	Laptop
<a href="#">AMD E2-7110 APU</a>	4	1,521	615	15	FP4 BGA	Laptop
<a href="#">AMD E2-9000</a>	2	933	792	10	Unknown	Laptop
<a href="#">AMD E2-9000e</a>	2	853	731	6	Unknown	Laptop
<a href="#">AMD E2-9010</a>	2	991	871	15	FP4	Laptop
<a href="#">AMD E2-9030</a>	2	922	906	NA	BGA (FT4)	Desktop
<a href="#">AMD Embedded G-Series GX-215JJ Radeon R2E</a>	2	1,057	869	10	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded G-Series GX-224IJ Radeon R4E</a>	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded G-Series GX-420GI Radeon R7E</a>	4	1,546	821	16.1	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-216GD</a>	2	1,628	1,313	15	BGA (FP4)	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-421BD</a>	4	3,302	1,477	35	BGA (FP4)	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-421ND</a>	4	3,575	1,536	35	FP4	Mobile/Embedded
<a href="#">AMD EPYC 3101 4-Core</a>	4	6,050	1,787	NA	Unknown	Unknown
<a href="#">AMD EPYC 3201</a>	8	10,258	1,928	30	SP4r2	Server
<a href="#">AMD EPYC 3251</a>	8	13,965	1,872	50	SP4r2	Server
<a href="#">AMD EPYC 7232P</a>	8	17,017	1,549	120	SP3	Server
<a href="#">AMD EPYC 7251</a>	8	14,935	1,671	120	SP3	Server
<a href="#">AMD EPYC 7252</a>	8	19,550	1,992	120	SP3	Server
<a href="#">AMD EPYC 7262</a>	8	20,827	2,026	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7262</a>	8	34,227	2,023	155	SP3	Server
<a href="#">AMD EPYC 7272</a>	12	26,446	2,013	120	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7272</a>	12	44,270	2,019	120	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD EPYC 7301</a>	16	14,991	1,363	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7301</a>	16	34,148	1,654	155	SP3	Server
<a href="#">AMD EPYC 7302</a>	16	33,863	2,024	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7302</a>	16	47,243	1,585	155	SP3	Server
<a href="#">AMD EPYC 7302P</a>	16	32,480	1,878	155	SP3	Server
<a href="#">AMD EPYC 7313</a>	16	40,866	2,628	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7313</a>	16	63,799	2,723	155	SP3	Server
<a href="#">AMD EPYC 7313P</a>	16	41,884	2,713	155	SP3	Server
<a href="#">AMD EPYC 7343</a>	16	45,882	2,947	190	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7343</a>	16	74,666	2,919	190	SP3	Server
<a href="#">AMD EPYC 7351</a>	16	23,566	1,821	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7351</a>	16	25,431	1,747	155	SP3	Server
<a href="#">AMD EPYC 7351P</a>	16	25,484	1,809	155	SP3	Server
<a href="#">AMD EPYC 7352</a>	24	40,472	1,995	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7352</a>	24	66,239	2,051	155	SP3	Server
<a href="#">AMD EPYC 7371</a>	16	31,094	2,377	NA	SP3	Server
<a href="#">AMD EPYC 73F3</a>	16	46,085	2,878	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 73F3</a>	16	65,909	2,671	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7401</a>	24	55,280	1,850	155	SP3	Server
<a href="#">AMD EPYC 7401P</a>	24	26,701	1,654	155	SP3	Server
<a href="#">AMD EPYC 7402</a>	24	51,368	2,081	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7402</a>	24	58,436	1,761	180	SP3	Server
<a href="#">AMD EPYC 7402P</a>	24	41,098	1,994	180	SP3	Server
<a href="#">AMD EPYC 7413</a>	24	48,858	2,217	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7413</a>	24	74,417	2,201	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7443</a>	24	86,728	2,984	200	SP3	Server
<a href="#">AMD EPYC 7443P</a>	24	57,630	2,960	200	SP3	Server
<a href="#">AMD EPYC 7451</a>	24	20,471	1,975	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7451</a>	24	58,873	1,962	180	SP3	Server
<a href="#">AMD EPYC 7452</a>	32	41,871	1,689	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7452</a>	32	78,639	2,186	155	SP3	Server
<a href="#">AMD EPYC 7453</a>	28	53,511	2,580	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7453</a>	28	84,369	2,537	225	SP3	Server
<a href="#">AMD EPYC 74F3</a>	24	60,840	2,913	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 74F3</a>	24	95,545	2,983	240	SP3	Server
<a href="#">AMD EPYC 7501</a>	32	24,925	1,925	155	SP3	Server
<a href="#">AMD EPYC 7502</a>	32	49,178	1,843	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7502</a>	32	80,226	2,188	180	SP3	Server
<a href="#">AMD EPYC 7502P</a>	32	48,995	1,894	180	SP3	Server
<a href="#">AMD EPYC 7513</a>	32	59,732	2,447	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7513</a>	32	96,378	2,738	200	SP3	Server
<a href="#">AMD EPYC 7532</a>	32	55,358	2,137	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7532</a>	32	82,917	2,160	200	SP3	Server
<a href="#">AMD EPYC 7542</a>	32	56,728	2,207	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7542</a>	32	72,619	2,026	225	SP3	Server
<a href="#">AMD EPYC 7543</a>	32	56,562	2,563	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7543</a>	32	101,710	2,767	240	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD EPYC 7551P</a>	32	33,439	1,771	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7552</a>	48	91,019	2,040	200	SP3	Server
<a href="#">AMD EPYC 7571</a>	32	27,445	1,934	120	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7573X</a>	32	103,531	2,650	280	SP3	Server
<a href="#">AMD EPYC 75F3</a>	32	68,505	2,775	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 75F3</a>	32	99,758	2,616	280	SP3	Server
<a href="#">AMD EPYC 7601</a>	32	42,244	1,941	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7601</a>	32	56,790	1,812	180	SP3	Server
<a href="#">AMD EPYC 7642</a>	48	59,126	2,146	225	SP3	Server
<a href="#">AMD EPYC 7643</a>	48	76,455	2,695	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7643</a>	48	115,676	2,689	225	SP3	Server
<a href="#">AMD EPYC 7662</a>	64	73,143	2,100	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7662</a>	64	97,178	2,089	225	SP3	Server
<a href="#">AMD EPYC 7702</a>	64	71,646	2,097	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7702</a>	64	91,878	2,072	200	SP3	Server
<a href="#">AMD EPYC 7702P</a>	64	61,689	2,110	200	SP3	Server
<a href="#">AMD EPYC 7713</a>	64	85,527	2,720	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7713</a>	64	102,246	2,114	225	SP3	Server
<a href="#">AMD EPYC 7713P</a>	64	83,155	2,741	225	SP3	Server
<a href="#">AMD EPYC 7742</a>	64	68,749	2,145	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7742</a>	64	99,760	2,143	225	SP3	Server
<a href="#">AMD EPYC 7763</a>	64	85,944	2,576	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7763</a>	64	117,612	2,501	280	SP3	Server
<a href="#">AMD EPYC 7773X</a>	64	89,614	2,410	280	SP3	Server
<a href="#">AMD EPYC 7B13</a>	60	77,460	2,564	NA	Unknown	Server
<a href="#">AMD EPYC 7F32</a>	8	23,026	2,423	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7F32</a>	8	41,230	2,429	180	SP3	Server
<a href="#">AMD EPYC 7F52</a>	16	41,023	2,444	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7F52</a>	16	65,659	2,407	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7H12</a>	64	100,817	2,053	280	SP3	Server
<a href="#">AMD EPYC 7J13</a>	64	86,006	2,387	NA	Unknown	Server
<a href="#">AMD EPYC 7K62</a>	48	40,487	2,121	NA	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7K83</a>	64	102,053	2,458	NA	Unknown	Server
<a href="#">AMD EPYC 7R32</a>	48	64,727	1,922	NA	Unknown	Server
<a href="#">[Dual CPU] AMD EPYC 7T83</a>	64	114,215	2,587	280	SP3	Server
<a href="#">AMD EPYC Embedded 7292P</a>	16	30,542	2,091	NA	Unknown	Server
<a href="#">AMD FirePro A320 APU</a>	4	2,634	1,482	100	FM2	Desktop
<a href="#">AMD FX-4100 Quad-Core</a>	2	2,565	1,279	95	AM3+	Desktop
<a href="#">AMD FX-4130 Quad-Core</a>	2	2,664	1,329	125	AM3+	Desktop
<a href="#">AMD FX-4150 Quad-Core</a>	4	3,327	1,465	125	AM3+	Desktop
<a href="#">AMD FX-4170 Quad-Core</a>	2	3,115	1,460	125	AM3+	Desktop
<a href="#">AMD FX-4200 Quad-Core</a>	4	3,134	1,285	125	AM3+	Desktop
<a href="#">AMD FX-4300 Quad-Core</a>	2	2,949	1,490	95	AM3+	Desktop
<a href="#">AMD FX-4320</a>	2	3,043	1,545	95	AM3+	Desktop
<a href="#">AMD FX-4330</a>	2	3,248	1,563	95	AM3+	Desktop
<a href="#">AMD FX-4350 Quad-Core</a>	2	3,272	1,605	125	AM3+	Desktop
<a href="#">AMD FX-6100 Six-Core</a>	3	3,684	1,322	95	AM3+	Desktop

-  -

CPU Benchmarks

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD FX-6300 Six-Core</a>	3	4,173	1,489	95	AM3+	Desktop
<a href="#">AMD FX-6330 Six-Core</a>	3	4,455	1,540	95	AM3+	Desktop
<a href="#">AMD FX-6350 Six-Core</a>	3	4,472	1,542	125	AM3+	Desktop
<a href="#">AMD FX-670K Quad-Core</a>	2	2,897	1,566	65	FM2	Desktop
<a href="#">AMD FX-7500 APU</a>	4	1,835	907	19	FP3	Laptop
<a href="#">AMD FX-7600P</a>	4	2,492	1,208	35	FP3	Laptop
<a href="#">AMD FX-7600P APU</a>	4	2,856	1,436	35	FP3	Laptop
<a href="#">AMD FX-770K Quad-Core</a>	2	2,686	1,404	65	FM2+	Desktop
<a href="#">AMD FX-8100 Eight-Core</a>	4	4,037	1,120	95	AM3+	Desktop
<a href="#">AMD FX-8120 Eight-Core</a>	4	4,627	1,332	125	AM3+	Desktop
<a href="#">AMD FX-8140 Eight-Core</a>	4	4,860	1,273	95	AM3+	Desktop
<a href="#">AMD FX-8150 Eight-Core</a>	4	5,191	1,423	125	AM3+	Desktop
<a href="#">AMD FX-8300 Eight-Core</a>	4	5,286	1,491	95	AM3+	Desktop
<a href="#">AMD FX-8310 Eight-Core</a>	4	5,165	1,416	95	AM3+	Desktop
<a href="#">AMD FX-8320 Eight-Core</a>	4	5,421	1,471	125	AM3+	Desktop
<a href="#">AMD FX-8320E Eight-Core</a>	4	5,048	1,422	95	AM3+	Desktop
<a href="#">AMD FX-8350 Eight-Core</a>	4	5,990	1,577	125	AM3+	Desktop
<a href="#">AMD FX-8370 Eight-Core</a>	4	6,148	1,629	125	AM3+	Desktop
<a href="#">AMD FX-8370E Eight-Core</a>	4	5,330	1,505	95	AM3+	Desktop
<a href="#">AMD FX-870K Quad Core</a>	2	3,094	1,369	NA	Unknown	Unknown
<a href="#">AMD FX-8800P</a>	2	2,803	1,368	35	FP4	Laptop
<a href="#">AMD FX-9370 Eight-Core</a>	4	5,980	1,665	220	AM3+	Desktop
<a href="#">AMD FX-9590 Eight-Core</a>	4	6,798	1,830	220	AM3+	Desktop
<a href="#">AMD FX-9800P</a>	4	2,402	1,173	15	Unknown	Laptop
<a href="#">AMD FX-9830P</a>	4	3,283	1,575	35	FP4	Laptop
<a href="#">AMD FX-B4150 Quad-Core</a>	2	3,369	1,425	95	AM3+	Desktop
<a href="#">AMD G-T40E</a>	2	289	313	6.4	FT1	Laptop
<a href="#">AMD G-T40N</a>	2	299	324	9	FT1	Laptop
<a href="#">AMD G-T40R</a>	1	120	327	5.5	FT1	Laptop
<a href="#">AMD G-T44R</a>	1	130	328	9	FT1	Laptop
<a href="#">AMD G-T48E</a>	2	435	460	18	FT1	Laptop
<a href="#">AMD G-T52R</a>	1	177	381	18	FT1	Laptop
<a href="#">AMD G-T56E</a>	2	442	522	18	FT1	Laptop
<a href="#">AMD G-T56N</a>	2	473	521	18	FT1	Laptop
<a href="#">AMD Geode NX 2400+</a>	1	400	634	NA	Unknown	Unknown
<a href="#">AMD GX-210JA SOC</a>	2	248	231	6	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-212JC SOC</a>	2	619	453	6	FT3b	Laptop
<a href="#">AMD GX-217GA SOC</a>	2	762	558	15	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-218GL SOC</a>	2	754	627	15	BGA769 (FT3b)	Laptop
<a href="#">AMD GX-222GC SOC</a>	2	1,038	819	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
<a href="#">AMD GX-412HC</a>	4	1,065	412	7	FT3b	Laptop
<a href="#">AMD GX-415GA SOC</a>	4	1,406	517	15	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-420CA SOC</a>	4	1,767	669	25	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-420MC SOC</a>	4	1,796	695	17.5	FTB3b	Laptop
<a href="#">AMD GX-424CC SOC</a>	4	1,742	800	25	FT3b	Laptop
<a href="#">AMD Opteron 1212</a>	2	593	729	103	AM2	Server
<a href="#">AMD Opteron 1212 HE</a>	2	771	731	65	AM2	Server

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">AMD Opteron 1216 HE</a>	2	727	847	65	AM2	Server
<a href="#">AMD Opteron 1218</a>	2	910	962	103	AM2	Server
<a href="#">AMD Opteron 1218 HE</a>	2	979	940	65	AM2	Server
<a href="#">AMD Opteron 1220</a>	2	1,036	1,077	103	AM2	Server
<a href="#">AMD Opteron 1222</a>	2	1,089	1,128	103	AM2	Server
<a href="#">AMD Opteron 1352</a>	4	1,464	849	75	AM2	Server
<a href="#">AMD Opteron 1354</a>	4	1,620	864	75	AM2	Server
<a href="#">AMD Opteron 1356</a>	4	1,703	918	75	AM2	Server
<a href="#">AMD Opteron 1381</a>	4	1,797	1,011	75	AM3	Server
<a href="#">AMD Opteron 1385</a>	4	1,898	1,035	115	AM2+,AM3	Server
<a href="#">AMD Opteron 1389</a>	4	2,079	1,102	75	AM2	Server
<a href="#">AMD Opteron 144</a>	1	316	376	67	939	Server
<a href="#">AMD Opteron 146</a>	1	346	400	67	939	Server
<a href="#">AMD Opteron 148</a>	1	392	443	85.3	939	Server
<a href="#">AMD Opteron 150</a>	1	393	471	85.3	939	Server
<a href="#">AMD Opteron 152</a>	1	428	487	104	939	Server
<a href="#">AMD Opteron 154</a>	1	457	534	104	939	Server
<a href="#">AMD Opteron 165</a>	2	531	638	110	939	Server
<a href="#">AMD Opteron 170</a>	2	648	715	110	939	Server
<a href="#">AMD Opteron 175</a>	2	682	773	110	939	Server
<a href="#">AMD Opteron 180</a>	2	746	874	110	939	Server
<a href="#">AMD Opteron 185</a>	2	695	884	110	939	Server
<a href="#">AMD Opteron 2218</a>	2	1,036	491	95	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2218</a>	2	1,994	964	95	F (1207)	Server
<a href="#">AMD Opteron 2220</a>	2	1,106	553	95	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2220</a>	2	1,533	1,013	95	F (1207)	Server
<a href="#">AMD Opteron 2220 SE</a>	2	909	519	119	F (1207)	Server
<a href="#">AMD Opteron 2222</a>	2	1,198	618	95	F (1207)	Server
<a href="#">AMD Opteron 2354</a>	4	1,509	857	115	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2354</a>	4	3,242	899	115	F (1207)	Server
<a href="#">AMD Opteron 2356</a>	4	1,733	849	75	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2356</a>	4	3,009	894	75	F (1207)	Server
<a href="#">AMD Opteron 2373 EE</a>	4	1,635	814	60	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2374 HE</a>	4	3,667	915	55	F (1207)	Server
<a href="#">AMD Opteron 2378</a>	4	1,864	936	75	F (1207)	Server
<a href="#">AMD Opteron 2384</a>	4	2,074	1,074	75	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2387</a>	4	4,105	1,107	75	F (1207)	Server
<a href="#">AMD Opteron 2393 SE</a>	2	1,317	1,237	105	F (1207)	Server
<a href="#">AMD Opteron 2419 EE</a>	6	1,902	396	60	F (1207)	Server
<a href="#">AMD Opteron 2427</a>	6	1,995	386	75	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2427</a>	6	4,499	906	75	F (1207)	Server
<a href="#">AMD Opteron 2431</a>	6	2,936	570	75	F (1207)	Server
<a href="#">AMD Opteron 2435</a>	6	3,061	593	75	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 2435</a>	6	4,377	1,079	75	F (1207)	Server
<a href="#">AMD Opteron 254</a>	1	451	578	68	940	Server
<a href="#">AMD Opteron 270</a>	2	761	411	95	940	Server
<a href="#">AMD Opteron 275</a>	2	839	445	95	940	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
-----------------	--------------	-----------------	--------------------	----------------	---------------	-----------------

 CPU Benchmarks ▼

<a href="#">AMD Opteron 290</a>	2	952	570	95	940	Server
<a href="#">[Dual CPU] AMD Opteron 290</a>	2	1,430	1,046	95	940	Server
<a href="#">AMD Opteron 3250 HE</a>	2	2,061	1,003	45	AM3+	Server
<a href="#">AMD Opteron 3260 HE</a>	2	2,283	900	45	AM3+	Server
<a href="#">AMD Opteron 3280</a>	8	3,720	1,043	65	AM3+	Server
<a href="#">AMD Opteron 3320 EE</a>	2	1,918	838	25	AM3+	Server
<a href="#">AMD Opteron 3350 HE</a>	4	2,825	1,362	45	Unknown	Server
<a href="#">AMD Opteron 3365</a>	4	4,002	1,113	65	AM3+	Server
<a href="#">AMD Opteron 3380</a>	8	4,134	1,107	65	Unknown	Server
<a href="#">AMD Opteron 4130</a>	4	2,347	1,149	95	F (1207)	Server
<a href="#">AMD Opteron 4162 EE</a>	6	2,058	382	35	F (1207)	Server
<a href="#">AMD Opteron 4170 HE</a>	6	2,382	476	65	C32	Server
<a href="#">AMD Opteron 4184</a>	6	2,872	630	95	C32	Server
<a href="#">AMD Opteron 4226</a>	3	3,400	1,157	95	Socket C32	Server
<a href="#">AMD Opteron 4274 HE</a>	4	5,776	1,060	65	C32	Server
<a href="#">AMD Opteron 4280</a>	4	4,504	1,141	95	Socket C32	Server
<a href="#">AMD Opteron 4284</a>	4	4,665	1,181	95	Socket C32	Server
<a href="#">[Dual CPU] AMD Opteron 4284</a>	4	8,560	1,369	95	Socket C32	Server
<a href="#">AMD Opteron 4332 HE</a>	6	3,906	1,413	65	Socket C32	Server
<a href="#">AMD Opteron 4334</a>	3	3,949	1,269	95	Socket C32	Server
<a href="#">AMD Opteron 4365 EE</a>	4	3,485	958	40	Socket C32	Server
<a href="#">AMD Opteron 4386</a>	4	4,378	1,012	95	C32	Server
<a href="#">[Dual CPU] AMD Opteron 4386</a>	4	9,298	1,362	95	C32	Server
<a href="#">AMD Opteron 6128</a>	8	2,826	447	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6128</a>	8	6,307	866	115	G34	Server
<a href="#">AMD Opteron 6128 HE</a>	8	2,932	823	85	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6128 HE</a>	8	6,339	883	85	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6134</a>	8	6,053	898	115	G34	Server
<a href="#">AMD Opteron 6136</a>	8	3,381	549	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6136</a>	8	7,964	1,059	115	Socket G34	Server
<a href="#">AMD Opteron 6164 HE</a>	12	3,478	399	85	Socket G34	Server
<a href="#">AMD Opteron 6172</a>	12	2,789	432	115	G34	Server
<a href="#">AMD Opteron 6174</a>	12	3,697	488	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6174</a>	12	11,266	927	115	Socket G34	Server
<a href="#">AMD Opteron 6176 SE</a>	12	3,564	507	140	G34	Server
<a href="#">AMD Opteron 6212</a>	4	4,007	1,085	115	Socket G34	Server
<a href="#">AMD Opteron 6220</a>	4	4,753	1,203	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6220</a>	4	7,951	1,235	115	Socket G34	Server
<a href="#">AMD Opteron 6234</a>	6	4,072	547	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6234</a>	6	8,644	887	115	G34	Server
<a href="#">AMD Opteron 6238</a>	6	5,625	1,157	115	Socket G34	Server
<a href="#">AMD Opteron 6272</a>	8	5,240	753	115	G34	Server
<a href="#">AMD Opteron 6274</a>	8	5,286	849	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6274</a>	8	10,313	974	115	G34	Server
<a href="#">AMD Opteron 6276</a>	8	6,245	1,005	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6276</a>	8	10,763	969	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6276</a>	8	10,232	1,091	115	Socket G34	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

 CPU Benchmarks ▼

<a href="#">[Dual CPU] AMD Opteron 6282 SE</a>	16	7,130	517	140	Unknown	Server
<a href="#">AMD Opteron 6287 SE</a>	16	6,925	1,091	NA	G34	Server
<a href="#">AMD Opteron 6328</a>	4	5,306	1,419	115	G34	Server
<a href="#">[Quad CPU] AMD Opteron 6328</a>	4	10,076	1,252	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6328</a>	4	9,926	1,467	115	G34	Server
<a href="#">AMD Opteron 6344</a>	6	6,069	1,231	115	Unknown	Server
<a href="#">AMD Opteron 6348</a>	6	8,030	1,302	115	Unknown	Server
<a href="#">[Dual CPU] AMD Opteron 6348</a>	6	13,072	1,293	115	Unknown	Server
<a href="#">AMD Opteron 6366 HE</a>	8	4,858	793	85	Unknown	Server
<a href="#">[Dual CPU] AMD Opteron 6366 HE</a>	8	10,265	1,167	85	Unknown	Server
<a href="#">AMD Opteron 6376</a>	8	5,572	1,165	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6376</a>	8	19,717	1,138	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6376</a>	8	10,210	1,085	115	Socket G34	Server
<a href="#">AMD Opteron 6378</a>	8	5,889	1,127	115	G34	Server
<a href="#">[Quad CPU] AMD Opteron 6378</a>	8	13,236	1,065	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6378</a>	8	11,468	923	115	G34	Server
<a href="#">AMD Opteron 6380</a>	8	6,488	1,029	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6380</a>	8	12,359	1,089	115	G34	Server
<a href="#">AMD Opteron 6386 SE</a>	16	8,320	1,340	140	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6386 SE</a>	16	12,789	1,340	140	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 8356</a>	4	5,397	929	75	F (1207)	Server
<a href="#">[Quad CPU] AMD Opteron 8378</a>	4	7,788	1,056	115	F (1207)	Server
<a href="#">AMD Opteron 8439 SE</a>	6	2,479	590	105	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 8439 SE</a>	6	6,306	1,200	105	F (1207)	Server
<a href="#">[Quad CPU] AMD Opteron 885</a>	2	2,696	NA	95	949	Server
<a href="#">AMD Opteron X2170 APU</a>	4	1,911	832	25	FT3	Server
<a href="#">AMD Opteron X3216 APU</a>	2	1,526	1,300	15	Unknown	Server
<a href="#">AMD Opteron X3418 APU</a>	4	3,137	1,450	25	Unknown	Server
<a href="#">AMD Opteron X3421 APU</a>	4	3,375	1,497	35	Unknown	Server
<a href="#">AMD Phenom 8250 Triple-Core</a>	3	1,114	752	65	Unknown	Desktop
<a href="#">AMD Phenom 8250e Triple-Core</a>	3	1,084	729	65	940	Desktop
<a href="#">AMD Phenom 8400 Triple-Core</a>	3	1,079	786	95	AM2+	Desktop
<a href="#">AMD Phenom 8450 Triple-Core</a>	3	1,214	829	95	AM2+	Desktop
<a href="#">AMD Phenom 8450e Triple-Core</a>	3	1,225	811	65	AM2+	Desktop
<a href="#">AMD Phenom 8600 Triple-Core</a>	3	1,210	898	95	AM2+	Desktop
<a href="#">AMD Phenom 8600B Triple-Core</a>	3	1,390	957	95	AM2+	Desktop
<a href="#">AMD Phenom 8650 Triple-Core</a>	3	1,205	854	95	AM2+	Desktop
<a href="#">AMD Phenom 8750 Triple-Core</a>	3	1,343	974	95	AM2+	Desktop
<a href="#">AMD Phenom 8750B Triple-Core</a>	3	1,188	901	95	AM2+	Desktop
<a href="#">AMD Phenom 8850 Triple-Core</a>	3	1,142	982	95	AM2+	Desktop
<a href="#">AMD Phenom 8850B Triple-Core</a>	3	1,281	972	95	Unknown	Desktop
<a href="#">AMD Phenom 9100e Quad-Core</a>	4	1,279	734	65	AM2+	Desktop
<a href="#">AMD Phenom 9150e Quad-Core</a>	4	1,414	721	65	AM2+	Desktop
<a href="#">AMD Phenom 9350e Quad-Core</a>	4	1,501	792	65	AM2+	Desktop
<a href="#">AMD Phenom 9450e Quad-Core</a>	4	1,455	841	65	AM2+	Desktop
<a href="#">AMD Phenom 9500 Quad-Core</a>	4	1,524	855	95	AM2+	Desktop
<a href="#">AMD Phenom 9550 Quad-Core</a>	4	1,597	850	95	AM2+	Desktop



-  -

CPU Benchmarks

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Phenom 9750 Quad-Core</a>	4	1,804	942	125	AM2+	Desktop
<a href="#">AMD Phenom 9750B Quad-Core</a>	4	1,520	913	95	AM2+	Desktop
<a href="#">AMD Phenom 9850 Quad-Core</a>	4	1,679	925	125	AM2+	Desktop
<a href="#">AMD Phenom 9850B Quad-Core</a>	4	1,946	992	95	Unknown	Unknown
<a href="#">AMD Phenom 9950 Quad-Core</a>	4	1,920	1,047	125	AM2+	Desktop
<a href="#">AMD Phenom FX-5000 Quad-Core</a>	4	1,599	826	65	AM2+	Unknown
<a href="#">AMD Phenom FX-5200 Quad-Core</a>	4	1,699	919	65	AM3	Unknown
<a href="#">AMD Phenom II N620 Dual-Core</a>	2	1,014	1,088	35	S1	Laptop
<a href="#">AMD Phenom II N640 Dual-Core</a>	2	965	1,039	35	S1	Laptop
<a href="#">AMD Phenom II N660 Dual-Core</a>	2	1,024	1,070	35	S1	Laptop
<a href="#">AMD Phenom II N830 3+1</a>	4	1,768	935	35	S1	Laptop
<a href="#">AMD Phenom II N830 Triple-Core</a>	3	1,190	816	35	S1	Laptop
<a href="#">AMD Phenom II N850 Triple-Core</a>	3	1,253	882	35	S1	Laptop
<a href="#">AMD Phenom II N870 Triple-Core</a>	3	1,139	858	35	S1	Laptop
<a href="#">AMD Phenom II N930 Quad-Core</a>	4	1,558	825	35	S1	Laptop
<a href="#">AMD Phenom II N950 Quad-Core</a>	4	1,515	852	35	S1	Laptop
<a href="#">AMD Phenom II N970 Quad-Core</a>	4	1,647	902	35	S1	Laptop
<a href="#">AMD Phenom II P650 Dual-Core</a>	2	933	985	35	S1	Laptop
<a href="#">AMD Phenom II P820 Triple-Core</a>	3	1,068	717	25	S1	Laptop
<a href="#">AMD Phenom II P840 Triple-Core</a>	3	1,116	790	35	S1	Laptop
<a href="#">AMD Phenom II P860 Triple-Core</a>	3	1,214	831	35	S1	Laptop
<a href="#">AMD Phenom II P920 Quad-Core</a>	4	1,160	598	25	S1	Laptop
<a href="#">AMD Phenom II P940 Quad-Core</a>	4	1,319	679	35	S1	Laptop
<a href="#">AMD Phenom II P960 Quad-Core</a>	4	1,412	740	35	S1	Laptop
<a href="#">AMD Phenom II X2 511</a>	2	1,163	1,253	65	AM2+/AM3	Unknown
<a href="#">AMD Phenom II X2 521</a>	2	1,279	1,366	65	AM2+/AM3	Unknown
<a href="#">AMD Phenom II X2 545</a>	2	1,107	1,083	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 550</a>	2	1,188	1,244	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 555</a>	2	1,315	1,316	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 560</a>	2	1,426	1,450	80	AM2+/AM3	Unknown
<a href="#">AMD Phenom II X2 565</a>	2	1,405	1,413	80	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X2 570</a>	2	1,360	1,408	80	AM3	Desktop
<a href="#">AMD Phenom II X2 B53</a>	2	1,126	1,164	80	AM3	Desktop
<a href="#">AMD Phenom II X2 B55</a>	2	1,151	1,244	80	AM3	Desktop
<a href="#">AMD Phenom II X2 B57</a>	2	1,099	1,231	80	Unknown	Unknown
<a href="#">AMD Phenom II X2 B59</a>	2	1,421	1,391	80	AM2+/AM3	Unknown
<a href="#">AMD Phenom II X3 700e</a>	3	1,430	969	65	AM3	Desktop
<a href="#">AMD Phenom II X3 705e</a>	3	1,222	962	65	AM3	Desktop
<a href="#">AMD Phenom II X3 710</a>	3	1,554	1,069	95	AM3	Desktop
<a href="#">AMD Phenom II X3 720</a>	3	1,480	1,086	95	AM3	Desktop
<a href="#">AMD Phenom II X3 740</a>	3	1,424	982	95	Unknown	Unknown
<a href="#">AMD Phenom II X3 B73</a>	3	1,538	1,056	95	AM3	Desktop
<a href="#">AMD Phenom II X3 B75</a>	3	1,560	1,161	95	AM3	Desktop
<a href="#">AMD Phenom II X3 B77</a>	3	1,844	1,310	95	AM2+/AM3	Unknown
<a href="#">AMD Phenom II X4 805</a>	4	1,931	1,013	95	AM3	Desktop
<a href="#">AMD Phenom II X4 810</a>	4	1,849	1,018	95	AM3	Desktop
<a href="#">AMD Phenom II X4 820</a>	4	2,103	1,138	95	AM3	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD Phenom II X4 850</a>	4	2,266	1,166	95	AM2+/AM3	Unknown
<a href="#">AMD Phenom II X4 900e</a>	4	1,505	917	65	AM3	Desktop
<a href="#">AMD Phenom II X4 905e</a>	4	1,895	1,029	65	AM3	Desktop
<a href="#">AMD Phenom II X4 910</a>	4	1,776	988	95	AM3	Desktop
<a href="#">AMD Phenom II X4 910e</a>	4	2,044	1,076	65	AM3	Desktop
<a href="#">AMD Phenom II X4 920</a>	4	2,031	1,096	125	AM2+	Desktop
<a href="#">AMD Phenom II X4 925</a>	4	2,188	1,137	95	AM3	Desktop
<a href="#">AMD Phenom II X4 940</a>	4	2,278	1,212	125	AM2+	Desktop
<a href="#">AMD Phenom II X4 945</a>	4	2,278	1,227	125	AM3	Desktop
<a href="#">AMD Phenom II X4 955</a>	4	2,431	1,294	125	AM3	Desktop
<a href="#">AMD Phenom II X4 960T</a>	4	2,239	1,295	95	AM3	Desktop
<a href="#">AMD Phenom II X4 965</a>	4	2,564	1,358	125	AM3	Desktop
<a href="#">AMD Phenom II X4 970</a>	4	2,644	1,412	125	AM3	Unknown
<a href="#">AMD Phenom II X4 973</a>	4	2,204	1,180	NA	Unknown	Unknown
<a href="#">AMD Phenom II X4 975</a>	4	2,611	1,429	125	AM3	Unknown
<a href="#">AMD Phenom II X4 977</a>	4	2,377	1,368	95	Unknown	Unknown
<a href="#">AMD Phenom II X4 980</a>	4	2,839	1,511	125	AM3	Unknown
<a href="#">AMD Phenom II X4 B05e</a>	4	1,906	974	NA	Unknown	Unknown
<a href="#">AMD Phenom II X4 B15e</a>	4	1,825	1,069	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B25</a>	4	2,108	1,040	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B35</a>	4	2,341	1,215	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B40</a>	4	2,238	1,231	NA	Unknown	Desktop
<a href="#">AMD Phenom II X4 B45</a>	4	2,206	1,232	NA	Unknown	Unknown
<a href="#">AMD Phenom II X4 B50</a>	4	2,264	1,272	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B55</a>	4	2,465	1,319	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B60</a>	4	2,546	1,336	NA	Unknown	Unknown
<a href="#">AMD Phenom II X4 B65</a>	4	2,690	1,370	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B70</a>	4	2,303	1,209	65	AM2+ (938-pin)	Desktop
<a href="#">AMD Phenom II X4 B93</a>	4	2,104	1,141	95	AM3	Desktop
<a href="#">AMD Phenom II X4 B95</a>	4	2,342	1,239	95	AM3	Desktop
<a href="#">AMD Phenom II X4 B97</a>	4	2,498	1,326	95	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B99</a>	4	2,536	1,377	95	Unknown	Unknown
<a href="#">AMD Phenom II X6 1035T</a>	6	2,961	1,233	95	AM3	Desktop
<a href="#">AMD Phenom II X6 1045T</a>	6	3,052	1,279	95	AM3	Desktop
<a href="#">AMD Phenom II X6 1055T</a>	6	3,222	1,316	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1065T</a>	6	3,392	1,369	95	AM3	Desktop
<a href="#">AMD Phenom II X6 1075T</a>	6	3,299	1,404	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1090T</a>	6	3,670	1,454	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1100T</a>	6	3,739	1,501	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1405T</a>	6	3,335	1,247	95	AM2+,AM3	Desktop
<a href="#">AMD Phenom II X620 Dual-Core</a>	2	1,262	1,339	45	S1	Laptop
<a href="#">AMD Phenom II X640 Dual-Core</a>	2	1,165	1,142	45	S1	Unknown
<a href="#">AMD Phenom II X920 Quad-Core</a>	4	1,669	944	45	S1	Laptop
<a href="#">AMD Phenom II X940 Quad-Core</a>	4	1,797	785	45	S1	Laptop
<a href="#">AMD Phenom X2 Dual-Core GE-5060</a>	2	1,566	1,053	NA	Unknown	Unknown
<a href="#">AMD Phenom X2 Dual-Core GE-5060</a>	2	1,722	1,160	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">GP-7730</a>						
<a href="#">AMD Phenom X3 8550</a>	3	976	810	95	AM2/AM2+	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9500</a>	4	1,297	711	95	AM2+	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9530</a>	4	1,228	417	NA	AM2+ (940-pin)	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9600</a>	4	1,649	764	95	AM2+	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9730</a>	4	1,784	957	NA	AM2+ (940-pin)	Desktop
<a href="#">AMD Phenom X4 Quad-Core GS-6560</a>	4	1,063	282	NA	Unknown	Unknown
<a href="#">AMD PRO A10-8700B</a>	2	2,253	1,138	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A10-8730B</a>	4	2,401	1,240	15	FP4	Laptop
<a href="#">AMD PRO A10-8750B</a>	2	2,911	1,308	65	FM2+	Desktop
<a href="#">AMD PRO A10-8770</a>	4	3,465	1,536	65	AM4	Desktop
<a href="#">AMD PRO A10-8770E</a>	4	3,121	1,477	35	AM4	Desktop
<a href="#">AMD PRO A10-8850B</a>	2	3,752	1,611	95	FM2+	Desktop
<a href="#">AMD PRO A10-9700</a>	2	3,659	1,666	65	AM4	Desktop
<a href="#">AMD PRO A10-9700B</a>	4	2,602	1,311	15	FP4	Laptop
<a href="#">AMD PRO A10-9700E</a>	2	2,896	1,333	35	AM4	Desktop
<a href="#">AMD PRO A12-8800B</a>	2	2,622	1,357	15	FP4	Laptop
<a href="#">AMD PRO A12-8830B</a>	4	2,392	1,192	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A12-8870</a>	4	3,848	1,718	65	AM4	Desktop
<a href="#">AMD PRO A12-8870E</a>	4	2,966	1,482	35	AM4	Desktop
<a href="#">AMD PRO A12-9800</a>	4	3,758	1,685	65	AM4	Desktop
<a href="#">AMD PRO A12-9800B</a>	4	2,702	1,374	15	FP4	Laptop
<a href="#">AMD PRO A12-9800E</a>	4	3,182	1,551	35	AM4	Desktop
<a href="#">AMD PRO A4-3350B APU</a>	4	1,702	779	15	FT3b	Laptop
<a href="#">AMD PRO A4-4350B</a>	2	1,106	928	15	FT4	Laptop
<a href="#">AMD PRO A4-8350B</a>	1	1,552	1,365	65	FM2+	Desktop
<a href="#">AMD PRO A6-7350B</a>	2	1,679	1,535	15	FMA4	Laptop
<a href="#">AMD PRO A6-8500B</a>	2	1,704	1,365	15	FP4	Laptop
<a href="#">AMD PRO A6-8530B</a>	2	1,498	1,271	15	FP4	Laptop
<a href="#">AMD PRO A6-8550B</a>	1	1,885	1,623	65	FM2+	Desktop
<a href="#">AMD PRO A6-8570</a>	2	1,889	1,638	65	AM4	Desktop
<a href="#">AMD PRO A6-8570E</a>	2	1,489	1,216	35	Unknown	Desktop
<a href="#">AMD PRO A6-9500</a>	2	1,695	1,452	65	AM4	Desktop
<a href="#">AMD PRO A6-9500B</a>	2	1,371	1,235	15	FP4	Laptop
<a href="#">AMD PRO A6-9500E</a>	2	1,662	1,493	35	AM4	Desktop
<a href="#">AMD PRO A8-8600B</a>	4	2,122	1,052	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A8-8650B</a>	4	3,230	1,495	65	FM2+	Desktop
<a href="#">AMD PRO A8-8670E</a>	4	2,989	1,382	35	AM4	Desktop
<a href="#">AMD PRO A8-9600</a>	2	3,347	1,468	65	AM4	Desktop
<a href="#">AMD PRO A8-9600B</a>	4	2,388	1,310	15	FP4	Laptop
<a href="#">AMD QC-4000</a>	4	1,155	449	15	FT3	Laptop
<a href="#">AMD R-260H APU</a>	2	954	902	17	BGA827 (FP2)	Laptop
<a href="#">AMD R-272F APU</a>	2	1,215	1,087	35	FS1	Desktop, Laptop
<a href="#">AMD R-460L APU</a>	4	1,183	776	25	BGA827 (FP2)	Laptop

-  -

CPU Benchmarks

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen 3 1200</a>	4	6,311	1,930	65	AM4	Desktop
<a href="#">AMD Ryzen 3 1300X</a>	4	6,943	2,093	65	AM4	Desktop
<a href="#">AMD Ryzen 3 2200G</a>	4	6,782	2,062	65	AM4	Desktop
<a href="#">AMD Ryzen 3 2200GE</a>	4	6,351	2,024	35	AM4	Desktop
<a href="#">AMD Ryzen 3 2200U</a>	2	3,679	1,684	15	FP5	Laptop
<a href="#">AMD Ryzen 3 2300U</a>	4	5,586	1,759	15	FP5	Laptop
<a href="#">AMD Ryzen 3 2300X</a>	4	7,574	2,364	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3100</a>	4	11,651	2,424	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3200G</a>	4	7,194	2,224	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3200GE</a>	4	7,317	2,199	35	AM4	Desktop
<a href="#">AMD Ryzen 3 3200U</a>	2	3,877	1,826	15	FP5	Laptop
<a href="#">AMD Ryzen 3 3250C</a>	2	3,044	1,882	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 3 3250U</a>	2	3,971	1,837	15	FP5	Laptop
<a href="#">AMD Ryzen 3 3300U</a>	4	5,779	1,895	15	FP5	Laptop
<a href="#">AMD Ryzen 3 3300X</a>	4	12,700	2,679	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3350U</a>	4	5,889	1,957	15	Unknown	Laptop
<a href="#">AMD Ryzen 3 4100</a>	4	11,276	2,569	65	AM4	Desktop
<a href="#">AMD Ryzen 3 4300G</a>	4	10,756	2,548	65	AM4	Desktop
<a href="#">AMD Ryzen 3 4300GE</a>	4	11,306	2,556	35	AM4	Desktop
<a href="#">AMD Ryzen 3 4300U</a>	4	7,565	2,324	15	FP6	Laptop
<a href="#">AMD Ryzen 3 5300G</a>	4	12,955	3,017	65	AM4	Desktop
<a href="#">AMD Ryzen 3 5300GE</a>	4	13,636	3,099	35	AM4	Desktop
<a href="#">AMD Ryzen 3 5300U</a>	4	9,971	2,383	15	FP6	Laptop
<a href="#">AMD Ryzen 3 5400U</a>	4	11,871	2,896	15	FP6	Laptop
<a href="#">AMD Ryzen 3 5425U</a>	4	10,203	2,850	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 1200</a>	4	6,347	1,936	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 1300</a>	4	7,574	2,194	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2100GE</a>	2	4,187	1,855	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2200G</a>	4	6,704	2,051	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2200GE</a>	4	6,021	2,017	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2300U</a>	4	5,957	1,855	15	FP5	Laptop
<a href="#">AMD Ryzen 3 PRO 3200G</a>	4	6,952	2,208	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 3200GE</a>	4	7,071	2,189	35	AM4	Laptop
<a href="#">AMD Ryzen 3 PRO 3300U</a>	4	6,144	2,060	15	FP5	Laptop
<a href="#">AMD Ryzen 3 PRO 4200G</a>	4	11,315	2,564	65	FP6	Desktop
<a href="#">AMD Ryzen 3 PRO 4200GE</a>	4	10,930	2,540	35	Unknown	Laptop
<a href="#">AMD Ryzen 3 PRO 4350G</a>	4	10,877	2,538	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 4350GE</a>	4	11,090	2,524	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 4450U</a>	4	10,169	2,365	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 5350G</a>	4	13,976	3,104	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 5350GE</a>	4	13,685	3,104	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 5450U</a>	4	11,563	2,891	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 5475U</a>	4	12,074	3,007	15	FP6	Laptop
<a href="#">AMD Ryzen 5 1400</a>	4	7,788	1,903	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1500X</a>	4	9,102	2,110	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1600</a>	6	12,327	2,070	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1600X</a>	6	13,097	2,199	95	AM4	Desktop

-  -

CPU Benchmarks

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen 5 2500X</a>	4	9,438	2,326	65	AM4	Desktop
<a href="#">AMD Ryzen 5 2600</a>	6	13,253	2,252	65	AM4	Desktop
<a href="#">AMD Ryzen 5 2600H</a>	4	7,876	2,116	45	FP5	Laptop
<a href="#">AMD Ryzen 5 2600X</a>	6	14,044	2,396	95	AM4	Desktop
<a href="#">AMD Ryzen 5 3350G</a>	4	9,113	2,283	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3350GE</a>	4	9,343	2,322	35	Unknown	Desktop
<a href="#">AMD Ryzen 5 3400G</a>	4	9,345	2,360	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3400GE</a>	4	8,996	2,327	35	AM4	Desktop
<a href="#">AMD Ryzen 5 3450U</a>	4	6,789	1,933	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3500</a>	6	12,847	2,515	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3500C</a>	4	5,214	2,171	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3500U</a>	4	7,085	1,977	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3500X</a>	6	13,304	2,523	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3550H</a>	4	7,964	2,072	35	FP5	Laptop
<a href="#">AMD Ryzen 5 3550U</a>	4	7,681	2,053	15	Unknown	Unknown
<a href="#">AMD Ryzen 5 3580U</a>	4	7,383	1,998	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3600</a>	6	17,825	2,571	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3600X</a>	6	18,305	2,662	95	AM4	Desktop
<a href="#">AMD Ryzen 5 3600XT</a>	6	18,753	2,775	95	AM4	Desktop
<a href="#">AMD Ryzen 5 4500</a>	6	15,799	2,527	65	AM4	Desktop
<a href="#">AMD Ryzen 5 4500U</a>	6	11,073	2,451	15	FP6	Laptop
<a href="#">AMD Ryzen 5 4600G</a>	6	15,615	2,657	65	AM4	Desktop
<a href="#">AMD Ryzen 5 4600GE</a>	6	15,656	2,605	35	AM4	Desktop
<a href="#">AMD Ryzen 5 4600H</a>	6	14,711	2,459	45	FP6	Laptop
<a href="#">AMD Ryzen 5 4600HS</a>	6	14,735	2,468	35	FP6	Laptop
<a href="#">AMD Ryzen 5 4600U</a>	6	13,456	2,420	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5500</a>	6	19,489	3,036	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5500U</a>	6	13,184	2,458	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5560U</a>	6	17,084	2,955	15	AM4	Laptop
<a href="#">AMD Ryzen 5 5600</a>	6	21,486	3,229	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5600G</a>	6	19,828	3,175	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5600GE</a>	6	18,879	3,224	35	AM4	Desktop
<a href="#">AMD Ryzen 5 5600H</a>	6	17,156	2,971	45	FP6	Laptop
<a href="#">AMD Ryzen 5 5600U</a>	6	15,409	2,913	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5600X</a>	6	21,997	3,357	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5625U</a>	6	14,390	2,763	15	FP6	Laptop
<a href="#">AMD Ryzen 5 6600H</a>	6	20,179	3,299	45	FP7	Laptop
<a href="#">AMD Ryzen 5 6600U</a>	6	17,257	3,201	25	FP7	Laptop
<a href="#">AMD Ryzen 5 PRO 1500</a>	4	9,402	2,158	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 1600</a>	6	10,401	1,685	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2400G</a>	4	8,399	2,138	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2400GE</a>	4	7,571	2,117	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2500U</a>	4	6,870	1,810	15	FP5	Laptop
<a href="#">AMD Ryzen 5 PRO 2600</a>	6	13,250	2,263	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3350G</a>	4	9,442	2,325	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3350GE</a>	4	9,643	2,340	35	Unknown	Desktop
<a href="#">AMD Ryzen 5 PRO 3400G</a>	4	9,298	2,328	65	AM4	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD Ryzen 5 PRO 4400G</a>	6	16,456	2,656	NA	Unknown	Desktop
<a href="#">AMD Ryzen 5 PRO 4400GE</a>	6	14,795	2,664	35	Unknown	Laptop
<a href="#">AMD Ryzen 5 PRO 4500U</a>	6	12,049	2,486	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 4650G</a>	6	16,362	2,658	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4650GE</a>	6	15,694	2,632	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4650U</a>	6	12,839	2,457	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 5650G</a>	6	20,254	3,209	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5650GE</a>	6	18,618	3,211	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5650U</a>	6	15,177	2,955	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 5675U</a>	6	13,347	2,698	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 6650U</a>	6	16,813	3,051	28	FP7	Laptop
<a href="#">AMD Ryzen 7 1700</a>	8	14,840	2,000	65	AM4	Desktop
<a href="#">AMD Ryzen 7 1700X</a>	8	15,680	2,094	95	AM4	Desktop
<a href="#">AMD Ryzen 7 1800X</a>	8	16,479	2,199	95	AM4	Desktop
<a href="#">AMD Ryzen 7 2700</a>	8	15,813	2,196	65	AM4	Desktop
<a href="#">AMD Ryzen 7 2700E</a>	8	14,657	2,410	45	AM4	Desktop
<a href="#">AMD Ryzen 7 2700U</a>	4	6,867	1,798	15	FP5	Laptop
<a href="#">AMD Ryzen 7 2700X</a>	8	17,618	2,428	105	AM4	Desktop
<a href="#">AMD Ryzen 7 2800H</a>	4	7,656	2,164	45	FP5	Laptop
<a href="#">AMD Ryzen 7 3700C</a>	4	7,145	2,301	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 7 3700U</a>	4	7,278	2,002	15	FP5	Laptop
<a href="#">AMD Ryzen 7 3700X</a>	8	22,720	2,666	65	AM4	Desktop
<a href="#">AMD Ryzen 7 3750H</a>	4	8,266	2,104	35	FP5	Laptop
<a href="#">AMD Ryzen 7 3780U</a>	4	7,651	2,227	15	FP5	Laptop
<a href="#">AMD Ryzen 7 3800X</a>	8	23,318	2,724	105	AM4	Desktop
<a href="#">AMD Ryzen 7 3800XT</a>	8	23,769	2,813	105	AM4	Desktop
<a href="#">AMD Ryzen 7 4700G</a>	8	20,190	2,746	65	AM4	Desktop
<a href="#">AMD Ryzen 7 4700GE</a>	8	20,416	2,726	35	AM4	Desktop
<a href="#">AMD Ryzen 7 4700U</a>	8	13,608	2,552	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4800H</a>	8	18,980	2,635	45	FP6	Laptop
<a href="#">AMD Ryzen 7 4800HS</a>	8	18,820	2,607	45	FP6	Laptop
<a href="#">AMD Ryzen 7 4800U</a>	8	17,011	2,592	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4850U Mobile</a>	8	15,920	2,654	15	FP6	Laptop
<a href="#">AMD Ryzen 7 5700G</a>	8	24,560	3,276	65	AM4	Desktop
<a href="#">AMD Ryzen 7 5700GE</a>	8	22,484	3,356	35	AM4	Desktop
<a href="#">AMD Ryzen 7 5700U</a>	8	15,936	2,602	15	FP6	Laptop
<a href="#">AMD Ryzen 7 5700X</a>	8	26,537	3,349	65	AM4	Desktop
<a href="#">AMD Ryzen 7 5800</a>	8	25,870	3,385	65	AM4	Desktop
<a href="#">AMD Ryzen 7 5800H</a>	8	21,377	3,075	45	FP6	Laptop
<a href="#">AMD Ryzen 7 5800HS</a>	8	20,666	3,057	35	FP6	Laptop
<a href="#">AMD Ryzen 7 5800HS Creator Edition</a>	8	20,948	3,101	NA	Unknown	Laptop
<a href="#">AMD Ryzen 7 5800U</a>	8	18,847	3,091	15	FP6	Laptop
<a href="#">AMD Ryzen 7 5800X</a>	8	28,159	3,449	105	AM4	Desktop
<a href="#">AMD Ryzen 7 5800X3D</a>	8	27,536	3,127	105	AM4	Desktop
<a href="#">AMD Ryzen 7 5825U</a>	8	18,453	3,066	15	AM4	Laptop
<a href="#">AMD Ryzen 7 6800H</a>	8	22,917	3,203	45	FP7	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
-----------------	--------------	-----------------	--------------------	----------------	---------------	-----------------

CPU Benchmarks ▼

<a href="#">Edition</a>	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen 7 6800U</a>	8	21,231	3,288	28	Unknown	Laptop
<a href="#">AMD Ryzen 7 Extreme Edition</a>	8	18,192	2,639	NA	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 1700</a>	8	14,578	2,017	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 1700X</a>	8	15,500	2,154	95	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 2700</a>	8	15,229	2,156	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 2700U</a>	4	7,330	2,037	15	FP5	Laptop
<a href="#">AMD Ryzen 7 PRO 2700X</a>	8	17,221	2,395	105	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 3700</a>	8	23,051	2,683	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 3700U</a>	4	7,347	2,023	15	FP5	Laptop
<a href="#">AMD Ryzen 7 PRO 4700G</a>	8	20,848	2,700	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750G</a>	8	20,574	2,707	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750GE</a>	8	18,470	2,697	35	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750U</a>	8	15,426	2,546	15	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 5750G</a>	8	24,977	3,347	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 5750GE</a>	8	22,261	3,306	35	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 5850U</a>	8	17,416	3,055	15	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 5875U</a>	8	16,929	3,028	15	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 6850H</a>	8	24,325	3,405	45	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 6850HS</a>	8	19,658	3,202	35	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 6850U</a>	8	22,177	3,266	28	FP7	Laptop
<a href="#">AMD Ryzen 9 3900</a>	12	30,690	2,606	65	AM4	Desktop
<a href="#">AMD Ryzen 9 3900X</a>	12	32,779	2,709	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3900XT</a>	12	32,964	2,765	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3950X</a>	16	39,064	2,710	105	AM4	Desktop
<a href="#">AMD Ryzen 9 4900H</a>	8	19,339	2,734	45	FP6	Laptop
<a href="#">AMD Ryzen 9 4900HS</a>	8	19,358	2,621	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5900</a>	12	34,768	3,435	65	AM4	Desktop
<a href="#">AMD Ryzen 9 5900H</a>	8	20,960	3,312	NA	AM4	Laptop
<a href="#">AMD Ryzen 9 5900HS</a>	8	22,157	3,200	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5900HX</a>	8	23,080	3,223	45	FP6	Laptop
<a href="#">AMD Ryzen 9 5900X</a>	12	39,339	3,470	105	AM4	Desktop
<a href="#">AMD Ryzen 9 5950X</a>	16	45,869	3,466	105	AM4	Desktop
<a href="#">[5-Way CPU] AMD Ryzen 9 5950X</a>	16	13,220	2,972	105	AM4	Desktop
<a href="#">AMD Ryzen 9 5980HS</a>	8	21,491	3,163	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5980HX</a>	8	22,879	3,311	45	FP6	Laptop
<a href="#">AMD Ryzen 9 6900HS</a>	8	24,355	3,361	35	FP7	Laptop
<a href="#">AMD Ryzen 9 6900HS Creator Edition</a>	8	25,208	3,408	35	FP7	Laptop
<a href="#">AMD Ryzen 9 6900HX</a>	8	24,629	3,396	45	FP7	Laptop
<a href="#">AMD Ryzen 9 PRO 3900</a>	12	31,407	2,643	65	AM4	Desktop
<a href="#">AMD Ryzen 9 PRO 6950H</a>	8	23,428	3,339	45	FP7	Laptop
<a href="#">AMD Ryzen 9 PRO 6950HS</a>	8	23,392	3,419	35	FP7	Laptop
<a href="#">AMD Ryzen Embedded R1305G</a>	2	3,109	1,665	8	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded R1505G</a>	2	3,966	1,817	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded R1606G</a>	2	4,166	1,882	15	FP5	Desktop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded R2312</a>	2	3,720	1,867	25	FP5	Mobile/Embedded
<a href="#">AMD Ryzen Embedded R2314</a>	4	6,610	4,000	NA	Unknown	Mobile/Embedded



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">AMD Ryzen Embedded V1500B</a>	4	4,588	1,217	16	BGA1140	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</a>	4	5,417	1,286	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1605B</a>	4	6,829	1,966	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1756B</a>	4	8,215	2,143	45	FP5	Desktop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1807B</a>	4	8,487	2,206	45	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V2516</a>	6	13,225	2,485	15	FP6	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V2718</a>	8	18,034	2,458	15	FP6	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V2748</a>	8	16,186	2,646	54	FP6	Mobile/Embedded
<a href="#">AMD Ryzen Threadripper 1900X</a>	8	17,019	2,346	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 1920</a>	12	22,066	2,299	140	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 1920X</a>	12	22,831	2,306	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 1950X</a>	16	28,019	2,290	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2920X</a>	12	25,203	2,482	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2950X</a>	16	29,707	2,470	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2970WX</a>	24	30,436	2,359	250	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2990WX</a>	32	32,367	2,285	250	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2990X</a>	32	26,469	2,285	250	TR4	Desktop
<a href="#">AMD Ryzen Threadripper 3960X</a>	24	54,782	2,677	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper 3970X</a>	32	63,744	2,691	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper 3990X</a>	64	81,431	2,564	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper PRO 3945WX</a>	12	33,355	2,703	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper PRO 3955WX</a>	16	40,122	2,696	280	sWRX8	Desktop
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3955WX</a>	16	63,885	2,439	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper PRO 3975WX</a>	32	63,043	2,662	280	sWRX8	Desktop
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3975WX</a>	32	98,811	2,676	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper PRO 3995WX</a>	64	83,289	2,601	280	sWRX8	Desktop
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3995WX</a>	64	113,693	2,559	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper PRO 5945WX</a>	12	40,888	3,332	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper PRO 5955WX</a>	16	50,623	3,339	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper PRO 5965WX</a>	24	67,986	3,341	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper PRO 5975WX</a>	32	79,463	3,321	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper PRO 5995WX</a>	64	100,012	3,276	280	sWRX8	Desktop
<a href="#">AMD Sempron 130</a>	1	501	1,064	45	AM2+/AM3	Unknown
<a href="#">AMD Sempron 140</a>	1	464	1,033	45	AM3	Desktop
<a href="#">AMD Sempron 145</a>	1	509	991	45	AM3	Desktop
<a href="#">AMD Sempron 150</a>	1	593	1,103	45	AM3	Desktop
<a href="#">AMD Sempron 200U</a>	1	125	311	8	Unknown	Unknown
<a href="#">AMD Sempron 210U</a>	1	267	299	15	Unknown	Unknown



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">AMD Sempron 2400+</a>	1	205	321	NA	Socket A	Desktop
<a href="#">AMD Sempron 2500+</a>	1	207	405	NA	Socket A	Desktop
<a href="#">AMD Sempron 2600+</a>	1	253	325	NA	Socket A	Desktop
<a href="#">AMD Sempron 2650 APU</a>	2	561	475	25	AM1,FSB1	Desktop
<a href="#">AMD Sempron 2800+</a>	1	243	408	62	AM2	Desktop
<a href="#">AMD Sempron 3000+</a>	1	268	333	62	AM2	Desktop
<a href="#">AMD Sempron 3100+</a>	1	298	383	62	754	Desktop
<a href="#">AMD Sempron 3200+</a>	1	251	456	62	AM2	Desktop
<a href="#">AMD Sempron 3300+</a>	1	315	394	62	754	Desktop
<a href="#">AMD Sempron 3400+</a>	1	292	346	62	AM2	Desktop
<a href="#">AMD Sempron 3500+</a>	1	232	264	62	AM2	Desktop
<a href="#">AMD Sempron 3600+</a>	1	364	377	62	AM2	Desktop
<a href="#">AMD Sempron 3800+</a>	1	360	422	62	AM2	Desktop
<a href="#">AMD Sempron 3850 APU</a>	4	1,153	448	25	AM1,FS1b	Desktop
<a href="#">AMD Sempron Dual Core 2100</a>	2	533	596	65	Unknown	Unknown
<a href="#">AMD Sempron Dual Core 2200</a>	2	563	649	65	Unknown	Unknown
<a href="#">AMD Sempron Dual Core 2300</a>	2	555	697	65	Unknown	Unknown
<a href="#">AMD Sempron LE-1100</a>	1	315	509	45	AM2	Desktop
<a href="#">AMD Sempron LE-1150</a>	1	251	477	45	AM2	Desktop
<a href="#">AMD Sempron LE-1200</a>	1	349	551	45	AM2	Desktop
<a href="#">AMD Sempron LE-1250</a>	1	301	508	45	AM2	Desktop
<a href="#">AMD Sempron LE-1300</a>	1	400	389	45	AM2	Desktop
<a href="#">AMD Sempron M100</a>	1	338	587	NA	Unknown	Unknown
<a href="#">AMD Sempron M120</a>	1	247	559	25	S1	Laptop
<a href="#">AMD Sempron SI-40</a>	1	288	631	25	S1	Laptop
<a href="#">AMD Sempron SI-42</a>	1	261	650	25	S1	Laptop
<a href="#">AMD Sempron X2 180</a>	2	826	865	45	Unknown	Unknown
<a href="#">AMD Sempron X2 190</a>	2	879	977	45	AM2+/AM3	Unknown
<a href="#">AMD Sempron X2 198 Dual-Core</a>	2	930	1,070	65	FM1	Desktop
<a href="#">AMD Turion 64 Mobile MK-36</a>	1	334	735	31	S1	Laptop
<a href="#">AMD Turion 64 Mobile MK-38</a>	1	362	801	31	S1	Laptop
<a href="#">AMD Turion 64 Mobile ML-28</a>	1	254	314	25	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-30</a>	1	277	314	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-32</a>	1	285	321	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-34</a>	1	277	329	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-37</a>	1	334	510	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-40</a>	1	336	662	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-42</a>	1	400	455	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-44</a>	1	384	469	35	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-30</a>	1	246	294	25	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-32</a>	1	286	367	24	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-34</a>	1	279	328	24	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-37</a>	1	315	379	25	754	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-50</a>	2	436	525	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-52</a>	2	384	497	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-56</a>	2	453	579	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-58</a>	2	478	552	31	S1	Laptop

CPU Name  Cores  CPU Mark  -  Thread Mark  -  TDP (W)  Socket  Category

 CPU Benchmarks 

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Turion 64 X2 Mobile TL-66</a>	2	696	846	35	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-68</a>	2	866	882	35	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-70</a>	2	561	548	31	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-72</a>	2	649	725	35	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-74</a>	2	588	595	35	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-75</a>	2	659	444	35	S1	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M500</a>	2	716	830	35	S1	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M520</a>	2	830	927	35	S1	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M540</a>	2	912	967	35	S1	Laptop
<a href="#">AMD Turion II N530 Dual-Core</a>	2	855	968	35	S1	Laptop
<a href="#">AMD Turion II N550 Dual-Core</a>	2	877	891	35	S1	Laptop
<a href="#">AMD Turion II Neo K625 Dual-Core</a>	2	565	596	15	S1	Laptop
<a href="#">AMD Turion II Neo K685 Dual-Core</a>	2	684	729	15	BGA812	Laptop
<a href="#">AMD Turion II Neo N40L Dual-Core</a>	2	589	609	15	BGA812	Laptop
<a href="#">AMD Turion II Neo N54L Dual-Core</a>	2	798	870	25	BGA812	Laptop
<a href="#">AMD Turion II P520 Dual-Core</a>	2	761	873	25	S1	Laptop
<a href="#">AMD Turion II P540 Dual-Core</a>	2	937	895	35	S1	Laptop
<a href="#">AMD Turion II P560 Dual-Core</a>	2	818	931	25	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a>	2	923	982	35	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M620</a>	2	814	945	35	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M640</a>	2	1,016	1,063	35	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M660</a>	2	1,011	1,103	35	S1	Laptop
<a href="#">AMD Turion Neo X2 Dual Core L625</a>	2	432	486	18	ASB1	Laptop
<a href="#">AMD Turion X2 Dual Core L510</a>	2	603	593	20	ASB1	Laptop
<a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>	2	497	504	31	S1	Laptop
<a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>	2	691	729	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>	2	624	663	31	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>	2	666	751	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>	2	623	730	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>	2	708	770	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>	2	635	753	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a>	2	521	628	32	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a>	2	707	800	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a>	2	793	778	35	S1	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Mobile ZM-86</a>						
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a>	2	689	758	35	S1	Laptop
<a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>	2	536	674	31	S1	Laptop
<a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>	2	471	392	35	S1	Laptop
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>	2	841	686	35	S1	Laptop
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-87</a>	2	599	770	35	S1	Mobile/Embedded
<a href="#">AMD V105</a>	1	184	452	9	BGA812	Laptop
<a href="#">AMD V120</a>	1	362	812	25	S1	Laptop
<a href="#">AMD V140</a>	1	379	869	25	S1	Laptop
<a href="#">AMD V160</a>	1	337	838	25	S1	Laptop
<a href="#">AMD Z-01</a>	2	308	290	NA	Unknown	Unknown
<a href="#">AMD Z-60 APU</a>	2	262	318	4.5	FT1	Laptop
<a href="#">Amlogic</a>	4	541	383	NA	Unknown	Unknown
<a href="#">Apple A11 Bionic</a>	6	4,277	1,223	NA	Unknown	Mobile/Embedded
<a href="#">Apple A12 Bionic</a>	6	4,749	1,933	NA	Unknown	Mobile/Embedded
<a href="#">Apple A12X Bionic</a>	8	10,901	2,623	NA	Unknown	Mobile/Embedded
<a href="#">Apple A13 Bionic</a>	6	5,220	2,167	NA	Unknown	Mobile/Embedded
<a href="#">Apple A14 Bionic</a>	6	8,534	3,411	NA	Unknown	Mobile/Embedded
<a href="#">Apple A8</a>	2	1,532	913	NA	Unknown	Mobile/Embedded
<a href="#">Apple A8X</a>	3	2,367	936	NA	Unknown	Mobile/Embedded
<a href="#">Apple A9</a>	2	2,055	1,185	NA	Unknown	Mobile/Embedded
<a href="#">Apple A9X</a>	2	2,531	1,516	NA	Unknown	Mobile/Embedded
<a href="#">Apple M1 8 Core 3200 MHz</a>	4	14,528	3,752	15.1	Unknown	Desktop, Laptop, Mobile/Embedded
<a href="#">Apple M1 Max 10 Core 3200 MHz</a>	8	22,327	3,849	NA	Unknown	Desktop, Laptop
<a href="#">Apple M1 Pro 10 Core 3200 MHz</a>	8	22,133	3,837	NA	Unknown	Desktop, Laptop
<a href="#">Apple M1 Pro 8 Core 3200 MHz</a>	6	17,316	3,791	NA	Unknown	Desktop, Laptop
<a href="#">Apple M1 Ultra 20 Core</a>	16	41,175	3,890	60	Unknown	Desktop
<a href="#">Apple M2 8 Core 3500 MHz</a>	4	15,160	4,050	NA	Unknown	Desktop, Laptop
<a href="#">ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz</a>	4	984	593	NA	Unknown	Unknown
<a href="#">ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz</a>	4	396	272	NA	Unknown	Unknown
<a href="#">ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz</a>	4	399	273	NA	Unknown	Unknown
<a href="#">ARM Cortex-A17 4 Core 1800 MHz</a>	4	662	458	NA	Unknown	Unknown
<a href="#">ARM Cortex-A35 4 Core 1296 MHz</a>	4	334	166	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>	4	347	155	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>	4	306	229	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>	4	425	184	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1392 MHz</a>	4	397	189	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>	4	362	241	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1512 MHz</a>	4	454	222	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1536 MHz</a>	4	202	192	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1600 MHz</a>	4	400	163	NA	Unknown	Unknown

<input type="text" value="CPU Name"/>	<b>Cores</b>	<b>CPU Mark</b> <input type="text"/>	<b>Thread Mark</b> <input type="text"/>	<b>TDP (W)</b> <input type="text"/>	<b>Socket</b> <input type="text"/>	<b>Category</b> <input type="text"/>
---------------------------------------	--------------	--------------------------------------	---	-------------------------------------	------------------------------------	--------------------------------------

CPU Benchmarks ▼

<a href="#">ARM Cortex-A55 4 Core 1992 MHz</a>	4	725	325	NA	Unknown	Unknown
<a href="#">ARM Cortex-A55 4 Core 2100 MHz</a>	4	719	328	NA	Unknown	Unknown
<a href="#">ARM Cortex-A55 4 Core 2124 MHz</a>	4	742	336	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>	4	955	384	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 4 Core 1734 MHz</a>	4	1,172	387	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>	4	1,153	428	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 4 Core 2091 MHz</a>	4	1,311	449	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 8 Core 1500 MHz</a>	8	1,022	346	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 2 Core 1080 MHz</a>	2	142	200	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 2 Core 960 MHz</a>	2	93	140	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>	4	270	208	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 4 Core 1300 MHz</a>	4	315	225	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 4 Core 1368 MHz</a>	4	346	265	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 4 Core 900 MHz</a>	4	244	171	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1200 MHz</a>	4	174	178	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>	4	650	456	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1600 MHz</a>	4	552	425	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1750 MHz</a>	4	335	463	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>	4	809	554	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1850 MHz</a>	4	199	343	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>	4	724	560	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2100 MHz</a>	4	642	552	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>	4	804	612	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2300 MHz</a>	4	1,075	726	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2400 MHz</a>	4	1,295	830	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 800 MHz</a>	4	279	214	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 6 Core 1416 MHz</a>	6	1,017	439	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 6 Core 1512 MHz</a>	6	1,192	522	NA	Unknown	Unknown
<a href="#">ARM Cortex-A73 6 Core 1992 MHz</a>	6	1,311	454	NA	Unknown	Unknown
<a href="#">ARM Cortex-A73 6 Core 2016 MHz</a>	6	1,428	614	NA	Unknown	Unknown
<a href="#">ARM D2000/8 8 Core 2300 MHz</a>	8	2,674	589	NA	Unknown	Unknown
<a href="#">ARM FT-2000/4 4 Core 2200 MHz</a>	4	881	565	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 64 Core 0 MHz</a>	64	28,079	1,085	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 80 Core 2600 MHz</a>	80	18,823	1,127	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 80 Core 3000 MHz</a>	80	37,768	1,329	NA	Unknown	Unknown
<a href="#">ARM phytium FT1500a 4 Core 2000 MHz</a>	4	1,579	716	NA	Unknown	Unknown
<a href="#">ARM Phytium.D2000/8 E8C 8 Core 2300 MHz</a>	8	2,007	589	NA	Unknown	Unknown
<a href="#">ARM X-Gene 32 Core 3300 MHz</a>	32	8,684	583	NA	Unknown	Unknown
<a href="#">ASUS Tinker Board 2/2S</a>	6	1,423	890	NA	Unknown	Mobile/Embedded
<a href="#">Athlon 64 Dual Core 3800+</a>	2	736	653	35	Unknown	Unknown
<a href="#">Athlon 64 Dual Core 5000+</a>	2	850	924	89	Unknown	Desktop
<a href="#">Athlon 64 Dual Core 5600+</a>	2	875	993	65	AM2	Desktop
<a href="#">Athlon Dual Core 4050e</a>	2	670	744	45	AM2	Desktop
<a href="#">Athlon Dual Core 4450e</a>	2	681	792	45	AM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>	2	665	748	35	PGA478	Laptop
<a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>	2	519	566	35	BGA479	Laptop
<a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>	2	623	697	35	FCPGA-478	Laptop
<a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>	2	747	861	35	PGA478	Laptop
<a href="#">CentaurHauls @2500MHz</a>	8	7,969	1,364	NA	Unknown	Unknown
<a href="#">DG1301SML87HY</a>	8	3,624	727	NA	Unknown	Unknown
<a href="#">DO-Regular</a>	1	819	1,055	NA	Unknown	Unknown
<a href="#">Dual-Core AMD Opteron 1220 SE</a>	2	748	900	103	AM2	Server
<a href="#">Generic DT based system</a>	4	612	453	NA	Unknown	Mobile/Embedded
<a href="#">Hardkernel ODROID-N2Plus</a>	6	2,115	888	NA	Unknown	Mobile/Embedded
<a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a>	8	5,085	1,866	NA	Unknown	Mobile/Embedded
<a href="#">hi6210sft</a>	8	796	269	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 650</a>	8	1,697	631	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 659</a>	8	1,703	665	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin 930</a>	8	1,415	430	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin 935</a>	8	1,291	328	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 950</a>	8	1,991	717	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin 955</a>	8	2,936	756	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 960</a>	8	2,401	1,069	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 970</a>	8	2,908	1,110	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin710</a>	8	2,368	944	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin810</a>	8	2,986	1,522	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin820</a>	8	3,273	1,681	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin9000</a>	8	5,083	2,490	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin970</a>	8	2,627	915	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin980</a>	8	4,264	1,742	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin985</a>	8	4,162	1,823	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin990</a>	8	4,394	1,912	NA	Unknown	Mobile/Embedded
<a href="#">HP Hexa-Core 2.0GHz</a>	4	1,741	804	NA	Unknown	Unknown
<a href="#">Hygon C86 7255 16-core</a>	16	18,831	1,490	NA	Unknown	Unknown
<a href="#">Intel 2.80GHz</a>	2	341	456	NA	Unknown	Unknown
<a href="#">Intel Atom 230 @ 1.60GHz</a>	1	210	167	4	BGA437	Desktop
<a href="#">Intel Atom 330 @ 1.60GHz</a>	2	371	168	8	BGA437	Desktop
<a href="#">Intel Atom C2338 @ 1.74GHz</a>	2	584	233	7	FCBGA1283	Laptop
<a href="#">Intel Atom C2350 @ 1.74GHz</a>	2	526	491	6	FCBGA1283	Server
<a href="#">Intel Atom C2358 @ 1.74GHz</a>	2	625	291	7	FCBGA1283	Laptop
<a href="#">Intel Atom C2538 @ 2.40GHz</a>	4	960	491	15	FCBGA1283	Laptop
<a href="#">Intel Atom C2550 @ 2.40GHz</a>	4	1,422	554	14	FCBGA1283	Server
<a href="#">Intel Atom C2558 @ 2.40GHz</a>	4	1,410	358	15	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Atom C2750 @ 2.40GHz</a>	8	2,775	658	20	FCBGA1283	Server
<a href="#">Intel Atom C2750 @ 2.41GHz</a>	8	2,174	291	20	BGA 1283	Server
<a href="#">Intel Atom C2758 @ 2.40GHz</a>	8	2,343	501	20	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Atom C3338 @ 1.50GHz</a>	2	1,245	874	8.5	FCBGA1310	Server, Mobile/Embedded

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks ▼

<a href="#">Intel Atom C3858 @ 2.00GHz</a>	12	4,707	652	25	FCBGA1310	Server
<a href="#">Intel Atom C3958 @ 2.00GHz</a>	16	4,281	514	31	FCBGA1310	Server
<a href="#">Intel Atom D2500 @ 1.86GHz</a>	2	275	346	10	BGA559	Desktop
<a href="#">Intel Atom D2550 @ 1.86GHz</a>	2	423	318	10	BGA559	Desktop
<a href="#">Intel Atom D2560 @ 2.00GHz</a>	2	433	353	10	Unknown	Desktop
<a href="#">Intel Atom D2700 @ 2.13GHz</a>	2	492	387	10	BGA559	Desktop
<a href="#">Intel Atom D2701 @ 2.13GHz</a>	2	511	384	10	BGA559	Laptop
<a href="#">Intel Atom D410 @ 1.66GHz</a>	1	177	254	10	BGA559	Desktop
<a href="#">Intel Atom D425 @ 1.80GHz</a>	1	222	320	10	BGA559	Desktop
<a href="#">Intel Atom D510 @ 1.66GHz</a>	2	404	292	13	BGA559	Desktop
<a href="#">Intel Atom D525 @ 1.80GHz</a>	2	390	306	13	BGA559	Desktop
<a href="#">Intel Atom E3805 @ 1.33GHz</a>	2	407	378	3	FCBGA1170	Mobile/Embedded
<a href="#">Intel Atom E3815 @ 1.46GHz</a>	1	175	255	5	FCBGA1170	Desktop
<a href="#">Intel Atom E3825 @ 1.33GHz</a>	2	385	370	6	FCBGA1170	Desktop
<a href="#">Intel Atom E3826 @ 1.46GHz</a>	2	304	395	7	FCBGA1170	Laptop
<a href="#">Intel Atom E3827 @ 1.74GHz</a>	2	460	455	8	FCBGA1170	Laptop
<a href="#">Intel Atom E3840 @ 1.91GHz</a>	4	704	477	NA	Unknown	Unknown
<a href="#">Intel Atom E3845 @ 1.91GHz</a>	4	1,050	536	10	FCBGA1170	Desktop
<a href="#">Intel Atom E3900 @ 1.60GHz</a>	4	1,953	675	NA	Unknown	Laptop
<a href="#">Intel Atom E3940 @ 1.60GHz</a>	4	1,973	679	9.5	Unknown	Laptop
<a href="#">Intel Atom E3950 @ 1.60GHz</a>	4	2,103	740	12	BGA1296	Laptop
<a href="#">Intel Atom N2100 @ 1.60GHz</a>	1	188	310	NA	BGA559	Laptop
<a href="#">Intel Atom N2600 @ 1.60GHz</a>	2	323	292	3.5	BGA559	Laptop
<a href="#">Intel Atom N270 @ 1.60GHz</a>	1	175	164	2.5	BGA437	Laptop
<a href="#">Intel Atom N280 @ 1.66GHz</a>	1	175	226	2.5	BGA437	Laptop
<a href="#">Intel Atom N2800 @ 1.86GHz</a>	2	438	314	6.5	BGA559	Laptop
<a href="#">Intel Atom N435 @ 1.33GHz</a>	1	153	220	NA	Unknown	Unknown
<a href="#">Intel Atom N450 @ 1.66GHz</a>	1	198	275	5.5	BGA559	Laptop
<a href="#">Intel Atom N455 @ 1.66GHz</a>	1	179	257	6.5	BGA559	Laptop
<a href="#">Intel Atom N470 @ 1.83GHz</a>	1	224	308	6.5	BGA559	Laptop
<a href="#">Intel Atom N475 @ 1.83GHz</a>	1	179	281	6.5	BGA559	Laptop
<a href="#">Intel Atom N550 @ 1.50GHz</a>	2	295	240	8.5	BGA559	Laptop
<a href="#">Intel Atom N570 @ 1.66GHz</a>	2	335	282	8.5	BGA559	Laptop
<a href="#">Intel Atom S1260 @ 2.00GHz</a>	2	596	224	8.5	FCBGA1283	Server
<a href="#">Intel Atom T5700 @ 1.70GHz</a>	4	2,030	816	NA	Unknown	Laptop
<a href="#">Intel Atom x5-E3930 @ 1.30GHz</a>	2	878	617	6.5	BGA1296	Laptop
<a href="#">Intel Atom x5-E8000 @ 1.04GHz</a>	4	1,008	515	5	FCBGA1170	Laptop
<a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a>	4	816	462	4	UTFCBGA592	Laptop, Mobile/Embedded
<a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a>	4	808	462	4	Unknown	Laptop
<a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a>	4	907	479	4	UTFCBGA592	Laptop
<a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a>	4	1,252	628	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom x5-Z8550 @ 1.44GHz</a>	4	1,145	674	4	UTFCBGA1380	Laptop, Mobile/Embedded
<a href="#">Intel Atom x6211E @ 1.20GHz</a>	2	1,695	1,304	6	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6413E @ 1.50GHz</a>	4	4,080	1,614	9	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6425E @ 2.00GHz</a>	4	4,153	1,602	12	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6425RE @ 1.90GHz</a>	4	2,903	1,021	12	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a>	4	1,321	645	4	BGA1380	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

CPU Benchmarks ▼

<a href="#">Intel Atom Z3560 @ 1.00GHz</a>	4	710	495	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3560 @ 1.83GHz</a>	4	690	476	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3580 @ 1.33GHz</a>	4	837	574	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Intel Atom Z3735D @ 1.33GHz</a>	4	761	591	4.4	Unknown	Laptop
<a href="#">Intel Atom Z3735E @ 1.33GHz</a>	4	557	478	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3735F @ 1.33GHz</a>	4	539	385	4.4	UTFCBGA592	Laptop
<a href="#">Intel Atom Z3735G @ 1.33GHz</a>	4	772	476	4.4	Unknown	Laptop
<a href="#">Intel Atom Z3736F @ 1.33GHz</a>	4	502	419	4.4	UTFCBGA592	Laptop
<a href="#">Intel Atom Z3740 @ 1.33GHz</a>	4	649	422	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3740D @ 1.33GHz</a>	4	614	459	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3745 @ 1.33GHz</a>	4	621	435	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3745D @ 1.33GHz</a>	4	585	437	4.4	Unknown	Laptop
<a href="#">Intel Atom Z3770 @ 1.46GHz</a>	4	737	540	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3770D @ 1.49GHz</a>	4	488	361	4.4	BGA1380	Laptop
<a href="#">Intel Atom Z3775 @ 1.46GHz</a>	4	726	519	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3775D @ 1.49GHz</a>	4	794	646	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3795 @ 1.60GHz</a>	4	1,167	652	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z520 @ 1.33GHz</a>	1	122	151	2	BGA441	Laptop
<a href="#">Intel Atom Z530 @ 1.60GHz</a>	1	183	161	2	BGA441	Laptop
<a href="#">Intel Atom Z670 @ 1.50GHz</a>	1	158	95	3	BGA518	Laptop
<a href="#">Intel Celeron 1.70GHz</a>	1	101	190	NA	Unknown	Unknown
<a href="#">Intel Celeron 1.80GHz</a>	1	96	307	66.1	PPGA478	Desktop
<a href="#">Intel Celeron 1000M @ 1.80GHz</a>	2	1,035	971	35	FCPGA988	Laptop
<a href="#">Intel Celeron 1000MHz</a>	1	139	174	NA	Unknown	Unknown
<a href="#">Intel Celeron 1005M @ 1.90GHz</a>	2	1,074	1,017	35	FCPGA988	Laptop
<a href="#">Intel Celeron 1007U @ 1.50GHz</a>	2	812	764	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 1017U @ 1.60GHz</a>	2	906	830	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 1019Y @ 1.00GHz</a>	2	576	521	10	FCBGA1023	Desktop
<a href="#">Intel Celeron 1020E @ 2.20GHz</a>	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
<a href="#">Intel Celeron 1020M @ 2.10GHz</a>	2	1,275	1,176	35	FCPGA988	Laptop
<a href="#">Intel Celeron 1037U @ 1.80GHz</a>	2	969	914	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 1047UE @ 1.40GHz</a>	2	748	526	17	FCBGA1023	Desktop
<a href="#">Intel Celeron 1100MHz</a>	1	113	183	NA	Unknown	Unknown
<a href="#">Intel Celeron 1200MHz</a>	1	159	212	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.00GHz</a>	1	125	338	52.8	PPGA478	Desktop
<a href="#">Intel Celeron 2.13GHz</a>	1	166	361	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.20GHz</a>	1	139	349	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.26GHz</a>	1	182	382	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.30GHz</a>	1	148	364	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.40GHz</a>	1	143	397	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.50GHz</a>	1	164	431	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.53GHz</a>	1	222	396	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.60GHz</a>	1	143	353	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.66GHz</a>	1	154	417	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.70GHz</a>	1	159	386	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.80GHz</a>	1	190	425	68.4	PPGA478	Desktop
<a href="#">Intel Celeron 2.93GHz</a>	1	230	396	NA	Unknown	Unknown



<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks ▼

<a href="#">Intel Celeron 220 @ 1.20GHz</a>	1	209	255	19	BGA479	Desktop
<a href="#">Intel Celeron 2950M @ 2.00GHz</a>	2	1,278	1,154	37	FCPGA946	Laptop
<a href="#">Intel Celeron 2955U @ 1.40GHz</a>	2	841	769	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 2957U @ 1.40GHz</a>	2	841	782	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 2961Y @ 1.10GHz</a>	2	732	641	11.5	Unknown	Laptop
<a href="#">Intel Celeron 2970M @ 2.20GHz</a>	2	1,501	1,245	37	FCPGA946	Laptop
<a href="#">Intel Celeron 2980U @ 1.60GHz</a>	2	1,056	929	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 2981U @ 1.60GHz</a>	2	991	871	15	BGA1168	Laptop
<a href="#">Intel Celeron 3.06GHz</a>	1	234	514	NA	Unknown	Unknown
<a href="#">Intel Celeron 3.20GHz</a>	1	267	599	NA	Unknown	Unknown
<a href="#">Intel Celeron 3.33GHz</a>	1	263	528	NA	Unknown	Unknown
<a href="#">Intel Celeron 3205U @ 1.50GHz</a>	2	910	876	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3215U @ 1.70GHz</a>	2	1,144	1,060	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3755U @ 1.70GHz</a>	2	1,182	1,022	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3765U @ 1.90GHz</a>	2	1,252	1,171	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3855U @ 1.60GHz</a>	2	1,237	944	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3865U @ 1.80GHz</a>	2	1,251	1,028	15	BGA1356	Laptop
<a href="#">Intel Celeron 3867U @ 1.80GHz</a>	2	1,488	1,097	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3955U @ 2.00GHz</a>	2	1,490	1,202	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3965U @ 2.20GHz</a>	2	1,692	1,356	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3965Y @ 1.50GHz</a>	2	1,179	889	6	FCBGA1515	Laptop
<a href="#">Intel Celeron 420 @ 1.60GHz</a>	1	235	471	35	LGA775	Desktop
<a href="#">Intel Celeron 4205U @ 1.80GHz</a>	2	1,317	1,035	15	FCBGA1528	Laptop
<a href="#">Intel Celeron 430 @ 1.80GHz</a>	1	293	630	35	LGA775	Desktop
<a href="#">Intel Celeron 4305U @ 2.20GHz</a>	2	1,694	1,378	15	FCBGA1528	Mobile/Embedded
<a href="#">Intel Celeron 4305UE @ 2.00GHz</a>	2	1,876	1,213	15	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">Intel Celeron 440 @ 2.00GHz</a>	1	368	444	35	LGA775	Desktop
<a href="#">Intel Celeron 450 @ 2.20GHz</a>	1	454	656	35	LGA775	Desktop
<a href="#">Intel Celeron 5205U @ 1.90GHz</a>	2	1,440	1,102	15	FCBGA1528	Laptop
<a href="#">Intel Celeron 530 @ 1.73GHz</a>	1	268	468	27	PGA478	Laptop
<a href="#">Intel Celeron 540 @ 1.86GHz</a>	1	283	496	30	PGA478	Laptop
<a href="#">Intel Celeron 550 @ 2.00GHz</a>	1	301	613	31	BGA479	Laptop
<a href="#">Intel Celeron 560 @ 2.13GHz</a>	1	365	498	31	PGA478	Laptop
<a href="#">Intel Celeron 570 @ 2.26GHz</a>	1	344	431	31	PGA478	Laptop
<a href="#">Intel Celeron 6305 @ 1.80GHz</a>	2	2,154	1,225	NA	FCBGA1449	Laptop
<a href="#">Intel Celeron 6305E @ 1.80GHz</a>	2	1,797	1,116	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Celeron 723 @ 1.20GHz</a>	1	213	460	10	BGA956	Laptop
<a href="#">Intel Celeron 7305</a>	1	2,665	812	15	FCBGA1744	Laptop
<a href="#">Intel Celeron 743 @ 1.30GHz</a>	1	268	529	10	BGA956	Laptop
<a href="#">Intel Celeron 807 @ 1.50GHz</a>	1	392	608	17	BGA-1023	Laptop
<a href="#">Intel Celeron 807UE @ 1.00GHz</a>	1	241	421	10	BGA-1023	Laptop
<a href="#">Intel Celeron 827E @ 1.40GHz</a>	1	371	674	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 847 @ 1.10GHz</a>	2	472	480	17	BGA1023	Laptop
<a href="#">Intel Celeron 847E @ 1.10GHz</a>	2	584	520	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 857 @ 1.20GHz</a>	2	569	476	17	BGA1023	Laptop
<a href="#">Intel Celeron 867 @ 1.30GHz</a>	2	562	584	17	BGA1023	Laptop
<a href="#">Intel Celeron 877 @ 1.40GHz</a>	2	632	605	17	BGA1023	Laptop



-  -

CPU Benchmarks ▼

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Celeron @ 1.30GHz</a>	1	548	611	NA	Unknown	Unknown
<a href="#">Intel Celeron B710 @ 1.60GHz</a>	1	106	101	35	rPGA988B	Laptop
<a href="#">Intel Celeron B800 @ 1.50GHz</a>	2	658	650	35	PGA988B	Laptop
<a href="#">Intel Celeron B810 @ 1.60GHz</a>	2	775	754	35	PGA988B	Laptop
<a href="#">Intel Celeron B815 @ 1.60GHz</a>	2	718	690	35	PGA988B	Laptop
<a href="#">Intel Celeron B820 @ 1.70GHz</a>	2	789	745	35	PGA988B	Laptop
<a href="#">Intel Celeron B830 @ 1.80GHz</a>	2	801	824	35	rPGA988B	Laptop
<a href="#">Intel Celeron B840 @ 1.90GHz</a>	2	930	901	35	PGA988B	Laptop
<a href="#">Intel Celeron D 347 @ 3.06GHz</a>	1	232	565	86	PLGA775	Desktop
<a href="#">Intel Celeron D 352 @ 3.20GHz</a>	1	283	674	86	PLGA775	Desktop
<a href="#">Intel Celeron D 356 @ 3.33GHz</a>	1	251	619	86	PLGA775	Desktop
<a href="#">Intel Celeron D 360 @ 3.46GHz</a>	1	372	712	65	PLGA775	Desktop
<a href="#">Intel Celeron D 420 @ 1.60GHz</a>	1	313	388	35	LGA775	Desktop
<a href="#">Intel Celeron E1200 @ 1.60GHz</a>	2	492	628	65	LGA775	Desktop
<a href="#">Intel Celeron E1400 @ 2.00GHz</a>	2	671	746	65	LGA775	Desktop
<a href="#">Intel Celeron E1500 @ 2.20GHz</a>	2	649	785	65	LGA775	Desktop
<a href="#">Intel Celeron E1600 @ 2.40GHz</a>	2	712	877	65	LGA775	Desktop
<a href="#">Intel Celeron E3200 @ 2.40GHz</a>	2	858	980	65	LGA775	Desktop
<a href="#">Intel Celeron E3300 @ 2.50GHz</a>	2	837	1,042	65	LGA775	Desktop
<a href="#">Intel Celeron E3400 @ 2.60GHz</a>	2	829	1,007	65	LGA775	Desktop
<a href="#">Intel Celeron E3500 @ 2.70GHz</a>	2	935	1,154	65	LGA775	Desktop
<a href="#">Intel Celeron G1101 @ 2.27GHz</a>	2	1,086	929	73	FCLGA1156	Desktop
<a href="#">Intel Celeron G1610 @ 2.60GHz</a>	2	1,483	1,369	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1610T @ 2.30GHz</a>	2	1,357	1,221	35	LGA1155	Desktop
<a href="#">Intel Celeron G1620 @ 2.70GHz</a>	2	1,487	1,414	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1620T @ 2.40GHz</a>	2	1,507	1,321	35	LGA1155	Desktop
<a href="#">Intel Celeron G1630 @ 2.80GHz</a>	2	1,707	1,553	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1820 @ 2.70GHz</a>	2	1,646	1,514	53	FCLGA1150	Desktop
<a href="#">Intel Celeron G1820T @ 2.40GHz</a>	2	1,614	1,396	35	LGA1150	Desktop
<a href="#">Intel Celeron G1820TE @ 2.20GHz</a>	2	1,115	728	35	LGA1150	Desktop
<a href="#">Intel Celeron G1830 @ 2.80GHz</a>	2	1,560	1,513	53	LGA1150	Desktop
<a href="#">Intel Celeron G1840 @ 2.80GHz</a>	2	1,760	1,606	53	FCLGA1150	Desktop
<a href="#">Intel Celeron G1840T @ 2.50GHz</a>	2	1,576	1,431	35	LGA1150	Desktop
<a href="#">Intel Celeron G1850 @ 2.90GHz</a>	2	1,926	1,695	54	FCLGA1150	Desktop
<a href="#">Intel Celeron G3900 @ 2.80GHz</a>	2	2,193	1,719	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G3900E @ 2.40GHz</a>	2	2,034	1,499	35	FCBGA1440	Laptop
<a href="#">Intel Celeron G3900T @ 2.60GHz</a>	2	2,081	1,556	35	Unknown	Desktop
<a href="#">Intel Celeron G3900TE @ 2.30GHz</a>	2	1,850	1,402	35	FCLGA1151	Laptop
<a href="#">Intel Celeron G3920 @ 2.90GHz</a>	2	2,310	1,740	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G3930 @ 2.90GHz</a>	2	2,271	1,795	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G3930T @ 2.70GHz</a>	2	2,109	1,650	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G3930TE @ 2.70GHz</a>	2	2,218	1,706	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G3950 @ 3.00GHz</a>	2	2,369	1,811	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G440 @ 1.60GHz</a>	1	425	743	35	LGA1155	Desktop
<a href="#">Intel Celeron G460 @ 1.80GHz</a>	1	489	723	35	LGA1155	Desktop
<a href="#">Intel Celeron G465 @ 1.90GHz</a>	1	524	795	35	LGA1155	Desktop
<a href="#">Intel Celeron G470 @ 2.00GHz</a>	1	609	849	35	LGA1155	Desktop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<b>CPU Mark</b> <input type="text"/>	<b>Thread Mark</b> <input type="text"/>	<b>TDP (W)</b> <input type="text"/>	<b>Socket</b> <input type="text"/>	<b>Category</b> <input type="text"/>
---------------------------------------	--------------	--------------------------------------	---	-------------------------------------	------------------------------------	--------------------------------------

CPU Benchmarks

<a href="#">Intel Celeron G4930 @ 3.20GHz</a>	2	2,571	1,999	54	FCLGA1151-2	Desktop
<a href="#">Intel Celeron G4930T @ 3.00GHz</a>	2	2,250	1,746	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G4950 @ 3.30GHz</a>	2	2,714	2,041	54	FCLGA1151	Desktop
<a href="#">Intel Celeron G530 @ 2.40GHz</a>	2	1,117	1,093	65	LGA1155	Desktop
<a href="#">Intel Celeron G530T @ 2.00GHz</a>	2	1,056	962	35	LGA1155	Desktop
<a href="#">Intel Celeron G540 @ 2.50GHz</a>	2	1,120	1,134	65	LGA1155	Desktop
<a href="#">Intel Celeron G540T @ 2.10GHz</a>	2	1,174	972	35	LGA1155	Desktop
<a href="#">Intel Celeron G550 @ 2.60GHz</a>	2	1,222	1,199	65	LGA1155	Desktop
<a href="#">Intel Celeron G550T @ 2.20GHz</a>	2	1,102	1,026	35	LGA1155	Desktop
<a href="#">Intel Celeron G555 @ 2.70GHz</a>	2	1,268	1,275	65	LGA1155	Desktop
<a href="#">Intel Celeron G5900 @ 3.40GHz</a>	2	2,672	2,106	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G5900T @ 3.20GHz</a>	2	2,648	2,041	35	FCLGA1200	Desktop
<a href="#">Intel Celeron G5905 @ 3.50GHz</a>	2	2,815	2,190	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G5905T @ 3.30GHz</a>	2	2,310	1,996	35	FCLGA1200	Desktop
<a href="#">Intel Celeron G5920 @ 3.50GHz</a>	2	2,482	2,151	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G5925 @ 3.60GHz</a>	2	2,939	2,282	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G6900</a>	2	3,612	2,594	46	LGA1700,BGA1700	Desktop
<a href="#">Intel Celeron G6900T</a>	2	4,024	2,348	35	FCLGA1700	Desktop
<a href="#">Intel Celeron J1750 @ 2.41GHz</a>	2	595	659	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J1800 @ 2.41GHz</a>	2	589	667	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J1850 @ 1.99GHz</a>	4	942	455	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J1900 @ 1.99GHz</a>	4	1,139	651	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J3060 @ 1.60GHz</a>	2	668	627	6	BGA1170	Desktop
<a href="#">Intel Celeron J3160 @ 1.60GHz</a>	4	1,232	600	6	BGA1170	Desktop
<a href="#">Intel Celeron J3355 @ 2.00GHz</a>	2	1,189	816	10	FCBGA1296	Desktop, Laptop
<a href="#">Intel Celeron J3455 @ 1.50GHz</a>	4	2,241	807	10	FCBGA1296	Desktop
<a href="#">Intel Celeron J3455E @ 1.50GHz</a>	4	2,139	837	10	FCBGA1296	Desktop
<a href="#">Intel Celeron J4005 @ 2.00GHz</a>	2	1,586	1,129	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J4025 @ 2.00GHz</a>	2	1,722	1,233	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J4105 @ 1.50GHz</a>	4	2,918	1,099	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J4115 @ 1.80GHz</a>	4	2,709	1,070	NA	Unknown	Desktop
<a href="#">Intel Celeron J4125 @ 2.00GHz</a>	4	2,982	1,170	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J6412 @ 2.00GHz</a>	4	3,928	1,378	10	FCBGA1493	Mobile/Embedded
<a href="#">Intel Celeron J6413 @ 1.80GHz</a>	4	4,075	1,601	10	FCBGA1296	Mobile/Embedded
<a href="#">Intel Celeron M 1.00GHz</a>	1	149	197	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.30GHz</a>	1	205	284	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.50GHz</a>	1	216	280	21	PPGA478, H-PBGA4	Laptop
<a href="#">Intel Celeron M 1.60GHz</a>	1	190	433	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.70GHz</a>	1	252	370	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1300MHz</a>	1	197	274	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1500MHz</a>	1	217	297	NA	Unknown	Laptop
<a href="#">Intel Celeron M 360 1.40GHz</a>	1	221	305	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Celeron M 410 @ 1.46GHz</a>	1	123	301	27	PPGA478	Laptop
<a href="#">Intel Celeron M 420 @ 1.60GHz</a>	1	139	391	27	PPGA478	Laptop
<a href="#">Intel Celeron M 430 @ 1.73GHz</a>	1	169	466	27	PPGA478	Laptop
<a href="#">Intel Celeron M 440 @ 1.86GHz</a>	1	169	485	27	PBGA479, PPGA478	Laptop
<a href="#">Intel Celeron M 443 @ 1.20GHz</a>	1	125	288	5.5	PBGA479	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Celeron M 723 @ 1.20GHz</a>	1	267	507	10	BGA956	Laptop
<a href="#">Intel Celeron M 900MHz</a>	1	123	155	NA	Unknown	Laptop
<a href="#">Intel Celeron N2805 @ 1.46GHz</a>	2	335	394	4.3	FCBGA1170	Laptop
<a href="#">Intel Celeron N2806 @ 1.60GHz</a>	2	479	524	4.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2807 @ 1.58GHz</a>	2	459	546	4.3	FCBGA1170	Laptop
<a href="#">Intel Celeron N2808 @ 1.58GHz</a>	2	532	596	4.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2810 @ 2.00GHz</a>	2	420	512	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2815 @ 1.86GHz</a>	2	494	568	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2820 @ 2.13GHz</a>	2	475	585	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2830 @ 2.16GHz</a>	2	545	630	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2840 @ 2.16GHz</a>	2	580	668	7	FCBGA1170	Laptop
<a href="#">Intel Celeron N2910 @ 1.60GHz</a>	4	742	446	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2920 @ 1.86GHz</a>	4	926	549	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2930 @ 1.83GHz</a>	4	1,008	583	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2940 @ 1.83GHz</a>	4	1,031	612	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N3000 @ 1.04GHz</a>	2	604	562	4	FCBGA1170	Laptop
<a href="#">Intel Celeron N3010 @ 1.04GHz</a>	2	533	575	4	FCBGA1170	Laptop
<a href="#">Intel Celeron N3050 @ 1.60GHz</a>	2	593	565	6	FCBGA1170	Laptop
<a href="#">Intel Celeron N3060 @ 1.60GHz</a>	2	665	630	6	Unknown	Laptop
<a href="#">Intel Celeron N3150 @ 1.60GHz</a>	4	1,204	574	6	FCBGA1170	Laptop
<a href="#">Intel Celeron N3160 @ 1.60GHz</a>	4	1,159	562	6	FCBGA1170	Laptop
<a href="#">Intel Celeron N3350 @ 1.10GHz</a>	2	1,114	804	6	FCBGA1296	Laptop
<a href="#">Intel Celeron N3450 @ 1.10GHz</a>	4	1,950	765	6	FCBGA1296	Laptop
<a href="#">Intel Celeron N4000 @ 1.10GHz</a>	2	1,411	1,030	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4000C @ 1.10GHz</a>	2	1,360	959	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4020 @ 1.10GHz</a>	2	1,571	1,168	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4020C @ 1.10GHz</a>	2	1,630	1,175	6	FCBGA1090	Laptop, Mobile/Embedded
<a href="#">Intel Celeron N4100 @ 1.10GHz</a>	4	2,442	1,007	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4120 @ 1.10GHz</a>	4	2,519	1,106	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4500 @ 1.10GHz</a>	2	1,955	1,306	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Celeron N4505 @ 2.00GHz</a>	2	2,367	1,537	10	FCBGA1338	Mobile/Embedded
<a href="#">Intel Celeron N5095 @ 2.00GHz</a>	4	4,014	1,509	15	FCBGA1338	Desktop
<a href="#">Intel Celeron N5095A @ 2.00GHz</a>	4	4,627	1,553	15	FCBGA1338	Desktop
<a href="#">Intel Celeron N5100 @ 1.10GHz</a>	4	3,303	1,422	6	FCBGA1338	Laptop
<a href="#">Intel Celeron N5105 @ 2.00GHz</a>	4	4,022	1,515	10	FCBGA1338	Mobile/Embedded
<a href="#">Intel Celeron N6211 @ 1.20GHz</a>	2	2,207	1,582	6.5	FCBGA1493	Mobile/Embedded
<a href="#">Intel Celeron P4500 @ 1.87GHz</a>	2	816	707	35	PGA988A	Laptop
<a href="#">Intel Celeron P4505 @ 1.87GHz</a>	2	689	820	35	BGA1288	Laptop
<a href="#">Intel Celeron P4600 @ 2.00GHz</a>	2	862	812	35	PGA988A	Laptop
<a href="#">Intel Celeron SU2300 @ 1.20GHz</a>	2	445	500	10	BGA956	Laptop
<a href="#">Intel Celeron T1600 @ 1.66GHz</a>	2	519	628	35	Unknown	Laptop
<a href="#">Intel Celeron U1900 @ 1.99GHz</a>	4	1,028	527	NA	Unknown	Unknown
<a href="#">Intel Celeron U3400 @ 1.07GHz</a>	2	473	441	18	BGA1288	Laptop
<a href="#">Intel Celeron U3600 @ 1.20GHz</a>	2	560	520	18	BGA1288	Laptop
<a href="#">Intel Core 860 @ 2.80GHz</a>	4	2,754	1,142	NA	Unknown	Unknown
<a href="#">Intel Core Duo L2300 @ 1.50GHz</a>	2	387	442	15	BGA479	Desktop
<a href="#">Intel Core Duo L2400 @ 1.66GHz</a>	2	348	501	15	BGA479	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

 CPU Benchmarks ▼

<a href="#">Intel Core Duo T2300 @ 1.66GHz</a>	2	334	516	31	BGA479	Laptop
<a href="#">Intel Core Duo T2350 @ 1.86GHz</a>	2	384	572	31	PGA478	Laptop
<a href="#">Intel Core Duo T2400 @ 1.83GHz</a>	2	359	522	31	BGA479	Laptop
<a href="#">Intel Core Duo T2450 @ 2.00GHz</a>	2	404	603	31	PGA478	Laptop
<a href="#">Intel Core Duo T2500 @ 2.00GHz</a>	2	408	613	31	BGA479	Laptop
<a href="#">Intel Core Duo T2600 @ 2.16GHz</a>	2	450	667	31	BGA479	Laptop
<a href="#">Intel Core Duo T2700 @ 2.33GHz</a>	2	498	652	31	BGA479	Laptop
<a href="#">Intel Core Duo U2400 @ 1.06GHz</a>	2	255	342	9	BGA479	Laptop
<a href="#">Intel Core Duo U2500 @ 1.20GHz</a>	2	220	362	9	BGA479	Laptop
<a href="#">Intel Core i3-1000NG4 @ 1.10GHz</a>	2	3,827	1,881	9	BGA1526	Laptop
<a href="#">Intel Core i3-1005G1 @ 1.20GHz</a>	2	5,084	2,237	15	FCBGA1526	Laptop
<a href="#">Intel Core i3-10100 @ 3.60GHz</a>	4	8,775	2,635	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10100E @ 3.20GHz</a>	4	8,229	2,297	65	FCLGA1200	Desktop, Mobile/Embedded
<a href="#">Intel Core i3-10100F @ 3.60GHz</a>	4	8,859	2,605	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10100T @ 3.00GHz</a>	4	7,376	2,322	35	FCLGA1200	Laptop
<a href="#">Intel Core i3-10100Y @ 1.30GHz</a>	2	3,098	1,785	5	BGA 1528	Mobile/Embedded
<a href="#">Intel Core i3-10105 @ 3.70GHz</a>	4	8,843	2,714	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10105F @ 3.70GHz</a>	4	9,109	2,674	NA	FCLGA1200	Desktop
<a href="#">Intel Core i3-10105T @ 3.00GHz</a>	4	7,850	2,350	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10110U @ 2.10GHz</a>	2	4,008	2,264	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-10110Y @ 1.00GHz</a>	2	3,278	2,093	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i3-10300 @ 3.70GHz</a>	4	9,153	2,670	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10300T @ 3.00GHz</a>	4	8,119	2,371	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10305 @ 3.80GHz</a>	4	9,689	2,834	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10305T @ 3.00GHz</a>	4	8,136	2,457	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10320 @ 3.80GHz</a>	4	10,027	2,846	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10325 @ 3.90GHz</a>	4	10,308	2,890	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-11100B @ 3.60GHz</a>	4	11,357	2,912	65	Unknown	Desktop
<a href="#">Intel Core i3-1110G4 @ 1.80GHz</a>	2	3,421	1,986	NA	FCBGA1598	Mobile/Embedded
<a href="#">Intel Core i3-1115G4 @ 3.00GHz</a>	2	6,241	2,686	NA	FCBGA1449	Laptop
<a href="#">Intel Core i3-1115G4E @ 3.00GHz</a>	2	5,810	2,620	15	BGA 1449	Mobile/Embedded
<a href="#">Intel Core i3-1115GRE @ 3.00GHz</a>	2	3,918	1,944	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>	4	9,907	2,510	28	FCBGA1449	Laptop
<a href="#">Intel Core i3-12100</a>	4	14,476	3,562	60	FCLGA1700	Desktop
<a href="#">Intel Core i3-12100F</a>	4	14,381	3,514	58	FCLGA1700	Desktop
<a href="#">Intel Core i3-12100T</a>	4	12,840	3,400	35	FCLGA1700	Desktop
<a href="#">Intel Core i3-12100TE</a>	4	12,961	3,334	35	FCLGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i3-1210U</a>	2	12,130	3,622	9	BGA1781	Laptop
<a href="#">Intel Core i3-1215U</a>	2	11,830	3,537	15	FCBGA1744	Laptop
<a href="#">Intel Core i3-1220P</a>	2	18,058	3,507	28	FCBGA1744	Laptop
<a href="#">Intel Core i3-12300</a>	4	14,955	3,673	60	LGA 1700	Desktop
<a href="#">Intel Core i3-2100 @ 3.10GHz</a>	2	1,825	1,424	65	LGA1155	Desktop
<a href="#">Intel Core i3-2100T @ 2.50GHz</a>	2	1,487	1,052	35	LGA1155	Desktop
<a href="#">Intel Core i3-2102 @ 3.10GHz</a>	2	2,029	1,400	65	FCLGA1155	Desktop
<a href="#">Intel Core i3-2105 @ 3.10GHz</a>	2	1,871	1,387	65	LGA1155	Desktop
<a href="#">Intel Core i3-21050 @ 3.10GHz</a>	2	2,193	1,429	NA	Unknown	Unknown
<a href="#">Intel Core i3-2120 @ 3.30GHz</a>	2	1,931	1,516	65	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i3-2140 @ 3.50GHz</a>	2	2,307	1,535	65	Unknown	Unknown
<a href="#">Intel Core i3-2310E @ 2.10GHz</a>	2	1,845	733	35	FCBGA1023	Laptop
<a href="#">Intel Core i3-2310M @ 2.10GHz</a>	2	1,197	943	35	BGA1023	Laptop
<a href="#">Intel Core i3-2312M @ 2.10GHz</a>	2	1,138	927	35	PGA988B	Laptop
<a href="#">Intel Core i3-2328M @ 2.20GHz</a>	2	1,235	989	35	PGA988	Laptop
<a href="#">Intel Core i3-2330E @ 2.20GHz</a>	2	1,823	1,063	35	rPGA988	Desktop
<a href="#">Intel Core i3-2330M @ 2.20GHz</a>	2	1,238	983	35	BGA1023	Laptop
<a href="#">Intel Core i3-2332M @ 2.20GHz</a>	2	1,353	936	35	rPGA988B	Laptop
<a href="#">Intel Core i3-2340UE @ 1.30GHz</a>	2	976	620	17	BGA-1023	Laptop
<a href="#">Intel Core i3-2348M @ 2.30GHz</a>	2	1,260	1,035	35	rPGA988B	Laptop
<a href="#">Intel Core i3-2350M @ 2.30GHz</a>	2	1,266	1,002	35	PGA988B	Laptop
<a href="#">Intel Core i3-2357M @ 1.30GHz</a>	2	763	581	17	Unknown	Laptop
<a href="#">Intel Core i3-2365M @ 1.40GHz</a>	2	815	611	17	BGA1023	Laptop
<a href="#">Intel Core i3-2367M @ 1.40GHz</a>	2	835	622	17	BGA1023	Laptop
<a href="#">Intel Core i3-2370M @ 2.40GHz</a>	2	1,340	1,049	35	PGA988B	Laptop
<a href="#">Intel Core i3-2375M @ 1.50GHz</a>	2	894	684	17	BGA1023	Laptop
<a href="#">Intel Core i3-2377M @ 1.50GHz</a>	2	857	645	17	BGA1023	Laptop
<a href="#">Intel Core i3-3110M @ 2.40GHz</a>	2	1,616	1,255	35	BGA1023	Laptop
<a href="#">Intel Core i3-3120M @ 2.50GHz</a>	2	1,642	1,264	35	PGA988	Laptop
<a href="#">Intel Core i3-3130M @ 2.60GHz</a>	2	1,824	1,067	35	BGA1023	Laptop
<a href="#">Intel Core i3-3210 @ 3.20GHz</a>	2	2,126	1,698	55	LGA1155	Desktop
<a href="#">Intel Core i3-3217U @ 1.80GHz</a>	2	1,200	911	17	BGA1023	Laptop
<a href="#">Intel Core i3-3217UE @ 1.60GHz</a>	2	1,362	711	17	BGA1023	Laptop
<a href="#">Intel Core i3-3220 @ 3.30GHz</a>	2	2,220	1,730	55	LGA1155	Desktop
<a href="#">Intel Core i3-3220T @ 2.80GHz</a>	2	1,946	1,504	35	LGA1155	Desktop
<a href="#">Intel Core i3-3225 @ 3.30GHz</a>	2	2,231	1,693	55	LGA1155	Desktop
<a href="#">Intel Core i3-3227U @ 1.90GHz</a>	2	1,250	940	17	BGA1023	Laptop
<a href="#">Intel Core i3-3229Y @ 1.40GHz</a>	2	1,004	678	13	BGA1023	Desktop
<a href="#">Intel Core i3-3240 @ 3.40GHz</a>	2	2,301	1,807	55	LGA1155	Desktop
<a href="#">Intel Core i3-3240T @ 2.90GHz</a>	2	2,007	1,544	35	LGA1155	Desktop
<a href="#">Intel Core i3-3245 @ 3.40GHz</a>	2	2,295	1,736	55	LGA1155	Desktop
<a href="#">Intel Core i3-3250 @ 3.50GHz</a>	2	2,383	1,793	55	LGA1155	Desktop
<a href="#">Intel Core i3-3250T @ 3.00GHz</a>	2	2,650	1,684	35	FCLGA1155	Desktop
<a href="#">Intel Core i3-330E @ 2.13GHz</a>	2	1,260	934	35	BGA1288	Laptop
<a href="#">Intel Core i3-330M @ 2.13GHz</a>	2	1,001	811	35	BGA1288	Laptop
<a href="#">Intel Core i3-330UM @ 1.20GHz</a>	2	484	339	18	BGA1288	Laptop
<a href="#">Intel Core i3-350M @ 2.27GHz</a>	2	1,057	876	35	BGA1288	Laptop
<a href="#">Intel Core i3-370M @ 2.40GHz</a>	2	1,129	976	35	PGA988A	Laptop
<a href="#">Intel Core i3-380M @ 2.53GHz</a>	2	1,166	1,017	35	PGA988A	Laptop
<a href="#">Intel Core i3-380UM @ 1.33GHz</a>	2	699	562	18	BGA1288	Laptop
<a href="#">Intel Core i3-390M @ 2.67GHz</a>	2	1,178	1,096	35	BGA1288	Laptop
<a href="#">Intel Core i3-4000M @ 2.40GHz</a>	2	1,753	1,262	37	FCPGA946	Laptop
<a href="#">Intel Core i3-4005U @ 1.70GHz</a>	2	1,640	904	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4010U @ 1.70GHz</a>	2	1,625	891	15	BGA1168	Laptop
<a href="#">Intel Core i3-4010Y @ 1.30GHz</a>	2	1,350	744	11.5	BGA1168	Desktop
<a href="#">Intel Core i3-4012Y @ 1.50GHz</a>	2	1,229	698	11.5	FCBGA1168	Laptop
<a href="#">Intel Core i3-4020Y @ 1.50GHz</a>	2	1,451	791	11.5	BGA1168	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
-----------------	--------------	-----------------	--------------------	----------------	---------------	-----------------

 CPU Benchmarks 

<a href="#">Intel Core i3-4100E @ 2.40GHz</a>	2	1,848	1,390	37	FCBGA1364	Mobile/Embedded
<a href="#">Intel Core i3-4100M @ 2.50GHz</a>	2	2,482	1,385	37	FCPGA946	Laptop
<a href="#">Intel Core i3-4110M @ 2.60GHz</a>	2	2,678	1,389	37	FCPGA946	Laptop
<a href="#">Intel Core i3-4110U @ 1.90GHz</a>	2	1,853	1,119	NA	Unknown	Laptop
<a href="#">Intel Core i3-4120U @ 2.00GHz</a>	2	1,948	1,177	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4130 @ 3.40GHz</a>	2	3,298	1,890	54	LGA1150	Desktop
<a href="#">Intel Core i3-4130T @ 2.90GHz</a>	2	2,879	1,636	35	LGA1150	Desktop
<a href="#">Intel Core i3-4150 @ 3.50GHz</a>	2	3,360	1,932	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-4150T @ 3.00GHz</a>	2	2,867	1,597	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-4158U @ 2.00GHz</a>	2	1,718	1,005	28	FCBGA1168	Laptop
<a href="#">Intel Core i3-4160 @ 3.60GHz</a>	2	3,499	2,015	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-4160T @ 3.10GHz</a>	2	3,130	1,767	35	LGA1150	Desktop
<a href="#">Intel Core i3-4170 @ 3.70GHz</a>	2	3,579	2,067	54	LGA1150	Desktop
<a href="#">Intel Core i3-4170T @ 3.20GHz</a>	2	3,181	1,819	35	LGA1150	Desktop
<a href="#">Intel Core i3-4330 @ 3.50GHz</a>	2	3,537	1,978	54	LGA1150	Desktop
<a href="#">Intel Core i3-4330T @ 3.00GHz</a>	2	3,098	1,717	35	LGA1150	Desktop
<a href="#">Intel Core i3-4330TE @ 2.40GHz</a>	2	2,255	1,397	35	LGA1150	Desktop
<a href="#">Intel Core i3-4340 @ 3.60GHz</a>	2	3,512	2,033	54	LGA1150	Desktop
<a href="#">Intel Core i3-4350 @ 3.60GHz</a>	2	3,459	1,902	54	LGA1150	Desktop
<a href="#">Intel Core i3-4350T @ 3.10GHz</a>	2	2,888	1,656	35	LGA1150	Laptop
<a href="#">Intel Core i3-4360 @ 3.70GHz</a>	2	3,634	2,065	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-4360T @ 3.20GHz</a>	2	3,393	1,923	35	LGA1150	Desktop
<a href="#">Intel Core i3-4370 @ 3.80GHz</a>	2	3,805	2,133	54	LGA1150	Desktop
<a href="#">Intel Core i3-4370T @ 3.30GHz</a>	2	3,361	1,911	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-4570T @ 2.90GHz</a>	2	3,244	1,693	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-5005U @ 2.00GHz</a>	2	2,025	1,152	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5010U @ 2.10GHz</a>	2	2,178	1,242	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5015U @ 2.10GHz</a>	2	1,926	1,057	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5020U @ 2.20GHz</a>	2	2,223	1,268	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5157U @ 2.50GHz</a>	2	2,588	1,325	28	FCBGA1168	Laptop
<a href="#">Intel Core i3-530 @ 2.93GHz</a>	2	1,468	1,177	73	LGA1156	Desktop
<a href="#">Intel Core i3-540 @ 3.07GHz</a>	2	1,510	1,255	73	LGA1156	Desktop
<a href="#">Intel Core i3-550 @ 3.20GHz</a>	2	1,591	1,341	73	LGA1156	Desktop
<a href="#">Intel Core i3-560 @ 3.33GHz</a>	2	1,704	1,345	73	LGA1156	Desktop
<a href="#">Intel Core i3-6006U @ 2.00GHz</a>	2	2,270	1,162	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-6098P @ 3.60GHz</a>	2	4,153	2,172	54	LGA 1151	Desktop
<a href="#">Intel Core i3-6100 @ 3.70GHz</a>	2	4,170	2,215	51	LGA 1151	Desktop
<a href="#">Intel Core i3-6100E @ 2.70GHz</a>	2	3,315	1,688	35	LGA 1151	Laptop
<a href="#">Intel Core i3-6100H @ 2.70GHz</a>	2	3,041	1,543	35	LGA 1151	Laptop
<a href="#">Intel Core i3-6100T @ 3.20GHz</a>	2	3,626	1,892	35	LGA 1151	Desktop
<a href="#">Intel Core i3-6100TE @ 2.70GHz</a>	2	3,085	1,615	35	LGA 1151	Desktop
<a href="#">Intel Core i3-6100U @ 2.30GHz</a>	2	2,628	1,341	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-6102E @ 1.90GHz</a>	2	2,349	1,068	25	FCBGA1440	Laptop
<a href="#">Intel Core i3-6157U @ 2.40GHz</a>	2	2,786	1,444	28	BGA1356	Laptop
<a href="#">Intel Core i3-6300 @ 3.80GHz</a>	2	4,401	2,307	51	LGA 1151	Desktop
<a href="#">Intel Core i3-6300T @ 3.30GHz</a>	2	4,040	2,055	35	LGA 1151	Desktop
<a href="#">Intel Core i3-6320 @ 3.90GHz</a>	2	4,372	2,343	51	LGA 1151	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i3-7100T @ 3.40GHz</a>	2	3,773	1,988	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-7100U @ 2.40GHz</a>	2	2,720	1,391	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-7101TE @ 3.40GHz</a>	2	3,911	1,997	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-7102E @ 2.10GHz</a>	2	2,521	1,292	25	FCBGA1440	Laptop
<a href="#">Intel Core i3-7130U @ 2.70GHz</a>	2	2,993	1,579	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-7167U @ 2.80GHz</a>	2	3,280	1,635	28	Unknown	Laptop
<a href="#">Intel Core i3-7300 @ 4.00GHz</a>	2	4,668	2,417	51	FCLGA1151	Desktop
<a href="#">Intel Core i3-7300T @ 3.50GHz</a>	2	4,159	2,128	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-7320 @ 4.10GHz</a>	2	4,848	2,497	51	FCLGA1151	Desktop
<a href="#">Intel Core i3-7350K @ 4.20GHz</a>	2	4,819	2,493	60	FCLGA1151	Desktop
<a href="#">Intel Core i3-8100 @ 3.60GHz</a>	4	6,168	2,237	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8100B @ 3.60GHz</a>	4	6,062	2,358	65	FCBGA1440	Laptop
<a href="#">Intel Core i3-8100T @ 3.10GHz</a>	4	5,242	1,920	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8109U @ 3.00GHz</a>	2	4,294	2,132	28	FCBGA1528	Laptop
<a href="#">Intel Core i3-8121U @ 2.20GHz</a>	2	4,382	1,930	15	Unknown	Laptop
<a href="#">Intel Core i3-8130U @ 2.20GHz</a>	2	3,638	1,937	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-8140U @ 2.10GHz</a>	2	4,227	2,135	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-8145U @ 2.10GHz</a>	2	3,836	2,140	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-8145UE @ 2.20GHz</a>	2	4,087	2,337	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-8300 @ 3.70GHz</a>	4	6,150	2,266	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8300T @ 3.20GHz</a>	4	5,827	2,005	25	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8350K @ 4.00GHz</a>	4	6,902	2,513	91	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100 @ 3.60GHz</a>	4	6,628	2,514	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100F @ 3.60GHz</a>	4	6,768	2,516	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100T @ 3.10GHz</a>	4	5,491	2,118	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100TE @ 2.20GHz</a>	4	4,501	1,585	35	FCLGA1151-2	Laptop
<a href="#">Intel Core i3-9300 @ 3.70GHz</a>	4	7,279	2,666	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9300T @ 3.20GHz</a>	4	6,162	2,318	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9320 @ 3.70GHz</a>	4	7,358	2,711	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9350K @ 4.00GHz</a>	4	7,694	2,823	91	FCLGA1151	Desktop
<a href="#">Intel Core i3-9350KF @ 4.00GHz</a>	4	7,318	2,666	91	FCLGA1151-2	Desktop
<a href="#">Intel Core i5 750S @ 2.40GHz</a>	4	1,326	1,039	82	LGA1156	Desktop
<a href="#">Intel Core i5 E 520 @ 2.40GHz</a>	2	1,619	1,032	35	BGA1288	Desktop
<a href="#">Intel Core i5-10200H @ 2.40GHz</a>	4	8,392	2,476	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10210U @ 1.60GHz</a>	4	6,372	2,214	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-10210Y @ 1.00GHz</a>	4	4,964	2,053	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i5-10300H @ 2.50GHz</a>	4	8,645	2,606	45	FCBGA1440	Desktop, Laptop
<a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a>	4	6,086	1,827	10	BGA1526	Laptop
<a href="#">Intel Core i5-10310U @ 1.70GHz</a>	4	6,535	2,258	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>	4	7,602	2,281	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>	4	8,135	2,256	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>	4	8,516	2,313	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a>	4	9,629	2,324	28	FCBGA1344	Laptop
<a href="#">Intel Core i5-10400 @ 2.90GHz</a>	6	12,306	2,587	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10400F @ 2.90GHz</a>	6	12,395	2,569	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10400H @ 2.60GHz</a>	4	8,945	2,739	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10400T @ 2.00GHz</a>	6	9,960	2,163	35	FCLGA1200	Desktop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks ▼

<a href="#">Intel Core i5-10500T @ 2.30GHz</a>	6	10,303	2,342	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-10500TE @ 2.30GHz</a>	6	9,960	2,145	35	FCLGA1200	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-10505 @ 3.20GHz</a>	6	12,313	2,856	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600 @ 3.30GHz</a>	6	13,847	2,920	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600K @ 4.10GHz</a>	6	14,524	2,936	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600KF @ 4.10GHz</a>	6	14,528	2,947	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600T @ 2.40GHz</a>	6	11,210	2,422	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-11260H @ 2.60GHz</a>	6	15,398	2,939	45	FCBGA1787	Laptop
<a href="#">Intel Core i5-11300H @ 3.10GHz</a>	4	11,028	2,834	35	FCBGA1449	Laptop
<a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>	4	8,931	2,421	15	BGA 1449	Laptop
<a href="#">Intel Core i5-11320H @ 3.20GHz</a>	4	10,685	2,899	35	FCBGA1449	Laptop
<a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>	4	10,075	2,728	15	BGA1526	Laptop
<a href="#">Intel Core i5-11400 @ 2.60GHz</a>	6	17,084	3,050	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11400F @ 2.60GHz</a>	6	17,213	3,020	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11400H @ 2.70GHz</a>	6	15,993	3,050	45	FCBGA1787	Laptop
<a href="#">Intel Core i5-11400T @ 1.30GHz</a>	6	13,112	2,561	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>	4	10,075	2,654	15	FCBGA1598	Server
<a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>	4	10,190	2,787	28	FCBGA1449	Laptop
<a href="#">Intel Core i5-1145G7E @ 2.60GHz</a>	4	10,454	2,691	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i5-1145GRE @ 2.60GHz</a>	4	10,003	2,478	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i5-11500 @ 2.70GHz</a>	6	17,631	3,156	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11500B @ 3.30GHz</a>	6	17,801	3,231	65	Unknown	Desktop
<a href="#">Intel Core i5-11500H @ 2.90GHz</a>	6	16,133	3,064	45	FCBGA1787	Laptop
<a href="#">Intel Core i5-11500T @ 1.50GHz</a>	6	13,397	2,651	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-1155G7 @ 2.50GHz</a>	4	10,055	2,895	28	FCBGA1449	Laptop
<a href="#">Intel Core i5-11600 @ 2.80GHz</a>	6	18,237	3,301	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600K @ 3.90GHz</a>	6	19,730	3,371	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600KF @ 3.90GHz</a>	6	19,690	3,358	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600T @ 1.70GHz</a>	6	15,352	2,885	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-1230U</a>	2	9,896	2,927	9	FCBGA1781	Laptop
<a href="#">Intel Core i5-1235U</a>	2	13,852	3,440	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-12400</a>	6	19,546	3,536	65	LGA 1700	Desktop
<a href="#">Intel Core i5-12400F</a>	6	19,828	3,570	65	FCLGA1700	Desktop
<a href="#">[Dual CPU] Intel Core i5-12400F</a>	6	19,680	3,630	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-1240P</a>	4	17,495	3,291	28	FCBGA1744	Laptop
<a href="#">Intel Core i5-12450H</a>	4	18,612	3,626	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-1245U</a>	2	13,000	3,320	15	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i5-12490F</a>	6	20,177	3,768	65	LGA1700	Desktop
<a href="#">Intel Core i5-12500</a>	6	20,417	3,744	65	LGA 1700	Desktop
<a href="#">Intel Core i5-12500H</a>	4	22,095	3,583	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-12500T</a>	6	17,578	3,640	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-12500TE</a>	6	16,865	3,598	35	FCLGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-1250P</a>	4	21,712	3,626	28	BGA1700	Laptop
<a href="#">Intel Core i5-12600</a>	6	20,926	3,796	65	LGA 1700	Desktop
<a href="#">Intel Core i5-12600H</a>	4	21,000	3,583	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-12600HX</a>	4	24,689	3,791	55	FCBGA1964	Laptop
<a href="#">Intel Core i5-12600K</a>	6	27,621	3,976	150	FCLGA1700	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-2310 @ 2.90GHz</a>	4	3,623	1,497	95	LGA1155	Desktop
<a href="#">Intel Core i5-2320 @ 3.00GHz</a>	4	3,644	1,516	95	LGA1155	Desktop
<a href="#">Intel Core i5-2380P @ 3.10GHz</a>	4	3,797	1,607	95	LGA1155	Desktop
<a href="#">Intel Core i5-2390T @ 2.70GHz</a>	2	2,375	1,391	35	LGA1155	Desktop
<a href="#">Intel Core i5-2400 @ 3.10GHz</a>	4	3,847	1,580	95	LGA1155	Desktop
<a href="#">Intel Core i5-2400S @ 2.50GHz</a>	4	3,185	1,483	65	LGA1155	Desktop
<a href="#">Intel Core i5-24050S @ 2.50GHz</a>	4	3,061	1,397	65	LGA1155, FCLGA11	Desktop
<a href="#">Intel Core i5-2405S @ 2.50GHz</a>	4	2,980	1,485	65	LGA1155	Desktop
<a href="#">Intel Core i5-2410M @ 2.30GHz</a>	2	1,959	1,227	35	FCBGA1023, PPG	Laptop
<a href="#">Intel Core i5-2415M @ 2.30GHz</a>	2	2,104	1,266	35	BGA1023	Desktop
<a href="#">Intel Core i5-2430M @ 2.40GHz</a>	2	2,020	1,250	35	PGA988B	Laptop
<a href="#">Intel Core i5-2435M @ 2.40GHz</a>	2	2,085	1,300	35	BGA1023	Laptop
<a href="#">Intel Core i5-2450M @ 2.50GHz</a>	2	2,060	1,275	35	BGA1023	Laptop
<a href="#">Intel Core i5-2450P @ 3.20GHz</a>	4	4,175	1,680	95	LGA1155	Desktop
<a href="#">Intel Core i5-2467M @ 1.60GHz</a>	2	1,439	838	17	BGA1023	Laptop
<a href="#">Intel Core i5-2500 @ 3.30GHz</a>	4	4,105	1,710	95	LGA1155	Desktop
<a href="#">Intel Core i5-2500K @ 3.30GHz</a>	4	4,104	1,701	95	LGA1155	Desktop
<a href="#">Intel Core i5-2500S @ 2.70GHz</a>	4	3,459	1,678	65	LGA1155	Desktop
<a href="#">Intel Core i5-2500T @ 2.30GHz</a>	4	2,942	1,489	45	LGA1155	Desktop
<a href="#">Intel Core i5-2510E @ 2.50GHz</a>	2	1,889	1,183	35	PGA988B	Laptop
<a href="#">Intel Core i5-2515E @ 2.50GHz</a>	2	1,882	1,189	35	BGA1023	Desktop
<a href="#">Intel Core i5-2520M @ 2.50GHz</a>	2	2,238	1,362	35	PGA988B	Laptop
<a href="#">Intel Core i5-2537M @ 1.40GHz</a>	2	1,150	906	17	BGA1023	Laptop
<a href="#">Intel Core i5-2540M @ 2.60GHz</a>	2	2,301	1,379	35	BGA1023	Laptop
<a href="#">Intel Core i5-2550K @ 3.40GHz</a>	4	4,184	1,762	95	LGA1155	Desktop
<a href="#">Intel Core i5-2557M @ 1.70GHz</a>	2	1,809	1,105	17	BGA1023	Laptop
<a href="#">Intel Core i5-2560M @ 2.70GHz</a>	2	2,131	1,259	NA	Unknown	Unknown
<a href="#">Intel Core i5-3170K @ 3.20GHz</a>	4	8,882	2,510	NA	Unknown	Unknown
<a href="#">Intel Core i5-3210M @ 2.50GHz</a>	2	2,461	1,537	35	PGA988B	Laptop
<a href="#">Intel Core i5-3230M @ 2.60GHz</a>	2	2,515	1,556	35	PGA988	Laptop
<a href="#">Intel Core i5-3317U @ 1.70GHz</a>	2	1,973	1,233	17	BGA1023	Laptop
<a href="#">Intel Core i5-3320M @ 2.60GHz</a>	2	2,655	1,619	35	BGA1023	Laptop
<a href="#">Intel Core i5-3330 @ 3.00GHz</a>	4	4,089	1,723	77	LGA1155	Desktop
<a href="#">Intel Core i5-3330S @ 2.70GHz</a>	4	3,816	1,688	65	LGA1155	Desktop
<a href="#">Intel Core i5-3335S @ 2.70GHz</a>	4	3,754	1,738	65	LGA1155	Desktop
<a href="#">Intel Core i5-3337U @ 1.80GHz</a>	2	2,082	1,284	17	BGA1023	Laptop
<a href="#">Intel Core i5-3339Y @ 1.50GHz</a>	2	1,569	898	13	BGA1023	Desktop
<a href="#">Intel Core i5-3340 @ 3.10GHz</a>	4	4,203	1,777	77	LGA1155	Desktop
<a href="#">Intel Core i5-3340M @ 2.70GHz</a>	2	2,648	1,624	35	BGA1023	Laptop
<a href="#">Intel Core i5-3340S @ 2.80GHz</a>	4	4,088	1,794	65	LGA1155	Desktop
<a href="#">Intel Core i5-3350P @ 3.10GHz</a>	4	4,243	1,785	69	LGA1155	Desktop
<a href="#">Intel Core i5-3360M @ 2.80GHz</a>	2	2,831	1,740	35	BGA1023	Laptop
<a href="#">Intel Core i5-3380M @ 2.90GHz</a>	2	2,970	1,826	35	FCPGA988, FCBGA1	Laptop
<a href="#">Intel Core i5-3427U @ 1.80GHz</a>	2	2,223	1,361	17	BGA1023	Laptop
<a href="#">Intel Core i5-3437U @ 1.90GHz</a>	2	2,287	1,394	17	BGA1023	Laptop
<a href="#">Intel Core i5-3439Y @ 1.50GHz</a>	2	1,907	1,197	13	BGA1023	Desktop
<a href="#">Intel Core i5-3450 @ 3.10GHz</a>	4	4,468	1,876	77	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-3470T @ 2.90GHz</a>	2	2,949	1,791	35	LGA1155	Desktop
<a href="#">Intel Core i5-3475S @ 2.90GHz</a>	4	4,212	1,826	65	LGA1155	Desktop
<a href="#">Intel Core i5-3550 @ 3.30GHz</a>	4	4,768	1,988	77	LGA1155	Desktop
<a href="#">Intel Core i5-3550S @ 3.00GHz</a>	4	4,537	1,982	65	LGA1155	Desktop
<a href="#">Intel Core i5-3570 @ 3.40GHz</a>	4	4,905	2,047	77	LGA1155	Desktop
<a href="#">Intel Core i5-3570K @ 3.40GHz</a>	4	4,935	2,048	77	LGA1155	Desktop
<a href="#">Intel Core i5-3570S @ 3.10GHz</a>	4	4,637	1,999	65	LGA1155	Desktop
<a href="#">Intel Core i5-3570T @ 2.30GHz</a>	4	4,144	1,752	45	LGA1155	Desktop
<a href="#">Intel Core i5-3610ME @ 2.70GHz</a>	2	2,553	1,574	35	BGA1023	Laptop
<a href="#">Intel Core i5-4200H @ 2.80GHz</a>	2	3,129	1,814	47	BGA1364	Desktop
<a href="#">Intel Core i5-4200M @ 2.50GHz</a>	2	2,771	1,605	37	PGA946	Laptop
<a href="#">Intel Core i5-4200U @ 1.60GHz</a>	2	2,192	1,296	15	BGA1168	Laptop
<a href="#">Intel Core i5-4200Y @ 1.40GHz</a>	2	1,558	944	11.5	BGA1168	Desktop
<a href="#">Intel Core i5-4202Y @ 1.60GHz</a>	2	1,432	935	11.5	FCBGA1168	Desktop
<a href="#">Intel Core i5-4210H @ 2.90GHz</a>	2	3,002	1,753	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-4210M @ 2.60GHz</a>	2	2,886	1,690	37	FCPGA946	Laptop
<a href="#">Intel Core i5-4210U @ 1.70GHz</a>	2	2,291	1,376	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4210Y @ 1.50GHz</a>	2	1,548	997	11	BGA1168	Desktop
<a href="#">Intel Core i5-4220Y @ 1.60GHz</a>	2	1,591	952	11.5	FCBGA1364	Laptop
<a href="#">Intel Core i5-4230U @ 1.90GHz</a>	2	1,853	1,620	15	FCBGA1364	Laptop
<a href="#">Intel Core i5-4250U @ 1.30GHz</a>	2	2,195	1,357	15	BGA1168	Laptop
<a href="#">Intel Core i5-4258U @ 2.40GHz</a>	2	2,584	1,549	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-4260U @ 1.40GHz</a>	2	2,340	1,486	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4278U @ 2.60GHz</a>	2	2,815	1,712	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-4288U @ 2.60GHz</a>	2	2,582	1,601	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-4300M @ 2.60GHz</a>	2	3,035	1,766	37	PGA946	Laptop
<a href="#">Intel Core i5-4300U @ 1.90GHz</a>	2	2,512	1,496	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4300Y @ 1.60GHz</a>	2	1,515	987	11.5	BGA1168	Desktop
<a href="#">Intel Core i5-4302Y @ 1.60GHz</a>	2	1,817	1,084	11.5	FCBGA1168	Desktop
<a href="#">Intel Core i5-4308U @ 2.80GHz</a>	2	3,089	1,897	28	FCBGA1364	Laptop
<a href="#">Intel Core i5-430M @ 2.27GHz</a>	2	1,206	994	35	BGA1288	Laptop
<a href="#">Intel Core i5-430UM @ 1.20GHz</a>	2	836	630	18	BGA1288	Laptop
<a href="#">Intel Core i5-4310M @ 2.70GHz</a>	2	3,123	1,813	37	Unknown	Laptop
<a href="#">Intel Core i5-4310U @ 2.00GHz</a>	2	2,514	1,500	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4330M @ 2.80GHz</a>	2	3,208	1,855	37	Unknown	Laptop
<a href="#">Intel Core i5-4340M @ 2.90GHz</a>	2	3,491	2,032	37	Unknown	Laptop
<a href="#">Intel Core i5-4350U @ 1.40GHz</a>	2	2,425	1,585	15	BGA1168	Laptop
<a href="#">Intel Core i5-4400E @ 2.70GHz</a>	2	3,251	1,804	37	BGA1364	Desktop
<a href="#">Intel Core i5-4402E @ 1.60GHz</a>	2	2,681	1,510	25	FCBGA1364	Laptop
<a href="#">Intel Core i5-4422E @ 1.80GHz</a>	2	1,907	1,048	25	FCBGA1364	Laptop
<a href="#">Intel Core i5-4430 @ 3.00GHz</a>	4	4,661	1,809	84	LGA1150	Desktop
<a href="#">Intel Core i5-4430S @ 2.70GHz</a>	4	4,216	1,732	65	LGA1150	Desktop
<a href="#">Intel Core i5-4440 @ 3.10GHz</a>	4	4,729	1,858	84	FCLGA1150	Desktop
<a href="#">Intel Core i5-4440S @ 2.80GHz</a>	4	4,313	1,800	65	LGA1150	Desktop
<a href="#">Intel Core i5-4460 @ 3.20GHz</a>	4	4,838	1,903	84	LGA1150	Desktop
<a href="#">Intel Core i5-4460S @ 2.90GHz</a>	4	4,525	1,850	65	LGA1150	Desktop
<a href="#">Intel Core i5-4460T @ 1.90GHz</a>	4	3,594	1,465	35	LGA1150	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-4570R @ 2.70GHz</a>	4	4,432	1,812	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-4570S @ 2.90GHz</a>	4	4,913	1,981	65	LGA1150	Desktop
<a href="#">Intel Core i5-4570T @ 2.90GHz</a>	2	3,143	1,878	35	LGA1150	Desktop
<a href="#">Intel Core i5-4570TE @ 2.70GHz</a>	2	3,106	1,631	35	LGA1150	Desktop
<a href="#">Intel Core i5-4590 @ 3.30GHz</a>	4	5,351	2,090	84	LGA1150	Desktop
<a href="#">Intel Core i5-4590S @ 3.00GHz</a>	4	5,116	2,055	65	LGA1150	Desktop
<a href="#">Intel Core i5-4590T @ 2.00GHz</a>	4	4,002	1,647	35	LGA1150	Desktop
<a href="#">Intel Core i5-460M @ 2.53GHz</a>	2	1,277	1,147	35	BGA1288	Laptop
<a href="#">Intel Core i5-4670 @ 3.40GHz</a>	4	5,470	2,147	84	LGA1150	Desktop
<a href="#">Intel Core i5-4670K @ 3.40GHz</a>	4	5,566	2,156	84	LGA1150	Desktop
<a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a>	4	5,034	2,042	84	LGA1150	Desktop
<a href="#">Intel Core i5-4670R @ 3.00GHz</a>	4	5,233	2,164	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-4670S @ 3.10GHz</a>	4	4,999	2,081	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-4670T @ 2.30GHz</a>	4	4,387	1,735	45	FCLGA1150	Desktop
<a href="#">Intel Core i5-4690 @ 3.50GHz</a>	4	5,594	2,208	84	LGA1150	Desktop
<a href="#">Intel Core i5-4690K @ 3.50GHz</a>	4	5,639	2,197	88	LGA1150	Desktop
<a href="#">Intel Core i5-4690S @ 3.20GHz</a>	4	5,393	2,187	65	LGA1150	Desktop
<a href="#">Intel Core i5-4690T @ 2.50GHz</a>	4	4,660	1,922	45	LGA1150	Desktop
<a href="#">Intel Core i5-470UM @ 1.33GHz</a>	2	760	625	18	BGA1288	Laptop
<a href="#">Intel Core i5-480M @ 2.67GHz</a>	2	1,310	1,173	35	BGA1288	Laptop
<a href="#">Intel Core i5-5200U @ 2.20GHz</a>	2	2,502	1,509	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-520M @ 2.40GHz</a>	2	1,725	1,107	35	BGA1288	Laptop
<a href="#">Intel Core i5-520UM @ 1.07GHz</a>	2	902	759	18	BGA1288	Laptop
<a href="#">Intel Core i5-5250U @ 1.60GHz</a>	2	2,479	1,550	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-5257U @ 2.70GHz</a>	2	3,057	1,879	23	FCBGA1168	Laptop
<a href="#">Intel Core i5-5287U @ 2.90GHz</a>	2	3,111	1,947	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-5300U @ 2.30GHz</a>	2	2,742	1,647	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-5350U @ 1.80GHz</a>	2	2,616	1,688	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-540M @ 2.53GHz</a>	2	1,783	1,140	35	BGA1288	Laptop
<a href="#">Intel Core i5-540UM @ 1.20GHz</a>	2	1,002	818	18	BGA1288	Laptop
<a href="#">Intel Core i5-5575R @ 2.80GHz</a>	4	5,116	2,115	65	LGA1150	Desktop
<a href="#">Intel Core i5-560M @ 2.67GHz</a>	2	1,875	1,252	35	BGA1288	Laptop
<a href="#">Intel Core i5-560UM @ 1.33GHz</a>	2	1,015	898	18	BGA1288	Laptop
<a href="#">Intel Core i5-5675C @ 3.10GHz</a>	4	5,548	2,251	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-5675R @ 3.10GHz</a>	4	5,649	2,297	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-580M @ 2.67GHz</a>	2	1,935	1,285	35	BGA1288	Laptop
<a href="#">Intel Core i5-6198DU @ 2.30GHz</a>	2	3,177	1,664	15	BGA1356	Laptop
<a href="#">Intel Core i5-6200U @ 2.30GHz</a>	2	3,011	1,579	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6260U @ 1.80GHz</a>	2	3,207	1,665	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6267U @ 2.90GHz</a>	2	3,482	1,853	28	FCBGA1356	Laptop
<a href="#">Intel Core i5-6287U @ 3.10GHz</a>	2	3,945	2,083	28	FCBGA1356	Laptop
<a href="#">Intel Core i5-6300HQ @ 2.30GHz</a>	4	4,707	1,797	45	LGA 1151	Laptop
<a href="#">Intel Core i5-6300U @ 2.40GHz</a>	2	3,256	1,685	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6350HQ @ 2.30GHz</a>	4	4,255	1,420	45	LGA 1151	Laptop
<a href="#">Intel Core i5-6360U @ 2.00GHz</a>	2	3,231	1,804	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6400 @ 2.70GHz</a>	4	5,164	1,964	65	LGA 1151	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i5-6440HQ @ 2.60GHz</a>	4	5,115	1,993	45	LGA 1151	Laptop
<a href="#">Intel Core i5-6442EQ @ 1.90GHz</a>	4	4,598	1,716	25	FCBGA1440	Laptop
<a href="#">Intel Core i5-650 @ 3.20GHz</a>	2	2,216	1,382	73	LGA1156	Desktop
<a href="#">Intel Core i5-6500 @ 3.20GHz</a>	4	5,658	2,121	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6500T @ 2.50GHz</a>	4	4,851	1,831	35	LGA 1151	Desktop
<a href="#">Intel Core i5-6500TE @ 2.30GHz</a>	4	4,776	1,828	35	LGA 1151	Desktop
<a href="#">Intel Core i5-655K @ 3.20GHz</a>	2	2,017	1,446	73	LGA1156	Desktop
<a href="#">Intel Core i5-660 @ 3.33GHz</a>	2	2,356	1,435	73	LGA1156	Desktop
<a href="#">Intel Core i5-6600 @ 3.30GHz</a>	4	6,099	2,283	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6600K @ 3.50GHz</a>	4	6,336	2,339	91	FCLGA1151	Desktop
<a href="#">Intel Core i5-6600T @ 2.70GHz</a>	4	5,644	2,092	35	LGA 1151	Desktop
<a href="#">Intel Core i5-661 @ 3.33GHz</a>	2	2,444	1,448	87	LGA1156	Desktop
<a href="#">Intel Core i5-670 @ 3.47GHz</a>	2	2,511	1,542	73	LGA1156	Desktop
<a href="#">Intel Core i5-680 @ 3.60GHz</a>	2	2,603	1,550	73	LGA1156	Desktop
<a href="#">Intel Core i5-7200U @ 2.50GHz</a>	2	3,395	1,768	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-7260U @ 2.20GHz</a>	2	3,912	1,993	15	BGA1356	Laptop
<a href="#">Intel Core i5-7267U @ 3.10GHz</a>	2	3,929	2,067	28	BGA1356	Laptop
<a href="#">Intel Core i5-7287U @ 3.30GHz</a>	2	4,149	2,154	28	Unknown	Laptop
<a href="#">Intel Core i5-7300HQ @ 2.50GHz</a>	4	5,100	1,965	45	Unknown	Laptop
<a href="#">Intel Core i5-7300U @ 2.60GHz</a>	2	3,716	1,946	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-7360U @ 2.30GHz</a>	2	4,046	2,189	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-7400 @ 3.00GHz</a>	4	5,509	2,102	65	FCLGA1151	Desktop
<a href="#">Intel Core i5-7400T @ 2.40GHz</a>	4	4,720	1,758	35	LGA1151	Desktop
<a href="#">Intel Core i5-7440EQ @ 2.90GHz</a>	4	5,711	2,131	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-7440HQ @ 2.80GHz</a>	4	5,525	2,034	45	BGA1440	Laptop
<a href="#">Intel Core i5-7442EQ @ 2.10GHz</a>	4	4,834	1,819	25	FCBGA1440	Laptop
<a href="#">Intel Core i5-750 @ 2.67GHz</a>	4	2,503	1,238	95	LGA1156	Desktop
<a href="#">Intel Core i5-7500 @ 3.40GHz</a>	4	6,059	2,283	65	LGA1151	Desktop
<a href="#">Intel Core i5-7500T @ 2.70GHz</a>	4	5,304	1,957	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-760 @ 2.80GHz</a>	4	2,620	1,307	95	LGA1156	Desktop
<a href="#">Intel Core i5-7600 @ 3.50GHz</a>	4	6,566	2,471	65	FCLGA1151	Desktop
<a href="#">Intel Core i5-7600K @ 3.80GHz</a>	4	6,866	2,564	91	FCLGA1151	Desktop
<a href="#">Intel Core i5-7600T @ 2.80GHz</a>	4	6,019	2,216	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-760S @ 2.53GHz</a>	4	5,440	1,578	NA	Unknown	Unknown
<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	4	6,675	2,511	112	FCLGA2066	Desktop
<a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>	2	2,710	1,547	4.5	FCBGA1515	Laptop
<a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>	2	2,804	1,697	4.5	FCBGA1515	Laptop
<a href="#">Intel Core i5-8200Y @ 1.30GHz</a>	2	2,262	1,554	5	FCBGA1515	Laptop
<a href="#">Intel Core i5-8210Y @ 1.60GHz</a>	2	2,801	1,692	7	FCBGA1515	Laptop
<a href="#">Intel Core i5-8250U @ 1.60GHz</a>	4	5,919	1,926	15	FC-BGA1356	Laptop
<a href="#">Intel Core i5-8257U @ 1.40GHz</a>	4	7,663	2,317	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8259U @ 2.30GHz</a>	4	8,058	2,238	28	FCBGA1528	Laptop
<a href="#">Intel Core i5-8260U @ 1.60GHz</a>	4	7,854	2,313	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8265U @ 1.60GHz</a>	4	6,082	2,115	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8265UC @ 1.60GHz</a>	4	5,988	2,200	NA	FCBGA1528	Laptop
<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	4	8,055	2,561	28	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-8279U @ 2.40GHz</a>	4	7,780	2,379	28	FCBGA1528	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

 CPU Benchmarks ▼

<a href="#">Intel Core i5-8365U @ 1.60GHz</a>	4	6,237	2,178	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8365UE @ 1.60GHz</a>	4	5,555	2,248	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8400 @ 2.80GHz</a>	6	9,242	2,403	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8400H @ 2.50GHz</a>	4	7,996	2,450	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-8400T @ 1.70GHz</a>	6	7,459	1,924	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8500 @ 3.00GHz</a>	6	9,573	2,481	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8500B @ 3.00GHz</a>	6	9,365	2,569	65	FCBGA1440	Laptop
<a href="#">Intel Core i5-8500T @ 2.10GHz</a>	6	7,668	2,023	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8600 @ 3.10GHz</a>	6	9,865	2,582	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8600K @ 3.60GHz</a>	6	10,218	2,608	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8600T @ 2.30GHz</a>	6	8,290	2,148	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9300H @ 2.40GHz</a>	4	7,764	2,339	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9300HF @ 2.40GHz</a>	4	7,615	2,353	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9400 @ 2.90GHz</a>	6	9,485	2,475	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9400F @ 2.90GHz</a>	6	9,545	2,468	65	FCLGA1151-2	Desktop, Laptop
<a href="#">Intel Core i5-9400H @ 2.50GHz</a>	4	8,269	2,504	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9400T @ 1.80GHz</a>	6	7,817	2,058	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500 @ 3.00GHz</a>	6	9,731	2,575	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500F @ 3.00GHz</a>	6	10,356	2,676	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500T @ 2.20GHz</a>	6	8,258	2,197	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500TE @ 2.20GHz</a>	6	9,212	2,296	35	FCLGA1151-2	Laptop
<a href="#">Intel Core i5-9600 @ 3.10GHz</a>	6	10,356	2,751	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600K @ 3.70GHz</a>	6	10,786	2,768	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600KF @ 3.70GHz</a>	6	10,799	2,778	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600T @ 2.30GHz</a>	6	8,464	2,189	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>	5	3,432	1,626	7	FC-CSP1016	Laptop
<a href="#">Intel Core i7-10510U @ 1.80GHz</a>	4	6,787	2,350	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10510Y @ 1.20GHz</a>	4	5,016	1,957	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a>	4	6,971	1,915	10	FCBGA1526	Laptop
<a href="#">Intel Core i7-10610U @ 1.80GHz</a>	4	7,007	2,342	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-1065G7 @ 1.30GHz</a>	4	8,561	2,381	15	FCBGA-1526	Laptop
<a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a>	4	10,048	2,478	28	FCBGA1344	Laptop
<a href="#">Intel Core i7-10700 @ 2.90GHz</a>	8	16,835	2,922	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700E @ 2.90GHz</a>	8	16,257	2,920	65	FCLGA1200	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-10700F @ 2.90GHz</a>	8	17,027	2,921	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700K @ 3.80GHz</a>	8	19,219	3,071	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700KF @ 3.80GHz</a>	8	19,046	3,053	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700T @ 2.00GHz</a>	8	13,243	2,641	35	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700TE @ 2.00GHz</a>	8	16,332	2,772	35	FCLGA1200	Laptop
<a href="#">Intel Core i7-10710U @ 1.10GHz</a>	6	9,989	2,435	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10750H @ 2.60GHz</a>	6	12,274	2,706	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-10810U @ 1.10GHz</a>	6	7,924	2,216	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10850H @ 2.70GHz</a>	6	12,127	2,742	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-10870H @ 2.20GHz</a>	8	14,927	2,721	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-10875H @ 2.30GHz</a>	8	15,380	2,778	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-11370H @ 3.30GHz</a>	4	11,958	3,003	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-11375H @ 3.30GHz</a>	4	12,286	3,061	35	FCBGA1449	Laptop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks ▼

<a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>	4	10,503	2,864	15	BGA1526	Laptop
<a href="#">Intel Core i7-11700 @ 2.50GHz</a>	8	20,078	3,152	95	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700B @ 3.20GHz</a>	8	22,627	3,376	65	Unknown	Desktop
<a href="#">Intel Core i7-11700F @ 2.50GHz</a>	8	21,310	3,334	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700K @ 3.60GHz</a>	8	24,680	3,430	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700KF @ 3.60GHz</a>	8	24,090	3,409	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700T @ 1.40GHz</a>	8	15,537	2,867	35	FCLGA1200	Desktop
<a href="#">Intel Core i7-11800H @ 2.30GHz</a>	8	21,205	3,127	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-1180G7 @ 1.30GHz</a>	4	8,636	2,387	15	FCBGA1598	Laptop
<a href="#">Intel Core i7-11850H @ 2.50GHz</a>	8	21,146	3,209	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>	4	10,817	2,873	15	BGA1526	Laptop
<a href="#">Intel Core i7-1185G7E @ 2.80GHz</a>	4	9,980	2,549	15	FCBGA1449	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-1185GRE @ 2.80GHz</a>	4	9,142	2,793	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i7-1195G7 @ 2.90GHz</a>	4	10,922	3,050	28	FCBGA1449	Laptop
<a href="#">Intel Core i7-1255U</a>	2	13,211	3,335	15	FCBGA1744	Laptop
<a href="#">Intel Core i7-1260P</a>	4	17,180	3,287	28	BGA1700	Laptop
<a href="#">Intel Core i7-12650H</a>	6	24,594	3,753	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-1265U</a>	2	12,950	3,496	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-12700</a>	8	31,328	3,941	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700F</a>	8	31,660	3,964	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700H</a>	6	27,052	3,681	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-12700K</a>	8	34,502	4,057	190	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700KF</a>	8	34,300	4,049	190	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700T</a>	8	22,912	3,713	35	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700TE</a>	8	20,712	3,681	35	FCLGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-1270P</a>	4	18,096	3,508	28	BGA1700	Laptop
<a href="#">Intel Core i7-12800H</a>	6	23,841	3,450	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-12800HX</a>	8	36,511	4,007	55	FCBGA1964	Laptop
<a href="#">Intel Core i7-1280P</a>	6	19,890	3,256	28	FCBGA1744	Laptop
<a href="#">Intel Core i7-12850HX</a>	8	31,111	3,885	55	FCBGA1964	Laptop
<a href="#">Intel Core i7-2600 @ 3.40GHz</a>	4	5,346	1,742	95	LGA1155	Desktop
<a href="#">Intel Core i7-2600K @ 3.40GHz</a>	4	5,496	1,742	95	LGA1155	Desktop
<a href="#">Intel Core i7-2600S @ 2.80GHz</a>	4	4,538	1,717	65	LGA1155	Desktop
<a href="#">Intel Core i7-2610UE @ 1.50GHz</a>	2	1,409	972	17	BGA1023	Laptop
<a href="#">Intel Core i7-2617M @ 1.50GHz</a>	2	1,687	1,092	17	BGA1023	Laptop
<a href="#">Intel Core i7-2620M @ 2.70GHz</a>	2	2,424	1,462	35	BGA1023	Laptop
<a href="#">Intel Core i7-2630QM @ 2.00GHz</a>	4	3,561	1,219	45	PGA988B	Laptop
<a href="#">Intel Core i7-2630UM @ 1.60GHz</a>	2	400	221	NA	Unknown	Laptop
<a href="#">Intel Core i7-2635QM @ 2.00GHz</a>	4	3,275	1,166	45	BGA1224	Laptop
<a href="#">Intel Core i7-2637M @ 1.70GHz</a>	2	1,811	1,130	17	BGA1023	Laptop
<a href="#">Intel Core i7-2640M @ 2.80GHz</a>	2	2,429	1,480	35	BGA1023	Laptop
<a href="#">Intel Core i7-2655LE @ 2.20GHz</a>	2	1,999	1,231	25	BGA1023	Desktop
<a href="#">Intel Core i7-2670QM @ 2.20GHz</a>	4	3,714	1,318	45	PGA988B	Laptop
<a href="#">Intel Core i7-2675QM @ 2.20GHz</a>	4	3,708	1,262	45	BGA1224	Laptop
<a href="#">Intel Core i7-2677M @ 1.80GHz</a>	2	1,993	1,240	17	BGA1023	Laptop
<a href="#">Intel Core i7-2700K @ 3.50GHz</a>	4	5,625	1,790	95	LGA1155	Desktop
<a href="#">Intel Core i7-2710QE @ 2.10GHz</a>	4	4,044	1,393	45	PGA988B	Laptop



<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
-----------------	--------------	-----------------	--------------------	----------------	---------------	-----------------

 CPU Benchmarks 

<a href="#">Intel Core i7-2820QM @ 2.30GHz</a>	4	4,390	1,514	45	BGA1224	Laptop
<a href="#">Intel Core i7-2840QM @ 2.40GHz</a>	4	3,842	1,493	NA	rPGA988B	Laptop
<a href="#">Intel Core i7-2860QM @ 2.50GHz</a>	4	4,611	1,587	45	BGA1224	Laptop
<a href="#">Intel Core i7-2920XM @ 2.50GHz</a>	4	4,344	1,499	55	FCPGA988	Laptop
<a href="#">Intel Core i7-2960XM @ 2.70GHz</a>	4	4,493	1,509	55	PGA988B	Laptop
<a href="#">Intel Core i7-3517U @ 1.90GHz</a>	2	2,104	1,312	17	BGA1023	Laptop
<a href="#">Intel Core i7-3517UE @ 1.70GHz</a>	2	2,141	1,205	17	BGA1023	Laptop
<a href="#">Intel Core i7-3520M @ 2.90GHz</a>	2	2,881	1,747	35	BGA1023	Laptop
<a href="#">Intel Core i7-3537U @ 2.00GHz</a>	2	2,291	1,430	17	BGA1023	Laptop
<a href="#">Intel Core i7-3540M @ 3.00GHz</a>	2	2,914	1,763	35	rPGA988B	Laptop
<a href="#">Intel Core i7-3555LE @ 2.50GHz</a>	2	1,880	980	25	BGA1023	Laptop
<a href="#">Intel Core i7-3610QE @ 2.30GHz</a>	4	5,052	1,614	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3610QM @ 2.30GHz</a>	4	5,097	1,663	45	PGA988B	Laptop
<a href="#">Intel Core i7-3612QE @ 2.10GHz</a>	4	4,929	1,678	35	BGA1224	Laptop
<a href="#">Intel Core i7-3612QM @ 2.10GHz</a>	4	4,615	1,540	35	PGA988B, FCBGA12	Laptop
<a href="#">Intel Core i7-3615QE @ 2.30GHz</a>	4	5,507	1,791	45	BGA1224	Laptop
<a href="#">Intel Core i7-3615QM @ 2.30GHz</a>	4	5,188	1,710	45	BGA1224	Laptop
<a href="#">Intel Core i7-3630QM @ 2.40GHz</a>	4	5,131	1,694	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3632QM @ 2.20GHz</a>	4	4,651	1,584	35	rPGA988B	Laptop
<a href="#">Intel Core i7-3635QM @ 2.40GHz</a>	4	4,394	1,605	45	Unknown	Laptop
<a href="#">Intel Core i7-3667U @ 2.00GHz</a>	2	2,408	1,516	17	BGA1023	Laptop
<a href="#">Intel Core i7-3687U @ 2.10GHz</a>	2	2,657	1,613	17	BGA1023	Laptop
<a href="#">Intel Core i7-3689Y @ 1.50GHz</a>	2	1,967	1,209	13	FCBGA1023	Laptop
<a href="#">Intel Core i7-3720QM @ 2.60GHz</a>	4	5,674	1,863	45	BGA1224	Laptop
<a href="#">Intel Core i7-3740QM @ 2.70GHz</a>	4	5,708	1,881	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3770 @ 3.40GHz</a>	4	6,399	2,074	77	LGA1155	Desktop
<a href="#">Intel Core i7-3770K @ 3.50GHz</a>	4	6,461	2,079	77	LGA1155	Desktop
<a href="#">Intel Core i7-3770S @ 3.10GHz</a>	4	6,181	2,037	65	LGA1155	Desktop
<a href="#">Intel Core i7-3770T @ 2.50GHz</a>	4	5,573	1,933	45	LGA1155	Desktop
<a href="#">Intel Core i7-3820 @ 3.60GHz</a>	4	5,775	1,739	130	LGA2011	Desktop
<a href="#">Intel Core i7-3820QM @ 2.70GHz</a>	4	5,788	1,916	45	BGA1224	Laptop
<a href="#">Intel Core i7-3840QM @ 2.80GHz</a>	4	5,914	1,941	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3920XM @ 2.90GHz</a>	4	5,786	1,935	55	FCPGA988	Laptop
<a href="#">Intel Core i7-3930K @ 3.20GHz</a>	6	8,252	1,761	130	LGA2011	Desktop
<a href="#">Intel Core i7-3940XM @ 3.00GHz</a>	4	5,896	1,938	55	rPGA988B	Laptop
<a href="#">Intel Core i7-3960X @ 3.30GHz</a>	6	8,596	1,819	130	LGA2011	Desktop
<a href="#">Intel Core i7-3970X @ 3.50GHz</a>	6	8,396	1,833	150	LGA2011	Desktop
<a href="#">Intel Core i7-4500U @ 1.80GHz</a>	2	2,479	1,502	15	BGA1168	Laptop
<a href="#">Intel Core i7-4510U @ 2.00GHz</a>	2	2,578	1,541	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-4550U @ 1.50GHz</a>	2	2,272	1,290	15	BGA1168	Laptop
<a href="#">Intel Core i7-4558U @ 2.80GHz</a>	2	3,012	1,850	28	BGA1168	Laptop
<a href="#">Intel Core i7-4560U @ 1.60GHz</a>	2	2,950	1,782	NA	Unknown	Laptop
<a href="#">Intel Core i7-4578U @ 3.00GHz</a>	2	3,057	1,928	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-4600M @ 2.90GHz</a>	2	3,149	1,835	37	PGA946	Laptop
<a href="#">Intel Core i7-4600U @ 2.10GHz</a>	2	2,694	1,645	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-4610M @ 3.00GHz</a>	2	3,024	1,755	37	FPGA946,FPGA947	Laptop
<a href="#">Intel Core i7-4610Y @ 1.70GHz</a>	2	2,446	1,583	11.5	BGA1168	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i7-4700MQ @ 2.40GHz</a>	4	5,327	1,762	47	rPGA946B	Laptop
<a href="#">Intel Core i7-4702HQ @ 2.20GHz</a>	4	5,444	1,671	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-4702MQ @ 2.20GHz</a>	4	5,105	1,682	37	FCPGA946	Laptop
<a href="#">Intel Core i7-4710HQ @ 2.50GHz</a>	4	5,525	1,786	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4710MQ @ 2.50GHz</a>	4	5,834	1,901	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4712HQ @ 2.30GHz</a>	4	5,144	1,663	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-4712MQ @ 2.30GHz</a>	4	5,260	1,798	37	FCPGA946	Laptop
<a href="#">Intel Core i7-4720HQ @ 2.60GHz</a>	4	5,775	1,876	47	BGA1364	Laptop
<a href="#">Intel Core i7-4722HQ @ 2.40GHz</a>	4	5,620	1,844	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-4750HQ @ 2.00GHz</a>	4	5,573	1,716	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4760HQ @ 2.10GHz</a>	4	6,300	1,944	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4765T @ 2.00GHz</a>	4	5,059	1,604	35	FCLGA1150	Desktop
<a href="#">Intel Core i7-4770 @ 3.40GHz</a>	4	7,028	2,162	84	LGA1150	Desktop
<a href="#">Intel Core i7-4770HQ @ 2.20GHz</a>	4	6,145	1,942	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4770K @ 3.50GHz</a>	4	7,129	2,166	84	LGA1150	Desktop
<a href="#">Intel Core i7-4770R @ 3.20GHz</a>	4	6,429	2,161	65	FCBGA1364	Desktop
<a href="#">Intel Core i7-4770S @ 3.10GHz</a>	4	6,817	2,150	65	LGA1150	Desktop
<a href="#">Intel Core i7-4770T @ 2.50GHz</a>	4	5,921	1,961	45	LGA1150	Desktop
<a href="#">Intel Core i7-4770TE @ 2.30GHz</a>	4	4,257	1,458	45	LGA1150	Desktop
<a href="#">Intel Core i7-4771 @ 3.50GHz</a>	4	7,011	2,171	84	LGA1150	Desktop
<a href="#">Intel Core i7-4785T @ 2.20GHz</a>	4	5,441	1,743	35	FCLGA1150	Desktop
<a href="#">Intel Core i7-4790 @ 3.60GHz</a>	4	7,237	2,234	84	FCLGA1150	Desktop
<a href="#">Intel Core i7-4790K @ 4.00GHz</a>	4	8,058	2,465	88	LGA1150	Desktop
<a href="#">Intel Core i7-4790S @ 3.20GHz</a>	4	6,958	2,192	65	LGA1150	Desktop
<a href="#">Intel Core i7-4790T @ 2.70GHz</a>	4	6,375	2,118	45	LGA1150	Desktop
<a href="#">Intel Core i7-4800MQ @ 2.70GHz</a>	4	5,857	1,949	47	rPGA946B	Laptop
<a href="#">Intel Core i7-4810MQ @ 2.80GHz</a>	4	6,033	2,000	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4820K @ 3.70GHz</a>	4	6,490	1,941	130	FCLGA2011	Desktop
<a href="#">Intel Core i7-4850HQ @ 2.30GHz</a>	4	6,381	1,989	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4860EQ @ 1.80GHz</a>	4	5,500	1,754	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4860HQ @ 2.40GHz</a>	4	6,138	1,901	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4870HQ @ 2.50GHz</a>	4	6,377	2,089	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4900MQ @ 2.80GHz</a>	4	6,075	1,958	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4910MQ @ 2.90GHz</a>	4	6,187	2,006	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4930K @ 3.40GHz</a>	6	9,391	1,968	130	LGA2011	Desktop
<a href="#">Intel Core i7-4930MX @ 3.00GHz</a>	4	6,895	2,191	57	FCPGA946	Laptop
<a href="#">Intel Core i7-4940MX @ 3.10GHz</a>	4	7,098	2,294	57	FPGA946,FPGA947	Laptop
<a href="#">Intel Core i7-4960HQ @ 2.60GHz</a>	4	6,827	2,197	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4960X @ 3.60GHz</a>	6	9,968	2,094	130	LGA2011	Desktop
<a href="#">Intel Core i7-4980HQ @ 2.80GHz</a>	4	6,755	2,236	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5500U @ 2.40GHz</a>	2	2,732	1,636	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5550U @ 2.00GHz</a>	2	2,908	1,781	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5557U @ 3.10GHz</a>	2	3,200	1,949	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-5600U @ 2.60GHz</a>	2	2,986	1,761	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5650U @ 2.20GHz</a>	2	3,025	1,933	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5675C @ 3.10GHz</a>	4	6,089	2,249	65	LGA1150	Desktop
<a href="#">Intel Core i7-5700EQ @ 2.60GHz</a>	4	5,905	2,124	47	FCBGA1364	Laptop



<input type="text" value="CPU Name"/>	<b>Cores</b>	<b>CPU Mark</b> <input type="text"/>	<b>Thread Mark</b> <input type="text"/>	<b>TDP (W)</b> <input type="text"/>	<b>Socket</b> <input type="text"/>	<b>Category</b> <input type="text"/>
---------------------------------------	--------------	--------------------------------------	---	-------------------------------------	------------------------------------	--------------------------------------

CPU Benchmarks

<a href="#">Intel Core i7-5820K @ 3.30GHz</a>	6	9,831	2,003	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-5850EQ @ 2.70GHz</a>	4	7,036	2,119	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5850HQ @ 2.70GHz</a>	4	6,866	2,219	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5930K @ 3.50GHz</a>	6	10,306	2,056	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-5950HQ @ 2.90GHz</a>	4	7,696	2,288	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5960X @ 3.00GHz</a>	8	12,690	1,972	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-610E @ 2.53GHz</a>	2	1,818	1,400	35	BGA1288	Laptop
<a href="#">Intel Core i7-620LM @ 2.00GHz</a>	2	1,435	1,083	25	rPGA988A	Laptop
<a href="#">Intel Core i7-620M @ 2.67GHz</a>	2	2,012	1,291	35	BGA1288	Laptop
<a href="#">Intel Core i7-620UM @ 1.07GHz</a>	2	964	777	18	BGA1288	Laptop
<a href="#">Intel Core i7-640LM @ 2.13GHz</a>	2	1,522	1,060	25	BGA1288	Laptop
<a href="#">Intel Core i7-640M @ 2.80GHz</a>	2	2,061	1,381	35	BGA1288	Laptop
<a href="#">Intel Core i7-640UM @ 1.20GHz</a>	2	1,090	817	18	BGA1288	Laptop
<a href="#">Intel Core i7-6498DU @ 2.50GHz</a>	2	3,303	1,721	15	BGA1356	Laptop
<a href="#">Intel Core i7-6500U @ 2.50GHz</a>	2	3,273	1,702	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6560U @ 2.20GHz</a>	2	3,391	1,714	15	Unknown	Laptop
<a href="#">Intel Core i7-6567U @ 3.30GHz</a>	2	3,799	2,088	28	FCBGA1356	Laptop
<a href="#">Intel Core i7-6600U @ 2.60GHz</a>	2	3,471	1,838	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-660UM @ 1.33GHz</a>	2	1,284	925	18	BGA1288	Laptop
<a href="#">Intel Core i7-6650U @ 2.20GHz</a>	2	3,600	1,820	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6660U @ 2.40GHz</a>	2	3,853	1,967	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6700 @ 3.40GHz</a>	4	8,083	2,300	65	LGA 1151	Desktop
<a href="#">Intel Core i7-6700HQ @ 2.60GHz</a>	4	6,536	1,918	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6700K @ 4.00GHz</a>	4	8,975	2,521	95	LGA1151	Desktop
<a href="#">Intel Core i7-6700T @ 2.80GHz</a>	4	7,234	2,078	35	LGA 1151	Desktop
<a href="#">Intel Core i7-6700TE @ 2.40GHz</a>	4	6,789	2,025	35	LGA 1151	Desktop
<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	4	7,056	1,952	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6800K @ 3.40GHz</a>	6	10,721	2,279	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-680UM @ 1.47GHz</a>	2	1,196	911	18	BGA1288	Laptop
<a href="#">Intel Core i7-6820EQ @ 2.80GHz</a>	4	6,924	1,969	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6820HK @ 2.70GHz</a>	4	6,934	1,937	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6820HQ @ 2.70GHz</a>	4	6,910	1,977	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6822EQ @ 2.00GHz</a>	4	5,241	1,572	25	LGA 1151	Laptop
<a href="#">Intel Core i7-6850K @ 3.60GHz</a>	6	11,339	2,405	140	FCLGA2011-3	Desktop
<a href="#">Intel Core i7-6900K @ 3.20GHz</a>	8	14,360	2,356	140	FCLGA2011-3	Desktop
<a href="#">Intel Core i7-6920HQ @ 2.90GHz</a>	4	7,360	2,107	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6950X @ 3.00GHz</a>	10	17,226	2,336	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-720QM @ 1.60GHz</a>	4	1,655	955	45	PGA988A	Laptop
<a href="#">Intel Core i7-740QM @ 1.73GHz</a>	4	1,796	1,019	45	PGA988A	Laptop
<a href="#">Intel Core i7-7500U @ 2.70GHz</a>	2	3,667	1,940	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-7560U @ 2.40GHz</a>	2	3,811	2,034	15	BGA1356	Laptop
<a href="#">Intel Core i7-7567U @ 3.50GHz</a>	2	4,235	2,253	28	BGA1356	Laptop
<a href="#">Intel Core i7-7600U @ 2.80GHz</a>	2	3,646	1,986	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-7660U @ 2.50GHz</a>	2	4,115	2,151	15	BGA1356	Laptop
<a href="#">Intel Core i7-7700 @ 3.60GHz</a>	4	8,654	2,473	65	LGA1151	Desktop
<a href="#">Intel Core i7-7700HQ @ 2.80GHz</a>	4	6,980	2,075	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7700K @ 4.20GHz</a>	4	9,670	2,730	95	LGA 1151	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i7-7820EQ @ 3.00GHz</a>	4	7,453	2,207	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7820HK @ 2.90GHz</a>	4	7,571	2,156	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>	4	7,198	2,141	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7820X @ 3.60GHz</a>	8	17,283	2,536	140	FCLGA2066	Desktop
<a href="#">Intel Core i7-7900X @ 3.30GHz</a>	10	19,358	2,610	140	FCLGA2066	Desktop
<a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>	4	7,478	2,233	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>	2	2,686	1,610	4.5	FCBGA1515	Desktop, Laptop
<a href="#">Intel Core i7-8086K @ 4.00GHz</a>	6	14,514	2,885	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-820QM @ 1.73GHz</a>	4	1,761	1,011	45	PGA988A	Laptop
<a href="#">Intel Core i7-840QM @ 1.87GHz</a>	4	1,938	1,108	45	PGA988A	Laptop
<a href="#">Intel Core i7-8500Y @ 1.50GHz</a>	2	2,592	1,522	5	FCBGA1515	Laptop
<a href="#">Intel Core i7-8550U @ 1.80GHz</a>	4	5,990	2,078	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-8557U @ 1.70GHz</a>	4	8,225	2,571	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8559U @ 2.70GHz</a>	4	8,731	2,572	28	FCBGA1528	Laptop
<a href="#">Intel Core i7-8565U @ 1.80GHz</a>	4	6,303	2,229	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-8565UC @ 1.80GHz</a>	4	6,187	2,527	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8569U @ 2.80GHz</a>	4	8,626	2,781	28	FCBGA1528	Laptop
<a href="#">Intel Core i7-860 @ 2.80GHz</a>	4	2,913	1,323	95	LGA1156	Desktop
<a href="#">Intel Core i7-860S @ 2.53GHz</a>	4	2,796	1,363	82	LGA1156	Desktop
<a href="#">Intel Core i7-8650U @ 1.90GHz</a>	4	6,339	2,146	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-8665U @ 1.90GHz</a>	4	6,272	2,210	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8665UE @ 1.70GHz</a>	4	5,017	1,538	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-870 @ 2.93GHz</a>	4	3,093	1,394	95	LGA1156	Desktop
<a href="#">Intel Core i7-8700 @ 3.20GHz</a>	6	13,012	2,657	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8700B @ 3.20GHz</a>	6	12,100	2,749	65	FCBGA1440	Laptop
<a href="#">Intel Core i7-8700K @ 3.70GHz</a>	6	13,813	2,758	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8700T @ 2.40GHz</a>	6	10,340	2,334	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8705G @ 3.10GHz</a>	4	7,947	2,288	65	BGA2270	Laptop
<a href="#">Intel Core i7-8706G @ 3.10GHz</a>	4	8,388	2,543	65	BGA2270	Laptop
<a href="#">Intel Core i7-8709G @ 3.10GHz</a>	4	7,921	2,289	100	BGA2270	Laptop
<a href="#">Intel Core i7-870S @ 2.67GHz</a>	4	2,786	1,270	82	LGA1156	Desktop
<a href="#">Intel Core i7-8750H @ 2.20GHz</a>	6	10,050	2,320	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-875K @ 2.93GHz</a>	4	3,145	1,376	95	LGA1156	Desktop
<a href="#">Intel Core i7-880 @ 3.07GHz</a>	4	3,048	1,370	95	LGA1156	Desktop
<a href="#">Intel Core i7-8809G @ 3.10GHz</a>	4	8,711	2,442	100	BGA2270	Laptop
<a href="#">Intel Core i7-8850H @ 2.60GHz</a>	6	10,282	2,395	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-920 @ 2.67GHz</a>	4	2,758	1,222	130	LGA1366	Desktop
<a href="#">Intel Core i7-920XM @ 2.00GHz</a>	4	2,009	1,010	55	PGA988B	Laptop
<a href="#">Intel Core i7-930 @ 2.80GHz</a>	4	2,870	1,268	130	LGA1366	Desktop
<a href="#">Intel Core i7-940 @ 2.93GHz</a>	4	2,920	1,302	130	LGA1366	Desktop
<a href="#">Intel Core i7-940XM @ 2.13GHz</a>	4	2,252	1,223	55	PGA988	Laptop
<a href="#">Intel Core i7-950 @ 3.07GHz</a>	4	3,176	1,395	130	LGA1366	Desktop
<a href="#">Intel Core i7-960 @ 3.20GHz</a>	4	3,268	1,455	130	LGA1366	Desktop
<a href="#">Intel Core i7-965 @ 3.20GHz</a>	4	3,286	1,457	130	LGA1366	Desktop
<a href="#">Intel Core i7-970 @ 3.20GHz</a>	6	6,493	1,456	130	LGA1366	Desktop
<a href="#">Intel Core i7-9700 @ 3.00GHz</a>	8	13,397	2,780	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700E @ 2.60GHz</a>	8	12,751	2,567	65	FCLGA1151-2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Core i7-9700T @ 2.00GHz</a>	8	10,717	2,439	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700TE @ 1.80GHz</a>	8	10,826	2,309	35	FCLGA1151-2	Desktop, Laptop
<a href="#">Intel Core i7-975 @ 3.33GHz</a>	4	3,370	1,508	130	LGA1366	Desktop
<a href="#">Intel Core i7-9750H @ 2.60GHz</a>	6	11,166	2,476	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-9750HF @ 2.60GHz</a>	6	11,159	2,508	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-980 @ 3.33GHz</a>	6	7,032	1,560	130	LGA1366	Desktop
<a href="#">Intel Core i7-9800X @ 3.80GHz</a>	8	18,109	2,586	165	FCLGA2066	Desktop
<a href="#">Intel Core i7-980X @ 3.33GHz</a>	6	6,816	1,532	130	LGA1366	Desktop
<a href="#">Intel Core i7-985 @ 3.47GHz</a>	4	3,928	1,579	NA	LGA1366	Unknown
<a href="#">Intel Core i7-9850H @ 2.60GHz</a>	6	11,444	2,551	45	Unknown	Laptop
<a href="#">Intel Core i7-9850HL @ 1.90GHz</a>	6	9,112	2,139	25	FCBGA1440	Desktop, Laptop
<a href="#">Intel Core i7-990X @ 3.47GHz</a>	6	7,115	1,600	130	LGA1366	Desktop
<a href="#">Intel Core i7-995X @ 3.60GHz</a>	6	7,297	1,659	NA	Unknown	Desktop
<a href="#">Intel Core i9-10850K @ 3.60GHz</a>	10	22,963	3,090	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10880H @ 2.30GHz</a>	8	14,735	2,790	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10885H @ 2.40GHz</a>	8	15,619	2,799	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10900 @ 2.80GHz</a>	10	20,362	3,053	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900E @ 2.80GHz</a>	10	20,658	2,969	65	FCLGA1200	Desktop, Mobile/Embedded
<a href="#">Intel Core i9-10900F @ 2.80GHz</a>	10	20,741	3,067	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900K @ 3.70GHz</a>	10	23,648	3,164	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900KF @ 3.70GHz</a>	10	23,384	3,140	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900T @ 1.90GHz</a>	10	15,209	2,515	35	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900TE @ 1.80GHz</a>	10	17,888	2,684	35	FCLGA1200	Mobile/Embedded
<a href="#">Intel Core i9-10900X @ 3.70GHz</a>	10	22,662	2,696	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10910 @ 3.60GHz</a>	10	21,822	3,160	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10920X @ 3.50GHz</a>	12	26,547	2,753	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10940X @ 3.30GHz</a>	14	28,448	2,696	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10980HK @ 2.40GHz</a>	8	16,082	2,839	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10980XE @ 3.00GHz</a>	18	33,278	2,674	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-11900 @ 2.50GHz</a>	8	23,006	3,449	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900F @ 2.50GHz</a>	8	23,107	3,439	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900H @ 2.50GHz</a>	8	21,182	3,184	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-11900K @ 3.50GHz</a>	8	25,504	3,520	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900KB @ 3.30GHz</a>	8	22,695	3,312	65	FCBGA1787	Desktop
<a href="#">Intel Core i9-11900KF @ 3.50GHz</a>	8	25,354	3,557	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900T @ 1.50GHz</a>	8	20,036	3,420	35	FCLGA1200	Desktop
<a href="#">Intel Core i9-11950H @ 2.60GHz</a>	8	22,413	3,289	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-11980HK @ 2.60GHz</a>	8	23,524	3,316	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-12900</a>	8	36,876	4,126	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900F</a>	8	36,373	4,088	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900H</a>	6	29,115	3,913	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-12900HK</a>	6	29,643	3,798	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-12900HX</a>	8	33,912	4,038	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-12900K</a>	8	41,409	4,214	241	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900KF</a>	8	41,390	4,211	241	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900KS</a>	8	44,845	4,400	150	LGA 1700	Desktop
<a href="#">Intel Core i9-12900T</a>	8	33,728	3,983	35	FCLGA1700	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core i9-7940X @ 3.10GHz</a>	14	26,408	2,501	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-7960X @ 2.80GHz</a>	16	26,833	2,528	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-7980XE @ 2.60GHz</a>	18	30,181	2,499	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-8950HK @ 2.90GHz</a>	6	10,831	2,493	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-9820X @ 3.30GHz</a>	10	19,305	2,440	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9880H @ 2.30GHz</a>	8	14,000	2,559	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-9900 @ 3.10GHz</a>	8	16,867	2,866	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900K @ 3.60GHz</a>	8	18,651	2,955	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900KF @ 3.60GHz</a>	8	18,622	2,960	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900KS @ 4.00GHz</a>	8	19,549	3,040	127	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900T @ 2.10GHz</a>	8	14,085	2,514	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900X @ 3.50GHz</a>	10	21,858	2,596	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9920X @ 3.50GHz</a>	12	25,333	2,622	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9940X @ 3.30GHz</a>	14	28,354	2,646	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9960X @ 3.10GHz</a>	16	30,702	2,627	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9980HK @ 2.40GHz</a>	8	14,658	2,607	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-9980XE @ 3.00GHz</a>	18	32,162	2,560	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9990XE @ 4.00GHz</a>	14	30,162	2,970	255	LGA2066	Desktop
<a href="#">Intel Core M-5Y10 @ 0.80GHz</a>	2	1,878	1,100	4.5	Unknown	Laptop
<a href="#">Intel Core M-5Y10a @ 0.80GHz</a>	2	1,905	993	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y10c @ 0.80GHz</a>	2	1,900	1,110	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y31 @ 0.90GHz</a>	2	2,106	1,353	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y51 @ 1.10GHz</a>	2	2,130	1,362	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y70 @ 1.10GHz</a>	2	1,861	1,107	4.5	BGA1234	Laptop
<a href="#">Intel Core M-5Y71 @ 1.20GHz</a>	2	2,019	1,279	4.5	FCBGA1234	Laptop
<a href="#">Intel Core m3-6Y30 @ 0.90GHz</a>	2	2,185	1,206	4.5	FCBGA1515	Laptop
<a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>	2	2,591	1,403	4.5	FCBGA1515	Laptop
<a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>	2	2,953	1,700	4.5	FCBGA1515	Laptop
<a href="#">Intel Core m3-8100Y @ 1.10GHz</a>	2	2,951	1,767	5	FCBGA1515	Laptop
<a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>	2	2,211	1,266	7	FCBGA1515	Laptop
<a href="#">Intel Core m5-6Y57 @ 1.10GHz</a>	2	2,364	1,376	7	FCBGA1515	Laptop
<a href="#">Intel Core m5-7Y54 @ 1.20GHz</a>	2	1,475	746	NA	Unknown	Unknown
<a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>	2	2,328	1,385	7	FCBGA1515	Laptop
<a href="#">Intel Core Solo T1300 @ 1.66GHz</a>	1	210	518	27	PGA478	Laptop
<a href="#">Intel Core Solo T1350 @ 1.86GHz</a>	1	194	413	31	Unknown	Laptop
<a href="#">Intel Core Solo T1400 @ 1.83GHz</a>	1	253	525	27	PGA478	Laptop
<a href="#">Intel Core Solo U1300 @ 1.06GHz</a>	1	127	340	6	PBGA479	Laptop
<a href="#">Intel Core Solo U1400 @ 1.20GHz</a>	1	130	365	5.5	PBGA479	Laptop
<a href="#">Intel Core Solo U1500 @ 1.33GHz</a>	1	164	375	5.5	Unknown	Laptop
<a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a>	2	555	645	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a>	2	650	760	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4500 @ 2.20GHz</a>	2	728	825	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a>	2	841	930	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a>	2	811	998	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6300 @ 1.86GHz</a>	2	586	690	65	LGA775, PLGA775	Desktop
<a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a>	2	639	666	65	PLGA775	Desktop
<a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a>	2	753	835	65	LGA775	Desktop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<b>CPU Mark</b> <input type="text"/>	<b>Thread Mark</b> <input type="text"/>	<b>TDP (W)</b> <input type="text"/>	<b>Socket</b> <input type="text"/>	<b>Category</b> <input type="text"/>
---------------------------------------	--------------	--------------------------------------	---	-------------------------------------	------------------------------------	--------------------------------------

CPU Benchmarks ▼

<a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>	2	922	957	65	PLGA775	Desktop
<a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a>	2	983	1,030	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>	2	1,011	1,051	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a>	2	1,140	1,196	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a>	2	953	1,070	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>	2	964	1,097	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a>	2	994	1,111	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>	2	1,102	1,202	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>	2	1,167	1,284	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>	2	973	1,028	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a>	2	1,112	1,127	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>	2	1,067	1,127	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>	2	995	1,113	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a>	2	1,408	1,302	65	LGA775	Unknown
<a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a>	2	1,034	1,169	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>	2	1,172	1,126	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8335 @ 2.93GHz</a>	2	1,187	1,206	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8400 @ 3.00GHz</a>	2	1,170	1,241	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>	2	1,157	1,257	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>	2	1,245	1,326	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>	2	1,368	1,416	65	LGA775	Desktop
<a href="#">Intel Core2 Duo L7100 @ 1.20GHz</a>	2	467	484	NA	BGA956	Laptop
<a href="#">Intel Core2 Duo L7300 @ 1.40GHz</a>	2	489	529	17	BGA479	Laptop
<a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>	2	516	555	17	BGA479	Laptop
<a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>	2	575	600	17	BGA479	Laptop
<a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>	2	607	748	17	Unknown	Laptop
<a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>	2	680	622	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>	2	666	659	17	BGA956	Laptop
<a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>	2	892	914	17	BGA956	Laptop
<a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>	2	736	793	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>	2	790	793	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>	2	752	825	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>	2	868	917	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>	2	804	915	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>	2	827	921	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P8600 @ 2.40GHz</a>	2	850	932	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>	2	966	1,048	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P8800 @ 2.66GHz</a>	2	967	1,072	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P9300 @ 2.26GHz</a>	2	909	855	NA	Unknown	Laptop
<a href="#">Intel Core2 Duo P9500 @ 2.53GHz</a>	2	993	1,067	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>	2	1,012	1,075	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>	2	1,078	1,116	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>	2	1,125	1,156	28	PGA478	Laptop
<a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a>	2	758	782	17	BGA956	Laptop
<a href="#">Intel Core2 Duo SP9400 @ 2.40GHz</a>	2	948	930	25	BGA956	Laptop
<a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a>	2	758	782	17	BGA956	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>	2	468	571	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>	2	569	505	34	PGA478	Laptop
<a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>	2	538	587	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5470 @ 1.60GHz</a>	2	531	606	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>	2	513	590	34	PGA478	Laptop
<a href="#">Intel Core2 Duo T5550 @ 1.83GHz</a>	2	590	662	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5600 @ 1.83GHz</a>	2	662	701	34	PGA478	Laptop
<a href="#">Intel Core2 Duo T5670 @ 1.80GHz</a>	2	542	645	35	Socket P	Laptop
<a href="#">Intel Core2 Duo T5750 @ 2.00GHz</a>	2	690	742	35	Socket P	Laptop
<a href="#">Intel Core2 Duo T5800 @ 2.00GHz</a>	2	643	740	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>	2	687	787	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo T5870 @ 2.00GHz</a>	2	719	759	35	PPGA478, Socket	Laptop
<a href="#">Intel Core2 Duo T5900 @ 2.20GHz</a>	2	652	768	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>	2	704	796	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>	2	720	845	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>	2	728	835	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>	2	762	850	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>	2	756	855	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>	2	649	722	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>	2	723	758	34	PBGA479, PPGA478	Laptop
<a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>	2	688	769	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>	2	688	769	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>	2	702	774	34	BGA479	Laptop
<a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>	2	818	872	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>	2	770	848	34	PBGA479, PPGA478	Laptop
<a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>	2	816	896	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>	2	976	1,034	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a>	2	735	830	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T8300 @ 2.40GHz</a>	2	895	968	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>	2	949	1,019	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>	2	950	1,020	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>	2	1,016	1,090	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>	2	923	1,039	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>	2	1,060	1,125	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>	2	1,178	1,224	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>	2	1,191	1,159	35	BGA479,PGA478	Laptop
<a href="#">Intel Core2 Duo U7300 @ 1.30GHz</a>	2	503	536	10	BGA956	Laptop
<a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>	2	405	425	10	BGA479	Laptop
<a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>	2	316	427	10	BGA479	Laptop
<a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>	2	345	345	10	Unknown	Laptop
<a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>	2	485	542	10	BGA956	Laptop
<a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>	2	584	657	10	BGA956	Laptop
<a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a>	4	2,093	1,095	75	LGA775	Desktop
<a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a>	4	2,292	1,231	130	LGA775	Desktop
<a href="#">Intel Core2 Extreme Q9200 @ 2.40GHz</a>	4	2,011	1,080	NA	Unknown	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">2.93GHz</a> <a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a>	2	1,138	1,077	44	PGA478	Laptop
<a href="#">Intel Core2 Extreme X7900 @ 2.80GHz</a>	2	1,093	1,087	44	PGA478	Laptop
<a href="#">Intel Core2 Extreme X9000 @ 2.80GHz</a>	2	1,135	1,103	44	PGA478	Laptop
<a href="#">Intel Core2 Extreme X9100 @ 3.06GHz</a>	2	1,087	1,113	44	PGA478	Laptop
<a href="#">Intel Core2 Extreme X9650 @ 3.00GHz</a>	4	2,435	1,269	130	LGA775	Desktop
<a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a>	4	2,348	1,352	NA	Unknown	Unknown
<a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a>	4	2,632	1,398	136	LGA775	Desktop
<a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a>	4	2,780	1,451	150	LGA771	Desktop
<a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>	4	1,784	958	105	LGA775	Desktop
<a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>	4	2,072	1,079	105	LGA775	Desktop
<a href="#">Intel Core2 Quad Q8200 @ 2.33GHz</a>	4	1,795	1,014	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q8300 @ 2.50GHz</a>	4	1,806	1,058	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q8400 @ 2.66GHz</a>	4	2,040	1,153	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9000 @ 2.00GHz</a>	4	1,480	879	45	PGA478	Laptop
<a href="#">Intel Core2 Quad Q9100 @ 2.26GHz</a>	4	1,764	930	45	PGA478	Laptop
<a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a>	4	1,948	1,081	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a>	4	2,073	1,139	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a>	4	2,116	1,128	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a>	4	2,206	1,217	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9505 @ 2.83GHz</a>	4	2,027	1,192	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a>	4	2,291	1,221	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a>	4	2,420	1,292	95	LGA775	Desktop
<a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a>	1	233	258	5.5	Unknown	Laptop
<a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a>	1	252	546	5.5	BGA956	Laptop
<a href="#">Intel Pentium 1403 @ 2.60GHz</a>	2	1,851	990	80	LGA1356	Server
<a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>	2	2,284	1,391	80	Unknown	Server
<a href="#">Intel Pentium 2020M @ 2.40GHz</a>	2	1,375	1,271	35	FCPGA988	Laptop
<a href="#">Intel Pentium 2030M @ 2.50GHz</a>	2	1,400	1,199	35	FCPGA988	Laptop
<a href="#">Intel Pentium 2117U @ 1.80GHz</a>	2	998	920	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 2127U @ 1.90GHz</a>	2	1,004	925	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 2129Y @ 1.10GHz</a>	2	635	587	10	FCBGA1023	Laptop



<input type="text" value="CPU Name"/>	<b>Cores</b>	<b>CPU Mark</b> <input type="text"/>	<b>Thread Mark</b> <input type="text"/>	<b>TDP (W)</b> <input type="text"/>	<b>Socket</b> <input type="text"/>	<b>Category</b> <input type="text"/>
---------------------------------------	--------------	---	--	--	---------------------------------------	---

CPU Benchmarks ▼

<a href="#">Intel Pentium 3560M @ 2.40GHz</a>	2	1,552	1,421	37	FCPGA946	Laptop
<a href="#">Intel Pentium 3560Y @ 1.20GHz</a>	2	849	700	11.5	BGA1168	Laptop
<a href="#">Intel Pentium 3805U @ 1.90GHz</a>	2	1,165	1,088	15	FCBGA1168	Laptop
<a href="#">Intel Pentium 3825U @ 1.90GHz</a>	2	1,358	1,098	15	FCBGA1168	Laptop
<a href="#">Intel Pentium 4 1.50GHz</a>	1	86	228	57.8	PGA423	Desktop
<a href="#">Intel Pentium 4 1.60GHz</a>	1	84	225	38	PGA478	Desktop
<a href="#">Intel Pentium 4 1.70GHz</a>	1	86	254	64	PGA423	Desktop
<a href="#">Intel Pentium 4 1.80GHz</a>	1	115	318	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 1.90GHz</a>	1	104	292	69.2	PGA423	Desktop
<a href="#">Intel Pentium 4 1300MHz</a>	1	77	203	51.6	PGA423	Desktop
<a href="#">Intel Pentium 4 1400MHz</a>	1	83	180	54.7	PGA423	Desktop
<a href="#">Intel Pentium 4 1500MHz</a>	1	81	223	57.8	PGA423	Desktop
<a href="#">Intel Pentium 4 1700MHz</a>	1	100	266	64	PGA423	Desktop
<a href="#">Intel Pentium 4 1800MHz</a>	1	114	317	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.00GHz</a>	1	133	349	54.3	PGA478	Desktop
<a href="#">Intel Pentium 4 2.20GHz</a>	1	157	379	57.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.26GHz</a>	1	151	409	58	PGA478	Desktop
<a href="#">Intel Pentium 4 2.40GHz</a>	1	131	360	59.8	PGA478	Desktop
<a href="#">Intel Pentium 4 2.50GHz</a>	1	160	385	61	PGA478	Desktop
<a href="#">Intel Pentium 4 2.53GHz</a>	1	162	442	61.5	PGA478	Desktop
<a href="#">Intel Pentium 4 2.60GHz</a>	1	215	494	69	PGA478	Desktop
<a href="#">Intel Pentium 4 2.66GHz</a>	1	157	431	66.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.80GHz</a>	1	236	506	69.7	PGA478	Desktop
<a href="#">Intel Pentium 4 2.93GHz</a>	1	150	269	NA	Unknown	Desktop
<a href="#">Intel Pentium 4 3.00GHz</a>	1	313	549	81.9	PGA478	Desktop
<a href="#">Intel Pentium 4 3.06GHz</a>	1	249	551	81.8	PGA478	Desktop
<a href="#">Intel Pentium 4 3.20GHz</a>	1	333	550	82	PGA478	Desktop
<a href="#">Intel Pentium 4 3.40GHz</a>	1	298	669	89	PGA478	Desktop
<a href="#">Intel Pentium 4 3.46GHz</a>	1	295	512	110.7	Unknown	Desktop
<a href="#">Intel Pentium 4 3.60GHz</a>	1	315	447	115	Unknown	Desktop
<a href="#">Intel Pentium 4 3.73GHz</a>	1	385	572	115	Unknown	Desktop
<a href="#">Intel Pentium 4 3.80GHz</a>	1	317	623	65	Unknown	Desktop
<a href="#">Intel Pentium 4 3.83GHz</a>	1	154	237	NA	Unknown	Desktop
<a href="#">Intel Pentium 4 Mobile 1.60GHz</a>	1	116	254	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.80GHz</a>	1	114	195	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.90GHz</a>	1	136	282	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 2.00GHz</a>	1	132	310	NA	Unknown	Laptop
<a href="#">Intel Pentium 4405U @ 2.10GHz</a>	2	2,102	1,215	15	FCBGA1356	Laptop
<a href="#">Intel Pentium 4405Y @ 1.50GHz</a>	2	1,518	868	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 4410Y @ 1.50GHz</a>	2	1,444	777	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 4415U @ 2.30GHz</a>	2	2,213	1,279	15	BGA1356	Laptop
<a href="#">Intel Pentium 4415Y @ 1.60GHz</a>	2	1,601	902	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 4417U @ 2.30GHz</a>	2	2,278	1,328	15	FCBGA1356	Laptop
<a href="#">Intel Pentium 4425Y @ 1.70GHz</a>	2	1,726	975	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 5405U @ 2.30GHz</a>	2	2,269	1,327	15	FCBGA1528	Laptop
<a href="#">Intel Pentium 6405U @ 2.40GHz</a>	2	2,370	1,416	15	FCBGA1528	Laptop
<a href="#">Intel Pentium 6805 @ 1.10GHz</a>	2	4,448	1,825	15	FCBGA1526	Laptop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<b>CPU Mark</b> <input type="text"/>	<b>Thread Mark</b> <input type="text"/>	<b>TDP (W)</b> <input type="text"/>	<b>Socket</b> <input type="text"/>	<b>Category</b> <input type="text"/>
---------------------------------------	--------------	--------------------------------------	---	-------------------------------------	------------------------------------	--------------------------------------

CPU Benchmarks

<a href="#">Intel Pentium 997 @ 1.60GHz</a>	2	789	729	17	BGA-1023	Unknown
<a href="#">Intel Pentium A1018 @ 2.10GHz</a>	2	1,117	1,020	35	FCPGA988	Laptop
<a href="#">Intel Pentium A1020 @ 2.41GHz</a>	4	1,265	705	10	FCBGA1170	Laptop
<a href="#">Intel Pentium B940 @ 2.00GHz</a>	2	832	861	35	PGA988	Laptop
<a href="#">Intel Pentium B950 @ 2.10GHz</a>	2	986	936	35	PGA988	Laptop
<a href="#">Intel Pentium B960 @ 2.20GHz</a>	2	917	942	35	PGA988	Laptop
<a href="#">Intel Pentium B970 @ 2.30GHz</a>	2	1,091	1,055	35	PGA988	Laptop
<a href="#">Intel Pentium B980 @ 2.40GHz</a>	2	1,086	1,058	35	FCPGA988	Laptop
<a href="#">Intel Pentium D 805 @ 2.66GHz</a>	2	374	497	95	PLGA775	Desktop
<a href="#">Intel Pentium D 830 @ 3.00GHz</a>	2	532	567	95	PLGA775	Desktop
<a href="#">Intel Pentium D 915 @ 2.80GHz</a>	2	423	508	95	PLGA775	Desktop
<a href="#">Intel Pentium D 940 @ 3.20GHz</a>	2	498	574	130	PLGA775	Desktop
<a href="#">Intel Pentium D 950 @ 3.40GHz</a>	2	664	690	130	PLGA775	Desktop
<a href="#">Intel Pentium D 960 @ 3.60GHz</a>	2	743	775	130	PLGA775	Desktop
<a href="#">Intel Pentium D1508 @ 2.20GHz</a>	2	3,240	1,760	25	FCBGA1667	Server
<a href="#">Intel Pentium Dual T2390 @ 1.86GHz</a>	2	745	712	35	PPGA478	Laptop
<a href="#">Intel Pentium E2140 @ 1.60GHz</a>	2	549	605	65	LGA775, PLGA775	Desktop
<a href="#">Intel Pentium E2160 @ 1.80GHz</a>	2	630	681	65	LGA775	Desktop
<a href="#">Intel Pentium E2180 @ 2.00GHz</a>	2	674	749	65	LGA775	Desktop
<a href="#">Intel Pentium E2200 @ 2.20GHz</a>	2	720	810	65	LGA775	Desktop
<a href="#">Intel Pentium E2210 @ 2.20GHz</a>	2	702	946	65	LGA775	Desktop
<a href="#">Intel Pentium E2220 @ 2.40GHz</a>	2	805	892	65	LGA775	Desktop
<a href="#">Intel Pentium E5200 @ 2.50GHz</a>	2	867	1,006	65	LGA775	Desktop
<a href="#">Intel Pentium E5300 @ 2.60GHz</a>	2	912	1,034	65	LGA775	Desktop
<a href="#">Intel Pentium E5400 @ 2.70GHz</a>	2	936	1,073	65	LGA775	Desktop
<a href="#">Intel Pentium E5500 @ 2.80GHz</a>	2	1,010	1,140	65	LGA775	Desktop
<a href="#">Intel Pentium E5700 @ 3.00GHz</a>	2	1,026	1,173	65	LGA775	Desktop
<a href="#">Intel Pentium E5800 @ 3.20GHz</a>	2	1,155	1,285	65	LGA775	Desktop
<a href="#">Intel Pentium E6300 @ 2.80GHz</a>	2	991	1,125	65	LGA775	Desktop
<a href="#">Intel Pentium E6500 @ 2.93GHz</a>	2	1,087	1,215	65	LGA775	Desktop
<a href="#">Intel Pentium E6600 @ 3.06GHz</a>	2	1,075	1,169	65	LGA775	Desktop
<a href="#">Intel Pentium E6700 @ 3.20GHz</a>	2	1,194	1,330	65	LGA775	Desktop
<a href="#">Intel Pentium E6800 @ 3.33GHz</a>	2	1,166	1,358	65	LGA775	Desktop
<a href="#">Intel Pentium Extreme Edition 955 @ 3.46GHz</a>	2	469	515	130	PLGA775	Desktop
<a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a>	2	987	818	130	PLGA775	Desktop
<a href="#">Intel Pentium G2010 @ 2.80GHz</a>	2	1,581	1,488	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2020 @ 2.90GHz</a>	2	1,674	1,556	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2020T @ 2.50GHz</a>	2	1,337	1,252	35	FCLGA1155	Desktop
<a href="#">Intel Pentium G2030 @ 3.00GHz</a>	2	1,716	1,602	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2030T @ 2.60GHz</a>	2	1,535	1,441	35	LGA1155	Desktop
<a href="#">Intel Pentium G2100T @ 2.60GHz</a>	2	1,691	1,460	35	LGA1155	Desktop
<a href="#">Intel Pentium G2120 @ 3.10GHz</a>	2	1,870	1,708	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2120T @ 2.70GHz</a>	2	1,613	1,493	35	FCLGA1155	Desktop
<a href="#">Intel Pentium G2130 @ 3.20GHz</a>	2	1,903	1,747	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2140 @ 3.30GHz</a>	2	2,092	1,842	55	LGA1155	Desktop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks ▼

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Pentium G3240T @ 2.70GHz</a>	2	1,755	1,558	35	LGA1150	Desktop
<a href="#">Intel Pentium G3250 @ 3.20GHz</a>	2	1,936	1,814	53	LGA1150	Desktop
<a href="#">Intel Pentium G3250T @ 2.80GHz</a>	2	1,726	1,568	35	LGA1150	Desktop
<a href="#">Intel Pentium G3258 @ 3.20GHz</a>	2	2,088	1,864	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3260 @ 3.30GHz</a>	2	2,036	1,863	53	LGA1150	Desktop
<a href="#">Intel Pentium G3260T @ 2.90GHz</a>	2	1,755	1,568	35	LGA1150	Desktop
<a href="#">Intel Pentium G3320TE @ 2.30GHz</a>	2	1,570	1,312	35	FCLGA1150	Desktop
<a href="#">Intel Pentium G3420 @ 3.20GHz</a>	2	1,979	1,796	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3420T @ 2.70GHz</a>	2	1,912	1,570	35	LGA1150	Desktop
<a href="#">Intel Pentium G3430 @ 3.30GHz</a>	2	2,127	1,912	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3440 @ 3.30GHz</a>	2	2,129	1,895	53	LGA1150	Desktop
<a href="#">Intel Pentium G3440T @ 2.80GHz</a>	2	2,107	1,615	35	LGA1150	Desktop
<a href="#">Intel Pentium G3450 @ 3.40GHz</a>	2	2,142	1,868	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3450T @ 2.90GHz</a>	2	2,016	1,135	35	LGA1150	Desktop
<a href="#">Intel Pentium G3460 @ 3.50GHz</a>	2	2,165	1,954	53	LGA1150	Desktop
<a href="#">Intel Pentium G3470 @ 3.60GHz</a>	2	2,428	2,089	53	LGA1150	Desktop
<a href="#">Intel Pentium G4400 @ 3.30GHz</a>	2	2,576	2,011	54	FCLGA1151	Desktop
<a href="#">Intel Pentium G4400T @ 2.90GHz</a>	2	2,322	1,730	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4400TE @ 2.40GHz</a>	2	2,190	1,481	35	FCLGA1151	Laptop
<a href="#">Intel Pentium G4500 @ 3.50GHz</a>	2	2,737	2,134	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G4500T @ 3.00GHz</a>	2	2,518	1,845	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4520 @ 3.60GHz</a>	2	2,940	2,187	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G4560 @ 3.50GHz</a>	2	3,510	2,100	54	FCLGA1151	Desktop
<a href="#">Intel Pentium G4560T @ 2.90GHz</a>	2	2,909	1,708	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4600 @ 3.60GHz</a>	2	3,617	2,187	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G4600T @ 3.00GHz</a>	2	3,130	1,843	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4620 @ 3.70GHz</a>	2	3,770	2,258	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G620 @ 2.60GHz</a>	2	1,223	1,207	65	LGA1155	Desktop
<a href="#">Intel Pentium G620T @ 2.20GHz</a>	2	896	961	35	LGA1155	Desktop
<a href="#">Intel Pentium G630 @ 2.70GHz</a>	2	1,280	1,225	65	LGA1155	Desktop
<a href="#">Intel Pentium G630T @ 2.30GHz</a>	2	1,029	1,040	35	LGA1155	Desktop
<a href="#">Intel Pentium G640 @ 2.80GHz</a>	2	1,254	1,277	65	LGA1155	Desktop
<a href="#">Intel Pentium G640T @ 2.40GHz</a>	2	1,139	1,102	35	LGA1155	Desktop
<a href="#">Intel Pentium G645 @ 2.90GHz</a>	2	1,356	1,311	65	LGA1155	Desktop
<a href="#">Intel Pentium G645T @ 2.50GHz</a>	2	1,164	1,100	35	LGA1155	Desktop
<a href="#">Intel Pentium G6950 @ 2.80GHz</a>	2	1,061	1,035	73	LGA1156	Desktop
<a href="#">Intel Pentium G6951 @ 2.80GHz</a>	2	1,383	1,173	73	LGA1156	Desktop
<a href="#">Intel Pentium G6960 @ 2.93GHz</a>	2	1,293	1,264	73	LGA1156	Desktop
<a href="#">Intel Pentium G840 @ 2.80GHz</a>	2	1,179	1,251	65	FCLGA1155	Desktop
<a href="#">Intel Pentium G850 @ 2.90GHz</a>	2	1,382	1,342	65	FCLGA1155	Desktop
<a href="#">Intel Pentium G860 @ 3.00GHz</a>	2	1,446	1,388	65	FCLGA1155	Desktop
<a href="#">Intel Pentium G870 @ 3.10GHz</a>	2	1,511	1,465	65	FCLGA1155	Desktop
<a href="#">Intel Pentium GOLD 6500Y @ 1.10GHz</a>	2	2,997	1,794	5	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>	2	5,291	2,286	15	FCBGA1449	Laptop
<a href="#">Intel Pentium Gold 8505</a>	1	6,771	3,112	15	BGA1700	Laptop, Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">3.10GHz</a> <a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>	2	3,595	2,267	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a>	2	3,508	1,978	35	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>	2	3,817	2,256	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a>	2	3,234	1,964	35	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600 @ 3.90GHz</a>	2	3,662	2,240	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600F @ 3.90GHz</a>	2	4,160	2,442	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600T @ 3.30GHz</a>	2	3,601	2,025	35	FCLGA1151	Desktop
<a href="#">Intel Pentium Gold G5620 @ 4.00GHz</a>	2	4,102	2,424	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>	2	4,134	2,477	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6400T @ 3.40GHz</a>	2	3,586	2,131	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6405 @ 4.10GHz</a>	2	4,294	2,545	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6405T @ 3.50GHz</a>	2	3,746	2,206	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>	2	4,147	2,491	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a>	2	4,005	2,277	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6505 @ 4.20GHz</a>	2	4,378	2,652	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>	2	4,396	2,577	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6605 @ 4.30GHz</a>	2	4,513	2,674	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G7400</a>	2	6,804	3,039	46	LGA1700,BGA1700	Desktop
<a href="#">Intel Pentium Gold G7400T</a>	2	5,883	2,603	35	Unknown	Desktop
<a href="#">Intel Pentium III 1400 @ 1400MHz</a>	1	193	272	31.2	Socket 370	Desktop
<a href="#">Intel Pentium III 1400S @ 1400MHz</a>	1	194	278	32.2	Socket 370	Desktop
<a href="#">Intel Pentium III Mobile 1066MHz</a>	1	160	210	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 1133MHz</a>	1	164	218	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 1200MHz</a>	1	156	216	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 800MHz</a>	1	119	155	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 866MHz</a>	1	99	132	NA	Unknown	Laptop
<a href="#">Intel Pentium J2850 @ 2.41GHz</a>	4	1,016	646	10	FCBGA1170	Desktop
<a href="#">Intel Pentium J2900 @ 2.41GHz</a>	4	1,231	732	10	FCBGA1170	Desktop
<a href="#">Intel Pentium J3710 @ 1.60GHz</a>	4	1,472	717	6.5	Unknown	Desktop
<a href="#">Intel Pentium J4205 @ 1.50GHz</a>	4	2,377	908	10	FCBGA1296	Desktop
<a href="#">Intel Pentium J6426 @ 2.00GHz</a>	4	4,173	1,596	10	FCBGA1493	Mobile/Embedded
<a href="#">Intel Pentium M 1.10GHz</a>	1	184	218	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1.20GHz</a>	1	199	262	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1.30GHz</a>	1	196	250	22	H-PBGA479, PPG	Laptop

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">Intel Pentium M 1.70GHz</a>	1	239	318	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.73GHz</a>	1	205	494	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1.80GHz</a>	1	280	389	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1.86GHz</a>	1	238	460	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1000MHz</a>	1	156	222	7	Unknown	Laptop
<a href="#">Intel Pentium M 1200MHz</a>	1	155	166	12	Unknown	Laptop
<a href="#">Intel Pentium M 1300MHz</a>	1	197	271	22	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1400MHz</a>	1	208	282	22	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1500MHz</a>	1	188	251	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1600MHz</a>	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1700MHz</a>	1	237	361	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.00GHz</a>	1	270	363	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.10GHz</a>	1	292	353	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.13GHz</a>	1	271	354	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.26GHz</a>	1	227	508	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 900MHz</a>	1	141	200	7	Unknown	Laptop
<a href="#">Intel Pentium N3510 @ 1.99GHz</a>	4	878	534	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3520 @ 2.16GHz</a>	4	1,140	663	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3530 @ 2.16GHz</a>	4	1,196	705	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3540 @ 2.16GHz</a>	4	1,211	714	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3700 @ 1.60GHz</a>	4	1,255	633	6	FCBGA1170	Laptop
<a href="#">Intel Pentium N3710 @ 1.60GHz</a>	4	1,367	686	6	FCBGA1170	Laptop
<a href="#">Intel Pentium N4200 @ 1.10GHz</a>	4	2,155	859	6	FCBGA1296	Laptop
<a href="#">Intel Pentium N6415 @ 1.20GHz</a>	4	3,760	1,616	6.5	FCBGA1493	Mobile/Embedded
<a href="#">Intel Pentium P6000 @ 1.87GHz</a>	2	777	718	35	PGA988	Laptop
<a href="#">Intel Pentium P6100 @ 2.00GHz</a>	2	858	832	35	PGA988	Laptop
<a href="#">Intel Pentium P6200 @ 2.13GHz</a>	2	856	842	35	PGA988	Laptop
<a href="#">Intel Pentium P6300 @ 2.27GHz</a>	2	834	772	35	PGA988	Laptop
<a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a>	4	3,039	1,205	10	FCBGA1090	Desktop
<a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a>	4	3,507	1,411	NA	FCBGA1090	Desktop
<a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a>	4	2,590	1,141	6	FCBGA1090	Laptop
<a href="#">Intel Pentium Silver N5020 @ 1.10GHz</a>	4	3,404	1,307	6	FCBGA1090	Laptop
<a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a>	4	2,695	1,289	6	FCBGA1090	Laptop
<a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a>	4	3,025	1,363	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Pentium Silver N6005 @ 2.00GHz</a>	4	4,537	1,738	10	FCBGA1338	Laptop, Mobile/Embedded
<a href="#">Intel Pentium SU2700 @ 1.30GHz</a>	1	239	432	10	Unknown	Laptop
<a href="#">Intel Pentium SU4100 @ 1.30GHz</a>	2	476	515	10	BGA956	Laptop
<a href="#">Intel Pentium T2060 @ 1.60GHz</a>	2	330	490	31	PGA478	Laptop
<a href="#">Intel Pentium T2080 @ 1.73GHz</a>	2	348	530	31	PGA478	Laptop
<a href="#">Intel Pentium T2130 @ 1.86GHz</a>	2	382	583	31	PGA478	Laptop
<a href="#">Intel Pentium T2310 @ 1.46GHz</a>	2	526	561	35	PPGA478	Laptop
<a href="#">Intel Pentium T2330 @ 1.60GHz</a>	2	536	572	35	PPGA478	Laptop

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks ▼

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Pentium T3200 @ 2.00GHz</a>	2	635	714	35	PPGA478	Laptop
<a href="#">Intel Pentium T3400 @ 2.16GHz</a>	2	650	730	35	PPGA478	Laptop
<a href="#">Intel Pentium T4200 @ 2.00GHz</a>	2	717	789	35	PGA478	Laptop
<a href="#">Intel Pentium T4300 @ 2.10GHz</a>	2	761	829	35	PGA478	Laptop
<a href="#">Intel Pentium T4400 @ 2.20GHz</a>	2	758	861	35	PGA478	Laptop
<a href="#">Intel Pentium T4500 @ 2.30GHz</a>	2	801	913	35	PGA478	Laptop
<a href="#">Intel Pentium U5400 @ 1.20GHz</a>	2	538	503	18	BGA1288	Laptop
<a href="#">Intel Pentium U5600 @ 1.33GHz</a>	2	624	588	18	BGA1288	Laptop
<a href="#">Intel T1400 @ 1.73GHz</a>	2	475	671	NA	Unknown	Unknown
<a href="#">Intel T1500 @ 1.86GHz</a>	2	548	661	NA	Unknown	Unknown
<a href="#">Intel T2050 @ 2.00GHz</a>	2	516	611	31	PPGA478	Unknown
<a href="#">Intel Xeon 2.00GHz</a>	1	152	259	NA	Unknown	Server
<a href="#">Intel XEON 2.20GHz</a>	1	164	351	NA	Unknown	Server
<a href="#">Intel Xeon 2.40GHz</a>	1	180	387	NA	Unknown	Server
<a href="#">Intel Xeon 2.80GHz</a>	1	260	384	103	PPGA604	Server
<a href="#">Intel Xeon 3.00GHz</a>	1	425	607	103	PPGA604	Server
<a href="#">[Dual CPU] Intel Xeon 3.06GHz</a>	1	533	600	NA	Unknown	Server
<a href="#">Intel Xeon 3.20GHz</a>	1	478	696	103	PPGA604	Server
<a href="#">[Dual CPU] Intel Xeon 3.20GHz</a>	1	700	643	103	PPGA604	Server
<a href="#">Intel Xeon 3.40GHz</a>	1	375	519	103	PPGA604	Server
<a href="#">[Dual CPU] Intel Xeon 3.40GHz</a>	1	902	765	103	PPGA604	Server
<a href="#">Intel Xeon 3.60GHz</a>	1	403	643	110	PPGA604	Server
<a href="#">Intel Xeon 3.73GHz</a>	2	901	734	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon 3.73GHz</a>	2	1,511	776	NA	Unknown	Server
<a href="#">Intel Xeon 3.80GHz</a>	1	393	594	110	PPGA604	Server
<a href="#">Intel Xeon 3040 @ 1.86GHz</a>	2	790	621	65	LGA775	Server
<a href="#">Intel Xeon 3050 @ 2.13GHz</a>	2	841	672	65	LGA775	Server
<a href="#">Intel Xeon 3060 @ 2.40GHz</a>	2	939	942	65	LGA775	Server
<a href="#">Intel Xeon 3065 @ 2.33GHz</a>	2	867	836	65	LGA775	Server
<a href="#">Intel Xeon 3070 @ 2.66GHz</a>	2	1,025	1,024	65	LGA775	Server
<a href="#">Intel Xeon 3075 @ 2.66GHz</a>	2	1,096	1,096	NA	Unknown	Server
<a href="#">Intel Xeon 3085 @ 3.00GHz</a>	2	1,070	1,124	65	LGA775	Server
<a href="#">Intel Xeon 5110 @ 1.60GHz</a>	2	600	606	65	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5110 @ 1.60GHz</a>	2	1,289	659	65	LGA771	Server
<a href="#">Intel Xeon 5120 @ 1.86GHz</a>	2	763	748	65	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5120 @ 1.86GHz</a>	2	1,486	770	65	LGA771	Server
<a href="#">Intel Xeon 5130 @ 2.00GHz</a>	2	795	796	65	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5130 @ 2.00GHz</a>	2	1,581	819	65	LGA771	Server
<a href="#">Intel Xeon 5133 @ 2.20GHz</a>	2	887	838	40	LGA771	Server
<a href="#">Intel Xeon 5140 @ 2.33GHz</a>	2	857	870	65	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5140 @ 2.33GHz</a>	2	1,752	916	65	LGA771	Server
<a href="#">Intel Xeon 5148 @ 2.33GHz</a>	2	912	868	40	LGA771	Server
<a href="#">Intel Xeon 5150 @ 2.66GHz</a>	2	840	999	65	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon 5150 @ 2.66GHz</a>	2	1,997	1,072	65	LGA771	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">3.00GHz</a>						
<a href="#">Intel Xeon @ 2.00GHz</a>	6	7,363	939	NA	Unknown	Unknown
<a href="#">Intel Xeon @ 2.20GHz</a>	1	1,324	1,383	61	PPGA603	Server
<a href="#">Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	4,585	1,001	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	8,133	1,051	85	FCLGA3647	Server
<a href="#">Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	5,754	1,013	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	10,023	1,028	85	FCLGA3647	Server
<a href="#">Intel Xeon Bronze 3204 @ 1.90GHz</a>	6	4,796	1,103	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Bronze 3206R @ 1.90GHz</a>	8	10,797	1,154	85	FCLGA3647	Server
<a href="#">Intel Xeon D-1518 @ 2.20GHz</a>	4	4,784	1,256	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1520 @ 2.20GHz</a>	4	3,324	419	45	BGA 1667	Server
<a href="#">Intel Xeon D-1521 @ 2.40GHz</a>	4	5,876	1,724	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1528 @ 1.90GHz</a>	6	5,910	1,281	35	FCBGA1667	Laptop, Server
<a href="#">Intel Xeon D-1531 @ 2.20GHz</a>	6	7,447	1,424	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1537 @ 1.70GHz</a>	8	7,176	1,104	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1539 @ 1.60GHz</a>	8	7,175	1,179	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1540 @ 2.00GHz</a>	8	10,040	1,607	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1541 @ 2.10GHz</a>	8	10,170	1,702	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1548 @ 2.00GHz</a>	8	9,075	1,647	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1557 @ 1.50GHz</a>	12	7,118	718	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1559 @ 1.50GHz</a>	12	7,353	957	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1567 @ 2.10GHz</a>	12	9,236	988	65	FCBGA1667	Server
<a href="#">Intel Xeon D-1577 @ 1.30GHz</a>	16	11,645	1,319	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1581 @ 1.80GHz</a>	16	13,399	1,479	65	FCBGA1667	Server
<a href="#">Intel Xeon D-1587 @ 1.70GHz</a>	16	9,223	835	65	FCBGA1667	Server
<a href="#">Intel Xeon D-1602 @ 2.50GHz</a>	2	2,459	1,435	27	FCBGA1667	Server
<a href="#">Intel Xeon D-1622 @ 2.60GHz</a>	4	6,205	1,875	40	FCBGA1667	Server
<a href="#">Intel Xeon D-1715TER @ 2.40GHz</a>	4	9,104	2,269	50	FCBGA2227	Server
<a href="#">Intel Xeon D-1733NT @ 2.00GHz</a>	8	14,849	2,198	53	FCBGA2227	Server
<a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>	4	7,033	1,763	60	FCBGA2518	Server
<a href="#">Intel Xeon D-2141I @ 2.20GHz</a>	8	12,083	1,688	65	FCBGA2518	Server
<a href="#">Intel Xeon D-2143IT @ 2.20GHz</a>	8	13,107	1,812	65	FCBGA2518	Server
<a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>	8	11,736	1,802	80	FCBGA2518	Server
<a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>	12	15,105	1,751	85	FCBGA2518	Server
<a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>	16	18,385	1,728	100	FCBGA2518	Server
<a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>	16	18,070	1,425	110	FCBGA2518	Server
<a href="#">Intel Xeon D-2733NT @ 2.10GHz</a>	8	16,208	2,214	80	FCBGA2579	Server
<a href="#">Intel Xeon D-2799 @ 2.40GHz</a>	20	33,792	2,404	129	FCBGA2579	Server
<a href="#">Intel Xeon E-2104G @ 3.20GHz</a>	4	6,057	1,963	65	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2124 @ 3.30GHz</a>	4	6,977	2,537	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2124G @ 3.40GHz</a>	4	7,468	2,730	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2126G @ 3.30GHz</a>	6	10,747	2,652	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2134 @ 3.50GHz</a>	4	8,741	2,569	71	FCLGA1151-2	Server



<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/> -	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--	-------------------------------------	---------------------------------------

CPU Benchmarks ▼

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E-2174G @ 3.80GHz</a>	4	9,596	2,650	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2176G @ 3.70GHz</a>	6	13,646	2,746	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2176M @ 2.70GHz</a>	6	11,017	2,458	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2186G @ 3.80GHz</a>	6	13,909	2,780	95	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2186M @ 2.90GHz</a>	6	10,991	2,480	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2224 @ 3.40GHz</a>	4	7,223	2,434	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2224G @ 3.50GHz</a>	4	7,581	2,728	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2226G @ 3.40GHz</a>	6	11,036	2,824	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2234 @ 3.60GHz</a>	4	9,903	2,871	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2236 @ 3.40GHz</a>	6	14,331	2,850	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2244G @ 3.80GHz</a>	4	9,713	2,750	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2246G @ 3.60GHz</a>	6	14,050	2,825	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2254ML @ 1.70GHz</a>	4	6,333	2,029	25	FCBGA1440	Server
<a href="#">Intel Xeon E-2274G @ 4.00GHz</a>	4	9,660	2,758	83	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2276G @ 3.80GHz</a>	6	13,371	2,894	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2276M @ 2.80GHz</a>	6	11,860	2,654	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2276ME @ 2.80GHz</a>	6	8,167	1,604	45	FCBGA1440	Server, Mobile/Embedded
<a href="#">Intel Xeon E-2278G @ 3.40GHz</a>	8	16,884	2,960	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>	8	15,252	2,639	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a>	8	12,024	2,428	35	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2286G @ 4.00GHz</a>	6	14,384	2,846	95	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2286M @ 2.40GHz</a>	8	15,198	2,775	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2288G @ 3.70GHz</a>	8	17,401	2,923	95	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2314 @ 2.80GHz</a>	4	8,091	2,858	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2334 @ 3.40GHz</a>	4	13,189	3,244	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2336 @ 2.90GHz</a>	6	17,014	3,377	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2356G @ 3.20GHz</a>	6	19,280	3,445	80	FCLGA1200	Server
<a href="#">Intel Xeon E-2374G @ 3.70GHz</a>	4	14,086	3,445	80	FCLGA1200	Server
<a href="#">Intel Xeon E-2378 @ 2.60GHz</a>	8	18,089	3,282	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2378G @ 2.80GHz</a>	8	22,755	3,477	80	FCLGA1200	Server
<a href="#">Intel Xeon E-2386G @ 3.50GHz</a>	6	20,229	3,503	95	FCLGA1200	Server
<a href="#">Intel Xeon E-2388G @ 3.20GHz</a>	8	23,930	3,551	95	FCLGA1200	Server
<a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a>	4	5,682	1,875	65	FCLGA1151	Server
<a href="#">Intel Xeon E3-1220 @ 3.10GHz</a>	4	3,863	1,582	80	LGA1155	Server
<a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>	4	4,687	1,902	69	LGA1155	Server
<a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>	4	5,191	1,990	80	LGA1150	Server
<a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>	4	5,687	2,013	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>	4	5,630	1,694	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>	2	2,050	1,421	20	LGA1155	Server
<a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a>	2	2,278	1,344	17	LGA1155	Server
<a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a>	2	1,407	777	13	LGA1150	Server
<a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>	4	3,821	1,572	95	LGA1155	Server
<a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>	4	4,756	1,934	77	LGA1155	Server
<a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>	4	5,239	1,994	84	LGA1150	Server
<a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>	4	5,928	2,070	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1225 v6 @ 3.30GHz</a>	4	6,224	2,222	72	FCLGA1151	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>	4	6,197	1,992	69	LGA1155	Server
<a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>	4	6,786	2,087	80	LGA1150	Server
<a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>	4	7,905	2,128	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>	4	8,193	2,197	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a>	4	5,174	1,596	25	LGA1150	Server
<a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>	4	6,992	2,147	80	FCLGA1150	Server
<a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>	4	5,001	1,626	95	LGA1155	Server
<a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a>	4	5,013	1,761	25	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>	4	5,359	1,714	80	LGA1155	Server
<a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>	4	6,310	2,041	69	LGA1155	Server
<a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>	4	7,063	2,154	80	LGA1150	Server
<a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>	4	8,273	2,316	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>	4	8,867	2,458	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a>	4	5,304	1,769	25	FCLGA1150	Server
<a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a>	4	6,173	1,906	25	FCLGA1151	Server
<a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>	4	7,112	2,160	80	LGA1150	Server
<a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>	4	5,320	1,733	95	LGA1155	Server
<a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>	4	6,325	2,037	77	LGA1155	Server
<a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>	4	7,008	2,140	84	LGA1150	Server
<a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>	4	8,113	2,293	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>	4	8,662	2,438	73	FCLGA1151	Server
<a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>	4	7,240	2,194	84	FCLGA1150	Server
<a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>	4	4,059	1,436	45	LGA1155	Server
<a href="#">Intel Xeon E3-1260L v5 @ 2.90GHz</a>	4	8,021	2,323	45	FCLGA1151	Server
<a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>	4	3,589	1,451	45	LGA1155	Server
<a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a>	4	4,812	1,593	45	LGA1155	Server
<a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a>	4	6,137	2,095	45	FCLGA1150	Server
<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	4	6,954	2,073	35	FCLGA1150	Server
<a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a>	4	5,475	1,678	45	LGA1150	Server
<a href="#">Intel Xeon E3-1268L v5 @ 2.40GHz</a>	4	6,079	1,654	35	FCLGA1151	Laptop, Server
<a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>	4	5,396	1,765	80	LGA1155	Server
<a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>	4	6,431	2,074	69	LGA1155	Server
<a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>	4	7,295	2,191	80	LGA1150	Server
<a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>	4	8,293	2,287	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>	4	8,878	2,467	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a>	4	7,662	2,378	45	LGA1150	Server
<a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>	4	7,470	2,281	80	FCLGA1150	Server
<a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>	4	5,412	1,744	95	LGA1155	Server
<a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>	4	6,646	2,143	77	LGA1155	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">Intel Xeon E3-1275L v3 @ 2.70GHz</a>	4	6,119	2,127	45	LGA1150	Server
<a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>	4	7,334	2,257	84	FCLGA1150	Server
<a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>	4	5,564	1,787	95	LGA1155	Server
<a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>	4	6,532	2,169	69	LGA1155	Server
<a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>	4	7,348	2,261	82	LGA1150	Server
<a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>	4	8,320	2,343	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1280 v6 @ 3.90GHz</a>	4	9,156	2,547	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1281 v3 @ 3.70GHz</a>	4	7,458	2,344	82	LGA1150	Server
<a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>	4	6,987	2,220	84	LGA1150	Server
<a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>	4	7,712	2,297	95	FCLGA1150	Server
<a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>	4	9,276	2,692	79	FCLGA1151	Server
<a href="#">Intel Xeon E3-1285L v3 @ 3.10GHz</a>	4	6,848	2,132	65	LGA1150	Server
<a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a>	4	8,055	2,344	65	LGA1150	Server
<a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>	4	7,418	2,391	84	LGA1150	Server
<a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a>	4	6,450	2,207	65	LGA1150	Server
<a href="#">Intel Xeon E3-1290 @ 3.60GHz</a>	4	4,988	1,833	95	LGA1155	Server
<a href="#">Intel Xeon E3-1290 V2 @ 3.70GHz</a>	4	6,508	2,128	87	LGA1155	Server
<a href="#">Intel Xeon E3-1505L v5 @ 2.00GHz</a>	4	5,301	1,590	25	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a>	4	6,088	1,848	25	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a>	4	7,005	1,999	45	FCBGA1440	Server
<a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a>	4	7,080	2,181	45	Unknown	Server
<a href="#">Intel Xeon E3-1515M v5 @ 2.80GHz</a>	4	7,938	2,148	45	FCBGA1440	Server
<a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a>	4	7,517	2,113	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a>	4	8,203	2,386	35	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a>	4	7,926	2,096	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1575M v5 @ 3.00GHz</a>	4	7,629	2,125	45	FCBGA1440	Server
<a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>	4	8,408	2,402	65	FCBGA1440	Server
<a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a>	4	8,021	2,179	45	FCBGA1440	Server
<a href="#">Intel Xeon E3110 @ 3.00GHz</a>	2	1,242	1,331	65	LGA775	Server
<a href="#">Intel Xeon E3113 @ 3.00GHz</a>	2	1,429	1,282	65	LGA775	Server
<a href="#">Intel Xeon E3120 @ 3.16GHz</a>	2	1,408	1,370	65	LGA775	Server
<a href="#">Intel Xeon E5-1410 @ 2.80GHz</a>	4	4,701	1,456	80	LGA1356	Server
<a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>	4	5,436	1,681	80	LGA 1356	Server
<a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a>	6	6,566	1,321	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>	4	3,463	1,338	130	LGA2011	Server
<a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>	4	4,449	1,630	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1603 v4 @ 3.00GHz</a>	4	4,410	1,751	140	FCLGA2011-3	Server

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">Intel Xeon E5-1607 v3 @ 3.10GHz</a>	4	4,981	1,814	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1607 v4 @ 3.10GHz</a>	4	5,245	1,905	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1620 @ 3.60GHz</a>	4	5,863	1,774	130	LGA2011	Server
<a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>	4	6,532	2,014	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	4	6,997	2,022	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1620 v4 @ 3.50GHz</a>	4	7,441	2,245	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>	4	7,427	2,111	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>	4	7,606	2,366	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>	6	8,072	1,743	130	LGA2011	Server
<a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>	6	9,318	2,028	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>	6	10,387	2,120	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>	6	11,479	2,389	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>	6	8,414	1,791	130	LGA2011	Server
<a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>	6	10,297	2,076	130	LGA 2011	Server
<a href="#">Intel Xeon E5-1660 v3 @ 3.00GHz</a>	8	12,383	1,976	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>	8	13,393	2,188	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>	8	12,485	2,082	130	LGA 2011	Server
<a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>	8	13,214	2,127	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>	8	14,091	2,349	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>	10	14,820	2,040	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>	4	2,295	749	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>	4	2,873	991	80	FCLGA1356	Server
<a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>	4	2,729	924	80	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2407 @ 2.20GHz</a>	4	5,240	984	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	3,504	1,068	80	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	6,655	1,311	80	FCLGA1356	Server
<a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>	4	3,518	977	50	LGA 1356	Server
<a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>	6	5,151	1,110	95	LGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2420 @ 1.90GHz</a>	6	8,488	910	95	LGA1356	Server
<a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	6,365	1,376	80	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	11,504	1,347	80	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2428L @ 1.80GHz</a>	6	8,500	899	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>	6	5,863	1,190	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430 @ 2.20GHz</a>	6	9,418	1,239	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	7,147	1,483	80	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	12,267	1,530	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>	6	5,273	1,005	60	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430L @ 2.00GHz</a>	6	9,635	1,192	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	5,903	1,211	60	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	10,918	1,247	60	LGA 1356	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">2.40GHz</a>						
<a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	6,927	962	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	13,818	1,313	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2448L v2 @ 1.80GHz</a>	10	6,774	1,235	70	LGA 1356	Server
<a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>	8	7,530	1,197	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2450 @ 2.10GHz</a>	8	10,408	1,238	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2450 v2 @ 2.50GHz</a>	8	9,795	1,749	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2450 v2 @ 2.50GHz</a>	8	15,978	1,567	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2450L @ 1.80GHz</a>	8	5,880	1,002	70	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2450L @ 1.80GHz</a>	8	11,921	1,058	70	LGA 1356	Server
<a href="#">Intel Xeon E5-2470 @ 2.30GHz</a>	8	8,240	1,443	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2470 @ 2.30GHz</a>	8	14,771	1,431	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	10,942	1,538	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	16,763	1,438	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>	4	2,362	868	80	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 @ 1.80GHz</a>	4	4,433	873	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	2,751	977	80	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	4,983	986	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	3,752	931	85	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	6,626	909	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	4,695	1,046	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	7,927	1,075	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a>	6	6,415	1,210	52	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2609 @ 2.40GHz</a>	4	2,623	1,081	80	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 @ 2.40GHz</a>	4	5,866	1,166	80	LGA2011	Server
<a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	3,516	1,371	80	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	6,764	1,383	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	4,423	1,097	80	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	8,540	1,112	80	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	5,351	1,043	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	10,293	1,067	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a>	8	10,464	1,872	75	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	12,816	2,013	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2620 @ 2.00GHz</a>	6	5,286	1,113	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2620 @ 2.00GHz</a>	6	9,549	1,121	95	LGA2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">@ 2.10GHz</a>						
<a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	7,895	1,690	85	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	13,402	1,689	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	9,187	1,616	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	15,897	1,714	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	6,869	1,861	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	11,869	1,964	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	6,923	1,810	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	8,506	1,409	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2628 v3 @ 2.50GHz</a>	8	8,447	1,754	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a>	8	7,181	1,106	70	LGA 2011	Server
<a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a>	10	9,949	1,483	75	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	11,079	1,433	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>	8	9,139	1,426	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>	6	6,131	1,270	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 @ 2.30GHz</a>	6	10,724	1,270	95	LGA2011	Server
<a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	7,490	1,578	80	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	13,539	1,586	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	10,544	1,781	85	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	17,170	1,737	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	11,671	1,773	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	18,705	1,730	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>	6	5,305	1,119	60	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L @ 2.00GHz</a>	6	9,622	1,066	60	LGA 2011	Server
<a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	6,519	1,388	60	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	12,481	1,448	60	LGA 2011	Server
<a href="#">Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	8,928	1,538	55	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	14,407	1,575	55	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	10,864	1,743	55	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	18,565	1,767	55	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2637 @ 3.00GHz</a>	2	2,978	1,526	80	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 @ 3.00GHz</a>	2	5,696	1,489	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	6,341	1,877	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 v2</a>	4	12,023	1,918	130	LGA 2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">@ 3.50GHz</a>						
<a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	7,211	2,160	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	14,219	2,255	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2640 @ 2.50GHz</a>	6	6,317	1,344	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 @ 2.50GHz</a>	6	11,477	1,337	95	LGA2011	Server
<a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	7,738	1,274	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	13,131	1,159	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	11,273	1,864	90	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	17,755	1,752	90	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	12,270	1,835	90	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	21,399	1,880	90	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>	4	5,523	1,646	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 @ 3.30GHz</a>	4	9,836	1,604	130	LGA2011	Server
<a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	9,083	1,895	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	16,903	1,961	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	10,432	2,093	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	17,833	2,039	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	11,152	2,249	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	19,506	2,298	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2648L @ 1.80GHz</a>	8	4,235	931	70	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2648L @ 1.80GHz</a>	8	9,940	899	70	LGA 2011	Server
<a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	8,611	1,350	70	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	16,028	1,286	70	FCLGA2011	Server
<a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a>	12	9,847	1,292	75	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a>	14	11,547	1,435	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>	10	12,399	1,674	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>	8	7,330	1,257	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 @ 2.00GHz</a>	8	12,968	1,247	95	LGA2011	Server
<a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	9,989	1,676	95	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	17,440	1,712	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	11,865	1,631	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	19,418	1,634	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	13,676	1,618	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	22,581	1,729	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>	8	5,929	1,091	70	LGA 2011	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">1.70GHz</a> <a href="#">[Dual CPU] Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	14,625	1,087	70	FCLGA2011	Server
<a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a> <a href="#">[Dual CPU] Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	11,806	1,394	65	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a> <a href="#">[Dual CPU] Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	11,436	1,385	65	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	9,216	1,118	NA	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	15,611	1,082	NA	LGA 2011	Server
<a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>	8	6,073	1,156	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 @ 2.10GHz</a>	8	10,053	1,096	95	LGA2011	Server
<a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	10,309	1,426	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	17,966	1,491	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	13,487	1,711	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	22,573	1,631	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	14,434	1,583	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	27,797	1,748	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2658A v3 @ 2.20GHz</a>	12	14,879	1,688	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>	8	8,104	1,395	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 @ 2.20GHz</a>	8	14,161	1,348	95	LGA2011	Server
<a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	10,480	1,501	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	17,867	1,439	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	13,149	1,806	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	22,113	1,820	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	16,085	1,684	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	28,428	2,008	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	11,777	2,040	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	19,744	1,777	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>	8	8,411	1,399	115	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2665 @ 2.40GHz</a>	8	14,720	1,404	115	LGA2011	Server
<a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>	6	7,498	1,585	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 @ 2.90GHz</a>	6	12,798	1,595	130	LGA2011	Server
<a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	12,278	2,028	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	21,160	2,006	130	LGA 2011	Server
<a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	12,378	1,989	135	LGA2011-v3	Server

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">[Dual CPU] Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	24,353	2,215	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>	12	16,107	1,502	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>	8	8,965	1,485	115	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2670 @ 2.60GHz</a>	8	15,766	1,508	115	LGA2011	Server
<a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	11,539	1,621	115	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	20,302	1,627	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	13,964	1,691	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	22,884	1,660	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	12,128	1,947	110	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	20,603	1,954	110	LGA 2011	Server
<a href="#">Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	14,313	1,737	110	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	22,783	1,610	110	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	17,533	1,909	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	33,029	1,457	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>	16	11,960	1,209	NA	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	14,537	1,687	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	20,528	1,713	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>	16	18,978	1,730	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	14,665	1,731	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	25,332	1,779	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2679 v4 @ 2.50GHz</a>	20	23,512	1,951	200	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>	8	9,380	1,563	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 @ 2.70GHz</a>	8	16,024	1,563	130	LGA2011	Server
<a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	12,631	1,794	115	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	20,691	1,762	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	15,573	1,775	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	24,461	1,778	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	18,050	1,966	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	29,330	1,972	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a>	14	17,795	1,833	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	19,564	1,869	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	30,955	1,888	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	15,050	1,612	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	24,747	1,633	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	17,226	1,700	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	28,616	1,721	120	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">@ 2.60GHz</a>						
<a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>	18	18,148	1,910	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	16,745	1,613	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	35,348	1,709	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2687W @ 3.10GHz</a>	8	9,807	1,678	150	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W @ 3.10GHz</a>	8	17,640	1,738	150	LGA2011	Server
<a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	12,081	2,047	150	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	20,925	1,979	150	FCLGA2011	Server
<a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	14,784	1,911	160	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	23,937	1,908	160	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	17,757	2,065	160	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	29,303	2,080	160	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>	8	9,768	1,573	115	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2689 @ 2.60GHz</a>	8	16,255	1,607	115	LGA 2011	Server
<a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	16,936	2,343	165	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	28,257	2,357	165	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>	8	9,849	1,663	135	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 @ 2.90GHz</a>	8	16,843	1,673	135	LGA2011	Server
<a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	13,522	1,879	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	21,467	1,836	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	16,472	1,907	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	26,904	1,890	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	20,127	1,983	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	34,320	2,134	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>	12	12,119	1,571	115	LGA 2011	Server
<a href="#">Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	13,282	1,606	115	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	22,203	1,552	115	LGA 2011	Server
<a href="#">Intel Xeon E5-2695 v3 @ 2.30GHz</a>	14	16,263	1,771	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2695 v3 @ 2.30GHz</a>	14	31,733	1,968	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	19,358	1,971	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	33,990	1,843	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	14,360	1,664	NA	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	23,788	1,668	NA	LGA2011	Server
<a href="#">Intel Xeon E5-2696 v3 @ 2.30GHz</a>	18	23,850	2,192	145	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2696 v3</a>	18	34,758	2,026	145	LGA2011-v3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">@ 2.20GHz</a>						
<a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	14,222	1,794	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	23,659	1,744	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2697 v3 @ 2.60GHz</a>	14	19,223	2,008	145	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2697 v3 @ 2.60GHz</a>	14	27,799	1,872	145	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	21,351	1,941	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	39,189	2,121	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2697A v4 @ 2.60GHz</a>	16	21,665	2,059	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2697A v4 @ 2.60GHz</a>	16	35,268	2,247	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2697R v4 @ 2.30GHz</a>	18	20,843	2,007	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	19,028	1,896	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	32,170	2,014	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	21,755	2,141	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	40,841	1,979	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2698R v4 @ 2.20GHz</a>	20	25,605	2,243	NA	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	20,328	1,862	145	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	35,346	1,984	145	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	25,070	1,911	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	43,013	2,036	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	14,917	1,037	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	38,412	2,005	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	20,079	1,622	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	32,861	1,494	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>	4	3,391	953	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4603 @ 2.00GHz</a>	4	6,690	995	95	LGA 2011	Server
<a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	6,986	1,363	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>	6	6,460	1,401	95	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4610 @ 2.40GHz</a>	6	23,354	1,474	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>	10	7,229	1,027	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4610 v4 @ 1.80GHz</a>	10	15,084	1,144	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>	6	6,298	1,552	130	LGA 2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	16,902	NA	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	11,387	1,640	130	LGA 2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">@ 2.60GHz</a>						
<a href="#">[Dual CPU] Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	16,094	1,471	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10	10,525	1,486	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	9,320	1,786	130	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	27,746	1,904	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	15,898	1,972	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	11,344	1,749	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	20,294	1,722	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	12,969	2,030	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	22,162	1,852	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>	8	7,012	1,233	95	LGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4640 @ 2.40GHz</a>	8	19,664	NA	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4640 v2 @ 2.20GHz</a>	10	19,028	1,373	95	LGA 2011	Server
<a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>	12	10,372	1,514	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4640 v4 @ 2.10GHz</a>	12	22,559	1,573	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>	12	9,061	1,317	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>	8	8,630	1,476	130	LGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4650 @ 2.70GHz</a>	8	25,373	1,510	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4650 @ 2.70GHz</a>	8	14,309	1,489	130	LGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4650 v2 @ 2.40GHz</a>	10	32,805	1,598	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>	12	10,838	1,384	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>	8	8,472	1,393	115	LGA 2011	Server
<a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>	6	9,377	1,817	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	11,353	1,477	115	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	37,208	1,505	115	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	21,548	1,291	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>	14	14,256	1,558	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	24,421	1,575	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>	16	15,397	1,461	135	FCLGA2011-3	Server
<a href="#">[Quad CPU] Intel Xeon E5-4667 v4 @ 2.20GHz</a>	18	53,402	1,584	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	17,430	1,474	135	FCLGA2011-3	Server
<a href="#">[Quad CPU] Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	50,719	1,578	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	31,474	1,626	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	11,523	1,366	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5205 @ 1.86GHz</a>	2	838	788	65	LGA771	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">1.60GHz</a>						
<a href="#">Intel Xeon E5320 @ 1.86GHz</a>	4	1,469	770	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5320 @ 1.86GHz</a>	4	2,817	767	80	LGA771	Server
<a href="#">Intel Xeon E5335 @ 2.00GHz</a>	4	1,549	817	80	LGA771	Server
<a href="#">Intel Xeon E5345 @ 2.33GHz</a>	4	1,814	947	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5345 @ 2.33GHz</a>	4	3,524	948	80	LGA771	Server
<a href="#">Intel Xeon E5405 @ 2.00GHz</a>	4	1,702	877	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5405 @ 2.00GHz</a>	4	3,384	874	80	LGA771	Server
<a href="#">Intel Xeon E5410 @ 2.33GHz</a>	4	1,878	1,019	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5410 @ 2.33GHz</a>	4	3,800	1,020	80	LGA771	Server
<a href="#">Intel Xeon E5420 @ 2.50GHz</a>	4	1,991	1,058	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5420 @ 2.50GHz</a>	4	4,019	1,088	80	LGA771	Server
<a href="#">Intel Xeon E5430 @ 2.66GHz</a>	4	2,210	1,156	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5430 @ 2.66GHz</a>	4	4,238	1,167	80	LGA771	Server
<a href="#">Intel Xeon E5440 @ 2.83GHz</a>	4	2,345	1,240	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5440 @ 2.83GHz</a>	4	4,377	1,241	80	LGA771	Server
<a href="#">Intel Xeon E5450 @ 3.00GHz</a>	4	2,483	1,291	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5450 @ 3.00GHz</a>	4	4,614	1,287	80	LGA771	Server
<a href="#">Intel Xeon E5462 @ 2.80GHz</a>	4	2,067	1,130	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5462 @ 2.80GHz</a>	4	4,452	1,234	80	LGA771	Server
<a href="#">Intel Xeon E5472 @ 3.00GHz</a>	4	2,441	1,261	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5472 @ 3.00GHz</a>	4	4,765	1,326	80	LGA771	Server
<a href="#">Intel Xeon E5502 @ 1.87GHz</a>	2	837	799	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5502 @ 1.87GHz</a>	2	1,853	825	80	LGA1366	Server
<a href="#">Intel Xeon E5503 @ 2.00GHz</a>	2	804	845	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5503 @ 2.00GHz</a>	2	1,707	734	80	LGA1366	Server
<a href="#">Intel Xeon E5504 @ 2.00GHz</a>	4	1,519	825	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5504 @ 2.00GHz</a>	4	3,292	868	80	LGA1366	Server
<a href="#">Intel Xeon E5506 @ 2.13GHz</a>	4	1,946	941	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5506 @ 2.13GHz</a>	4	3,793	944	80	LGA1366	Server
<a href="#">Intel Xeon E5507 @ 2.27GHz</a>	4	1,928	997	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5507 @ 2.27GHz</a>	4	4,010	1,010	80	LGA1366	Server
<a href="#">Intel Xeon E5520 @ 2.27GHz</a>	4	2,505	1,062	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5520 @ 2.27GHz</a>	4	4,511	1,093	80	LGA1366	Server
<a href="#">Intel Xeon E5530 @ 2.40GHz</a>	4	2,614	1,156	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5530 @ 2.40GHz</a>	4	5,122	1,152	80	LGA1366	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">2.53GHz</a>						
<a href="#">Intel Xeon E5603 @ 1.60GHz</a>	4	1,935	712	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5603 @ 1.60GHz</a>	4	3,548	710	80	LGA1366	Server
<a href="#">Intel Xeon E5606 @ 2.13GHz</a>	4	2,326	941	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5606 @ 2.13GHz</a>	4	4,191	876	80	LGA1366	Server
<a href="#">Intel Xeon E5607 @ 2.27GHz</a>	4	2,686	1,002	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5607 @ 2.27GHz</a>	4	4,718	993	80	LGA1366	Server
<a href="#">Intel Xeon E5620 @ 2.40GHz</a>	4	3,597	1,112	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5620 @ 2.40GHz</a>	4	6,482	1,074	80	LGA1366	Server
<a href="#">Intel Xeon E5630 @ 2.53GHz</a>	4	3,726	1,176	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5630 @ 2.53GHz</a>	4	6,690	1,143	80	LGA1366	Server
<a href="#">Intel Xeon E5640 @ 2.67GHz</a>	4	3,908	1,233	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5640 @ 2.67GHz</a>	4	7,292	1,275	80	LGA1366	Server
<a href="#">Intel Xeon E5645 @ 2.40GHz</a>	6	4,955	1,147	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5645 @ 2.40GHz</a>	6	8,896	1,114	80	LGA1366	Server
<a href="#">Intel Xeon E5649 @ 2.53GHz</a>	6	5,229	1,224	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5649 @ 2.53GHz</a>	6	9,639	1,244	80	LGA1366	Server
<a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>	4	2,027	559	105	LGA1567	Server
<a href="#">[Dual CPU] Intel Xeon E7- 4807 @ 1.87GHz</a>	6	6,223	721	95	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 4850 @ 2.00GHz</a>	10	21,385	931	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 4860 @ 2.27GHz</a>	10	15,663	1,042	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 4870 @ 2.40GHz</a>	10	23,021	1,041	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 8870 @ 2.40GHz</a>	10	24,434	1,124	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7-4830 @ 2.13GHz</a>	8	19,981	1,012	105	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7-4880 v2 @ 2.50GHz</a>	15	48,435	1,642	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E7-4890 v2 @ 2.80GHz</a>	15	25,055	1,790	155	LGA 2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8857 v2 @ 3.00GHz</a>	12	36,304	1,935	130	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-8867 v3 @ 2.50GHz</a>	16	36,908	1,554	165	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E7-8880 v2 @ 2.50GHz</a>	15	25,966	1,316	130	LGA 2011-1	Server
<a href="#">Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	18,244	1,612	150	LGA2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	50,157	1,574	150	LGA2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8895 v2 @ 2.80GHz</a>	15	57,165	2,002	155	FCLGA2011	Server
<a href="#">Intel Xeon E7320 @ 2.13GHz</a>	4	1,469	776	80	604	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">2.40GHz</a> <a href="#">[Quad CPU] Intel Xeon E7450 @ 2.40GHz</a>	6	9,932	1,018	90	PGA604	Server
<a href="#">[Quad CPU] Intel Xeon E7530 @ 1.87GHz</a>	6	7,231	887	105	FCLGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7540 @ 2.00GHz</a>	6	10,376	986	105	FCLGA1567	Server
<a href="#">Intel Xeon Gold 5115 @ 2.40GHz</a>	10	14,007	1,799	85	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>	14	15,816	1,531	105	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5117 @ 2.00GHz</a>	14	26,227	1,393	105	Unknown	Server
<a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>	12	16,237	1,807	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5118 @ 2.30GHz</a>	12	24,226	1,828	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>	14	17,686	1,847	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5120 @ 2.20GHz</a>	14	31,070	1,764	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a>	14	18,127	1,849	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>	4	8,786	2,137	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5122 @ 3.60GHz</a>	4	16,272	2,212	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>	10	15,420	1,866	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5215 @ 2.50GHz</a>	10	27,736	1,914	85	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5217 @ 3.00GHz</a>	8	15,429	2,173	115	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5217 @ 3.00GHz</a>	8	25,409	2,119	115	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>	16	22,117	2,245	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218 @ 2.30GHz</a>	16	35,477	2,093	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a>	20	25,190	2,200	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218R @ 2.10GHz</a>	20	41,497	2,181	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218T @ 2.10GHz</a>	16	34,757	1,969	105	Unknown	Server
<a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>	18	25,740	2,396	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5220 @ 2.20GHz</a>	18	41,443	2,180	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5220R @ 2.20GHz</a>	24	33,370	2,399	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5220R @ 2.20GHz</a>	24	56,695	2,424	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>	4	9,428	2,372	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5222 @ 3.80GHz</a>	4	17,836	2,351	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	20,724	2,488	140	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	37,309	2,487	140	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5317 @ 3.00GHz</a>	12	28,580	2,437	150	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	27,422	1,999	165	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	56,362	1,819	165	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5320 @ 2.20GHz</a>	26	66,826	2,233	185	FCLGA4189	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">@ 3.40GHz</a>						
<a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>	16	20,721	1,880	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6130 @ 2.10GHz</a>	16	35,365	1,943	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6130H @ 2.10GHz</a>	16	35,440	2,229	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a>	16	21,804	1,698	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>	14	21,042	2,180	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6132 @ 2.60GHz</a>	14	32,319	2,182	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6133 @ 2.50GHz</a>	1	1,172	1,429	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>	8	16,518	2,240	130	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6134 @ 3.20GHz</a>	8	28,312	2,231	130	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>	12	22,266	2,224	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6136 @ 3.00GHz</a>	12	34,807	2,201	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>	16	19,365	2,499	205	FCLGA-3647	Server
<a href="#">Intel Xeon Gold 6138 @ 2.00GHz</a>	20	22,851	2,220	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6138 @ 2.00GHz</a>	20	40,697	1,884	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6138T @ 2.00GHz</a>	20	24,800	2,050	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6138T @ 2.00GHz</a>	20	40,064	1,620	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6139 @ 2.30GHz</a>	18	42,137	1,789	NA	LGA 3647	Server
<a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>	18	22,733	1,840	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6140 @ 2.30GHz</a>	18	40,709	2,190	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6142 @ 2.60GHz</a>	16	37,579	2,075	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>	16	24,786	2,248	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6143 @ 2.80GHz</a>	16	46,473	2,392	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>	8	18,656	2,523	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6144 @ 3.50GHz</a>	8	25,880	2,481	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6146 @ 3.20GHz</a>	12	23,432	2,493	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6146 @ 3.20GHz</a>	12	44,763	2,593	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>	20	29,147	2,184	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6148 @ 2.40GHz</a>	20	44,109	1,943	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6149 @ 3.10GHz</a>	16	37,240	2,063	NA	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6150 @ 2.70GHz</a>	18	24,489	2,190	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6150 @ 2.70GHz</a>	18	49,826	2,161	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>	22	22,291	2,155	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6152 @ 2.10GHz</a>	22	48,984	2,096	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>	18	28,848	2,264	200	FCLGA3647	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
-----------------	--------------	-----------------	--------------------	----------------	---------------	-----------------

 CPU Benchmarks 

<a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>	24	27,470	2,013	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>	12	19,810	2,104	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6226 @ 2.70GHz</a>	12	30,546	2,209	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6226R @ 2.90GHz</a>	16	27,406	2,305	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6226R @ 2.90GHz</a>	16	42,897	2,300	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>	20	26,657	2,285	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6230 @ 2.10GHz</a>	20	43,606	2,039	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6230R @ 2.10GHz</a>	26	33,353	2,164	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6230R @ 2.10GHz</a>	26	54,605	2,402	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6234 @ 3.30GHz</a>	8	28,888	2,402	130	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>	22	27,617	1,691	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6238R @ 2.20GHz</a>	28	37,511	2,362	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6238R @ 2.20GHz</a>	28	56,183	2,078	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6240 @ 2.60GHz</a>	18	49,416	2,223	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6240R @ 2.40GHz</a>	24	56,670	2,387	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>	16	26,288	2,196	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6242 @ 2.80GHz</a>	16	32,263	2,166	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>	20	35,356	2,421	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6242R @ 3.10GHz</a>	20	49,621	2,263	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6244 @ 3.60GHz</a>	8	20,402	2,752	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6244 @ 3.60GHz</a>	8	33,310	2,568	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>	12	24,446	2,450	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6246 @ 3.30GHz</a>	12	42,867	2,500	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>	16	30,220	2,321	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>	20	24,234	2,290	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>	24	38,604	2,296	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6248R @ 3.00GHz</a>	24	60,351	2,326	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6250 @ 3.90GHz</a>	8	20,915	2,703	185	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6250 @ 3.90GHz</a>	8	35,978	2,738	185	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6252 @ 2.10GHz</a>	24	32,410	2,143	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	30,617	2,346	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	49,872	2,401	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>	18	29,356	2,381	200	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6254 @ 3.10GHz</a>	18	54,869	2,355	200	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Gold 6256 @ 3.00GHz</a>	12	76,542	2,681	205	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">@ 2.70GHz</a>						
<a href="#">Intel Xeon Gold 6278C @ 2.60GHz</a>	26	32,835	2,019	185	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6312U @ 2.40GHz</a>	24	43,745	2,383	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6314U @ 2.30GHz</a>	32	51,014	2,208	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6326 @ 2.90GHz</a>	16	35,328	2,356	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6326 @ 2.90GHz</a>	16	53,706	2,351	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6330 @ 2.00GHz</a>	28	43,056	2,034	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6330 @ 2.00GHz</a>	28	61,340	1,724	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6334 @ 3.60GHz</a>	8	22,160	2,592	165	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6334 @ 3.60GHz</a>	8	36,523	2,541	165	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	45,517	2,522	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	72,276	2,532	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6338 @ 2.00GHz</a>	32	73,687	2,266	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6338N @ 2.20GHz</a>	32	46,322	2,440	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6338N @ 2.20GHz</a>	32	58,730	1,656	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6342 @ 2.80GHz</a>	24	48,330	2,453	230	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6342 @ 2.80GHz</a>	24	74,533	2,367	230	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6346 @ 3.10GHz</a>	16	37,606	2,455	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6346 @ 3.10GHz</a>	16	55,850	2,433	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6348 @ 2.60GHz</a>	28	53,112	2,455	235	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6348 @ 2.60GHz</a>	28	75,333	2,335	235	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6354 @ 3.00GHz</a>	18	41,434	2,406	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6354 @ 3.00GHz</a>	18	65,194	2,510	205	FCLGA4189	Server
<a href="#">Intel Xeon L3110 @ 3.00GHz</a>	2	1,338	1,279	45	LGA775	Server
<a href="#">Intel Xeon L3360 @ 2.83GHz</a>	4	2,306	1,207	65	LGA775	Server
<a href="#">Intel Xeon L3406 @ 2.27GHz</a>	2	928	647	30	LGA1156	Server
<a href="#">Intel Xeon L3426 @ 1.87GHz</a>	4	2,590	1,167	45	LGA1156	Server
<a href="#">Intel Xeon L5240 @ 3.00GHz</a>	2	1,337	1,299	40	LGA771	Server
<a href="#">Intel Xeon L5310 @ 1.60GHz</a>	4	1,385	662	50	LGA771	Server
<a href="#">Intel Xeon L5320 @ 1.86GHz</a>	4	1,118	281	50	LGA771	Server
<a href="#">Intel Xeon L5335 @ 2.00GHz</a>	4	1,678	827	50	LGA771	Server
<a href="#">Intel Xeon L5408 @ 2.13GHz</a>	4	1,761	935	40	LGA771	Server
<a href="#">Intel Xeon L5410 @ 2.33GHz</a>	4	1,921	1,029	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5410 @ 2.33GHz</a>	4	3,974	1,009	50	LGA771	Server
<a href="#">Intel Xeon L5420 @ 2.50GHz</a>	4	2,061	1,103	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5420 @ 2.50GHz</a>	4	4,126	1,100	50	LGA771	Server
<a href="#">Intel Xeon L5430 @ 2.66GHz</a>	4	2,260	1,154	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5430 @ 2.66GHz</a>	4	4,269	1,131	50	LGA771	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">[Dual CPU] Intel Xeon L5520 @ 2.27GHz</a>	4	3,119	709	60	LGA1366	Server
<a href="#">Intel Xeon L5530 @ 2.40GHz</a>	4	2,522	1,169	60	LGA1366	Server
<a href="#">Intel Xeon L5609 @ 1.87GHz</a>	4	3,298	1,160	40	LGA1366	Server
<a href="#">Intel Xeon L5630 @ 2.13GHz</a>	4	2,985	1,045	40	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5630 @ 2.13GHz</a>	4	4,813	913	40	LGA1366	Server
<a href="#">Intel Xeon L5638 @ 2.00GHz</a>	6	3,707	862	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5638 @ 2.00GHz</a>	6	7,217	944	60	LGA1366	Server
<a href="#">Intel Xeon L5639 @ 2.13GHz</a>	6	4,419	1,102	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5639 @ 2.13GHz</a>	6	5,768	1,010	60	LGA1366	Server
<a href="#">Intel Xeon L5640 @ 2.27GHz</a>	6	4,591	1,139	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5640 @ 2.27GHz</a>	6	8,398	1,156	60	LGA1366	Server
<a href="#">Intel Xeon L7455 @ 2.13GHz</a>	6	2,494	601	65	PGA604	Server
<a href="#">Intel Xeon MV 3.20GHz</a>	2	582	378	90	mPGA604	Server
<a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	22,298	2,051	NA	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	48,423	2,018	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>	2	6,591	2,393	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8153 @ 2.00GHz</a>	16	32,180	1,751	125	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	26,485	1,984	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	49,865	2,227	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8160M @ 2.10GHz</a>	24	53,398	2,217	150	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a>	26	25,396	1,455	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	32,616	2,138	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	52,011	2,121	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	30,632	2,222	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	57,780	2,109	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	27,377	2,123	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	53,093	1,967	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8175M @ 2.50GHz</a>	24	26,659	1,903	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8176 @ 2.10GHz</a>	28	23,179	2,048	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	35,208	1,996	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	61,751	2,289	205	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">8252C @ 3.80GHz</a> <a href="#">[Dual CPU] Intel Xeon Platinum 8253 @ 2.20GHz</a>	16	28,165	1,768	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8256 @ 3.80GHz</a> <a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a>	4 24	16,787 31,500	2,336 1,863	105 210	FCLGA3647 LGA 3647	Server Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8260 @ 2.40GHz</a> <a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a>	24 24	52,110 33,970	2,051 2,315	165 165	FCLGA3647 LGA3647	Server Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8260M @ 2.30GHz</a> <a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>	24 24	55,297 30,103	2,472 2,167	165 205	LGA3647 FCLGA3647	Server Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8270CL @ 2.70GHz</a> <a href="#">[Dual CPU] Intel Xeon Platinum 8273CL @ 2.20GHz</a>	26 28	52,386 50,348	2,382 2,144	205 165	FCLGA3647 FCLGA3647	Server Server
<a href="#">Intel Xeon Platinum 8275CL @ 3.00GHz</a> <a href="#">[Dual CPU] Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24 24	40,794 66,812	2,386 2,375	NA NA	Unknown Unknown	Server Server
<a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a> <a href="#">[Dual CPU] Intel Xeon Platinum 8280 @ 2.70GHz</a> <a href="#">Intel Xeon Platinum 8347C @ 2.10GHz</a>	28 28 36	37,575 64,291 49,386	2,011 2,356 2,445	205 205 210	FCLGA3647 FCLGA3647 LGA4189	Server Server Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8352Y @ 2.20GHz</a> <a href="#">Intel Xeon Platinum 8358 @ 2.60GHz</a>	32 32	68,643 54,416	1,913 2,382	205 250	FCLGA4189 FCLGA4189	Server Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8358 @ 2.60GHz</a> <a href="#">[Dual CPU] Intel Xeon Platinum 8368 @ 2.40GHz</a> <a href="#">Intel Xeon Platinum 8375C @ 2.90GHz</a>	32 38 32	82,565 90,457 51,836	2,331 2,400 2,439	250 270 300	FCLGA4189 FCLGA4189 FCLGA4189	Server Server Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8375C @ 2.90GHz</a> <a href="#">Intel Xeon Platinum 8380 @ 2.30GHz</a>	32 40	86,018 62,318	2,473 2,385	300 270	FCLGA4189 FCLGA4189	Server Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8380 @ 2.30GHz</a> <a href="#">Intel Xeon Platinum P-8124 @ 3.00GHz</a> <a href="#">[Dual CPU] Intel Xeon Platinum P-8124 @ 3.00GHz</a> <a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a> <a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>	40 18 18 8 8	91,485 18,416 43,913 9,262 10,348	2,384 2,007 2,096 1,558 1,445	270 240 240 85 70	FCLGA4189 FCLGA3647 FCLGA3647 FCLGA3647 FCLGA3647	Server Server Server Server Server
<a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a> <a href="#">[Dual CPU] Intel Xeon Silver 4110 @ 2.10GHz</a> <a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>	8 8 4	10,180 17,004 6,420	1,608 1,654 1,690	85 85 85	FCLGA3647 FCLGA3647 FCLGA3647	Server Server Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">[Dual CPU] Intel Xeon Silver 4114 @ 2.20GHz</a>	10	21,396	1,719	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>	12	14,931	1,709	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4116 @ 2.10GHz</a>	12	24,885	1,652	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>	12	15,187	1,781	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>	8	14,405	1,967	105	Unknown	Server
<a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>	8	11,157	1,820	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4208 @ 2.10GHz</a>	8	19,489	1,815	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>	10	14,285	1,858	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4210 @ 2.20GHz</a>	10	23,331	1,848	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>	10	15,155	1,820	100	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4210R @ 2.40GHz</a>	10	23,736	1,834	100	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4214 @ 2.20GHz</a>	12	15,772	1,712	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4214 @ 2.20GHz</a>	12	25,328	1,857	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>	12	18,846	2,023	100	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4214R @ 2.40GHz</a>	12	29,912	1,977	100	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>	12	15,248	1,790	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>	8	14,439	2,060	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4215 @ 2.50GHz</a>	8	22,379	1,810	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4215R @ 3.20GHz</a>	8	15,056	2,290	130	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4215R @ 3.20GHz</a>	8	26,714	2,206	130	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>	16	19,451	1,775	100	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4216 @ 2.10GHz</a>	16	31,713	1,758	100	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	19,011	2,494	105	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	34,573	2,515	105	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4310 @ 2.10GHz</a>	12	23,589	2,200	120	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4310 @ 2.10GHz</a>	12	41,160	2,327	120	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4310T @ 2.30GHz</a>	10	20,973	2,288	105	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4314 @ 2.40GHz</a>	16	30,043	2,179	135	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4314 @ 2.40GHz</a>	16	47,105	2,288	135	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4316 @ 2.30GHz</a>	20	37,264	2,380	150	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4316 @ 2.30GHz</a>	20	52,515	2,170	150	FCLGA4189	Server
<a href="#">Intel Xeon W-10855M @ 2.80GHz</a>	6	12,906	2,775	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon W-10885M @ 2.40GHz</a>	8	16,084	2,777	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon W-11855M @ 3.20GHz</a>	6	18,810	3,304	45	FCBGA1787	Laptop, Server



<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
-----------------	--------------	-----------------	--------------------	----------------	---------------	-----------------

 CPU Benchmarks ▼

<a href="#">2.60GHz</a>						
<a href="#">Intel Xeon W-11955M @ 2.60GHz</a>	8	23,418	3,352	45	FCBGA1787	Laptop, Server
<a href="#">Intel Xeon W-1250 @ 3.30GHz</a>	6	13,778	2,857	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1250E @ 3.50GHz</a>	6	13,888	2,960	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1250P @ 4.10GHz</a>	6	14,476	3,002	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-1270 @ 3.40GHz</a>	8	17,839	3,057	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1270E @ 3.40GHz</a>	8	18,635	2,990	80	FCLGA1200	Server, Mobile/Embedded
<a href="#">Intel Xeon W-1270P @ 3.80GHz</a>	8	19,245	3,074	95	FCLGA1200	Server
<a href="#">Intel Xeon W-1270TE @ 2.00GHz</a>	8	13,553	2,796	35	FCLGA1200	Server
<a href="#">Intel Xeon W-1290 @ 3.20GHz</a>	10	20,535	3,087	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1290E @ 3.50GHz</a>	10	22,066	2,914	95	FCLGA1200	Server
<a href="#">Intel Xeon W-1290P @ 3.70GHz</a>	10	22,903	3,199	125	FCLGA1200	Server
<a href="#">Intel Xeon W-1290T @ 1.90GHz</a>	10	18,409	2,974	35	FCLGA1200	Server
<a href="#">Intel Xeon W-1350 @ 3.30GHz</a>	6	19,116	3,513	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1350P @ 4.00GHz</a>	6	19,971	3,530	65	FCLGA1200	Server
<a href="#">Intel Xeon W-1370 @ 2.90GHz</a>	8	23,908	3,538	80	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-1370P @ 3.60GHz</a>	8	25,202	3,494	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-1390 @ 2.80GHz</a>	8	23,793	3,401	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1390P @ 3.50GHz</a>	8	25,927	3,616	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-2102 @ 2.90GHz</a>	4	5,075	1,745	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2104 @ 3.20GHz</a>	4	5,885	1,864	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2123 @ 3.60GHz</a>	4	8,500	2,218	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2125 @ 4.00GHz</a>	4	9,976	2,574	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2133 @ 3.60GHz</a>	6	12,457	2,263	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2135 @ 3.70GHz</a>	6	14,133	2,583	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2140B @ 3.20GHz</a>	8	17,527	2,570	NA	FCLGA2066	Server
<a href="#">Intel Xeon W-2145 @ 3.70GHz</a>	8	18,203	2,618	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2150B @ 3.00GHz</a>	10	20,442	2,703	NA	FCLGA2066	Server
<a href="#">Intel Xeon W-2155 @ 3.30GHz</a>	10	21,363	2,654	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2170B @ 2.50GHz</a>	14	24,745	2,578	NA	FCLGA-2066	Server
<a href="#">Intel Xeon W-2175 @ 2.50GHz</a>	14	23,215	2,481	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2191B @ 2.30GHz</a>	18	29,090	2,617	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2195 @ 2.30GHz</a>	18	27,739	2,461	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2223 @ 3.60GHz</a>	4	8,697	2,245	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2225 @ 4.10GHz</a>	4	10,798	2,675	105	FCLGA2066	Server
<a href="#">Intel Xeon W-2235 @ 3.80GHz</a>	6	14,289	2,668	130	FCLGA2066	Server
<a href="#">Intel Xeon W-2245 @ 3.90GHz</a>	8	19,467	2,763	155	FCLGA2066	Server
<a href="#">Intel Xeon W-2255 @ 3.70GHz</a>	10	22,259	2,745	165	FCLGA2066	Desktop, Server
<a href="#">Intel Xeon W-2265 @ 3.50GHz</a>	12	26,005	2,825	165	FCLGA2066	Server
<a href="#">Intel Xeon W-2275 @ 3.30GHz</a>	14	27,889	2,781	165	FCLGA2066	Desktop
<a href="#">Intel Xeon W-2295 @ 3.00GHz</a>	18	31,608	2,693	165	FCLGA2066	Server
<a href="#">Intel Xeon W-3175X @ 3.10GHz</a>	28	37,167	2,148	255	FCLGA3647	Desktop
<a href="#">Intel Xeon W-3223 @ 3.50GHz</a>	8	17,476	2,506	160	FCLGA3647	Server
<a href="#">Intel Xeon W-3235 @ 3.30GHz</a>	12	26,076	2,660	180	FCLGA3647	Server
<a href="#">Intel Xeon W-3245 @ 3.20GHz</a>	16	28,531	2,385	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3265 @ 2.70GHz</a>	24	30,105	2,572	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3265M @ 2.70GHz</a>	24	39,618	2,698	205	FCLGA3647	Desktop, Server

<input type="text" value="CPU Name"/>	<b>Cores</b>	<input type="text" value="CPU Mark"/> -	<input type="text" value="Thread Mark"/> -	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	--------------	---	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">Intel Xeon W-3375 @ 2.50GHz</a>	38	53,266	2,220	270	FCLGA4189	Server
<a href="#">Intel Xeon W3503 @ 2.40GHz</a>	2	1,052	1,015	130	LGA1366	Server
<a href="#">Intel Xeon W3505 @ 2.53GHz</a>	2	1,142	1,104	130	LGA1366	Server
<a href="#">Intel Xeon W3520 @ 2.67GHz</a>	4	2,794	1,247	130	LGA1366	Server
<a href="#">Intel Xeon W3530 @ 2.80GHz</a>	4	3,041	1,334	130	LGA1366	Server
<a href="#">Intel Xeon W3540 @ 2.93GHz</a>	4	3,031	1,311	130	LGA1366	Server
<a href="#">Intel Xeon W3550 @ 3.07GHz</a>	4	3,181	1,407	130	LGA1366	Server
<a href="#">Intel Xeon W3565 @ 3.20GHz</a>	4	3,351	1,497	130	LGA1366	Server
<a href="#">Intel Xeon W3570 @ 3.20GHz</a>	4	3,185	1,458	130	LGA1366	Server
<a href="#">Intel Xeon W3580 @ 3.33GHz</a>	4	3,495	1,553	130	LGA1366	Server
<a href="#">Intel Xeon W3670 @ 3.20GHz</a>	6	6,509	1,501	130	LGA1366	Server
<a href="#">Intel Xeon W3680 @ 3.33GHz</a>	6	6,913	1,550	130	LGA1366	Server
<a href="#">Intel Xeon W3690 @ 3.47GHz</a>	6	7,201	1,606	130	LGA1366	Server
<a href="#">Intel Xeon W5580 @ 3.20GHz</a>	4	3,386	1,503	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon W5580 @ 3.20GHz</a>	4	6,298	1,489	130	LGA1366	Server
<a href="#">Intel Xeon W5590 @ 3.33GHz</a>	4	3,239	1,571	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon W5590 @ 3.33GHz</a>	4	6,640	1,612	130	LGA1366	Server
<a href="#">Intel Xeon X3210 @ 2.13GHz</a>	4	1,599	875	105	LGA775	Server
<a href="#">Intel Xeon X3220 @ 2.40GHz</a>	4	1,819	942	105	LGA775	Server
<a href="#">Intel Xeon X3230 @ 2.66GHz</a>	4	2,052	1,091	95	LGA775	Server
<a href="#">Intel Xeon X3320 @ 2.50GHz</a>	4	1,986	1,097	95	LGA775	Server
<a href="#">Intel Xeon X3323 @ 2.50GHz</a>	4	1,837	1,059	80	LGA775	Server
<a href="#">Intel Xeon X3330 @ 2.66GHz</a>	4	1,928	1,160	95	LGA775	Server
<a href="#">Intel Xeon X3350 @ 2.66GHz</a>	4	2,158	1,156	95	LGA775	Server
<a href="#">Intel Xeon X3353 @ 2.66GHz</a>	4	2,229	1,173	80	LGA775	Server
<a href="#">Intel Xeon X3360 @ 2.83GHz</a>	4	2,341	1,239	95	LGA775	Server
<a href="#">Intel Xeon X3363 @ 2.83GHz</a>	4	2,307	1,241	80	LGA771	Server
<a href="#">Intel Xeon X3370 @ 3.00GHz</a>	4	2,518	1,312	95	LGA775	Server
<a href="#">Intel Xeon X3380 @ 3.16GHz</a>	4	2,308	1,335	95	LGA775	Server
<a href="#">Intel Xeon X3430 @ 2.40GHz</a>	4	2,284	1,008	95	LGA1156	Server
<a href="#">Intel Xeon X3440 @ 2.53GHz</a>	4	2,703	1,152	95	LGA1156	Server
<a href="#">Intel Xeon X3450 @ 2.67GHz</a>	4	2,803	1,227	95	LGA1156	Server
<a href="#">Intel Xeon X3460 @ 2.80GHz</a>	4	2,814	1,220	95	LGA1156	Server
<a href="#">Intel Xeon X3470 @ 2.93GHz</a>	4	3,208	1,416	95	LGA1156	Server
<a href="#">Intel Xeon X3480 @ 3.07GHz</a>	4	3,250	1,412	95	LGA1156	Server
<a href="#">Intel Xeon X5260 @ 3.33GHz</a>	2	1,238	1,406	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5260 @ 3.33GHz</a>	2	2,389	NA	80	LGA771	Server
<a href="#">Intel Xeon X5270 @ 3.50GHz</a>	2	1,524	1,485	80	LGA771	Server
<a href="#">Intel Xeon X5272 @ 3.40GHz</a>	2	1,451	1,411	80	LGA771	Server
<a href="#">Intel Xeon X5355 @ 2.66GHz</a>	4	1,979	1,060	120	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5355 @ 2.66GHz</a>	4	3,851	1,087	120	LGA771	Server
<a href="#">Intel Xeon X5365 @ 3.00GHz</a>	4	2,331	1,223	150	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5365 @ 3.00GHz</a>	4	4,281	1,214	150	LGA771	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">[Dual CPU] Intel Xeon X5460 @ 3.16GHz</a>	4	4,915	1,345	120	LGA771	Server
<a href="#">Intel Xeon X5470 @ 3.33GHz</a>	4	2,757	1,455	120	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5470 @ 3.33GHz</a>	4	5,077	1,452	120	LGA771	Server
<a href="#">Intel Xeon X5472 @ 3.00GHz</a>	4	2,218	1,259	120	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5472 @ 3.00GHz</a>	4	4,858	1,330	120	LGA771	Server
<a href="#">Intel Xeon X5482 @ 3.20GHz</a>	4	2,636	1,394	150	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5482 @ 3.20GHz</a>	4	5,069	1,393	150	LGA771	Server
<a href="#">Intel Xeon X5492 @ 3.40GHz</a>	4	2,705	1,446	150	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon X5492 @ 3.40GHz</a>	4	5,279	1,489	150	LGA771	Server
<a href="#">Intel Xeon X5550 @ 2.67GHz</a>	4	3,009	1,322	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5550 @ 2.67GHz</a>	4	5,658	1,278	95	LGA1366	Server
<a href="#">Intel Xeon X5560 @ 2.80GHz</a>	4	3,100	1,380	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5560 @ 2.80GHz</a>	4	5,606	1,409	95	LGA1366	Server
<a href="#">Intel Xeon X5570 @ 2.93GHz</a>	4	3,270	1,410	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5570 @ 2.93GHz</a>	4	6,081	1,447	95	LGA1366	Server
<a href="#">Intel Xeon X5647 @ 2.93GHz</a>	4	4,394	1,352	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5647 @ 2.93GHz</a>	4	7,779	1,391	130	LGA1366	Server
<a href="#">Intel Xeon X5650 @ 2.67GHz</a>	6	5,768	1,305	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5650 @ 2.67GHz</a>	6	10,317	1,312	95	LGA1366	Server
<a href="#">Intel Xeon X5660 @ 2.80GHz</a>	6	6,107	1,387	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5660 @ 2.80GHz</a>	6	10,401	1,340	95	LGA1366	Server
<a href="#">Intel Xeon X5667 @ 3.07GHz</a>	4	4,551	1,453	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5667 @ 3.07GHz</a>	4	8,307	1,503	95	LGA1366	Server
<a href="#">Intel Xeon X5670 @ 2.93GHz</a>	6	6,095	1,391	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5670 @ 2.93GHz</a>	6	10,955	1,406	95	LGA1366	Server
<a href="#">Intel Xeon X5672 @ 3.20GHz</a>	4	5,117	1,570	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5672 @ 3.20GHz</a>	4	8,779	1,462	95	LGA1366	Server
<a href="#">Intel Xeon X5675 @ 3.07GHz</a>	6	6,394	1,477	95	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5675 @ 3.07GHz</a>	6	11,628	1,502	95	LGA1366	Server
<a href="#">Intel Xeon X5677 @ 3.47GHz</a>	4	5,056	1,609	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5677 @ 3.47GHz</a>	4	9,021	1,624	130	LGA1366	Server
<a href="#">Intel Xeon X5679 @ 3.20GHz</a>	6	7,095	1,547	115	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5679 @ 3.20GHz</a>	6	9,431	1,549	115	LGA1366	Server
<a href="#">Intel Xeon X5680 @ 3.33GHz</a>	6	6,804	1,515	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5680 @ 3.33GHz</a>	6	12,466	1,577	130	LGA1366	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">3.60GHz</a>						
<a href="#">Intel Xeon X5690 @ 3.47GHz</a>	6	6,900	1,620	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon X5690 @ 3.47GHz</a>	6	12,839	1,697	130	LGA1366	Server
<a href="#">Intel Xeon X5698 @ 4.40GHz</a>	2	3,447	1,922	130	LGA1366	Server
<a href="#">Intel Xeon X6550 @ 2.00GHz</a>	4	1,936	390	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon X7350 @ 2.93GHz</a>	4	7,836	1,186	130	604	Server
<a href="#">[Dual CPU] Intel Xeon X7460 @ 2.66GHz</a>	6	4,803	922	130	PGA604	Server
<a href="#">[Dual CPU] Intel Xeon X7550 @ 2.00GHz</a>	8	7,873	1,067	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	15,329	1,090	130	LGA1567	Server
<a href="#">[Dual CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	8,110	734	130	LGA1567	Server
<a href="#">lisa based Qualcomm Technologies, Inc. SM7325</a>	8	5,340	1,893	NA	Unknown	Mobile/Embedded
<a href="#">M7221</a>	4	646	661	NA	Unknown	Mobile/Embedded
<a href="#">Manta</a>	2	356	426	NA	Unknown	Mobile/Embedded
<a href="#">Mars based on Qualcomm Technologies, Inc SM8350</a>	8	4,592	1,986	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6735</a>	4	497	299	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737</a>	4	432	262	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737M</a>	4	355	196	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737T</a>	4	585	394	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6739WA</a>	4	384	247	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6739WW</a>	4	403	279	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6750</a>	8	977	359	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6750T</a>	8	1,123	473	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6750V/WT</a>	8	1,068	403	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6753</a>	8	929	339	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6753T</a>	8	1,149	416	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6757CD</a>	8	1,639	629	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6757V</a>	8	1,550	586	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6761V/WBB</a>	4	684	439	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6761V/WE</a>	4	712	445	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762G</a>	8	1,166	472	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CA</a>	8	1,023	402	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CB</a>	8	1,408	508	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CN</a>	4	556	397	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WA</a>	8	1,435	473	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WB</a>	8	1,340	480	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WD</a>	8	1,485	485	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WR</a>	8	1,450	522	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6763V/CE</a>	8	2,130	1,104	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6763V/V</a>	8	1,470	548	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765G</a>	8	1,440	515	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765V/CA</a>	8	1,694	608	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765V/CB</a>	8	1,740	587	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

<a href="#">MediaTek MT6769V/CU</a>	8	2,354	1,080	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769V/WB</a>	8	2,192	1,118	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769Z</a>	8	2,338	1,084	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/C</a>	8	2,443	876	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/CT</a>	8	2,488	930	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/W</a>	8	2,279	871	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/WM</a>	8	2,094	796	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/WT</a>	8	2,316	906	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CE</a>	8	2,796	1,228	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CU</a>	8	2,517	1,169	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CV</a>	8	2,452	1,050	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6785V/CC</a>	8	3,155	1,248	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6785V/CD</a>	8	3,269	1,291	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6797</a>	10	1,730	685	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6797T</a>	10	1,613	565	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6797X</a>	10	2,158	558	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6853T</a>	8	3,217	1,488	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6873</a>	8	3,846	1,317	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6895</a>	8	7,462	2,328	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6983</a>	8	8,033	2,326	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8163</a>	4	573	339	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8166B</a>	4	928	526	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8167B</a>	4	349	255	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8168A</a>	4	610	410	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8183</a>	8	1,912	865	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8735B</a>	4	314	201	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768CT</a>	8	1,823	622	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768WA</a>	8	1,502	540	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768WT</a>	8	1,817	611	NA	Unknown	Mobile/Embedded
<a href="#">Microsoft ARM SQ1 @ 3.0 GHz</a>	8	4,961	1,863	15	Unknown	Laptop
<a href="#">Microsoft SQ2 @ 3.15 GHz</a>	8	5,350	1,953	NA	Unknown	Unknown
<a href="#">Mobile AMD Athlon 2500+</a>	1	241	365	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon 4 2400+</a>	1	233	358	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 3200+</a>	1	326	400	81.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 3400+</a>	1	333	432	81.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 3700+</a>	1	356	485	81.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 4000+</a>	1	313	338	62	Unknown	Laptop
<a href="#">Mobile AMD Athlon MP-M 1800+</a>	1	173	262	35	Unknown	Laptop
<a href="#">Mobile AMD Athlon MP-M 2400+</a>	1	192	314	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 1600+</a>	1	169	274	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 1800+</a>	1	193	291	45	Socket A	Laptop
<a href="#">Mobile AMD Athlon XP-M 2000+</a>	1	196	301	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2200+</a>	1	237	363	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2400+</a>	1	225	355	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2500+</a>	1	226	355	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2600+</a>	1	241	375	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2800+</a>	1	238	385	NA	Unknown	Laptop

-  -

CPU Benchmarks

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Mobile AMD Sempron 2800+</a>	1	237	299	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3000+</a>	1	269	350	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3100+</a>	1	277	359	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3200+</a>	1	245	525	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3300+</a>	1	294	391	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3400+</a>	1	269	489	25	Socket S1 (S1g1)	Laptop
<a href="#">Mobile AMD Sempron 3500+</a>	1	290	654	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3600+</a>	1	302	724	25	S1	Laptop
<a href="#">Mobile AMD Sempron 3800+</a>	1	335	735	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 1.70GHz</a>	1	118	254	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 1.80GHz</a>	1	121	280	66.1	PPGA478	Laptop
<a href="#">Mobile Intel Celeron 1333MHz</a>	1	183	248	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 2.00GHz</a>	1	133	290	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 2.20GHz</a>	1	147	355	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 2.40GHz</a>	1	154	376	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>	1	121	297	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>	1	119	297	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.00GHz</a>	1	138	345	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.20GHz</a>	1	143	388	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.40GHz</a>	1	139	317	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 2.66GHz</a>	1	182	425	66.1	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 2.80GHz</a>	1	205	397	69.7	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 3.06GHz</a>	1	220	423	81.8	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 3.20GHz</a>	1	232	468	82	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 3.33GHz</a>	1	344	552	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium III - M 1200MHz</a>	1	146	185	22	BGA2, microPGA2	Laptop
<a href="#">Mobile Intel Pentium III - M 933MHz</a>	1	130	177	20.1	BGA2, microPGA2	Laptop
<a href="#">msm8960dt</a>	2	252	279	NA	Unknown	Mobile/Embedded
<a href="#">MT5893</a>	4	702	641	NA	Unknown	Mobile/Embedded
<a href="#">MT6592</a>	8	521	211	NA	Unknown	Mobile/Embedded
<a href="#">MT6592T</a>	8	1,056	354	NA	Unknown	Mobile/Embedded
<a href="#">MT6735M</a>	4	308	190	NA	Unknown	Mobile/Embedded
<a href="#">MT6735P</a>	4	326	218	NA	Unknown	Mobile/Embedded
<a href="#">MT6738</a>	8	692	430	NA	Unknown	Mobile/Embedded
<a href="#">MT6739CH</a>	4	530	370	NA	Unknown	Mobile/Embedded
<a href="#">MT6739WM</a>	4	310	223	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/C</a>	8	1,318	413	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/CS</a>	8	955	384	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/W</a>	8	845	342	NA	Unknown	Mobile/Embedded
<a href="#">MT6752</a>	8	1,728	486	NA	Unknown	Mobile/Embedded
<a href="#">MT6755</a>	8	1,278	536	NA	Unknown	Mobile/Embedded
<a href="#">MT6755BM</a>	8	1,070	520	NA	Unknown	Mobile/Embedded
<a href="#">MT6755M</a>	8	1,229	501	NA	Unknown	Mobile/Embedded
<a href="#">MT6755V/BM</a>	8	1,219	520	NA	Unknown	Mobile/Embedded
<a href="#">MT6755V/W</a>	8	1,640	555	NA	Unknown	Mobile/Embedded
<a href="#">MT6755V/WM</a>	8	1,090	361	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">MT6757WH</a>	8	1,161	419	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/CAB</a>	4	650	451	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/CBB</a>	4	846	536	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/CD</a>	4	784	488	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/WAB</a>	4	769	472	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/WD</a>	4	543	408	NA	Unknown	Mobile/Embedded
<a href="#">mt6762m</a>	4	538	350	NA	Unknown	Mobile/Embedded
<a href="#">MT6762V/CR</a>	8	857	359	NA	Unknown	Mobile/Embedded
<a href="#">MT6763V/B</a>	8	1,495	552	NA	Unknown	Mobile/Embedded
<a href="#">MT6763V/CT</a>	8	1,544	377	NA	Unknown	Mobile/Embedded
<a href="#">MT6763V/WT</a>	8	1,313	621	NA	Unknown	Mobile/Embedded
<a href="#">MT6765</a>	8	1,785	631	NA	Unknown	Mobile/Embedded
<a href="#">MT6765H</a>	8	2,077	629	NA	Unknown	Mobile/Embedded
<a href="#">MT6765V/WA</a>	8	1,578	614	NA	Unknown	Mobile/Embedded
<a href="#">MT6765V/WB</a>	8	1,781	605	NA	Unknown	Mobile/Embedded
<a href="#">MT6768G</a>	8	2,572	1,142	NA	Unknown	Mobile/Embedded
<a href="#">MT6769H</a>	8	2,552	1,063	NA	Unknown	Mobile/Embedded
<a href="#">MT6769V/CT</a>	8	2,473	1,072	NA	Unknown	Mobile/Embedded
<a href="#">MT6769V/CZ</a>	8	2,484	1,084	NA	Unknown	Mobile/Embedded
<a href="#">MT6771V/CL</a>	8	3,079	924	NA	Unknown	Mobile/Embedded
<a href="#">MT6771V/WL</a>	8	2,371	896	NA	Unknown	Mobile/Embedded
<a href="#">MT6781</a>	8	3,860	1,372	NA	Unknown	Mobile/Embedded
<a href="#">MT6781V/CD</a>	8	3,837	1,468	NA	Unknown	Mobile/Embedded
<a href="#">MT6785</a>	8	3,462	1,310	NA	Unknown	Mobile/Embedded
<a href="#">MT6795</a>	8	1,088	436	NA	Unknown	Mobile/Embedded
<a href="#">MT6795M</a>	8	968	377	NA	Unknown	Mobile/Embedded
<a href="#">MT6795MM</a>	8	618	567	NA	Unknown	Mobile/Embedded
<a href="#">MT6797D</a>	10	758	326	NA	Unknown	Mobile/Embedded
<a href="#">MT6797M</a>	10	1,745	854	NA	Unknown	Mobile/Embedded
<a href="#">MT6833</a>	8	3,628	1,396	NA	Unknown	Mobile/Embedded
<a href="#">MT6833P</a>	8	4,079	1,362	NA	Unknown	Mobile/Embedded
<a href="#">MT6833V/NZA</a>	8	3,352	1,414	NA	Unknown	Mobile/Embedded
<a href="#">MT6833V/PNZA</a>	8	3,937	1,448	NA	Unknown	Mobile/Embedded
<a href="#">MT6833V/ZA</a>	8	3,849	1,441	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/NZA</a>	8	3,212	1,275	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/TNZA</a>	8	3,526	1,523	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/ZA</a>	8	3,577	1,279	NA	Unknown	Mobile/Embedded
<a href="#">MT6875</a>	8	4,393	1,187	NA	Unknown	Mobile/Embedded
<a href="#">MT6877T</a>	8	4,521	1,640	NA	Unknown	Mobile/Embedded
<a href="#">MT6877V/TZA</a>	8	4,999	1,994	NA	Unknown	Mobile/Embedded
<a href="#">MT6877V/ZA</a>	8	4,615	1,957	NA	Unknown	Mobile/Embedded
<a href="#">MT6883Z/CZA</a>	8	5,665	1,694	NA	Unknown	Mobile/Embedded
<a href="#">MT6889Z/CZA</a>	8	4,277	1,770	NA	Unknown	Mobile/Embedded
<a href="#">MT6891</a>	8	5,688	1,766	NA	Unknown	Mobile/Embedded
<a href="#">MT6891Z/CZA</a>	8	6,166	1,782	NA	Unknown	Mobile/Embedded
<a href="#">MT6893</a>	8	5,102	1,902	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z/CZA</a>	8	6,305	2,066	NA	Unknown	Mobile/Embedded



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">MT6893Z_D/CZA</a>	8	5,701	2,262	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_Z/CZA</a>	8	7,534	2,504	NA	Unknown	Mobile/Embedded
<a href="#">MT6969T</a>	8	2,228	1,125	NA	Unknown	Mobile/Embedded
<a href="#">MT8161A</a>	4	800	374	NA	Unknown	Mobile/Embedded
<a href="#">MT8161AA</a>	4	857	419	NA	Unknown	Mobile/Embedded
<a href="#">MT8161P</a>	4	434	259	NA	Unknown	Mobile/Embedded
<a href="#">MT8165</a>	4	890	493	NA	Unknown	Mobile/Embedded
<a href="#">MT8167A</a>	4	478	285	NA	Unknown	Mobile/Embedded
<a href="#">MT8167D</a>	4	580	327	NA	Unknown	Mobile/Embedded
<a href="#">MT8168B</a>	4	1,044	548	NA	Unknown	Mobile/Embedded
<a href="#">MT8173</a>	4	1,077	848	NA	Unknown	Mobile/Embedded
<a href="#">MT8176</a>	6	1,380	1,027	NA	Unknown	Mobile/Embedded
<a href="#">MT8195AV/ZA</a>	8	5,735	1,840	NA	Unknown	Mobile/Embedded
<a href="#">MT8365</a>	4	889	489	NA	Unknown	Mobile/Embedded
<a href="#">MT8696</a>	4	738	535	NA	Unknown	Mobile/Embedded
<a href="#">MT8735</a>	4	495	299	NA	Unknown	Mobile/Embedded
<a href="#">MT8735A</a>	4	527	343	NA	Unknown	Mobile/Embedded
<a href="#">MT8735P</a>	4	405	191	NA	Unknown	Mobile/Embedded
<a href="#">MT8735T</a>	4	704	356	NA	Unknown	Mobile/Embedded
<a href="#">MT8765WA</a>	4	606	305	NA	Unknown	Mobile/Embedded
<a href="#">MT8765WB</a>	4	381	230	NA	Unknown	Mobile/Embedded
<a href="#">MT8766A</a>	4	935	477	NA	Unknown	Mobile/Embedded
<a href="#">MT8766B</a>	4	808	513	NA	Unknown	Mobile/Embedded
<a href="#">MT8768WD</a>	8	979	404	NA	Unknown	Mobile/Embedded
<a href="#">MT8768WE</a>	8	1,905	548	NA	Unknown	Mobile/Embedded
<a href="#">MT8783</a>	8	1,039	353	NA	Unknown	Mobile/Embedded
<a href="#">MT8786V/CA</a>	8	3,096	1,162	NA	Unknown	Mobile/Embedded
<a href="#">MT8786V/N</a>	8	3,058	1,184	NA	Unknown	Mobile/Embedded
<a href="#">MT8788</a>	8	2,627	912	NA	Unknown	Mobile/Embedded
<a href="#">MT8789V/CT</a>	8	3,935	1,388	NA	Unknown	Mobile/Embedded
<a href="#">MT9950</a>	4	845	653	NA	Unknown	Mobile/Embedded
<a href="#">MTK6757</a>	8	1,158	709	NA	Unknown	Mobile/Embedded
<a href="#">Nvidia Tegra T132</a>	2	990	1,056	NA	Unknown	Mobile/Embedded
<a href="#">Nvidia Tegra T210</a>	4	1,635	722	NA	Unknown	Mobile/Embedded
<a href="#">Odin based on Qualcomm Technologies, Inc SM8350</a>	8	6,379	1,692	NA	Unknown	Mobile/Embedded
<a href="#">P22</a>	8	1,709	532	NA	Unknown	Mobile/Embedded
<a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>	2	1,472	1,542	NA	Unknown	Unknown
<a href="#">Pentium Dual-Core T4200 @ 2.00GHz</a>	2	578	783	NA	Unknown	Mobile/Embedded
<a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>	2	1,008	947	NA	Unknown	Unknown
<a href="#">QCT APQ8064 AWIFI</a>	4	382	276	NA	Unknown	Mobile/Embedded
<a href="#">QCT APQ8064 DEB</a>	4	453	278	NA	Unknown	Mobile/Embedded
<a href="#">QCT APQ8064 FLO</a>	4	449	282	NA	Unknown	Mobile/Embedded
<a href="#">QCT APQ8064 MAKO</a>	4	399	254	NA	Unknown	Unknown
<a href="#">Qualcomm APQ 8084 (Flattened</a>	4	761	433	NA	Unknown	Mobile/Embedded

CPU Name  Cores  - CPU Mark  - Thread Mark  - TDP (W)  Socket  Category

[Home](#) CPU Benchmarks ▼

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>	8	1,088	351	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L24</a>	8	1,065	344	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8939 HUAWEI TEXAS-A1</a>	8	1,085	383	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</a>	4	566	219	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8226</a>	4	265	176	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8228</a>	4	332	214	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8626</a>	4	294	185	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8916</a>	4	424	314	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8917</a>	4	587	371	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8926</a>	4	300	190	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8928</a>	4	337	206	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8937</a>	8	993	345	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8939</a>	8	1,013	461	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8953</a>	8	1,589	486	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974</a>	4	663	400	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AA</a>	4	587	352	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AB</a>	4	625	349	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AC</a>	4	612	381	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8992</a>	6	1,215	435	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8994</a>	8	805	440	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8996</a>	4	1,322	714	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8996PRO-AB</a>	4	1,575	946	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Snapdragon 7325</a>	8	5,329	1,992	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Snapdragon 8350</a>	8	4,599	2,482	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc 450</a>	8	1,978	459	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8009</a>	4	286	182	NA	Unknown	Mobile/Embedded

Showing 1 to 4,325 of 4,325 entries

[Previous](#) [1](#) [Next](#)

**Notes**

- 1 Price is obtained from our affiliates. If 1, it denotes the last seen price for products that are no longer available.
  - 2 CPU Value is calculated by taking CPU Mark / Price.
  - 3 Single Thread Value is calculated by taking Single Thread CPU Mark / Price.
  - 4 Power Performance is calculated by taking CPU Mark / TDP.
- Test Date is the date of our first benchmark submission.

**Software**

- [BurnInTest](#)
- [Qualcomm Technologies, Inc APQ8009 PerformanceTest](#)
- [Qualcomm Technologies, Inc APQ8053 OSForensics](#)
- [MemTest86](#)
- [Qualcomm Technologies, Inc APQ8009 WirelessMon](#)
- [Zoom Search Engine](#)
- [Free Software](#)
- [Qualcomm Technologies, Inc ATOLL-AB](#)

**Benchmarks**

- [Qualcomm Technologies, Inc BENGAL](#)
- [Qualcomm Technologies, Inc BENGAL-IOT](#)
- [Qualcomm Technologies, Inc BENGALP](#)
- [Qualcomm Technologies, Inc KHAJE](#)

**Hardware**

- [USB3.0 Loopback Plugs](#)
- [USB2.0 Loopback Plugs](#)
- [PCIe Test Cards](#)
- [USB Power Delivery Tester](#)
- [Serial and Parallel Loopback Plugs](#)
- [USB Short Circuit Testers](#)

**About Us**

- [Company](#)
- [Contact Us](#)
- [The Press Room](#)

CPU Benchmarks  
 CPU Name:  Video Card Benchmarks  
 Cores:  -  -  -  
 CPU Mark:  -  
 Thread Mark:  -  
 TDP (W):  -  
 Socket:   
 Category:

Home CPU Benchmarks

- [KONA: RAM Benchmarks](#)
- [Store](#)
- [Qualcomm PC Systems Benchmarks](#)
- [LAGOON](#)
- [Qualcomm Android Benchmarks](#)
- [Qualcomm iOS / iPhone Benchmarks](#)
- [MSM8909](#)
- [MSM8916](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8917](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8920](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8929](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8937](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8939](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8940](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8952](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8953](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8956](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8976](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8976SG](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8992](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8994](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8996](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8996pro](#)
- [Qualcomm Technologies, Inc](#)
- [MSM8998](#)
- [Qualcomm Technologies, Inc](#)
- [QCM2150](#)
- [Qualcomm Technologies, Inc](#)
- [QM215](#)
- [Qualcomm Technologies, Inc](#)
- [SA8195P](#)
- [Qualcomm Technologies, Inc](#)
- [SDA450](#)
- [Qualcomm Technologies, Inc](#)
- [SDA660](#)
- [Qualcomm Technologies, Inc](#)
- [SDM429](#)
- [Qualcomm Technologies, Inc](#)
- [SDM430](#)

[Disclaimer](#)

[Refunds](#)

[Privacy](#)

[Social](#)



Copyright © 2022 PassMark® Software



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Qualcomm Technologies, Inc MSM8917</a>	4	490	297	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8920</a>	4	436	272	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8929</a>	8	560	252	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8937</a>	8	1,054	379	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8939</a>	8	802	329	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8940</a>	8	960	329	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8952</a>	8	854	364	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8953</a>	8	1,705	522	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8956</a>	6	1,377	752	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8976</a>	8	1,544	697	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8976SG</a>	8	1,956	748	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8992</a>	6	782	558	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8994</a>	8	932	535	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8996</a>	4	1,346	872	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8996pro</a>	4	1,479	824	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8998</a>	8	2,623	1,039	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QCM2150</a>	4	356	244	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QM215</a>	4	468	294	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SA8195P</a>	8	6,554	1,741	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA450</a>	8	1,520	472	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA660</a>	8	2,444	916	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM429</a>	4	949	563	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM430</a>	8	1,387	503	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">SDM460</a>	8	1,830	612	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM630</a>	8	1,869	752	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM632</a>	8	2,023	808	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM636</a>	8	2,251	959	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM660</a>	8	2,101	936	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM662</a>	8	2,291	900	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM665</a>	8	2,333	1,082	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM670</a>	8	2,478	1,172	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM710</a>	8	2,351	1,216	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM712</a>	8	3,187	1,615	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM720G</a>	8	3,222	1,485	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM730G AIE</a>	8	3,145	1,617	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM765G 5G</a>	8	5,435	2,057	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDM778G</a>	8	3,016	1,435	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDMMAGPIE</a>	8	3,245	1,515	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SDMMAGPIEP</a>	8	2,041	727	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM4250</a>	8	2,794	1,317	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM4350</a>	8	2,419	933	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM6115</a>	8	2,116	863	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM6125</a>	8	2,663	1,263	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM6150</a>	8	2,295	1,006	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM6225</a>	8	4,385	1,888	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM6375</a>	8	3,169	1,564	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM7125</a>	8	3,111	1,404	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM7150</a>	8	3,295	1,756	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM7225</a>	8	3,367	1,541	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM7250</a>	8	4,400	1,787	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc</a> <a href="#">SM8150</a>	8	8,010	4,000	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">SM8150P</a>						
<a href="#">Qualcomm Technologies, Inc SM8250</a>	8	5,577	2,225	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8250 AC</a>	8	6,283	2,656	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8350</a>	8	5,858	2,155	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8350AC</a>	8	6,385	2,732	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc TRINKET</a>	8	2,297	899	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP</a>	8	1,426	404	NA	Unknown	Mobile/Embedded
<a href="#">Renoir based on Qualcomm Technologies, Inc SM7350</a>	8	4,755	1,797	NA	Unknown	Mobile/Embedded
<a href="#">ROC-RK3568-PC HDMI (Android)</a>	4	1,197	551	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip (Device Tree)</a>	4	634	448	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK</a>	8	1,641	783	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3229</a>	4	234	141	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3288</a>	4	708	766	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3288 (Flattened Device Tree)</a>	4	508	403	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3326</a>	4	291	207	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip rk3326 863 rkisp1 board</a>	4	386	350	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3328</a>	4	319	204	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3328 box liantong avb</a>	4	561	248	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3368</a>	8	708	333	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3399</a>	8	2,857	1,122	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 BOX DEMO V10 ANDROID Board</a>	4	1,058	516	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB1 DDR4 V10 Board</a>	4	751	466	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB2 LP4X V10 Board</a>	4	843	517	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB3 DDR3 V10 Board</a>	4	1,010	495	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 RK817 TABLET LP4X Board</a>	4	923	497	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</a>	4	795	508	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3568 EVB1 DDR4 V10 Board</a>	4	1,189	556	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3588</a>	8	6,113	1,601	NA	Unknown	Mobile/Embedded
<a href="#">rockchip_rk3328</a>	4	761	356	NA	Unknown	Mobile/Embedded
<a href="#">rockchip_rk3368</a>	8	870	347	NA	Unknown	Mobile/Embedded
<a href="#">Samsung A13 EUR OPEN REV02B board based on EXYNOS8</a>	8	1,230	470	NA	Unknown	Mobile/Embedded
<a href="#">Samsung A13 USA SINGLE REV02B board based on EXYNO</a>	8	1,528	459	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 2100</a>	8	5,085	2,026	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7420</a>	8	1,612	812	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7570</a>	4	404	272	NA	Unknown	Mobile/Embedded

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">Samsung Exynos 7884</a>	8	1,309	634	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7885</a>	8	1,723	865	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7904</a>	8	1,720	750	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 8890</a>	8	2,385	929	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 8895</a>	8	2,912	988	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9610</a>	8	2,117	954	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9611</a>	8	1,908	1,007	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9810</a>	8	3,481	1,315	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9820</a>	8	3,639	1,667	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9825</a>	8	3,582	1,613	NA	Unknown	Mobile/Embedded
<a href="#">Samsung EXYNOS5420</a>	4	642	435	NA	Unknown	Mobile/Embedded
<a href="#">Samsung EXYNOS5433</a>	8	1,076	472	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG Exynos7420</a>	8	1,881	716	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG Exynos7580</a>	8	851	254	NA	Unknown	Mobile/Embedded
<a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a>	4	312	213	NA	Unknown	Mobile/Embedded
<a href="#">Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</a>	4	415	179	NA	Unknown	Mobile/Embedded
<a href="#">Samsung J7 Max LTE SWA board based on MT6757V/WL</a>	8	950	286	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG JF</a>	4	496	328	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG SERRANO</a>	2	247	327	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Technologies, Inc Exynos E1080</a>	8	4,846	2,029	NA	Unknown	Mobile/Embedded
<a href="#">SM7325</a>	8	6,281	2,150	NA	Unknown	Mobile/Embedded
<a href="#">SM8350</a>	8	5,986	2,435	NA	Unknown	Mobile/Embedded
<a href="#">SMDK4x12</a>	8	3,006	1,271	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon</a>	4	807	383	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 7c @ 2.40 GHz</a>	8	2,878	1,167	9	Unknown	Unknown
<a href="#">Snapdragon 7c Gen 2 @ 2.55</a>	8	3,343	1,516	7	Unknown	Unknown
<a href="#">Snapdragon 835</a>	8	1,784	1,016	9	Unknown	Unknown
<a href="#">Snapdragon 850 @ 2.96 GHz</a>	8	2,544	1,379	5	Unknown	Unknown
<a href="#">Snapdragon 888</a>	4	1,630	1,190	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 898</a>	4	1,234	1,138	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 8cx @ 2.84 GHz</a>	8	3,968	1,755	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 2 @ 3.1</a>	8	5,734	1,965	7	Unknown	Unknown
<a href="#">Sony Mobile fusion3</a>	4	428	234	NA	Unknown	Unknown
<a href="#">Spreadtrum SC7731e</a>	4	294	200	NA	Unknown	Unknown
<a href="#">Spreadtrum SC9853I-IA</a>	8	734	465	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum SC9863A Board</a>	8	1,607	517	NA	Unknown	Mobile/Embedded
<a href="#">Star based on Qualcomm Technologies, Inc SM8350</a>	8	5,139	1,988	NA	Unknown	Mobile/Embedded
<a href="#">T610-Unisoc</a>	8	2,443	1,068	NA	Unknown	Mobile/Embedded
<a href="#">T618</a>	8	2,612	1,182	NA	Unknown	Mobile/Embedded
<a href="#">T700-Unisoc</a>	8	2,214	1,023	NA	Unknown	Mobile/Embedded
<a href="#">tn8</a>	4	999	621	NA	Unknown	Mobile/Embedded
<a href="#">UGOOS UT8 Board</a>	4	894	543	NA	Unknown	Mobile/Embedded
<a href="#">UIS7862A</a>	8	1,839	951	NA	Unknown	Mobile/Embedded

<input type="text" value="CPU Name"/>	<b>Cores</b>	<b>CPU Mark</b> <input type="text"/>	<b>Thread Mark</b> <input type="text"/>	<b>TDP (W)</b> <input type="text"/>	<b>Socket</b> <input type="text"/>	<b>Category</b> <input type="text"/>
---------------------------------------	--------------	--------------------------------------	---	-------------------------------------	------------------------------------	--------------------------------------

CPU Benchmarks

<a href="#">Unisoc T310</a>	4	1,450	1,161	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T610</a>	8	2,581	1,077	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T618</a>	8	2,207	1,148	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T700</a>	8	2,224	1,043	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc UIS8581A</a>	8	1,647	515	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc UIS8581E</a>	8	1,279	498	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums312</a>	4	958	1,054	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums512</a>	8	2,513	1,121	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums9230</a>	8	2,390	935	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums9230H</a>	8	2,973	1,087	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums9230T</a>	8	3,039	1,165	NA	Unknown	Mobile/Embedded
<a href="#">UNIVERSAL3475</a>	4	298	191	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin710</a>	8	3,060	1,045	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin810</a>	8	4,410	1,588	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin820</a>	8	4,605	1,662	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin9000</a>	8	6,815	2,652	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin9000E</a>	8	6,235	2,653	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin980</a>	8	5,346	1,739	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin985</a>	8	5,834	1,894	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin990</a>	8	5,755	1,981	NA	Unknown	Mobile/Embedded
<a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>	8	5,241	2,202	NA	Unknown	Mobile/Embedded
<a href="#">VIA C7-D 1800MHz</a>	1	150	147	20	BGA400	Desktop
<a href="#">VIA C7-M 1200MHz</a>	1	112	93	NA	Unknown	Unknown
<a href="#">VIA C7-M 1600MHz</a>	1	116	124	15	BGA400	Laptop
<a href="#">VIA C7-M 6300MHz</a>	1	145	121	NA	Unknown	Unknown
<a href="#">VIA Eden 1000MHz</a>	1	80	83	5	NanoBGA2	Laptop
<a href="#">VIA Eden 1200MHz</a>	1	93	97	7	NanoBGA2	Laptop
<a href="#">VIA Eden C1050@1.06GHz</a>	1	263	283	NA	Unknown	Unknown
<a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>	2	315	281	NA	Unknown	Unknown
<a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>	4	944	476	NA	Unknown	Unknown
<a href="#">VIA Esther 1000MHz</a>	1	95	82	NA	Unknown	Unknown
<a href="#">VIA Esther 1500MHz</a>	1	135	112	NA	Unknown	Unknown
<a href="#">VIA Nano L2007@1600MHz</a>	1	254	242	25	BGA400	Laptop
<a href="#">VIA Nano L2100@1800MHz</a>	1	279	182	25	BGA400	Laptop
<a href="#">VIA Nano L2207@1600MHz</a>	1	165	191	17	BGA400	Laptop
<a href="#">VIA Nano U2250 (1.6GHz Capable)</a>	1	270	259	8	BGA400	Laptop
<a href="#">VIA Nano U2250@1300+MHz</a>	1	179	156	10	BGA400	Laptop
<a href="#">VIA Nano U2500@1200MHz</a>	1	199	184	7	BGA400	Laptop
<a href="#">VIA Nano U3500@1000MHz</a>	1	184	286	5	BGA400	Laptop
<a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>	2	393	213	NA	BGA400	Laptop
<a href="#">VIA Nehemiah</a>	1	101	75	NA	Unknown	Unknown
<a href="#">VIA QuadCore C4650@2.0GHz</a>	4	1,343	558	NA	Unknown	Unknown
<a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>	4	773	355	27.5	Unknown	Laptop
<a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>	4	666	296	27.5	Unknown	Desktop
<a href="#">Vili based on Qualcomm Technologies, Inc SM8350</a>	8	5,253	1,598	NA	Unknown	Mobile/Embedded
<a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>	4	773	355	27.5	Unknown	Laptop
<a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>	4	666	296	27.5	Unknown	Desktop
<a href="#">Vili based on Qualcomm Technologies, Inc SM8350</a>	8	5,253	1,598	NA	Unknown	Mobile/Embedded



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">U6580@2.5GHz</a>						
<a href="#">ZHAOXIN KaiXian KX-U6780A@2.7GHz</a>	8	3,831	772	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian ZX-C+C4700@2.0GHz</a>	4	1,547	556	NA	Unknown	Unknown