

Układ sortymentowy pozyskania drewna

PAKIET 06

Pozycja planu	Adres	Grupa czynności	Masa	
			Sortyment	Plan
202115773	170 -f -00	CP-P	SO S2A D	3,00
202115749	46 -b -00	CSS	SO S2A D	2,00
202115749	46 -b -00	CSS	SO S4	4,00
202115749	46 -b -00	CSS	SO WA0 3	2,00
202115749	46 -b -00	CSS	SO WB0 3	6,00
202115749	46 -b -00	CSS	SO WCK 1	1,00
202115749	46 -b -00	CSS	SO WCK 2	6,00
202115749	46 -b -00	CSS	SO WCK 3	9,00
202115750	46 -d -00	CSS	SO S2A D	2,00
202115750	46 -d -00	CSS	SO S4	3,00
202115750	46 -d -00	CSS	SO WA0 3	2,00
202115750	46 -d -00	CSS	SO WB0 2	1,00
202115750	46 -d -00	CSS	SO WB0 3	10,00
202115750	46 -d -00	CSS	SO WCK 1	1,00
202115750	46 -d -00	CSS	SO WCK 2	3,00
202115750	46 -d -00	CSS	SO WCK 3	2,00
202115751	47 -d -00	CSS	DB S2A D	14,00
202115751	47 -d -00	CSS	DB S4	14,00
202115751	47 -d -00	CSS	DB WC0 2	3,00
202115751	47 -d -00	CSS	DB WC0 3	1,00
202115751	47 -d -00	CSS	DB WD 2	6,00
202115751	47 -d -00	CSS	DB WD 3	2,00
202115752	47 -f -00	CSS	DB S2A D	8,00
202115752	47 -f -00	CSS	DB S4	8,00
202115752	47 -f -00	CSS	DB WC0 2	1,00
202115752	47 -f -00	CSS	DB WC0 3	1,00
202115752	47 -f -00	CSS	DB WD 2	3,00
202115752	47 -f -00	CSS	DB WD 3	2,00
202115764	73 -g -00	IB	BK S4	5,00
202115764	73 -g -00	IB	BRZS4	13,00
202115764	73 -g -00	IB	BRZWC0 1	1,00
202115764	73 -g -00	IB	BRZWC0 2	2,00
202115764	73 -g -00	IB	BRZWD 1	1,00
202115764	73 -g -00	IB	BRZWD 2	2,00
202115764	73 -g -00	IB	DB S2A D	10,00
202115764	73 -g -00	IB	DB S4	3,00
202115764	73 -g -00	IB	DB WC0 1	1,00
202115764	73 -g -00	IB	DB WC0 2	1,00
202115764	73 -g -00	IB	DB WC0 3	1,00
202115764	73 -g -00	IB	DB WD 1	1,00
202115764	73 -g -00	IB	DB WD 2	1,00
202115764	73 -g -00	IB	DB WD 3	1,00
202115764	73 -g -00	IB	GB S4	4,00
202115764	73 -g -00	IB	KL S2A D	24,00
202115764	73 -g -00	IB	KL S4	10,00
202115764	73 -g -00	IB	LP S2A D	15,00
202115764	73 -g -00	IB	LP S4	2,00

202115764	73 -g -00	IB	MD S2A D	5,00
202115764	73 -g -00	IB	MD S4	2,00
202115764	73 -g -00	IB	MD WC0 1	6,00
202115764	73 -g -00	IB	MD WC0 2	13,00
202115764	73 -g -00	IB	MD WC0 3	1,00
202115764	73 -g -00	IB	MD WD 1	2,00
202115764	73 -g -00	IB	MD WD 2	3,00
202115764	73 -g -00	IB	SO S2A D	24,00
202115764	73 -g -00	IB	SO S4	5,00
202115764	73 -g -00	IB	SO WB0 2	5,00
202115764	73 -g -00	IB	SO WB0 3	9,00
202115764	73 -g -00	IB	SO WCK 1	8,00
202115764	73 -g -00	IB	SO WCK 2	23,00
202115764	73 -g -00	IB	SO WCK 3	18,00
202115764	73 -g -00	IB	SO WDK 1	1,00
202115764	73 -g -00	IB	SO WDK 2	1,00
202115764	73 -g -00	IB	SO WDK 3	1,00
202115764	73 -g -00	IB	SW S2A D	4,00
202115764	73 -g -00	IB	SW S4	2,00
202115764	73 -g -00	IB	SW WC0 1	3,00
202115764	73 -g -00	IB	SW WC0 2	1,00
202115764	73 -g -00	IB	SW WC0 3	1,00
202115777	236 -d -00	IB	BRZS4	1,00
202115756	70 -d -00	IIIA	BK S2A D	5,00
202115756	70 -d -00	IIIA	BK S4	10,00
202115756	70 -d -00	IIIA	BRZS2A D	5,00
202115756	70 -d -00	IIIA	BRZS4	1,00
202115756	70 -d -00	IIIA	DB S2A D	42,00
202115756	70 -d -00	IIIA	DB S4	1,00
202115756	70 -d -00	IIIA	DB WC0 1	2,00
202115756	70 -d -00	IIIA	DB WC0 2	3,00
202115756	70 -d -00	IIIA	DB WD 1	1,00
202115756	70 -d -00	IIIA	DB WD 2	1,00
202115756	70 -d -00	IIIA	GB S4	2,00
202115756	70 -d -00	IIIA	LP S2A D	7,00
202115756	70 -d -00	IIIA	PL S4	1,00
202115756	70 -d -00	IIIA	SO S2A D	40,00
202115756	70 -d -00	IIIA	SO S4	7,00
202115756	70 -d -00	IIIA	SO WA0 2	18,00
202115756	70 -d -00	IIIA	SO WA0 3	28,00
202115756	70 -d -00	IIIA	SO WB0 1	1,00
202115756	70 -d -00	IIIA	SO WB0 2	47,00
202115756	70 -d -00	IIIA	SO WB0 3	36,00
202115756	70 -d -00	IIIA	SO WCK 1	10,00
202115756	70 -d -00	IIIA	SO WCK 2	23,00
202115756	70 -d -00	IIIA	SO WCK 3	18,00
202115756	70 -d -00	IIIA	SO WDK 1	1,00
202115756	70 -d -00	IIIA	SO WDK 2	3,00
202115756	70 -d -00	IIIA	SO WDK 3	2,00
202115757	70 -i -00	IIIA	BK S2A D	10,00
202115757	70 -i -00	IIIA	BK S4	10,00
202115757	70 -i -00	IIIA	BRZS2A D	20,00
202115757	70 -i -00	IIIA	BRZS4	8,00
202115757	70 -i -00	IIIA	DB S2A D	51,00

202115757	70 -i -00	IIIA	DB S4	11,00
202115757	70 -i -00	IIIA	DB WC0 1	4,00
202115757	70 -i -00	IIIA	DB WC0 2	5,00
202115757	70 -i -00	IIIA	DB WD 1	4,00
202115757	70 -i -00	IIIA	DB WD 2	5,00
202115757	70 -i -00	IIIA	GB S4	2,00
202115757	70 -i -00	IIIA	KL S4	1,00
202115757	70 -i -00	IIIA	LP S4	9,00
202115757	70 -i -00	IIIA	PL S4	1,00
202115757	70 -i -00	IIIA	SO S2A D	26,00
202115757	70 -i -00	IIIA	SO S4	6,00
202115757	70 -i -00	IIIA	SO WA0 3	9,00
202115757	70 -i -00	IIIA	SO WB0 2	6,00
202115757	70 -i -00	IIIA	SO WB0 3	64,00
202115757	70 -i -00	IIIA	SO WCK 1	5,00
202115757	70 -i -00	IIIA	SO WCK 2	22,00
202115757	70 -i -00	IIIA	SO WCK 3	17,00
202115757	70 -i -00	IIIA	SO WDK 1	1,00
202115757	70 -i -00	IIIA	SO WDK 2	2,00
202115757	70 -i -00	IIIA	SO WDK 3	2,00
202115757	70 -i -00	IIIA	SW S4	3,00
202115753	69 -f -00	IVD	BK S4	8,00
202115753	69 -f -00	IVD	BRZS4	1,00
202115753	69 -f -00	IVD	DB S2A D	17,00
202115753	69 -f -00	IVD	DB S4	22,00
202115753	69 -f -00	IVD	DB WC0 1	1,00
202115753	69 -f -00	IVD	DB WC0 2	1,00
202115753	69 -f -00	IVD	DB WD 1	4,00
202115753	69 -f -00	IVD	DB WD 2	3,00
202115753	69 -f -00	IVD	KL S4	1,00
202115753	69 -f -00	IVD	LP S2A D	13,00
202115753	69 -f -00	IVD	LP S4	3,00
202115753	69 -f -00	IVD	PL S4	2,00
202115753	69 -f -00	IVD	SO S2A D	16,00
202115753	69 -f -00	IVD	SO S4	23,00
202115753	69 -f -00	IVD	SO WA0 2	2,00
202115753	69 -f -00	IVD	SO WA0 3	2,00
202115753	69 -f -00	IVD	SO WB0 2	26,00
202115753	69 -f -00	IVD	SO WB0 3	20,00
202115753	69 -f -00	IVD	SO WCK 1	7,00
202115753	69 -f -00	IVD	SO WCK 2	19,00
202115753	69 -f -00	IVD	SO WCK 3	21,00
202115753	69 -f -00	IVD	SO WDK 1	3,00
202115753	69 -f -00	IVD	SO WDK 2	8,00
202115753	69 -f -00	IVD	SO WDK 3	9,00
202115755	69 -m -00	IVD	BRZS4	6,00
202115755	69 -m -00	IVD	DB S4	1,00
202115755	69 -m -00	IVD	PL S4	3,00
202115755	69 -m -00	IVD	SO S2A D	10,00
202115755	69 -m -00	IVD	SO S4	5,00
202115755	69 -m -00	IVD	SO WCK 1	12,00
202115755	69 -m -00	IVD	SO WCK 2	18,00
202115755	69 -m -00	IVD	SO WCK 3	4,00
202115755	69 -m -00	IVD	SO WDK 1	1,00

202115755	69 -m -00	IVD	SO WDK 2	1,00
202115755	69 -m -00	IVD	SW S2A D	6,00
202115755	69 -m -00	IVD	SW S4	2,00
202115763	72 -i -00	IVD	BK S4	1,00
202115763	72 -i -00	IVD	KL S4	2,00
202115763	72 -i -00	IVD	LP S4	1,00
202115763	72 -i -00	IVD	MD S4	1,00
202115763	72 -i -00	IVD	SO S2A D	5,00
202115746	- -	PR	BK S2A D	2,00
202115746	- -	PR	BK S4	3,00
202115746	- -	PR	BK WC0 2	1,00
202115746	- -	PR	BK WD 2	1,00
202115746	- -	PR	BK WD 3	1,00
202115746	- -	PR	BRZS2A D	3,00
202115746	- -	PR	BRZS4	3,00
202115746	- -	PR	DB S2A D	2,00
202115746	- -	PR	DB S4	20,00
202115746	- -	PR	DB WC0 2	1,00
202115746	- -	PR	DB WC0 3	2,00
202115746	- -	PR	DB WD 2	10,00
202115746	- -	PR	DB WD 3	5,00
202115746	- -	PR	GB S4	3,00
202115746	- -	PR	LP S4	5,00
202115746	- -	PR	MD S4	3,00
202115746	- -	PR	MD WCK 2	2,00
202115746	- -	PR	MD WCK 3	1,00
202115746	- -	PR	SO S2A D	50,00
202115746	- -	PR	SO S4	15,00
202115746	- -	PR	SO WCK 1	2,00
202115746	- -	PR	SO WCK 2	10,00
202115746	- -	PR	SO WCK 3	8,00
202115746	- -	PR	SO WDK 1	5,00
202115746	- -	PR	SO WDK 2	15,00
202115746	- -	PR	SO WDK 3	15,00
202115746	- -	PR	SW S2A D	10,00
202115746	- -	PR	SW S4	5,00
202115746	- -	PR	SW WC0 1	1,00
202115746	- -	PR	SW WC0 2	3,00
202115746	- -	PR	SW WC0 3	2,00
202115746	- -	PR	SW WD 1	1,00
202115746	- -	PR	SW WD 2	8,00
202115746	- -	PR	SW WD 3	4,00
202115747	- -	PTP	BK S4	6,00
202115747	- -	PTP	BK WC0 2	3,00
202115747	- -	PTP	BK WD 2	2,00
202115747	- -	PTP	BRZS2A D	3,00
202115747	- -	PTP	BRZS4	3,00
202115747	- -	PTP	BRZWC0 1	2,00
202115747	- -	PTP	BRZWC0 2	2,00
202115747	- -	PTP	BRZWD 2	1,00
202115747	- -	PTP	DB S2A D	10,00
202115747	- -	PTP	DB S4	30,00
202115747	- -	PTP	DB WC0 2	4,00
202115747	- -	PTP	DB WD 1	2,00

202115747	- -	PTP	DB WD 2	6,00
202115747	- -	PTP	DB WD 3	6,00
202115747	- -	PTP	GB S2A D	2,00
202115747	- -	PTP	GB S4	2,00
202115747	- -	PTP	MD S2A D	2,00
202115747	- -	PTP	MD S4	2,00
202115747	- -	PTP	MD WC0 1	2,00
202115747	- -	PTP	MD WC0 2	2,00
202115747	- -	PTP	SO S2A D	60,00
202115747	- -	PTP	SO S4	20,00
202115747	- -	PTP	SO WCK 1	10,00
202115747	- -	PTP	SO WCK 2	20,00
202115747	- -	PTP	SO WDK 1	10,00
202115747	- -	PTP	SO WDK 2	5,00
202115747	- -	PTP	SW S2A D	10,00
202115747	- -	PTP	SW S4	4,00
202115747	- -	PTP	SW WC0 1	2,00
202115747	- -	PTP	SW WC0 2	2,00
202115747	- -	PTP	SW WD 1	3,00
202115747	- -	PTP	SW WD 2	3,00
202115748	- -	PTW	BRZS2A D	2,00
202115748	- -	PTW	BRZS4	2,00
202115748	- -	PTW	DB S2A D	2,00
202115748	- -	PTW	DB S4	1,00
202115748	- -	PTW	MD S2A D	5,00
202115748	- -	PTW	MD S4	2,00
202115748	- -	PTW	SO S2A D	10,00
202115748	- -	PTW	SO S4	5,00
202115760	72 -f -00	TPP	BK S4	7,00
202115760	72 -f -00	TPP	DB S4	4,00
202115760	72 -f -00	TPP	SO S2A D	22,00
202115760	72 -f -00	TPP	SO S2B D	8,00
202115760	72 -f -00	TPP	SO S4	2,00
202115760	72 -f -00	TPP	SW S4	1,00
202115761	72 -g -00	TPP	BRZS4	3,00
202115761	72 -g -00	TPP	DB S4	3,00
202115761	72 -g -00	TPP	KL S4	4,00
202115761	72 -g -00	TPP	LP S4	1,00
202115761	72 -g -00	TPP	MD S4	5,00
202115761	72 -g -00	TPP	MD WCK 1	4,00
202115761	72 -g -00	TPP	MD WCK 2	3,00
202115761	72 -g -00	TPP	MD WD 1	2,00
202115761	72 -g -00	TPP	MD WD 2	1,00
202115761	72 -g -00	TPP	SW S4	3,00
202115767	103 -b -00	TPP	DB S2A D	3,00
202115767	103 -b -00	TPP	DB S4	4,00
202115767	103 -b -00	TPP	LP S4	2,00
202115767	103 -b -00	TPP	SO S2A D	1,00
202115767	103 -b -00	TPP	SO S4	3,00
202115767	103 -b -00	TPP	SO WCK 1	3,00
202115767	103 -b -00	TPP	SO WCK 2	7,00
202115769	126 -g -00	TPP	BRZS4	3,00
202115769	126 -g -00	TPP	DB S4	7,00
202115769	126 -g -00	TPP	SO S2A D	29,00

202115769	126 -g -00	TPP	SO S4	8,00
202115769	126 -g -00	TPP	SO WCK 1	25,00
202115769	126 -g -00	TPP	SO WCK 2	15,00
202115769	126 -g -00	TPP	SO WDK 1	4,00
202115769	126 -g -00	TPP	SO WDK 2	4,00
202115771	168 -d -00	TPP	SO S2A D	15,00
202115771	168 -d -00	TPP	SO S4	5,00
202115771	168 -d -00	TPP	SO WCK 1	15,00
202115771	168 -d -00	TPP	SO WCK 2	10,00
202115771	168 -d -00	TPP	SO WDK 1	3,00
202115771	168 -d -00	TPP	SO WDK 2	2,00
202115771	168 -d -00	TPP	SW S2A D	12,00
202115771	168 -d -00	TPP	SW S4	5,00
202115754	69 -i -00	TWP	SO S4	1,00
202115758	70 -j -00	TWP	BRZS4	1,00
202115758	70 -j -00	TWP	DB S4	1,00
202115758	70 -j -00	TWP	MD S4	1,00
202115758	70 -j -00	TWP	SO S2A D	50,00
202115758	70 -j -00	TWP	SW S4	2,00
202115762	72 -h -00	TWP	BK S4	1,00
202115762	72 -h -00	TWP	DB S4	4,00
202115762	72 -h -00	TWP	SO S2A D	14,00
202115762	72 -h -00	TWP	SO S4	2,00
202115765	80 -d -00	TWP	SW S2A D	15,00
202115765	80 -d -00	TWP	SW S4	2,00
202115766	102 -l -00	TWP	BK S4	1,00
202115766	102 -l -00	TWP	DB S4	2,00
202115766	102 -l -00	TWP	LP S4	5,00
202115766	102 -l -00	TWP	SW S4	5,00
202115768	103 -c -00	TWP	BRZS4	1,00
202115768	103 -c -00	TWP	DB S4	1,00
202115768	103 -c -00	TWP	SO S2A D	15,00
202115768	103 -c -00	TWP	SO S2B D	8,00
202115768	103 -c -00	TWP	SO S4	1,00
202115774	173 -s -00	TWP	BRZS4	6,00
202115774	173 -s -00	TWP	MD S4	3,00
202115774	173 -s -00	TWP	SO S2A D	27,00
202115774	173 -s -00	TWP	SO S4	4,00

2 210,00

PAKIET 06

Zestawienie stopni trudności i współczynników utrudnień pozyskania drewna

Grupy gat.: 1: So, Md, Os, Tp, Lp, Wb; 2: Św, Jd, Dg; 3: pozostałe

Czynność	Grupa gat.	Sort.	Śred./dł.	St. trud. II	St. trud. III	St. trud. IV	Razem	
CWDN-D	1	W	do 24	48,00	97,00		145,00	
			pow. 24	394,00	268,00		662,00	
		S4	-	38,00	104,00	24,00	166,00	
		S2	dł. pow. 1,5	132,00	220,00	132,00	484,00	
	2	W	do 24	3,00	7,00		10,00	
			pow. 24	2,00	22,00		24,00	
		S4	-	7,00	18,00	9,00	34,00	
		S2	dł. pow. 1,5	10,00	32,00	15,00	57,00	
	3	W	do 24	15,00	9,00		24,00	
			pow. 24	22,00	68,00		90,00	
		S4	-	96,00	162,00	21,00	279,00	
		S2	dł. pow. 1,5	167,00	64,00	4,00	235,00	
	Razem:				934,00	1 071,00	205,00	2 210,00

PAKIET 06

Zestawienie stref i odległości zrywki

Odl. zrywki w mb do:	Sposób zagosp.	Iglaste/ liściaste	Sort.	St. trud. I	St. trud. II	St. trud. III	Razem	
100	zrębony	iglaste	W			96,00	96,00	
			S4			9,00	9,00	
			S2			33,00	33,00	
		liściaste	W			12,00	12,00	
			S4	1,00		37,00	38,00	
			S2			49,00	49,00	
	bezzrębony	iglaste	W		147,00			147,00
			S4		34,00			34,00
			S2		43,00			43,00
		liściaste	W		9,00	7,00		16,00
			S4		37,00	8,00		45,00
			S2		30,00	8,00		38,00
150	bezzrębony	iglaste	S4	3,00			3,00	
			S2	50,00			50,00	
		liściaste	S4	2,00			2,00	
200	bezzrębony	iglaste	W	300,00			300,00	
			S4	38,00		5,00	43,00	
			S2	123,00			123,00	
		liściaste	W	7,00	12,00		19,00	
			S4	48,00	14,00	8,00	70,00	
			S2	66,00	14,00		80,00	
300	bezzrębony	iglaste	W	288,00	10,00		298,00	
			S4	69,00	12,00		81,00	
			S2	187,00	56,00		243,00	
		liściaste	W	67,00			67,00	
			S4	123,00	24,00		147,00	
			S2	103,00			103,00	
400	bezzrębony	iglaste	S4	2,00			2,00	
			S2	14,00			14,00	
		liściaste	S4	5,00			5,00	
Razem:				1 796,00	165,00	249,00	2 210,00	