

## Układ sortymentowy pozyskania drewna

Pakiet 04

Pozycja planu	Adres	Grupa czynności	Masa	
			Sortyment	Plan
202115708	123 -c -00	CSS	SO S2A D	10,00
202115708	123 -c -00	CSS	SO S4	2,00
202115708	123 -c -00	CSS	SO WA0 2	8,00
202115708	123 -c -00	CSS	SO WB0 1	1,00
202115708	123 -c -00	CSS	SO WB0 2	6,00
202115708	123 -c -00	CSS	SO WB0 3	2,00
202115708	123 -c -00	CSS	SO WC0 1	1,00
202115708	123 -c -00	CSS	SO WC0 2	5,00
202115708	123 -c -00	CSS	SO WCK 1	5,00
202115710	123 -d -00	CSS	SO S2A D	15,00
202115710	123 -d -00	CSS	SO S4	6,00
202115710	123 -d -00	CSS	SO WA0 2	5,00
202115710	123 -d -00	CSS	SO WB0 1	1,00
202115710	123 -d -00	CSS	SO WB0 2	2,00
202115710	123 -d -00	CSS	SO WC0 1	15,00
202115710	123 -d -00	CSS	SO WC0 2	7,00
202115710	123 -d -00	CSS	SO WCK 1	7,00
202115710	123 -d -00	CSS	SO WD 1	1,00
202115707	96 -d -00	IB	SO S2A D	140,00
202115707	96 -d -00	IB	SO S2B D	7,00
202115707	96 -d -00	IB	SO S4	73,00
202115707	96 -d -00	IB	SO WA0 2	51,00
202115707	96 -d -00	IB	SO WA0 3	11,00
202115707	96 -d -00	IB	SO WB0 1	82,00
202115707	96 -d -00	IB	SO WB0 2	109,00
202115707	96 -d -00	IB	SO WB0 3	5,00
202115707	96 -d -00	IB	SO WC0 1	85,00
202115707	96 -d -00	IB	SO WC0 2	64,00
202115707	96 -d -00	IB	SO WC0 3	3,00
202115707	96 -d -00	IB	SO WCK 1	93,00
202115707	96 -d -00	IB	SO WCK 2	3,00
202115707	96 -d -00	IB	SO WD 1	3,00
202115707	96 -d -00	IB	SO WD 2	2,00
202115707	96 -d -00	IB	SO WDK 1	3,00
202115707	96 -d -00	IB	SW S4	1,00
202115709	123 -d -00	IB	BK S4	3,00
202115709	123 -d -00	IB	BRZS2A D	1,00
202115709	123 -d -00	IB	BRZS4	1,00
202115709	123 -d -00	IB	DB S4	1,00
202115709	123 -d -00	IB	SO S2A D	101,00
202115709	123 -d -00	IB	SO S2B D	5,00
202115709	123 -d -00	IB	SO S4	37,00
202115709	123 -d -00	IB	SO WA0 2	52,00
202115709	123 -d -00	IB	SO WA0 3	13,00
202115709	123 -d -00	IB	SO WB0 1	38,00
202115709	123 -d -00	IB	SO WB0 2	103,00
202115709	123 -d -00	IB	SO WB0 3	6,00

202115709	123 -d -00	IB	SO WC0 1	29,00
202115709	123 -d -00	IB	SO WC0 2	40,00
202115709	123 -d -00	IB	SO WC0 3	4,00
202115709	123 -d -00	IB	SO WCK 1	88,00
202115709	123 -d -00	IB	SO WCK 2	3,00
202115709	123 -d -00	IB	SO WD 1	2,00
202115709	123 -d -00	IB	SO WD 2	3,00
202115709	123 -d -00	IB	SO WDK 1	7,00
202115709	123 -d -00	IB	SW S2A D	2,00
202115733	188 -d -00	IB	SO S2A D	82,00
202115733	188 -d -00	IB	SO S2B D	4,00
202115733	188 -d -00	IB	SO S4	41,00
202115733	188 -d -00	IB	SO WA0 2	35,00
202115733	188 -d -00	IB	SO WA0 3	17,00
202115733	188 -d -00	IB	SO WB0 1	8,00
202115733	188 -d -00	IB	SO WB0 2	41,00
202115733	188 -d -00	IB	SO WB0 3	15,00
202115733	188 -d -00	IB	SO WC0 1	1,00
202115733	188 -d -00	IB	SO WC0 2	2,00
202115733	188 -d -00	IB	SO WC0 3	1,00
202115733	188 -d -00	IB	SO WCK 1	56,00
202115733	188 -d -00	IB	SO WCK 2	10,00
202115733	188 -d -00	IB	SO WDK 1	4,00
202115733	188 -d -00	IB	SO WDK 2	1,00
202115733	188 -d -00	IB	SW S2A D	5,00
202115733	188 -d -00	IB	SW S4	1,00
202115734	189 -d -00	IB	SO S2A D	90,00
202115734	189 -d -00	IB	SO S4	18,00
202115734	189 -d -00	IB	SO WA0 2	17,00
202115734	189 -d -00	IB	SO WB0 1	15,00
202115734	189 -d -00	IB	SO WB0 2	62,00
202115734	189 -d -00	IB	SO WB0 3	5,00
202115734	189 -d -00	IB	SO WCK 1	129,00
202115734	189 -d -00	IB	SO WCK 2	96,00
202115734	189 -d -00	IB	SO WCK 3	9,00
202115734	189 -d -00	IB	SO WDK 1	5,00
202115734	189 -d -00	IB	SO WDK 2	4,00
202115734	189 -d -00	IB	SW S4	1,00
202115706	96 -b -00	IIIA	BRZS2A D	9,00
202115706	96 -b -00	IIIA	BRZS4	2,00
202115706	96 -b -00	IIIA	BRZWC0 1	4,00
202115706	96 -b -00	IIIA	BRZWC0 2	2,00
202115706	96 -b -00	IIIA	SO S2A D	15,00
202115706	96 -b -00	IIIA	SO S4	3,00
202115706	96 -b -00	IIIA	SO WCK 1	10,00
202115706	96 -b -00	IIIA	SO WCK 2	23,00
202115706	96 -b -00	IIIA	SO WCK 3	7,00
202115706	96 -b -00	IIIA	SO WDK 2	1,00
202115706	96 -b -00	IIIA	SW S2A D	1,00
202115732	187 -g -00	IIIA	BK S4	1,00
202115732	187 -g -00	IIIA	BRZS4	1,00
202115732	187 -g -00	IIIA	SO S2A D	8,00
202115732	187 -g -00	IIIA	SO S4	3,00
202115732	187 -g -00	IIIA	SO WB0 2	4,00

202115732	187 -g -00	IIIA	SO WCK 1	11,00
202115732	187 -g -00	IIIA	SO WCK 2	21,00
202115732	187 -g -00	IIIA	SO WCK 3	3,00
202115732	187 -g -00	IIIA	SO WDK 2	1,00
202116113	178 -a -00	IIIA	SO S2A D	90,00
202116113	178 -a -00	IIIA	SO S4	23,00
202116113	178 -a -00	IIIA	SO WA0 2	32,00
202116113	178 -a -00	IIIA	SO WA0 3	17,00
202116113	178 -a -00	IIIA	SO WB0 1	3,00
202116113	178 -a -00	IIIA	SO WB0 2	59,00
202116113	178 -a -00	IIIA	SO WB0 3	8,00
202116113	178 -a -00	IIIA	SO WCK 1	67,00
202116113	178 -a -00	IIIA	SO WCK 2	108,00
202116113	178 -a -00	IIIA	SO WCK 3	35,00
202116113	178 -a -00	IIIA	SO WDK 1	3,00
202116113	178 -a -00	IIIA	SO WDK 2	5,00
202116113	178 -a -00	IIIA	SO WDK 3	2,00
202116113	178 -a -00	IIIA	SW S2A D	2,00
202116114	187 -f -00	IIIAU	BRZS2A D	2,00
202116114	187 -f -00	IIIAU	BRZS4	1,00
202116114	187 -f -00	IIIAU	SO S2A D	109,00
202116114	187 -f -00	IIIAU	SO S4	22,00
202116114	187 -f -00	IIIAU	SO WA0 2	43,00
202116114	187 -f -00	IIIAU	SO WA0 3	17,00
202116114	187 -f -00	IIIAU	SO WB0 1	4,00
202116114	187 -f -00	IIIAU	SO WB0 2	86,00
202116114	187 -f -00	IIIAU	SO WB0 3	10,00
202116114	187 -f -00	IIIAU	SO WCK 1	41,00
202116114	187 -f -00	IIIAU	SO WCK 2	66,00
202116114	187 -f -00	IIIAU	SO WCK 3	34,00
202116114	187 -f -00	IIIAU	SO WDK 1	1,00
202116114	187 -f -00	IIIAU	SO WDK 2	2,00
202116114	187 -f -00	IIIAU	SO WDK 3	1,00
202116114	187 -f -00	IIIAU	SW S4	1,00
202115719	165 -d -00	IVDU	BRZS2A D	3,00
202115719	165 -d -00	IVDU	BRZS4	2,00
202115719	165 -d -00	IVDU	BRZWC0 1	1,00
202115719	165 -d -00	IVDU	BRZWC0 2	1,00
202115719	165 -d -00	IVDU	BRZWD 1	1,00
202115719	165 -d -00	IVDU	BRZWD 2	1,00
202115719	165 -d -00	IVDU	DB S2A D	2,00
202115719	165 -d -00	IVDU	DB S4	1,00
202115719	165 -d -00	IVDU	DB WC0 1	1,00
202115719	165 -d -00	IVDU	DB WC0 2	1,00
202115719	165 -d -00	IVDU	DB WD 1	1,00
202115719	165 -d -00	IVDU	DB WD 2	1,00
202115719	165 -d -00	IVDU	SO S2A D	78,00
202115719	165 -d -00	IVDU	SO S4	18,00
202115719	165 -d -00	IVDU	SO WA0 2	31,00
202115719	165 -d -00	IVDU	SO WA0 3	43,00
202115719	165 -d -00	IVDU	SO WB0 2	18,00
202115719	165 -d -00	IVDU	SO WB0 3	9,00
202115719	165 -d -00	IVDU	SO WC0 2	6,00
202115719	165 -d -00	IVDU	SO WC0 3	3,00

202115719	165 -d -00	IVDU	SO WCK 1	23,00
202115719	165 -d -00	IVDU	SO WCK 2	28,00
202115719	165 -d -00	IVDU	SO WDK 1	1,00
202115719	165 -d -00	IVDU	SO WDK 2	1,00
202115719	165 -d -00	IVDU	SW S2A D	18,00
202115719	165 -d -00	IVDU	SW WC0 1	11,00
202115719	165 -d -00	IVDU	SW WC0 2	17,00
202115719	165 -d -00	IVDU	SW WC0 3	8,00
202115719	165 -d -00	IVDU	SW WD 1	2,00
202115719	165 -d -00	IVDU	SW WD 2	3,00
202115719	165 -d -00	IVDU	SW WD 3	1,00
202115704	- -	PR	SO S2A D	30,00
202115704	- -	PR	SO S4	10,00
202115704	- -	PR	SO WC0 1	20,00
202115704	- -	PR	SO WC0 2	10,00
202115704	- -	PR	SO WC0 3	5,00
202115704	- -	PR	SW S2A D	25,00
202115704	- -	PR	SW S4	10,00
202115704	- -	PR	SW WC0 1	15,00
202115704	- -	PR	SW WC0 2	10,00
202115704	- -	PR	SW WC0 3	5,00
202115705	- -	PTP	BRZS2A D	10,00
202115705	- -	PTP	BRZS4	10,00
202115705	- -	PTP	BRZWC0 1	10,00
202115705	- -	PTP	SO S2A D	200,00
202115705	- -	PTP	SO S4	30,00
202115705	- -	PTP	SO WC0 1	35,00
202115705	- -	PTP	SO WC0 2	10,00
202115705	- -	PTP	SO WC0 3	5,00
202115705	- -	PTP	SW S2A D	20,00
202115705	- -	PTP	SW WC0 1	20,00
202115705	- -	PTP	SW WC0 2	10,00
202115705	- -	PTP	SW WC0 3	5,00
202115702	- -	PTW	SO S2A D	50,00
202115713	161 -b -00	TPP	BRZS4	1,00
202115713	161 -b -00	TPP	SO S2A D	30,00
202115713	161 -b -00	TPP	SO S2B D	15,00
202115715	161 -g -00	TPP	SO S2A D	30,00
202115715	161 -g -00	TPP	SO S2B D	10,00
202115715	161 -g -00	TPP	SO S3B	1,00
202115716	163 -c -00	TPP	BRZS2A D	10,00
202115716	163 -c -00	TPP	BRZS4	5,00
202115716	163 -c -00	TPP	SO S2A D	190,00
202115716	163 -c -00	TPP	SO S4	10,00
202115716	163 -c -00	TPP	SO WCK 1	120,00
202115716	163 -c -00	TPP	SO WCK 2	19,00
202115718	164 -d -00	TPP	SO S2A D	43,00
202115718	164 -d -00	TPP	SO S4	2,00
202115718	164 -d -00	TPP	SO WCK 1	50,00
202115718	164 -d -00	TPP	SO WCK 2	5,00
202115718	164 -d -00	TPP	SW S2A D	7,00
202115718	164 -d -00	TPP	SW S4	3,00
202115718	164 -d -00	TPP	SW WC0 1	10,00
202115718	164 -d -00	TPP	SW WC0 2	3,00

202115720	174 -a -00	TPP	BRZS4	2,00
202115720	174 -a -00	TPP	SO S2A D	40,00
202115720	174 -a -00	TPP	SO S2B D	21,00
202115724	179 -a -00	TPP	BRZS2A D	4,00
202115724	179 -a -00	TPP	BRZS4	2,00
202115724	179 -a -00	TPP	SO S2A D	25,00
202115724	179 -a -00	TPP	SO S2B D	15,00
202115724	179 -a -00	TPP	SO S4	1,00
202115725	179 -b -00	TPP	BRZS4	2,00
202115725	179 -b -00	TPP	SO S2A D	40,00
202115725	179 -b -00	TPP	SO S2B D	30,00
202115725	179 -b -00	TPP	SO S4	4,00
202115726	179 -c -00	TPP	BRZS2A D	2,00
202115726	179 -c -00	TPP	BRZS4	1,00
202115726	179 -c -00	TPP	SO S2A D	33,00
202115726	179 -c -00	TPP	SO S2B D	15,00
202115726	179 -c -00	TPP	SO S4	2,00
202115729	180 -b -00	TPP	SO S2A D	20,00
202115729	180 -b -00	TPP	SO S2B D	17,00
202115722	175 -i -00	TWP	BRZS2A D	3,00
202115722	175 -i -00	TWP	SO S2A D	11,00
202115723	175 -n -00	TWP	SO S2A D	15,00
202115723	175 -n -00	TWP	SO S4	5,00
202115723	175 -n -00	TWP	SW S2A D	11,00

4 947,00

## PAKIET 04

## Zestawienie stopni trudności i współczynników utrudnień pozyskania drewna

Grupy gat.: 1: So, Md, Os, Tp, Lp, Wb; 2: Św, Jd, Dg; 3: pozostałe

Czynność	Grupa gat.	Sort.	Śred./dł.	St. trud. I	St. trud. II	St. trud. III	St. trud. IV	Razem	
CWDN-D	1	W	do 24	484,00	304,00	251,00		1 039,00	
			pow. 24	563,00	809,00	89,00		1 461,00	
		S4	-	132,00	88,00	67,00		287,00	
		S3	-			1,00		1,00	
		S2	dł. pow. 1,5	323,00	328,00	829,00	10	1 490,00	
	2	W	do 24				40,00		40,00
			pow. 24				33,00		33,00
		S4	-	3,00	1,00	3,00		7,00	
		S2	dł. pow. 1,5	5,00	3,00	52,00		60,00	
	3	W	do 24			4,00			4,00
			pow. 24			2,00			2,00
		S4	-		5,00	13,00		18,00	
		S2	dł. pow. 1,5		11,00	16,00		27,00	
	CWDPN	1	W	do 24			29,00		29,00
				pow. 24			139,00		139,00
S4			-			18,00	5,00	23,00	
S2			dł. pow. 1,5			78,00	66,00	144,00	
2		W	do 24				18,00		18,00
			pow. 24				29,00		29,00
		S4	-			10,00		10,00	
		S2	dł. pow. 1,5		2,00	18,00	11,00	31,00	
3		W	do 24				14,00		14,00
			pow. 24				4,00		4,00
		S4	-		5,00	13,00		18,00	
		S2	dł. pow. 1,5		1,00	15,00	3,00	19,00	
<b>Razem:</b>				1 510,00	1 563,00	1 779,00	95,00	4 947,00	

## PAKIET 04

## Zestawienie stref i odległości zrywki

Odl. zrywki w mb do:	Sposób zagosp.	Iglaste/ liściaste	Sort.	St. trud. I	Razem
100	zrębony	iglaste	W	1 093,00	1 093,00
			S4	153,00	153,00
			S2	346,00	346,00
		liściaste	S4	5,00	5,00
			S2	1,00	1,00
	bezzrębony	iglaste	W	691,00	691,00
			S4	55,00	55,00
			S2	319,00	319,00
		liściaste	W	14,00	14,00
			S4	8,00	8,00
			S2	14,00	14,00
200	zrębony	iglaste	W	342,00	342,00
			S4	19,00	19,00
			S2	90,00	90,00
	bezzrębony	iglaste	W	512,00	512,00
			S4	50,00	50,00
			S3	1,00	1,00
			S2	634,00	634,00
		liściaste	S4	13,00	13,00
			S2	18,00	18,00
300	bezzrębony	iglaste	S2	11,00	11,00
		liściaste	S2	3,00	3,00
350	bezzrębony	iglaste	W	150,00	150,00
			S4	50,00	50,00
			S2	325,00	325,00
		liściaste	W	10,00	10,00
			S4	10,00	10,00
			S2	10,00	10,00
<b>Razem:</b>				<b>4 947,00</b>	<b>4 947,00</b>