

# CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

## CPU Mega List

Below is a list of all single socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

### Single CPU Systems *Last Updated: 27th of March 2022*

Columns

Show All entries

CPU Name <input type="text" value="Search..."/>	Cores	CPU Mark		Thread Mark		TDP (W)		Socket	Category
		Min... Max...	-	Min... Max...	-	Min... Max...	-		
<a href="#">Intel Pentium 4 1300MHz</a>	1	77		203		51.6		PGA423	Desktop
<a href="#">VIA Eden 1000MHz</a>	1	80		83		5		NanoBGA2	Laptop
<a href="#">Intel Pentium 4 1500MHz</a>	1	81		223		57.8		PGA423	Desktop
<a href="#">Intel Pentium 4 1400MHz</a>	1	83		180		54.7		PGA423	Desktop
<a href="#">Intel Pentium 4 1.60GHz</a>	1	84		225		38		PGA478	Desktop
<a href="#">Intel Pentium 4 1.50GHz</a>	1	86		228		57.8		PGA423	Desktop
<a href="#">Intel Pentium 4 1.70GHz</a>	1	86		254		64		PGA423	Desktop
<a href="#">ARM Cortex-A7 2 Core 960 MHz</a>	2	93		140		NA		Unknown	Unknown
<a href="#">VIA Eden 1200MHz</a>	1	93		97		7		NanoBGA2	Laptop
<a href="#">VIA Esther 1000MHz</a>	1	95		82		NA		Unknown	Unknown
<a href="#">Intel Celeron 1.80GHz</a>	1	96		307		66.1		PPGA478	Desktop
<a href="#">Intel Pentium III Mobile 866MHz</a>	1	99		132		NA		Unknown	Laptop
<a href="#">Intel Pentium 4 1700MHz</a>	1	100		266		64		PGA423	Desktop
<a href="#">Intel Celeron 1.70GHz</a>	1	101		190		NA		Unknown	Unknown
<a href="#">VIA Nehemiah</a>	1	101		75		NA		Unknown	Unknown
<a href="#">Intel Pentium 4 1.90GHz</a>	1	104		292		69.2		PGA423	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

 CPU Benchmarks 

<a href="#">Intel Pentium 4 1800MHz</a>	1	114	317	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 Mobile 1.80GHz</a>	1	114	195	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 1.80GHz</a>	1	115	318	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 Mobile 1.60GHz</a>	1	116	254	NA	Unknown	Laptop
<a href="#">VIA C7-M 1600MHz</a>	1	116	124	15	BGA400	Laptop
<a href="#">Mobile Intel Celeron 1.70GHz</a>	1	118	254	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 800MHz</a>	1	119	155	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>	1	119	297	NA	Unknown	Laptop
<a href="#">AMD G-T40R</a>	1	120	327	5.5	FT1	Laptop
<a href="#">Mobile Intel Celeron 1.80GHz</a>	1	121	280	66.1	PPGA478	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>	1	121	297	NA	Unknown	Laptop
<a href="#">Intel Atom Z520 @ 1.33GHz</a>	1	122	151	2	BGA441	Laptop
<a href="#">Intel Celeron M 410 @ 1.46GHz</a>	1	123	301	27	PPGA478	Laptop
<a href="#">Intel Celeron M 900MHz</a>	1	123	155	NA	Unknown	Laptop
<a href="#">Intel Celeron 2.00GHz</a>	1	125	338	52.8	PPGA478	Desktop
<a href="#">Intel Celeron M 443 @ 1.20GHz</a>	1	125	288	5.5	PBGA479	Laptop
<a href="#">Intel Core Solo U1300 @ 1.06GHz</a>	1	127	340	6	PBGA479	Laptop
<a href="#">AMD G-T44R</a>	1	130	328	9	FT1	Laptop
<a href="#">Intel Core Solo U1400 @ 1.20GHz</a>	1	130	365	5.5	PBGA479	Laptop
<a href="#">Mobile Intel Pentium III - M 933MHz</a>	1	130	177	20.1	BGA2, microPGA2	Laptop
<a href="#">Intel Pentium 4 2.40GHz</a>	1	131	360	59.8	PGA478	Desktop
<a href="#">Intel Pentium 4 Mobile 2.00GHz</a>	1	132	310	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 2.00GHz</a>	1	133	349	54.3	PGA478	Desktop
<a href="#">Mobile Intel Celeron 2.00GHz</a>	1	133	290	NA	Unknown	Laptop
<a href="#">VIA Esther 1500MHz</a>	1	135	112	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 Mobile 1.90GHz</a>	1	136	282	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.00GHz</a>	1	138	345	NA	Unknown	Laptop
<a href="#">Intel Celeron 1000MHz</a>	1	139	174	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.20GHz</a>	1	139	349	NA	Unknown	Unknown
<a href="#">Intel Celeron M 420 @ 1.60GHz</a>	1	139	391	27	PPGA478	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.40GHz</a>	1	139	317	NA	Unknown	Laptop
<a href="#">Intel Pentium M 900MHz</a>	1	141	200	7	Unknown	Laptop
<a href="#">ARM Cortex-A7 2 Core 1080 MHz</a>	2	142	200	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.40GHz</a>	1	143	397	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.60GHz</a>	1	143	353	NA	Unknown	Unknown
<a href="#">Mobile Intel Pentium 4 - M 2.20GHz</a>	1	143	388	NA	Unknown	Laptop
<a href="#">VIA C7-M 6300MHz</a>	1	145	121	NA	Unknown	Unknown
<a href="#">Mobile Intel Pentium III - M 1200MHz</a>	1	146	185	22	BGA2, microPGA2	Laptop
<a href="#">Mobile Intel Celeron 2.20GHz</a>	1	147	355	NA	Unknown	Laptop
<a href="#">Intel Celeron 2.30GHz</a>	1	148	364	NA	Unknown	Unknown

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Pentium 4 2.26GHz</a>	1	151	409	58	PGA478	Desktop
<a href="#">Intel Xeon 2.00GHz</a>	1	152	259	NA	Unknown	Server
<a href="#">Intel Atom N435 @ 1.33GHz</a>	1	153	220	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 2000+</a>	1	154	173	8	Unknown	Unknown
<a href="#">Intel Celeron 2.66GHz</a>	1	154	417	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 3.83GHz</a>	1	154	237	NA	Unknown	Desktop
<a href="#">Mobile Intel Celeron 2.40GHz</a>	1	154	376	NA	Unknown	Laptop
<a href="#">Intel Celeron M 440 @ 1.86GHz</a>	1	155	440	27	PBGA479, PPGA478	Laptop
<a href="#">Intel Pentium M 1200MHz</a>	1	155	166	12	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 1200MHz</a>	1	156	216	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1000MHz</a>	1	156	222	7	Unknown	Laptop
<a href="#">Intel Pentium 4 2.20GHz</a>	1	157	379	57.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.66GHz</a>	1	157	431	66.1	PGA478	Desktop
<a href="#">Intel Atom Z670 @ 1.50GHz</a>	1	158	95	3	BGA518	Laptop
<a href="#">Intel Atom E3815 @ 1.46GHz</a>	1	159	238	5	FCBGA1170	Desktop
<a href="#">Intel Celeron 1200MHz</a>	1	159	212	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.70GHz</a>	1	159	386	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 2.50GHz</a>	1	160	385	61	PGA478	Desktop
<a href="#">Intel Pentium III Mobile 1066MHz</a>	1	160	210	NA	Unknown	Laptop
<a href="#">Intel Atom N455 @ 1.66GHz</a>	1	162	258	6.5	BGA559	Laptop
<a href="#">Intel Pentium 4 2.53GHz</a>	1	162	442	61.5	PGA478	Desktop
<a href="#">Intel Celeron 2.50GHz</a>	1	164	431	NA	Unknown	Unknown
<a href="#">Intel Core Solo U1500 @ 1.33GHz</a>	1	164	375	5.5	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 1133MHz</a>	1	164	218	NA	Unknown	Laptop
<a href="#">Intel XEON 2.20GHz</a>	1	164	351	NA	Unknown	Server
<a href="#">Mobile AMD Sempron 2100+</a>	1	164	203	8	S1	Laptop, Mobile/Embedded
<a href="#">VIA Nano L2207@1600MHz</a>	1	165	191	17	BGA400	Laptop
<a href="#">Intel Celeron 2.13GHz</a>	1	166	361	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 1500+</a>	1	167	251	NA	Unknown	Unknown
<a href="#">Intel Celeron M 430 @ 1.73GHz</a>	1	169	466	27	PPGA478	Laptop
<a href="#">Mobile AMD Athlon XP-M 1600+</a>	1	169	274	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon MP-M 1800+</a>	1	173	262	35	Unknown	Laptop
<a href="#">AMD Athlon XP 1600+</a>	1	174	265	NA	Unknown	Unknown
<a href="#">Intel Celeron 215 @ 1.33GHz</a>	1	174	440	27	BGA479	Laptop
<a href="#">Intel Atom N270 @ 1.60GHz</a>	1	175	164	2.5	BGA437	Laptop
<a href="#">Intel Atom N280 @ 1.66GHz</a>	1	175	226	2.5	BGA437	Laptop
<a href="#">AMD Athlon XP 1700+</a>	1	176	272	64	Socket A (462)	Desktop
<a href="#">AMD G-T52R</a>	1	177	381	18	FT1	Laptop
<a href="#">Intel Atom D410 @ 1.66GHz</a>	1	177	254	10	BGA559	Desktop
<a href="#">Intel Atom N450 @ 1.66GHz</a>	1	177	270	5.5	BGA559	Laptop
<a href="#">AMD C-30</a>	1	178	375	9	FT1	Laptop
<a href="#">Intel Atom N475 @ 1.83GHz</a>	1	179	281	6.5	BGA559	Laptop
<a href="#">VIA Nano U2250@1300+MHz</a>	1	179	156	10	BGA400	Laptop
<a href="#">Intel Xeon 2.40GHz</a>	1	180	387	NA	Unknown	Server
<a href="#">AMD E-240</a>	1	182	385	18	FT1	Laptop
<a href="#">Intel Celeron 2.26GHz</a>	1	182	382	NA	Unknown	Unknown

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

[Home](#) CPU Benchmarks ▼

<a href="#">Mobile Intel Celeron 1333MHz</a>	1	183	248	NA	Unknown	Laptop
<a href="#">AMD Sempron 2200+</a>	1	184	279	NA	Socket A	Desktop
<a href="#">AMD V105</a>	1	184	452	9	BGA812	Laptop
<a href="#">Intel Pentium M 1.10GHz</a>	1	184	218	NA	Unknown	Unknown
<a href="#">VIA Nano U3500@1000MHz</a>	1	184	286	5	BGA400	Laptop
<a href="#">Intel Atom N2100 @ 1.60GHz</a>	1	188	310	NA	BGA559	Laptop
<a href="#">Intel Pentium M 1500MHz</a>	1	188	251	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Celeron 2.80GHz</a>	1	190	425	68.4	PPGA478	Desktop
<a href="#">Intel Celeron M 1.60GHz</a>	1	190	433	NA	Unknown	Laptop
<a href="#">AMD Athlon 1500+</a>	1	191	275	NA	Unknown	Unknown
<a href="#">Mobile AMD Athlon MP-M 2400+</a>	1	192	314	NA	Unknown	Laptop
<a href="#">Intel Pentium III 1400 @ 1400MHz</a>	1	193	272	31.2	Socket 370	Desktop
<a href="#">Intel Pentium M 1600MHz</a>	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile AMD Athlon XP-M 1800+</a>	1	193	291	45	Socket A	Laptop
<a href="#">Intel Core Solo T1350 @ 1.86GHz</a>	1	194	413	31	Unknown	Laptop
<a href="#">Intel Pentium III 1400S @ 1400MHz</a>	1	194	278	32.2	Socket 370	Desktop
<a href="#">AMD Athlon XP 1800+</a>	1	195	301	66	Socket A	Desktop
<a href="#">AMD Athlon XP 2000+</a>	1	195	311	70	Socket A	Desktop
<a href="#">Intel Pentium M 1.30GHz</a>	1	196	250	22	H-PBGA479, PPG	Laptop
<a href="#">Mobile AMD Athlon XP-M 2000+</a>	1	196	301	NA	Unknown	Laptop
<a href="#">AMD Athlon L110</a>	1	197	223	13	Unknown	Unknown
<a href="#">Intel Celeron M 1300MHz</a>	1	197	274	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1300MHz</a>	1	197	271	22	H-PBGA479, PPGA4	Laptop
<a href="#">ARM Cortex-A72 4 Core 1850 MHz</a>	4	199	343	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1.20GHz</a>	1	199	262	NA	Unknown	Unknown
<a href="#">VIA Nano U2500@1200MHz</a>	1	199	184	7	BGA400	Laptop
<a href="#">Intel Celeron 2.53GHz</a>	1	201	461	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1536 MHz</a>	4	202	192	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 1900+</a>	1	203	312	NA	Unknown	Unknown
<a href="#">AMD Sempron 2400+</a>	1	205	321	NA	Socket A	Desktop
<a href="#">Intel Celeron M 1.30GHz</a>	1	205	284	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1.73GHz</a>	1	205	494	27	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile Intel Pentium 4 2.80GHz</a>	1	205	397	69.7	PGA478	Desktop
<a href="#">AMD Sempron 2300+</a>	1	207	314	NA	Socket A	Desktop
<a href="#">AMD Sempron 2500+</a>	1	207	405	NA	Socket A	Desktop
<a href="#">Intel Pentium M 1400MHz</a>	1	208	282	22	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Celeron 220 @ 1.20GHz</a>	1	209	255	19	BGA479	Desktop
<a href="#">AMD Athlon XP 2100+</a>	1	210	327	NA	Unknown	Unknown
<a href="#">Intel Atom 230 @ 1.60GHz</a>	1	210	167	4	BGA437	Desktop
<a href="#">Intel Core Solo T1300 @ 1.66GHz</a>	1	210	518	27	PGA478	Laptop
<a href="#">Intel Celeron 723 @ 1.20GHz</a>	1	213	460	10	BGA956	Laptop
<a href="#">AMD Athlon XP 2200+</a>	1	214	335	NA	Unknown	Unknown
<a href="#">Intel Celeron M 520 @ 1.60GHz</a>	1	215	522	30	PPGA478	Laptop

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core Duo U2500 @ 1.20GHz</a>	2	220	362	9	BGA479	Laptop
<a href="#">Mobile Intel Pentium 4 3.06GHz</a>	1	220	423	81.8	PGA478	Desktop
<a href="#">Intel Celeron M 360 1.40GHz</a>	1	221	305	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Atom D425 @ 1.80GHz</a>	1	222	320	10	BGA559	Desktop
<a href="#">Intel Atom N470 @ 1.83GHz</a>	1	224	308	6.5	BGA559	Laptop
<a href="#">Intel Pentium M 1.40GHz</a>	1	225	264	22	H-PBGA479, PPG	Laptop
<a href="#">Mobile AMD Athlon XP-M 2400+</a>	1	225	355	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2500+</a>	1	226	355	NA	Unknown	Laptop
<a href="#">Intel Pentium M 2.26GHz</a>	1	227	508	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1.60GHz</a>	1	229	307	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Celeron 2.93GHz</a>	1	230	396	NA	Unknown	Unknown
<a href="#">Intel Celeron M 450 @ 2.00GHz</a>	1	230	598	27	PPGA478	Laptop
<a href="#">AMD Athlon XP 2500+</a>	1	231	353	NA	Unknown	Unknown
<a href="#">AMD Sempron 3500+</a>	1	232	264	62	AM2	Desktop
<a href="#">Intel Celeron D 347 @ 3.06GHz</a>	1	232	565	86	PLGA775	Desktop
<a href="#">Mobile Intel Pentium 4 3.20GHz</a>	1	232	468	82	PGA478	Desktop
<a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a>	1	233	258	5.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 4 2400+</a>	1	233	358	NA	Unknown	Laptop
<a href="#">AMD Athlon XP 2400+</a>	1	234	375	NA	Unknown	Unknown
<a href="#">Intel Celeron 3.06GHz</a>	1	234	514	NA	Unknown	Unknown
<a href="#">Rockchip RK3229</a>	4	234	141	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 420 @ 1.60GHz</a>	1	235	471	35	LGA775	Desktop
<a href="#">Intel Pentium 4 2.80GHz</a>	1	236	506	69.7	PGA478	Desktop
<a href="#">Intel Pentium M 1700MHz</a>	1	237	361	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile AMD Athlon XP-M 2200+</a>	1	237	363	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 2800+</a>	1	237	299	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1.86GHz</a>	1	238	460	27	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile AMD Athlon XP-M 2800+</a>	1	238	385	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 3000+</a>	1	238	365	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1.70GHz</a>	1	239	318	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium SU2700 @ 1.30GHz</a>	1	239	432	10	Unknown	Laptop
<a href="#">Intel Pentium M 1.50GHz</a>	1	240	323	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Celeron 807UE @ 1.00GHz</a>	1	241	421	10	BGA-1023	Laptop
<a href="#">Mobile AMD Athlon 2500+</a>	1	241	365	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2600+</a>	1	241	375	NA	Unknown	Laptop
<a href="#">AMD Athlon XP 2600+</a>	1	242	380	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 2600+</a>	1	243	292	15	Unknown	Unknown
<a href="#">AMD Athlon XP2400+</a>	1	243	390	NA	Unknown	Unknown
<a href="#">AMD Sempron 2800+</a>	1	243	408	62	AM2	Desktop
<a href="#">ARM Cortex-A7 4 Core 900 MHz</a>	4	244	171	NA	Unknown	Unknown
<a href="#">Mobile AMD Sempron 3200+</a>	1	245	525	NA	Unknown	Laptop
<a href="#">AMD Turion 64 Mobile MT-30</a>	1	246	294	25	754	Laptop
<a href="#">AMD Sempron M120</a>	1	247	559	25	S1	Laptop
<a href="#">SAMSUNG SERRANO</a>	2	247	327	NA	Unknown	Mobile/Embedded
<a href="#">AMD GX-210JA SOC</a>	2	248	231	6	FT3 (769-BGA)	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

 CPU Benchmarks 

<a href="#">AMD Sempron SI-40</a>	1	252	582	25	S1	Laptop
<a href="#">Intel Celeron M 1.70GHz</a>	1	252	370	NA	Unknown	Laptop
<a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a>	1	252	546	5.5	BGA956	Laptop
<a href="#">msm8960dt</a>	2	252	279	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 2600+</a>	1	253	325	NA	Socket A	Desktop
<a href="#">Intel Core Solo T1400 @ 1.83GHz</a>	1	253	525	27	PGA478	Laptop
<a href="#">AMD Turion 64 Mobile ML-28</a>	1	254	314	25	754	Laptop
<a href="#">VIA Nano L2007@1600MHz</a>	1	254	242	25	BGA400	Laptop
<a href="#">Intel Core Duo U2400 @ 1.06GHz</a>	2	255	342	9	BGA479	Laptop
<a href="#">AMD Athlon XP 2700+</a>	1	256	398	NA	Unknown	Unknown
<a href="#">Mobile AMD Sempron 2600+</a>	1	256	316	NA	Unknown	Laptop
<a href="#">AMD Athlon XP 2800+</a>	1	260	408	89	754	Unknown
<a href="#">AMD C-50</a>	2	260	315	9	FT1	Laptop
<a href="#">Intel Xeon 2.80GHz</a>	1	260	384	103	PPGA604	Server
<a href="#">AMD Sempron SI-42</a>	1	261	650	25	S1	Laptop
<a href="#">AMD Athlon XP 3000+</a>	1	262	396	62	Socket A	Desktop
<a href="#">AMD Z-60 APU</a>	2	262	318	4.5	FT1	Laptop
<a href="#">Intel Celeron 3.33GHz</a>	1	263	528	NA	Unknown	Unknown
<a href="#">VIA Eden C1050@1.06GHz</a>	1	263	283	NA	Unknown	Unknown
<a href="#">Intel Atom N550 @ 1.50GHz</a>	2	265	243	8.5	BGA559	Laptop
<a href="#">Qualcomm MSM8226</a>	4	265	176	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8909</a>	4	266	171	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 210U</a>	1	267	299	15	Unknown	Unknown
<a href="#">Intel Celeron 3.20GHz</a>	1	267	599	NA	Unknown	Unknown
<a href="#">Intel Celeron M 723 @ 1.20GHz</a>	1	267	507	10	BGA956	Laptop
<a href="#">AMD Athlon TF-20</a>	1	268	269	15	Unknown	Unknown
<a href="#">AMD Sempron 3000+</a>	1	268	333	62	AM2	Desktop
<a href="#">Intel Celeron 530 @ 1.73GHz</a>	1	268	468	27	PGA478	Laptop
<a href="#">Intel Celeron 743 @ 1.30GHz</a>	1	268	529	10	BGA956	Laptop
<a href="#">Mobile AMD Sempron 3000+</a>	1	269	350	NA	Unknown	Laptop
<a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>	4	270	208	NA	Unknown	Unknown
<a href="#">Intel Pentium M 2.00GHz</a>	1	270	363	21	H-PBGA479, PPGA4	Laptop
<a href="#">VIA Nano U2250 (1.6GHz Capable)</a>	1	270	259	8	BGA400	Laptop
<a href="#">Intel Pentium M 2.13GHz</a>	1	271	354	27	H-PBGA479, PPGA4	Laptop
<a href="#">UNIVERSAL3475</a>	4	273	172	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 2650e</a>	1	274	304	15	AM2	Desktop
<a href="#">Intel Atom D2500 @ 1.86GHz</a>	2	275	346	10	BGA559	Desktop
<a href="#">AMD Athlon XP 2900+</a>	1	276	410	NA	Unknown	Unknown
<a href="#">AMD Turion 64 Mobile ML-30</a>	1	277	314	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-34</a>	1	277	329	35	754	Laptop
<a href="#">Mobile AMD Sempron 3100+</a>	1	277	359	NA	Unknown	Laptop
<a href="#">Rockchip RK3326</a>	4	277	207	NA	Unknown	Mobile/Embedded
<a href="#">Soreadtrum SC7731e</a>	4	277	183	NA	Unknown	Unknown

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">AMD Athlon XP 3200+</a>	1	281	430	62	AM2	Unknown
<a href="#">AMD Athlon Neo MV-40</a>	1	282	442	15	Unknown	Unknown
<a href="#">AMD Athlon XP 3100+</a>	1	282	431	NA	Unknown	Unknown
<a href="#">Intel Celeron 540 @ 1.86GHz</a>	1	283	496	30	PGA478	Laptop
<a href="#">Intel Celeron D 352 @ 3.20GHz</a>	1	283	674	86	PLGA775	Desktop
<a href="#">AMD Turion 64 Mobile ML-32</a>	1	285	321	35	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-32</a>	1	286	367	24	754	Laptop
<a href="#">Qualcomm Technologies, Inc APQ8009</a>	4	286	182	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 3200+</a>	1	288	356	62	AM2	Desktop
<a href="#">AMD G-T40E</a>	2	289	313	6.4	FT1	Laptop
<a href="#">AMD C-60</a>	2	290	354	9	Unknown	Unknown
<a href="#">Mobile AMD Sempron 3500+</a>	1	290	654	NA	Unknown	Laptop
<a href="#">AMD Athlon 2800+</a>	1	291	439	89	754	Unknown
<a href="#">Qualcomm APQ8026</a>	4	291	180	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 3800+</a>	1	292	461	45	AM2	Unknown
<a href="#">AMD G-T40N</a>	2	292	321	9	FT1	Laptop
<a href="#">AMD Sempron 3400+</a>	1	292	346	62	AM2	Desktop
<a href="#">Intel Pentium M 2.10GHz</a>	1	292	353	21	H-PBGA479, PPGA4	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8216</a>	4	292	155	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 430 @ 1.80GHz</a>	1	293	630	35	LGA775	Desktop
<a href="#">Intel Pentium 4 3.40GHz</a>	1	293	667	89	PGA478	Desktop
<a href="#">MediaTek MT8735B</a>	4	294	181	NA	Unknown	Mobile/Embedded
<a href="#">Mobile AMD Sempron 3300+</a>	1	294	391	NA	Unknown	Laptop
<a href="#">Qualcomm MSM8626</a>	4	294	185	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 2800+</a>	1	295	375	89	754	Unknown
<a href="#">Intel Pentium 4 3.46GHz</a>	1	295	512	110.7	Unknown	Desktop
<a href="#">AMD Athlon II Neo K145</a>	1	298	592	12	S1	Laptop
<a href="#">AMD Sempron 3100+</a>	1	298	383	62	754	Desktop
<a href="#">Intel Atom Z2760 @ 1.80GHz</a>	2	298	206	NA	FC-MB4760	Laptop
<a href="#">AMD C-70 APU</a>	2	300	354	9	Unknown	Unknown
<a href="#">Qualcomm MSM8926</a>	4	300	190	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron LE-1250</a>	1	301	508	45	AM2	Desktop
<a href="#">Intel Celeron 550 @ 2.00GHz</a>	1	301	613	31	BGA479	Laptop
<a href="#">AMD Athlon II Neo K125</a>	1	302	613	12	S1	Laptop
<a href="#">Mobile AMD Sempron 3600+</a>	1	302	724	25	S1	Laptop
<a href="#">AMD Athlon 64 3000+</a>	1	303	506	89	Socket 754	Desktop
<a href="#">Intel Atom E3826 @ 1.46GHz</a>	2	304	395	7	FCBGA1170	Laptop
<a href="#">Intel Celeron M 530 @ 1.73GHz</a>	1	307	553	30	PBGA479, PPGA478	Laptop
<a href="#">AMD Z-01</a>	2	308	290	NA	Unknown	Unknown
<a href="#">MT6735M</a>	4	308	190	NA	Unknown	Mobile/Embedded
<a href="#">AMD C-60 APU</a>	2	309	361	9	Unknown	Unknown
<a href="#">MT6739WM</a>	4	310	223	NA	Unknown	Mobile/Embedded
<a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a>	4	312	213	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron D 420 @ 1.60GHz</a>	1	313	388	35	LGA775	Desktop
<a href="#">Intel Pentium 4 3.00GHz</a>	1	313	549	81.9	PGA478	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">AMD Sempron LE-1100</a>	1	315	509	45	AM2	Desktop
<a href="#">AMD Turion 64 Mobile MT-37</a>	1	315	379	25	754	Laptop
<a href="#">Intel Pentium 4 3.60GHz</a>	1	315	447	115	Unknown	Desktop
<a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>	2	315	281	NA	Unknown	Unknown
<a href="#">AMD Opteron 144</a>	1	316	376	67	939	Server
<a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>	2	316	427	10	BGA479	Laptop
<a href="#">Rockchip RK3328</a>	4	319	204	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core Duo T2050 @ 1.60GHz</a>	2	320	493	31	PGA478	Desktop
<a href="#">Mobile AMD Sempron 3400+</a>	1	321	455	25	Socket S1 (S1g1)	Laptop
<a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>	4	323	237	NA	Unknown	Unknown
<a href="#">Intel Atom N2600 @ 1.60GHz</a>	2	323	292	3.5	BGA559	Laptop
<a href="#">Unisoc SC7731e</a>	4	324	224	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 4 3.20GHz</a>	1	326	561	82	PGA478	Desktop
<a href="#">Mobile AMD Athlon 64 3200+</a>	1	326	400	81.5	Unknown	Laptop
<a href="#">MT6735P</a>	4	326	218	NA	Unknown	Mobile/Embedded
<a href="#">MT8765WB</a>	4	328	207	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core Duo T2300 @ 1.66GHz</a>	2	330	519	31	BGA479	Laptop
<a href="#">Intel Pentium T2060 @ 1.60GHz</a>	2	330	490	31	PGA478	Laptop
<a href="#">MediaTek MT8167B</a>	4	332	242	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8228</a>	4	332	214	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 2850e</a>	1	333	337	22	AM2	Desktop
<a href="#">Mobile AMD Athlon 64 3400+</a>	1	333	432	81.5	Unknown	Laptop
<a href="#">AMD Turion 64 Mobile MK-36</a>	1	334	735	31	S1	Laptop
<a href="#">AMD Turion 64 Mobile ML-37</a>	1	334	510	35	754	Laptop
<a href="#">ARM Cortex-A35 4 Core 1296 MHz</a>	4	334	166	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1750 MHz</a>	4	335	463	NA	Unknown	Unknown
<a href="#">Intel Atom N570 @ 1.66GHz</a>	2	335	282	8.5	BGA559	Laptop
<a href="#">Intel Celeron N2805 @ 1.46GHz</a>	2	335	394	4.3	FCBGA1170	Laptop
<a href="#">Mobile AMD Sempron 3800+</a>	1	335	735	NA	Unknown	Laptop
<a href="#">AMD Turion 64 Mobile ML-40</a>	1	336	662	35	754	Laptop
<a href="#">AMD V160</a>	1	337	838	25	S1	Laptop
<a href="#">ARM Cortex-A7 4 Core 1368 MHz</a>	4	337	264	NA	Unknown	Unknown
<a href="#">Qualcomm MSM8928</a>	4	337	206	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon TF-36</a>	1	338	349	25	Unknown	Unknown
<a href="#">AMD Sempron M100</a>	1	338	587	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 3200+</a>	1	340	568	62	AM2	Unknown
<a href="#">AMD Athlon 64 4000+</a>	1	340	565	62	AM2	Unknown
<a href="#">Intel 2.80GHz</a>	2	341	456	NA	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc APQ8016</a>	4	343	220	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 570 @ 2.26GHz</a>	1	344	431	31	PGA478	Laptop
<a href="#">Mobile Intel Pentium 4 3.33GHz</a>	1	344	552	NA	Unknown	Laptop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks ▼

<a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>	4	347	155	NA	Unknown	Unknown
<a href="#">Intel Core Duo T2250 @ 1.73GHz</a>	2	347	529	31	PGA478	Laptop
<a href="#">Intel Core Duo L2400 @ 1.66GHz</a>	2	348	501	15	BGA479	Laptop
<a href="#">Intel Pentium T2080 @ 1.73GHz</a>	2	348	530	31	PGA478	Laptop
<a href="#">AMD Sempron LE-1200</a>	1	349	551	45	AM2	Desktop
<a href="#">Intel Core Duo T2400 @ 1.83GHz</a>	2	349	511	31	BGA479	Laptop
<a href="#">ARM Cortex-A7 4 Core 1300 MHz</a>	4	354	253	NA	Unknown	Unknown
<a href="#">MediaTek MT6737M</a>	4	355	196	NA	Unknown	Mobile/Embedded
<a href="#">AMD E-300 APU</a>	2	356	400	18	FT1	Laptop
<a href="#">Manta</a>	2	356	426	NA	Unknown	Mobile/Embedded
<a href="#">Mobile AMD Athlon 64 3700+</a>	1	356	485	81.5	Unknown	Laptop
<a href="#">Qualcomm Technologies, Inc QCM2150</a>	4	356	244	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II 170u</a>	1	357	728	20	AM2+,AM3	Desktop
<a href="#">AMD Athlon X2 Dual Core 3250e</a>	2	357	458	22	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>	4	357	250	NA	Unknown	Unknown
<a href="#">AMD Athlon II 160u</a>	1	358	717	20	Unknown	Desktop
<a href="#">AMD Sempron 3800+</a>	1	360	422	62	AM2	Desktop
<a href="#">AMD Turion 64 Mobile MK-38</a>	1	362	801	31	S1	Laptop
<a href="#">AMD V120</a>	1	362	812	25	S1	Laptop
<a href="#">AMD Sempron 3600+</a>	1	364	377	62	AM2	Desktop
<a href="#">Intel Core Duo T2350 @ 1.86GHz</a>	2	364	560	31	PGA478	Laptop
<a href="#">Intel Celeron 560 @ 2.13GHz</a>	1	365	498	31	PGA478	Laptop
<a href="#">Qualcomm Technologies, Inc APQ8017</a>	4	365	278	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 440 @ 2.00GHz</a>	1	368	444	35	LGA775	Desktop
<a href="#">Intel Atom 330 @ 1.60GHz</a>	2	371	168	8	BGA437	Desktop
<a href="#">Intel Celeron 827E @ 1.40GHz</a>	1	371	674	17	FCBGA1023	Laptop
<a href="#">Intel Celeron D 360 @ 3.46GHz</a>	1	372	712	65	PLGA775	Desktop
<a href="#">AMD E1-1200 APU</a>	2	374	426	18	FT1	Laptop
<a href="#">ARM Cortex-A53 4 Core 0 MHz</a>	4	374	165	NA	Unknown	Unknown
<a href="#">Intel Pentium D 805 @ 2.66GHz</a>	2	374	497	95	PLGA775	Desktop
<a href="#">AMD Athlon 64 3300+</a>	1	375	477	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 3400+</a>	1	375	429	89	754	Unknown
<a href="#">Intel Xeon 3.40GHz</a>	1	375	519	103	PPGA604	Server
<a href="#">AMD Athlon X2 Dual Core L310</a>	2	379	434	13	S1	Laptop
<a href="#">AMD V140</a>	1	379	869	25	S1	Laptop
<a href="#">Intel Pentium T2130 @ 1.86GHz</a>	2	382	583	31	PGA478	Laptop
<a href="#">QCT APQ8064 AWIFI</a>	4	382	276	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8916</a>	4	383	238	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 Mobile ML-44</a>	1	384	469	35	754	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-52</a>	2	384	497	31	S1	Laptop

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

[Home](#) CPU Benchmarks ▼

Core	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core Duo L2300 @ 1.50GHz</a>	2	387	442	15	BGA479	Desktop
<a href="#">AMD E1-1500 APU</a>	2	390	458	18	FT1	Laptop
<a href="#">AMD Opteron 148</a>	1	392	443	85.3	939	Server
<a href="#">Intel Celeron 807 @ 1.50GHz</a>	1	392	608	17	BGA-1023	Laptop
<a href="#">AMD Opteron 150</a>	1	393	471	85.3	939	Server
<a href="#">Intel Xeon 3.80GHz</a>	1	393	594	110	PPGA604	Server
<a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>	2	393	213	NA	BGA400	Laptop
<a href="#">AMD Athlon 64 3700+</a>	1	394	435	89	939	Desktop
<a href="#">AMD Athlon 64 3500+</a>	1	396	568	45	AM2	Unknown
<a href="#">ARM ARMv7 rev 4 (v7I) 4 Core 1200 MHz</a>	4	396	272	NA	Unknown	Unknown
<a href="#">Intel Celeron 900 @ 2.20GHz</a>	1	396	840	34.8	PGA478	Laptop
<a href="#">Samsung Exynos 7570</a>	4	396	264	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom D525 @ 1.80GHz</a>	2	399	310	13	BGA559	Desktop
<a href="#">QCT APQ8064 MAKO</a>	4	399	254	NA	Unknown	Unknown
<a href="#">AMD Geode NX 2400+</a>	1	400	634	NA	Unknown	Unknown
<a href="#">AMD Sempron LE-1300</a>	1	400	389	45	AM2	Desktop
<a href="#">AMD Turion 64 Mobile ML-42</a>	1	400	455	35	754	Laptop
<a href="#">ARM Cortex-A53 4 Core 1600 MHz</a>	4	400	163	NA	Unknown	Unknown
<a href="#">Intel Core i7-2630UM @ 1.60GHz</a>	2	400	221	NA	Unknown	Laptop
<a href="#">AMD E-350 APU</a>	2	401	482	18	FT1 BGA	Desktop, Laptop
<a href="#">Intel Xeon 3.60GHz</a>	1	403	643	110	PPGA604	Server
<a href="#">AMD Athlon 64 FX-55</a>	1	404	505	104	939	Desktop
<a href="#">Intel Atom D510 @ 1.66GHz</a>	2	404	292	13	BGA559	Desktop
<a href="#">Intel Core Duo L2500 @ 1.83GHz</a>	2	404	578	15	BGA479	Laptop
<a href="#">Intel Core Duo T2450 @ 2.00GHz</a>	2	404	603	31	PGA478	Laptop
<a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>	2	405	425	10	BGA479	Laptop
<a href="#">MT8735P</a>	4	405	191	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom D2550 @ 1.86GHz</a>	2	408	311	10	BGA559	Desktop
<a href="#">Intel Core Duo T2500 @ 2.00GHz</a>	2	408	613	31	BGA479	Laptop
<a href="#">MediaTek MT6739WW</a>	4	408	276	NA	Unknown	Mobile/Embedded
<a href="#">AMD E1-2100 APU</a>	2	410	329	9	FT3	Laptop
<a href="#">AMD Athlon 1640B</a>	1	412	462	45	AM2	Desktop
<a href="#">AMD Athlon LE-1600</a>	1	412	430	45	AM2	Desktop
<a href="#">Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</a>	4	415	179	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon LE-1660</a>	1	416	428	45	AM2	Desktop
<a href="#">AMD G-T48E</a>	2	416	454	18	FT1	Laptop
<a href="#">AMD E-350</a>	2	419	494	18	FT1	Desktop, Laptop
<a href="#">Intel Celeron N2810 @ 2.00GHz</a>	2	420	512	7.5	FCBGA1170	Laptop
<a href="#">Qualcomm Technologies, Inc QM215</a>	4	420	276	NA	Unknown	Mobile/Embedded

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
-----------------	--------------	-----------------	--------------------	----------------	---------------	-----------------

 CPU Benchmarks 

<a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>	4	425	184	NA	Unknown	Unknown
<a href="#">Intel Xeon 3.00GHz</a>	1	425	607	103	PPGA604	Server
<a href="#">Intel Celeron G440 @ 1.60GHz</a>	1	426	739	35	LGA1155	Desktop
<a href="#">AMD Opteron 152</a>	1	428	487	104	939	Server
<a href="#">Qualcomm Technologies, Inc MSM8920</a>	4	428	263	NA	Unknown	Mobile/Embedded
<a href="#">Sony Mobile fusion3</a>	4	428	234	NA	Unknown	Unknown
<a href="#">Intel Atom N2800 @ 1.86GHz</a>	2	429	319	6.5	BGA559	Laptop
<a href="#">MediaTek MT6737</a>	4	429	259	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon LE-1640</a>	1	430	489	45	AM2	Desktop
<a href="#">AMD Turion Neo X2 Dual Core L625</a>	2	431	530	18	ASB1	Laptop
<a href="#">AMD A4-1250 APU</a>	2	432	338	8	FT3	Laptop
<a href="#">Intel Atom D2560 @ 2.00GHz</a>	2	433	353	10	Unknown	Desktop
<a href="#">Intel Celeron 450 @ 2.20GHz</a>	1	433	532	35	LGA775	Desktop
<a href="#">MT8161P</a>	4	434	259	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 X2 Mobile TL-50</a>	2	436	525	31	S1	Laptop
<a href="#">Intel Core2 Duo T5200 @ 1.60GHz</a>	2	438	575	34	Socket M	Laptop
<a href="#">AMD G-T56E</a>	2	442	522	18	FT1	Laptop
<a href="#">SAMSUNG JF</a>	4	443	293	NA	Unknown	Mobile/Embedded
<a href="#">AMD E2-1800 APU</a>	2	444	531	18	FT1	Desktop
<a href="#">Intel Celeron 925 @ 2.30GHz</a>	1	444	846	35	Unknown	Laptop
<a href="#">AMD A4-1200 APU</a>	2	445	327	3.9	FT3	Laptop
<a href="#">Intel Celeron SU2300 @ 1.20GHz</a>	2	445	500	10	BGA956	Laptop
<a href="#">ARM Cortex-A53 4 Core 1512 MHz</a>	4	448	229	NA	Unknown	Unknown
<a href="#">QCT APQ8064 FLO</a>	4	449	282	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N2807 @ 1.58GHz</a>	2	450	540	4.3	FCBGA1170	Laptop
<a href="#">Intel Core Duo T2600 @ 2.16GHz</a>	2	450	667	31	BGA479	Laptop
<a href="#">MT8167D</a>	4	450	320	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 254</a>	1	451	578	68	940	Server
<a href="#">Qualcomm Technologies, Inc MSM8917</a>	4	452	283	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 X2 Mobile TL-56</a>	2	453	579	31	S1	Laptop
<a href="#">QCT APQ8064 DEB</a>	4	453	278	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>	2	456	566	22	Unknown	Unknown
<a href="#">AMD Opteron 154</a>	1	457	534	104	939	Server
<a href="#">Unisoc SC9832e</a>	4	457	280	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1392 MHz</a>	4	459	191	NA	Unknown	Unknown
<a href="#">Intel Atom E3827 @ 1.74GHz</a>	2	460	455	8	FCBGA1170	Laptop
<a href="#">AMD Athlon 64 FX-59</a>	1	465	575	NA	939	Desktop
<a href="#">AMD Athlon 64 X2 QL-60</a>	2	465	557	35	S1	Laptop
<a href="#">Intel Celeron N2806 @ 1.60GHz</a>	2	466	515	4.5	FCBGA1170	Laptop
<a href="#">Intel Core2 Duo L7100 @</a>	2	467	484	NA	BGA956	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

[Home](#) CPU Benchmarks ▼

<a href="#">955 @ 3.46GHz</a>						
<a href="#">AMD G-T56N</a>	2	470	520	18	FT1	Laptop
<a href="#">Intel Celeron 847 @ 1.10GHz</a>	2	470	483	17	BGA1023	Laptop
<a href="#">AMD Sempron 140</a>	1	471	1,044	45	AM3	Desktop
<a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>	2	471	392	35	S1	Laptop
<a href="#">Intel Celeron U3400 @ 1.07GHz</a>	2	473	441	18	BGA1288	Laptop
<a href="#">AMD E1-2200 APU</a>	2	474	368	9	FT3	Laptop
<a href="#">Intel Pentium D 830 @ 3.00GHz</a>	2	474	535	95	PLGA775	Desktop
<a href="#">Intel T1400 @ 1.73GHz</a>	2	475	671	NA	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core L325</a>	2	476	527	18	Unknown	Unknown
<a href="#">Intel Pentium SU4100 @ 1.30GHz</a>	2	476	513	10	BGA956	Laptop
<a href="#">AMD Athlon II Neo N36L Dual-Core</a>	2	478	521	12	Unknown	Laptop
<a href="#">AMD E-350D APU</a>	2	478	521	18	Unknown	Unknown
<a href="#">AMD Turion 64 X2 Mobile TL-58</a>	2	478	552	31	S1	Laptop
<a href="#">Intel Xeon 3.20GHz</a>	1	478	696	103	PPGA604	Server
<a href="#">MT8167A</a>	4	478	285	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G465 @ 1.90GHz</a>	1	480	739	35	LGA1155	Desktop
<a href="#">Intel Core2 Duo T5250 @ 1.50GHz</a>	2	483	542	35	PGA478	Laptop
<a href="#">AMD Athlon 64 3100+</a>	1	484	600	89	754	Desktop
<a href="#">Intel Core i3-330UM @ 1.20GHz</a>	2	484	339	18	BGA1288	Laptop
<a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>	2	485	542	10	BGA956	Laptop
<a href="#">Intel Celeron N2815 @ 1.86GHz</a>	2	486	564	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N3010 @ 1.04GHz</a>	2	486	560	4	FCBGA1170	Laptop
<a href="#">Intel Atom Z3770D @ 1.49GHz</a>	4	488	361	4.4	BGA1380	Laptop
<a href="#">rockchip_rk3368</a>	8	489	230	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom D2700 @ 2.13GHz</a>	2	492	387	10	BGA559	Desktop
<a href="#">Intel Celeron E1200 @ 1.60GHz</a>	2	492	628	65	LGA775	Desktop
<a href="#">AMD Sempron 145</a>	1	493	1,006	45	AM3	Desktop
<a href="#">Intel Atom Z3736F @ 1.33GHz</a>	4	494	410	4.4	UTFCBGA592	Laptop
<a href="#">Intel Celeron G460 @ 1.80GHz</a>	1	494	720	35	LGA1155	Desktop
<a href="#">MT8735</a>	4	495	299	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>	2	496	586	35	PGA478	Laptop
<a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>	2	497	504	31	S1	Laptop
<a href="#">MediaTek MT6735</a>	4	497	299	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 150</a>	1	498	1,079	45	AM3	Desktop
<a href="#">Intel Core Duo T2700 @ 2.33GHz</a>	2	498	652	31	BGA479	Laptop
<a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>	2	498	585	34	PGA478	Laptop
<a href="#">Intel Pentium D 940 @ 3.20GHz</a>	2	498	574	130	PLGA775	Desktop
<a href="#">Intel Pentium T2370 @ 1.73GHz</a>	2	500	546	35	PPGA478	Laptop
<a href="#">AMD E2-2000 APU</a>	2	501	555	18	BGA413,FT1	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">1.30GHz</a>						
<a href="#">Rockchip RK3288 (Flattened Device Tree)</a>	4	508	403	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom D2701 @ 2.13GHz</a>	2	511	384	10	BGA559	Laptop
<a href="#">ARM Cortex-A17 4 Core 1800 MHz</a>	4	515	398	NA	Unknown	Unknown
<a href="#">Intel Pentium T2310 @ 1.46GHz</a>	2	515	557	35	PPGA478	Laptop
<a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>	2	516	555	17	BGA479	Laptop
<a href="#">Intel T2050 @ 2.00GHz</a>	2	516	611	31	PPGA478	Unknown
<a href="#">AMD Athlon 64 FX-57</a>	1	517	552	104	939	Desktop
<a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>	2	519	566	35	BGA479	Laptop
<a href="#">Intel Celeron T1600 @ 1.66GHz</a>	2	519	628	35	Unknown	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a>	2	521	628	32	S1	Laptop
<a href="#">MT6592</a>	8	521	211	NA	Unknown	Mobile/Embedded
<a href="#">AMD E1-6010 APU</a>	2	522	419	10	FT3b	Laptop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>	2	525	613	35	Unknown	Unknown
<a href="#">AMD Athlon II Neo K345 Dual-Core</a>	2	527	552	12	Unknown	Laptop
<a href="#">AMD Athlon Neo X2 Dual Core L335</a>	2	529	570	18	Unknown	Unknown
<a href="#">Intel Core2 Duo T5670 @ 1.80GHz</a>	2	530	635	35	Socket P	Laptop
<a href="#">MT6739CH</a>	4	530	370	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>	2	531	505	89	754	Desktop
<a href="#">AMD Opteron 165</a>	2	531	638	110	939	Server
<a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>	2	531	572	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T5470 @ 1.60GHz</a>	2	531	606	35	PGA478	Laptop
<a href="#">Amlogic</a>	4	532	371	NA	Unknown	Unknown
<a href="#">Intel Atom C2350 @ 1.74GHz</a>	2	532	496	6	FCBGA1283	Server
<a href="#">Intel Celeron N2808 @ 1.58GHz</a>	2	532	596	4.5	FCBGA1170	Laptop
<a href="#">AMD Sempron Dual Core 2100</a>	2	533	596	65	Unknown	Unknown
<a href="#">Intel Core2 Duo SU9400 @ 1.40GHz</a>	2	534	597	10	BGA956	Laptop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>	2	535	600	31	Unknown	Unknown
<a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>	2	536	674	31	S1	Laptop
<a href="#">Intel Pentium U5400 @ 1.20GHz</a>	2	538	503	18	BGA1288	Laptop
<a href="#">mt6762m</a>	4	538	350	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CN</a>	4	539	384	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/WD</a>	4	543	408	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N2830 @ 2.16GHz</a>	2	545	629	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium T2330 @ 1.60GHz</a>	2	545	582	35	PPGA478	Laptop
<a href="#">MediaTek MT8163</a>	4	545	334	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron @ 1.30GHz</a>	1	548	611	NA	Unknown	Unknown

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">1.40GHz</a>						
<a href="#">Intel Atom Z3735F @ 1.33GHz</a>	4	551	395	4.4	UTFCBGA592	Laptop
<a href="#">Intel Pentium T2390 @ 1.86GHz</a>	2	552	652	35	PPGA478	Laptop
<a href="#">AMD Athlon 64 X2 QL-62</a>	2	553	685	35	S1	Laptop
<a href="#">AMD Sempron Dual Core 2300</a>	2	555	697	65	Unknown	Unknown
<a href="#">Qualcomm APQ8084</a>	4	555	324	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1800 MHz</a>	4	557	247	NA	Unknown	Unknown
<a href="#">Intel Atom Z3735E @ 1.33GHz</a>	4	557	478	4.4	UTFCBGA1380	Laptop
<a href="#">AMD E1-6015 APU</a>	2	558	440	NA	BGA769 (FT3b)	Laptop
<a href="#">Intel Celeron U3600 @ 1.20GHz</a>	2	560	520	18	BGA1288	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8929</a>	8	560	252	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 2650 APU</a>	2	561	475	25	AM1,FSB1	Desktop
<a href="#">AMD Turion Dual-Core RM-70</a>	2	561	548	31	S1	Laptop
<a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a>	2	561	665	65	LGA775	Desktop
<a href="#">Intel Celeron 867 @ 1.30GHz</a>	2	562	584	17	BGA1023	Laptop
<a href="#">AMD Sempron Dual Core 2200</a>	2	563	649	65	Unknown	Unknown
<a href="#">AMD Athlon X2 Dual Core 6850e</a>	2	564	623	22	Unknown	Unknown
<a href="#">AMD Turion II Neo K625 Dual-Core</a>	2	565	596	15	S1	Laptop
<a href="#">AMD Athlon 64 X2 3800+</a>	2	566	745	89	939	Desktop
<a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tree</a>	4	566	219	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737T</a>	4	568	397	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 857 @ 1.20GHz</a>	2	569	476	17	BGA1023	Laptop
<a href="#">Intel Pentium T2410 @ 2.00GHz</a>	2	569	787	NA	Unknown	Unknown
<a href="#">AMD Athlon X2 Dual Core BE-2300</a>	2	570	644	45	AM2	Desktop
<a href="#">MediaTek MT8168A</a>	4	571	396	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>	2	573	674	45	AM2	Desktop
<a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>	2	575	600	17	BGA479	Laptop
<a href="#">MT6761V/CAB</a>	4	575	372	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 1019Y @ 1.00GHz</a>	2	576	521	10	FCBGA1023	Desktop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>	2	577	537	20	Unknown	Unknown
<a href="#">Intel Celeron N2840 @ 2.16GHz</a>	2	581	669	7	FCBGA1170	Laptop
<a href="#">MT8766A</a>	4	581	380	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 QL-67</a>	2	582	515	35	S1	Laptop
<a href="#">Intel Xeon MV 3.20GHz</a>	2	582	378	90	mPGA604	Server
<a href="#">Qualcomm MSM8917</a>	4	582	373	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron J1800 @ 2.41GHz</a>	2	583	662	10	FCBGA1170	Desktop
<a href="#">Intel Atom C2338 @ 1.74GHz</a>	2	584	233	7	FCBGA1283	Laptop
<a href="#">Intel Celeron 847E @ 1.10GHz</a>	2	584	520	17	FCBGA1023	Laptop
<a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>	2	584	657	10	BGA956	Laptop
<a href="#">AMD E1-7010 APU</a>	2	585	403	10	BGA769 (FT3b)	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

 CPU Benchmarks 

<a href="#">AMD Turion Dual-Core RM-74</a>	2	588	595	35	S1	Laptop
<a href="#">Intel Celeron N3050 @ 1.60GHz</a>	2	588	563	6	FCBGA1170	Laptop
<a href="#">AMD Turion II Neo N40L Dual-Core</a>	2	589	609	15	BGA812	Laptop
<a href="#">AMD Athlon X2 Dual Core BE-2350</a>	2	591	705	45	AM2	Desktop
<a href="#">Intel Core2 Duo E6300 @ 1.86GHz</a>	2	592	693	65	LGA775, PLGA775	Desktop
<a href="#">AMD Opteron 1212</a>	2	593	729	103	AM2	Server
<a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a>	2	594	624	45	AM2	Desktop
<a href="#">Intel Celeron J1750 @ 2.41GHz</a>	2	595	659	10	FCBGA1170	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>	2	596	686	65	AM2	Desktop
<a href="#">Intel Atom S1260 @ 2.00GHz</a>	2	596	224	8.5	FCBGA1283	Server
<a href="#">Intel Core2 Duo T5550 @ 1.83GHz</a>	2	596	664	35	PGA478	Laptop
<a href="#">AMD E1-2500 APU</a>	2	597	467	15	FT3	Laptop
<a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a>	2	597	642	65	PLGA775	Desktop
<a href="#">Rockchip (Device Tree)</a>	4	598	424	NA	Unknown	Mobile/Embedded
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-87</a>	2	599	770	35	S1	Mobile/Embedded
<a href="#">AMD E1 Micro-6200T APU</a>	2	600	498	3.95	FT3b	Laptop
<a href="#">Intel Xeon 5110 @ 1.60GHz</a>	2	600	606	65	LGA771	Server
<a href="#">AMD Turion X2 Dual Core L510</a>	2	603	593	20	ASB1	Laptop
<a href="#">AMD Athlon II X2 250u</a>	2	604	632	25	AM3	Desktop
<a href="#">Intel Celeron N3000 @ 1.04GHz</a>	2	604	562	4	FCBGA1170	Laptop
<a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>	2	607	748	17	Unknown	Laptop
<a href="#">AMD Athlon 64 X2 QL-65</a>	2	609	653	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>	2	611	723	89	AM2	Desktop
<a href="#">Qualcomm MSM8974PRO-AC</a>	4	611	380	NA	Unknown	Mobile/Embedded
<a href="#">Generic DT based system</a>	4	612	453	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6761V/WBB</a>	4	613	417	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3740D @ 1.33GHz</a>	4	614	459	4.4	UTFCBGA1380	Laptop
<a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>	2	615	728	35	PGA478	Laptop
<a href="#">AMD Athlon Dual Core 4050e</a>	2	616	732	45	AM2	Desktop
<a href="#">MT6795MM</a>	8	618	567	NA	Unknown	Mobile/Embedded
<a href="#">AMD GX-212JC SOC</a>	2	619	453	6	FT3b	Laptop
<a href="#">Intel Atom Z3745 @ 1.33GHz</a>	4	621	435	4	UTFCBGA1380	Laptop
<a href="#">AMD Athlon 64 X2 QL-64</a>	2	622	732	35	S1	Laptop
<a href="#">Intel Pentium 957 @ 1.20GHz</a>	2	622	574	17	FCBGA1023	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-60</a>	2	623	702	31	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>	2	623	730	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>	2	624	663	31	S1	Laptop
<a href="#">Intel Pentium U5600 @ 1.33GHz</a>	2	624	588	18	BGA1288	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Pentium 967 @ 1.30GHz</a>	2	626	620	17	FCBGA1023	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-66</a>	2	627	816	35	S1	Laptop
<a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>	2	627	692	35	µFCPGA-478	Laptop
<a href="#">AMD Athlon II Dual-Core M300</a>	2	631	747	35	Unknown	Unknown
<a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a>	2	632	753	65	LGA775	Desktop
<a href="#">Qualcomm MSM8974</a>	4	632	386	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a>	2	634	675	31	Unknown	Unknown
<a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>	2	635	753	35	S1	Laptop
<a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>	2	635	423	34	PGA478	Laptop
<a href="#">Intel Pentium 2129Y @ 1.10GHz</a>	2	635	587	10	FCBGA1023	Laptop
<a href="#">Intel Pentium T3200 @ 2.00GHz</a>	2	636	713	35	PPGA478	Laptop
<a href="#">Samsung EXYNOS5420</a>	4	637	432	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-3320M APU</a>	2	640	656	35	FS1	Laptop
<a href="#">Intel Pentium E2160 @ 1.80GHz</a>	2	640	684	65	LGA775	Desktop
<a href="#">AMD Athlon 64 X2 QL-66</a>	2	641	751	35	S1	Laptop
<a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>	2	641	655	17	BGA956	Laptop
<a href="#">Intel Pentium 987 @ 1.50GHz</a>	2	642	641	17	FCBGA1023	Laptop
<a href="#">Intel Core2 Duo T5800 @ 2.00GHz</a>	2	643	744	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>	2	643	714	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T5600 @ 1.83GHz</a>	2	645	696	34	PGA478	Laptop
<a href="#">Intel Pentium T3400 @ 2.16GHz</a>	2	645	722	35	PPGA478	Laptop
<a href="#">M7221</a>	4	646	661	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 170</a>	2	648	715	110	939	Server
<a href="#">AMD Turion Dual-Core RM-72</a>	2	649	725	35	S1	Laptop
<a href="#">Intel Celeron B800 @ 1.50GHz</a>	2	649	645	35	PGA988B	Laptop
<a href="#">Intel Celeron E1500 @ 2.20GHz</a>	2	649	785	65	LGA775	Desktop
<a href="#">Intel Atom Z3740 @ 1.33GHz</a>	4	651	423	4	UTFCBGA1380	Laptop
<a href="#">Intel Core2 Duo T5900 @ 2.20GHz</a>	2	652	768	NA	Socket P	Laptop
<a href="#">ARM Cortex-A72 4 Core 2100 MHz</a>	4	653	543	NA	Unknown	Unknown
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a>	2	654	789	35	S1	Laptop
<a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>	2	657	769	NA	Socket P	Laptop
<a href="#">AMD Turion Dual-Core RM-75</a>	2	659	444	35	S1	Laptop
<a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>	4	660	459	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>	2	661	730	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>	2	662	781	89	AM2	Desktop
<a href="#">AMD Athlon II X2 260u</a>	2	663	703	25	AM3	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

<a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>	2	666	751	35	S1	Laptop
<a href="#">Intel Core2 Duo T5750 @ 2.00GHz</a>	2	666	737	35	Socket P	Laptop
<a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>	4	666	296	27.5	Unknown	Desktop
<a href="#">Intel Celeron J3060 @ 1.60GHz</a>	2	668	627	6	BGA1170	Desktop
<a href="#">Athlon Dual Core 4050e</a>	2	670	744	45	AM2	Desktop
<a href="#">Intel Celeron E1400 @ 2.00GHz</a>	2	671	746	65	LGA775	Desktop
<a href="#">Intel Pentium E2180 @ 2.00GHz</a>	2	671	748	65	LGA775	Desktop
<a href="#">Intel Celeron 877 @ 1.40GHz</a>	2	673	640	17	BGA1023	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>	2	674	779	65	AM2	Desktop
<a href="#">AMD Athlon II P320 Dual-Core</a>	2	675	813	25	Unknown	Unknown
<a href="#">AMD Athlon II X2 270u</a>	2	675	791	25	AM3	Desktop
<a href="#">AMD Turion 64 X2 Mobile TL-64</a>	2	675	702	35	S1	Laptop
<a href="#">AMD Athlon II Dual-Core M340</a>	2	676	774	35	Unknown	Unknown
<a href="#">AMD Athlon II Dual-Core M320</a>	2	679	827	35	Unknown	Unknown
<a href="#">Intel Pentium D 950 @ 3.40GHz</a>	2	679	695	130	PLGA775	Desktop
<a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>	2	680	622	NA	Unknown	Unknown
<a href="#">Athlon Dual Core 4450e</a>	2	681	792	45	AM2	Desktop
<a href="#">AMD Opteron 175</a>	2	682	773	110	939	Server
<a href="#">Rockchip RK3368</a>	8	682	356	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-3300M APU</a>	2	683	766	65	FM1	Laptop
<a href="#">AMD Athlon Dual Core 4450B</a>	2	684	780	45	AM2+	Desktop
<a href="#">AMD Turion II Neo K685 Dual-Core</a>	2	684	729	15	BGA812	Laptop
<a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>	2	686	770	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>	2	687	833	35	PGA478	Laptop
<a href="#">AMD Athlon X2 Dual Core BE-2400</a>	2	688	693	18	FT1	Desktop
<a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>	2	688	771	35	BGA479	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a>	2	689	758	35	S1	Laptop
<a href="#">Intel Celeron P4505 @ 1.87GHz</a>	2	689	820	35	BGA1288	Laptop
<a href="#">Intel Atom Z3560 @ 1.83GHz</a>	4	690	476	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>	2	691	729	35	S1	Laptop
<a href="#">Intel Celeron G470 @ 2.00GHz</a>	1	691	937	35	LGA1155	Desktop
<a href="#">MT6738</a>	8	692	430	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II P340 Dual-Core</a>	2	693	840	25	S1g4	Unknown
<a href="#">AMD Opteron 185</a>	2	695	884	110	939	Server
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a>	2	695	820	35	S1	Laptop
<a href="#">AMD Opteron 1214</a>	2	696	830	103	AM2	Server
<a href="#">AMD Athlon Dual Core 4450e</a>	2	698	812	45	AM2	Desktop
<a href="#">Intel Core i3-380UM @ 1.33GHz</a>	2	699	562	18	BGA1288	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>	2	702	774	34	BGA479	Laptop
<a href="#">Intel Pentium E2210 @ 2.20GHz</a>	2	702	946	65	LGA775	Desktop
<a href="#">Intel Atom E3840 @ 1.91GHz</a>	4	704	477	NA	Unknown	Unknown
<a href="#">MT8735T</a>	4	704	356	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>	2	705	793	35	PGA478	Laptop
<a href="#">Intel Celeron B815 @ 1.60GHz</a>	2	706	684	35	PGA988B	Laptop
<a href="#">AC8257V/WAB</a>	8	707	443	NA	Unknown	Unknown
<a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>	2	708	770	35	S1	Laptop
<a href="#">Rockchip RK3288</a>	4	708	766	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 FX-60 Dual Core</a>	2	709	912	110	939	Desktop
<a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>	2	709	819	35	PGA478	Laptop
<a href="#">AMD Athlon II P360 Dual-Core</a>	2	711	879	25	S1g4	Unknown
<a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>	2	711	884	25	PGA478	Laptop
<a href="#">Intel Celeron E1600 @ 2.40GHz</a>	2	712	877	65	LGA775	Desktop
<a href="#">AMD A4-3305M APU</a>	2	713	813	35	FS1	Laptop
<a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a>	2	714	783	65	PLGA775	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>	2	716	839	65	AM2	Desktop
<a href="#">ARM Cortex-A55 4 Core 2100 MHz</a>	4	719	328	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>	2	722	885	65	AM2	Desktop
<a href="#">Intel Pentium T4200 @ 2.00GHz</a>	2	722	798	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>	2	723	756	34	PBGA479, PPGA478	Laptop
<a href="#">AMD E2-3000 APU</a>	2	726	547	15	FT3	Laptop
<a href="#">AMD Athlon Dual Core 4850B</a>	2	727	887	45	AM2+	Desktop
<a href="#">AMD Opteron 1216 HE</a>	2	727	847	65	AM2	Server
<a href="#">Intel Celeron 887 @ 1.50GHz</a>	2	727	694	17	BGA1023	Laptop
<a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>	2	727	787	25	BGA479	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a>	2	730	828	35	S1	Laptop
<a href="#">Intel Celeron 2961Y @ 1.10GHz</a>	2	732	641	11.5	Unknown	Laptop
<a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>	4	734	558	NA	Unknown	Unknown
<a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>	4	734	396	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum SC9853I-IA</a>	8	734	465	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Dual Core 4850e</a>	2	735	879	45	AM2	Desktop
<a href="#">Athlon 64 Dual Core 3800+</a>	2	736	653	35	Unknown	Unknown
<a href="#">MT8696</a>	4	736	533	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Dual Core 5600B</a>	2	737	1,003	65	AM2+	Desktop
<a href="#">AMD Turion 64 X2 Mobile TL-62</a>	2	738	758	35	S1	Laptop
<a href="#">Intel Atom Z3770 @ 1.46GHz</a>	4	738	542	4	UTFCBGA1380	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

<a href="#">2.10GHz</a>						
<a href="#">AMD Turion II Neo N54L Dual-Core</a>	2	741	840	25	BGA812	Laptop
<a href="#">ARM Cortex-A55 4 Core 1992 MHz</a>	4	741	328	NA	Unknown	Unknown
<a href="#">ARM Cortex-A55 4 Core 2124 MHz</a>	4	742	336	NA	Unknown	Unknown
<a href="#">Intel Celeron N2910 @ 1.60GHz</a>	4	742	446	7.5	FCBGA1170	Laptop
<a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a>	2	743	767	17	BGA956	Laptop
<a href="#">Intel Pentium D 960 @ 3.60GHz</a>	2	743	775	130	PLGA775	Desktop
<a href="#">AMD Opteron 180</a>	2	746	874	110	939	Server
<a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>	2	747	821	25	PGA478	Laptop
<a href="#">Intel Pentium E2200 @ 2.20GHz</a>	2	747	839	65	LGA775	Desktop
<a href="#">AMD Athlon Dual Core 5050e</a>	2	748	875	45	AM2	Desktop
<a href="#">Dual-Core AMD Opteron 1220 SE</a>	2	748	900	103	AM2	Server
<a href="#">Intel Celeron 1047UE @ 1.40GHz</a>	2	748	526	17	FCBGA1023	Desktop
<a href="#">Rockchip RK3566 EVB1 DDR4 V10 Board</a>	4	751	466	NA	Unknown	Mobile/Embedded
<a href="#">AMD GX-218GL SOC</a>	2	754	627	15	BGA769 (FT3b)	Laptop
<a href="#">Intel Atom Z3775 @ 1.46GHz</a>	4	754	538	4	UTFCBGA1380	Laptop
<a href="#">Intel Core i5-470UM @ 1.33GHz</a>	2	755	539	18	BGA1288	Laptop
<a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>	2	756	855	35	PGA478	Laptop
<a href="#">MT6797D</a>	10	758	326	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core 5000+</a>	2	760	882	65	AM2	Desktop
<a href="#">AMD Turion II Dual-Core Mobile M500</a>	2	760	866	35	S1	Laptop
<a href="#">AMD Opteron 270</a>	2	761	411	95	940	Server
<a href="#">Intel Atom Z3735D @ 1.33GHz</a>	4	761	591	4.4	Unknown	Laptop
<a href="#">rockchip_rk3328</a>	4	761	356	NA	Unknown	Mobile/Embedded
<a href="#">AMD GX-217GA SOC</a>	2	762	558	15	FT3 (769-BGA)	Laptop
<a href="#">Intel Xeon 5120 @ 1.86GHz</a>	2	763	748	65	LGA771	Server
<a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>	2	764	856	35	PGA478	Laptop
<a href="#">AMD A4-3330MX APU</a>	2	765	938	45	FS1 uPGA	Laptop
<a href="#">AMD Opteron 280</a>	2	765	430	95	940	Server
<a href="#">Intel Pentium P6000 @ 1.87GHz</a>	2	765	713	35	PGA988	Laptop
<a href="#">Intel Pentium T4400 @ 2.20GHz</a>	2	765	862	35	PGA478	Laptop
<a href="#">AMD Athlon II N350 Dual-Core</a>	2	767	945	35	Unknown	Unknown
<a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>	2	768	872	35	PGA478	Laptop
<a href="#">Athlon Dual Core 4850e</a>	2	769	861	45	AM2	Desktop
<a href="#">MT6761V/WAB</a>	4	769	472	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>	2	770	848	34	PBGA479, PPGA478	Laptop
<a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a>	2	772	844	65	LGA775	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

<a href="#">Intel Pentium T4300 @ 2.10GHz</a>	2	775	834	35	PGA478	Laptop
<a href="#">AMD Opteron 1216</a>	2	781	810	103	AM2	Server
<a href="#">MT8165</a>	4	781	480	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8992</a>	6	782	558	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/W</a>	8	784	302	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/CD</a>	4	784	488	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 7450 Dual-Core</a>	2	789	853	95	AM2+	Desktop
<a href="#">Intel Celeron B820 @ 1.70GHz</a>	2	789	745	35	PGA988B	Laptop
<a href="#">Intel Pentium 997 @ 1.60GHz</a>	2	789	729	17	BGA-1023	Unknown
<a href="#">Intel Xeon 3040 @ 1.86GHz</a>	2	789	474	65	LGA775	Server
<a href="#">AMD Turion II P520 Dual-Core</a>	2	790	892	25	S1	Laptop
<a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>	2	790	793	25	PGA478	Laptop
<a href="#">ARM Neoverse-N1 1 Core 0 MHz</a>	1	791	1,197	NA	Unknown	Unknown
<a href="#">Intel Pentium T4500 @ 2.30GHz</a>	2	791	910	35	PGA478	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a>	2	793	778	35	S1	Laptop
<a href="#">Intel Pentium E2220 @ 2.40GHz</a>	2	793	892	65	LGA775	Desktop
<a href="#">Intel Atom Z3775D @ 1.49GHz</a>	4	794	646	4.4	UTFCBGA1380	Laptop
<a href="#">AMD A6-4455M APU</a>	1	795	788	17	FP2	Laptop
<a href="#">Intel Xeon 5130 @ 2.00GHz</a>	2	795	796	65	LGA771	Server
<a href="#">Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</a>	4	795	508	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Dual Core 5200B</a>	2	796	953	65	AM2	Desktop
<a href="#">hi6210sft</a>	8	796	269	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>	2	797	1,008	89	Unknown	Desktop
<a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>	4	800	604	NA	Unknown	Unknown
<a href="#">MT8161A</a>	4	800	374	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 1007U @ 1.50GHz</a>	2	801	761	17	FCBGA1023	Laptop
<a href="#">AMD Athlon64 X2 Dual Core 4600+</a>	2	803	755	110	AM2	Desktop
<a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a>	2	803	985	65	LGA775	Desktop
<a href="#">Intel Xeon E5503 @ 2.00GHz</a>	2	804	845	80	LGA1366	Server
<a href="#">Qualcomm Technologies, Inc MSM8952</a>	8	804	356	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8994</a>	8	805	440	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 1214 HE</a>	2	806	811	65	AM2	Server
<a href="#">Intel Atom Z3735G @ 1.33GHz</a>	4	806	487	4.4	Unknown	Laptop
<a href="#">Intel Core2 Duo E6540 @ 2.33GHz</a>	2	808	969	65	LGA775	Desktop
<a href="#">MT8766B</a>	4	808	513	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron E3400 @ 2.60GHz</a>	2	810	997	65	LGA775	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>	2	811	913	65	AM2	Desktop
<a href="#">Intel Celeron B830 @ 1.80GHz</a>	2	812	841	35	rPGA988B	Laptop
<a href="#">Intel Core i3-2365M @ 1.40GHz</a>	2	812	608	17	BGA1023	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">AMD A4-4355M APU</a>	2	818	828	17	FP2	Laptop
<a href="#">AMD Turion II P560 Dual-Core</a>	2	818	931	25	S1	Laptop
<a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a>	4	818	473	4	Unknown	Laptop
<a href="#">DO-Regular</a>	1	819	1,055	NA	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc MSM8939</a>	8	819	332	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-3310MX APU</a>	2	821	878	45	FS1	Laptop
<a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>	2	823	879	35	BGA479	Laptop
<a href="#">Intel Core2 Extreme X6800 @ 2.93GHz</a>	2	823	973	75	PLGA775	Desktop
<a href="#">Intel Core i3-2357M @ 1.30GHz</a>	2	824	591	17	Unknown	Laptop
<a href="#">AMD E2-9000e</a>	2	825	727	6	Unknown	Laptop
<a href="#">Intel Atom Z3580 @ 1.33GHz</a>	4	825	574	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>	2	825	899	35	BGA479	Laptop
<a href="#">AMD Athlon Dual Core 5400B</a>	2	826	969	65	AM2	Desktop
<a href="#">AMD Sempron X2 180</a>	2	826	865	45	Unknown	Unknown
<a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a>	2	827	923	65	LGA775	Desktop
<a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a>	4	829	465	4	UTFCBGA592	Laptop, Mobile/Embedded
<a href="#">AMD Turion II Dual-Core Mobile M520</a>	2	830	927	35	S1	Laptop
<a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>	2	830	922	25	BGA479	Laptop
<a href="#">Intel Core i3-2367M @ 1.40GHz</a>	2	832	617	17	BGA1023	Laptop
<a href="#">BCM2711</a>	4	834	597	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium P6300 @ 2.27GHz</a>	2	834	772	35	PGA988	Laptop
<a href="#">AMD Athlon 5000 Dual-Core</a>	2	835	892	65	AM2,AM2+	Desktop
<a href="#">AMD Athlon Dual Core 5000B</a>	2	835	935	65	AM2	Desktop
<a href="#">Intel Celeron 2955U @ 1.40GHz</a>	2	835	765	15	FCBGA1168	Laptop
<a href="#">Intel Pentium B940 @ 2.00GHz</a>	2	835	864	35	PGA988	Laptop
<a href="#">Intel Core i5-430UM @ 1.20GHz</a>	2	836	630	18	BGA1288	Laptop
<a href="#">Intel Celeron E3300 @ 2.50GHz</a>	2	837	1,042	65	LGA775	Desktop
<a href="#">Intel Xeon E5502 @ 1.87GHz</a>	2	837	799	80	LGA1366	Server
<a href="#">Intel Xeon E5205 @ 1.86GHz</a>	2	838	788	65	LGA771	Server
<a href="#">AMD Opteron 275</a>	2	839	445	95	940	Server
<a href="#">Intel Celeron 2957U @ 1.40GHz</a>	2	839	781	15	FCBGA1168	Laptop
<a href="#">Intel Xeon 5150 @ 2.66GHz</a>	2	840	999	65	LGA771	Server
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>	2	841	686	35	S1	Laptop
<a href="#">Intel Xeon 3050 @ 2.13GHz</a>	2	841	672	65	LGA775	Server
<a href="#">Rockchip RK3566 EVB2 LP4X V10 Board</a>	4	843	517	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron P4600 @ 2.00GHz</a>	2	845	803	35	PGA988A	Laptop
<a href="#">MT9950</a>	4	845	653	NA	Unknown	Mobile/Embedded
<a href="#">MT6761V/CBB</a>	4	846	536	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium P6200 @ 2.13GHz</a>	2	848	842	35	PGA988	Laptop
<a href="#">SAMSUNG Exynos7580</a>	8	848	248	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 3560V @ 1.20GHz</a>	2	849	700	11.5	BGA1168	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Core2 Duo P8600 @ 2.40GHz</a>	2	856	942	25	BGA479	Laptop
<a href="#">Intel Xeon 5140 @ 2.33GHz</a>	2	857	870	65	LGA771	Server
<a href="#">MT6762V/CR</a>	8	857	359	NA	Unknown	Mobile/Embedded
<a href="#">MT8161AA</a>	4	857	419	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 7550 Dual-Core</a>	2	859	919	95	AM2+	Desktop
<a href="#">Intel Celeron E3200 @ 2.40GHz</a>	2	860	992	65	LGA775	Desktop
<a href="#">AMD Turion 64 X2 Mobile TL-68</a>	2	861	887	35	S1	Laptop
<a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>	4	861	572	NA	Unknown	Unknown
<a href="#">AMD Athlon II X2 4450e</a>	2	867	1,066	45	AM2	Desktop
<a href="#">Intel Pentium E5200 @ 2.50GHz</a>	2	867	1,006	65	LGA775	Desktop
<a href="#">Intel Xeon 3065 @ 2.33GHz</a>	2	867	836	65	LGA775	Server
<a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a>	2	868	909	65	LGA775	Desktop
<a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>	2	868	917	25	PGA478	Laptop
<a href="#">AMD Athlon 5200 Dual-Core</a>	2	869	915	75	AM2	Desktop
<a href="#">Qualcomm Technologies, Inc SDM429</a>	4	874	558	NA	Unknown	Mobile/Embedded
<a href="#">Athlon 64 Dual Core 5600+</a>	2	875	993	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>	2	876	995	65	AM2	Desktop
<a href="#">AMD Turion II N550 Dual-Core</a>	2	877	891	35	S1	Laptop
<a href="#">Intel Atom x5-E3930 @ 1.30GHz</a>	2	878	617	6.5	BGA1296	Laptop
<a href="#">Intel Pentium N3510 @ 1.99GHz</a>	4	878	534	7.5	FCBGA1170	Laptop
<a href="#">Samsung Exynos 7580</a>	8	878	308	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7870</a>	8	878	285	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron X2 190</a>	2	879	977	45	AM2+/AM3	Unknown
<a href="#">ARM FT-2000/4 4 Core 2200 MHz</a>	4	881	565	NA	Unknown	Unknown
<a href="#">MediaTek MT8166B</a>	4	881	520	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X2 Dual-Core GP-7730</a>	2	884	1,047	NA	Unknown	Unknown
<a href="#">AMD Turion II P540 Dual-Core</a>	2	884	843	35	S1	Laptop
<a href="#">Intel Xeon 5133 @ 2.20GHz</a>	2	887	838	40	LGA771	Server
<a href="#">Intel Celeron 1017U @ 1.60GHz</a>	2	888	821	17	FCBGA1023	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8994</a>	8	890	509	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-2377M @ 1.50GHz</a>	2	892	678	17	BGA1023	Laptop
<a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>	2	892	914	17	BGA956	Laptop
<a href="#">AMD A4-9120C</a>	2	894	953	6	FT4	Laptop
<a href="#">Intel Core i3-2375M @ 1.50GHz</a>	2	894	684	17	BGA1023	Laptop
<a href="#">Octa Core</a>	8	894	378	NA	Unknown	Mobile/Embedded
<a href="#">UGOOS UT8 Board</a>	4	894	543	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8940</a>	8	895	315	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T8300 @ 2.40GHz</a>	2	896	1,000	35	BGA479	Laptop
<a href="#">Intel Pentium G620T @ 2.20GHz</a>	2	896	961	35	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

[Home](#) CPU Benchmarks ▼

<a href="#">AMD Athlon II N370 Dual-Core</a>	2	899	913	35	S1g4	Unknown
<a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>	2	899	952	65	PLGA775	Desktop
<a href="#">Intel Pentium E5300 @ 2.60GHz</a>	2	901	1,036	65	LGA775	Desktop
<a href="#">Intel Xeon 3.73GHz</a>	2	901	734	NA	Unknown	Server
<a href="#">Intel Core i5-520UM @ 1.07GHz</a>	2	902	759	18	BGA1288	Laptop
<a href="#">MT8768WD</a>	8	905	382	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a>	4	906	483	4	UTFCBGA592	Laptop
<a href="#">AMD Opteron 2220 SE</a>	2	909	519	119	F (1207)	Server
<a href="#">Intel Core2 Duo P9300 @ 2.26GHz</a>	2	909	855	NA	Unknown	Laptop
<a href="#">Intel Pentium B960 @ 2.20GHz</a>	2	909	941	35	PGA988	Laptop
<a href="#">Rockchip RK3566 RK817 TABLET LP4X Board</a>	4	909	488	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 1218</a>	2	910	962	103	AM2	Server
<a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>	2	910	1,021	35	BGA479	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 5600+</a>	2	911	1,021	89	AM2	Desktop
<a href="#">AMD Turion II Dual-Core Mobile M540</a>	2	912	967	35	S1	Laptop
<a href="#">Intel Xeon 5148 @ 2.33GHz</a>	2	912	868	40	LGA771	Server
<a href="#">Intel Celeron 3205U @ 1.50GHz</a>	2	918	879	15	FCBGA1168	Laptop
<a href="#">Intel Celeron N2920 @ 1.86GHz</a>	4	918	549	7.5	FCBGA1170	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>	2	919	1,021	89	AM2	Desktop
<a href="#">MediaTek MT6753</a>	8	920	331	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon X2 240</a>	2	921	1,017	65	Unknown	Unknown
<a href="#">AMD E2-9030</a>	2	922	906	NA	BGA (FT4)	Desktop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a>	2	923	982	35	S1	Laptop
<a href="#">Intel Xeon L3406 @ 2.27GHz</a>	2	928	647	30	LGA1156	Server
<a href="#">AMD Sempron X2 198 Dual-Core</a>	2	930	1,070	65	FM1	Desktop
<a href="#">Intel Celeron B840 @ 1.90GHz</a>	2	930	901	35	PGA988B	Laptop
<a href="#">AMD Phenom II P650 Dual-Core</a>	2	933	985	35	S1	Laptop
<a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>	2	934	1,014	35	BGA479	Laptop
<a href="#">Intel Celeron E3500 @ 2.70GHz</a>	2	935	1,154	65	LGA775	Desktop
<a href="#">AMD A6-9220e</a>	2	937	819	NA	Unknown	Laptop
<a href="#">AMD Athlon X2 255</a>	2	938	1,095	65	AM2+/AM3	Unknown
<a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>	2	938	1,018	35	BGA479	Laptop
<a href="#">Intel Xeon 3060 @ 2.40GHz</a>	2	939	942	65	LGA775	Server
<a href="#">AMD Athlon II X2 240</a>	2	941	1,030	65	AM3	Desktop
<a href="#">Intel Celeron J1850 @ 1.99GHz</a>	4	942	455	10	FCBGA1170	Desktop
<a href="#">AMD Athlon 64 FX-62 Dual Core</a>	2	943	1,000	125	AM2	Desktop
<a href="#">Intel Pentium E5400 @ 2.70GHz</a>	2	944	1,085	65	LGA775	Desktop
<a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>	4	944	476	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo SP9400 @ 2.40GHz</a>	2	948	930	25	BGA956	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

[Home](#) CPU Benchmarks ▼

<a href="#">board based on MT6757V/WL</a>						
<a href="#">AMD Opteron 290</a>	2	952	570	95	940	Server
<a href="#">AMD E2-9000</a>	2	953	792	10	Unknown	Laptop
<a href="#">AMD R-260H APU</a>	2	954	902	17	BGA827 (FP2)	Laptop
<a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>	4	955	406	NA	Unknown	Unknown
<a href="#">AMD Opteron 285</a>	2	956	509	95	940	Server
<a href="#">AMD Athlon II X2 215</a>	2	957	1,040	65	AM3	Desktop
<a href="#">Unisoc ums312</a>	4	958	1,054	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo P9500 @ 2.53GHz</a>	2	959	1,056	25	BGA479	Laptop
<a href="#">Intel Atom C2538 @ 2.40GHz</a>	4	960	491	15	FCBGA1283	Laptop
<a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>	2	960	1,051	25	BGA479	Laptop
<a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a>	2	962	1,075	65	LGA775	Desktop
<a href="#">Intel Xeon 5160 @ 3.00GHz</a>	2	963	1,134	80	LGA771	Server
<a href="#">Intel Core i7-620UM @ 1.07GHz</a>	2	964	777	18	BGA1288	Laptop
<a href="#">AMD Phenom II N640 Dual-Core</a>	2	965	1,039	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 6400+</a>	2	967	1,142	125	AM2	Desktop
<a href="#">MT6795M</a>	8	968	377	NA	Unknown	Mobile/Embedded
<a href="#">tn8</a>	4	969	599	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-3300 APU</a>	2	971	1,026	65	FM1	Desktop
<a href="#">AMD A4-4300M APU</a>	1	971	976	35	FS1	Laptop
<a href="#">MediaTek MT6750</a>	8	971	352	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 FX-74</a>	2	972	617	125	F (1207)	Desktop
<a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>	2	973	1,028	NA	Unknown	Unknown
<a href="#">Qualcomm MSM8937</a>	8	973	345	NA	Unknown	Mobile/Embedded
<a href="#">AMD E2-3200 APU</a>	2	974	954	65	FM1	Desktop
<a href="#">MediaTek MT6762V/CA</a>	8	974	388	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 1037U @ 1.80GHz</a>	2	975	924	17	FCBGA1023	Laptop
<a href="#">AMD Phenom X3 8550</a>	3	976	810	95	AM2/AM2+	Desktop
<a href="#">Intel Core i3-2340UE @ 1.30GHz</a>	2	976	620	17	BGA-1023	Laptop
<a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>	2	976	1,104	65	LGA775	Desktop
<a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>	2	976	1,034	35	BGA479	Laptop
<a href="#">Intel Pentium B950 @ 2.10GHz</a>	2	978	932	35	PGA988	Laptop
<a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a>	2	979	1,101	65	LGA775	Desktop
<a href="#">AMD Athlon II X2 240e</a>	2	980	1,092	45	AM3	Desktop
<a href="#">MT6755V/WM</a>	8	981	383	NA	Unknown	Mobile/Embedded
<a href="#">ARM ARMv7 rev 3 (v7I) 4 Core 2065 MHz</a>	4	984	593	NA	Unknown	Unknown
<a href="#">Intel Atom x5-E8000 @ 1.04GHz</a>	4	985	509	5	FCBGA1170	Laptop
<a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a>	2	987	818	130	PLGA775	Desktop
<a href="#">AMD Athlon II X2 4300e</a>	2	990	1,074	13	Unknown	Unknown
<a href="#">AMD Phenom II N620 Dual Core</a>	2	990	1,060	35	S1	Laptop



<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

CPU Benchmarks

<a href="#">Intel Celeron 2981U @ 1.60GHz</a>	2	991	871	15	BGA1168	Laptop
<a href="#">AMD Athlon X2 250</a>	2	993	1,132	65	Unknown	Unknown
<a href="#">Intel Pentium 3558U @ 1.70GHz</a>	2	994	926	15	FCBGA1168	Laptop
<a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>	2	995	1,113	NA	Socket P	Laptop
<a href="#">AMD Athlon X2 215</a>	2	996	1,107	65	Unknown	Unknown
<a href="#">Intel Pentium 2117U @ 1.80GHz</a>	2	998	925	17	FCBGA1023	Laptop
<a href="#">Intel Core i3-330M @ 2.13GHz</a>	2	1,000	816	35	BGA1288	Laptop
<a href="#">Intel Pentium E6300 @ 2.80GHz</a>	2	1,000	1,129	65	LGA775	Desktop
<a href="#">Intel Core i5-540UM @ 1.20GHz</a>	2	1,002	818	18	BGA1288	Laptop
<a href="#">Intel Celeron N2930 @ 1.83GHz</a>	4	1,003	582	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium 3556U @ 1.70GHz</a>	2	1,003	933	15	BGA1168	Laptop
<a href="#">AMD A4 Micro-6400T APU</a>	4	1,004	530	4.5	FT3b	Laptop
<a href="#">Intel Core i3-3229Y @ 1.40GHz</a>	2	1,004	678	13	BGA1023	Desktop
<a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a>	2	1,006	1,055	65	LGA775	Desktop
<a href="#">Intel Core i5-2537M @ 1.40GHz</a>	2	1,007	695	17	BGA1023	Laptop
<a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>	2	1,008	1,054	65	LGA775	Desktop
<a href="#">MT8168B</a>	4	1,008	552	NA	Unknown	Mobile/Embedded
<a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>	2	1,008	947	NA	Unknown	Unknown
<a href="#">AMD A6-7000</a>	2	1,010	857	17	FP3	Laptop
<a href="#">AMD Athlon II X2 245</a>	2	1,010	1,107	65	AM2+/AM3	Desktop
<a href="#">AMD Phenom X2 Dual-Core GE-7060</a>	2	1,010	1,332	NA	Unknown	Unknown
<a href="#">Intel Pentium E5500 @ 2.80GHz</a>	2	1,010	1,140	65	LGA775	Desktop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M660</a>	2	1,011	1,103	35	S1	Laptop
<a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>	2	1,012	1,075	25	PGA478	Laptop
<a href="#">Intel Pentium E5700 @ 3.00GHz</a>	2	1,012	1,167	65	LGA775	Desktop
<a href="#">Qualcomm MSM8939</a>	8	1,013	461	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6 PRO-7050B APU</a>	2	1,015	884	17	FP3	Laptop
<a href="#">AMD Athlon X2 240e</a>	2	1,015	1,092	45	Unknown	Unknown
<a href="#">Intel Core i5-560UM @ 1.33GHz</a>	2	1,015	898	18	BGA1288	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M640</a>	2	1,016	1,063	35	S1	Laptop
<a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>	2	1,016	1,090	35	BGA479	Laptop
<a href="#">Intel Pentium J2850 @ 2.41GHz</a>	4	1,016	646	10	FCBGA1170	Desktop
<a href="#">Qualcomm Technologies, Inc MSM8937</a>	8	1,017	374	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X2 220</a>	2	1,018	1,103	65	AM3	Desktop
<a href="#">ARM Cortex-A57 8 Core 1500 MHz</a>	8	1,022	346	NA	Unknown	Unknown
<a href="#">AMD A4 PRO-7350B</a>	1	1,024	1,174	65	FM2+	Desktop
<a href="#">Intel Xeon 3070 @ 2.66GHz</a>	2	1,025	1,024	65	LGA775	Server
<a href="#">AMD A6-4400M APU</a>	1	1,026	1,043	35	FS1r2	Laptop
<a href="#">Intel Celeron 1000M @ 1.80GHz</a>	2	1,028	970	35	FCPGA988	Laptop

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a>	2	1,034	1,169	65	LGA775	Desktop
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>	8	1,035	348	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X2 B22</a>	2	1,036	1,124	65	AM3	Desktop
<a href="#">AMD Opteron 1220</a>	2	1,036	1,077	103	AM2	Server
<a href="#">AMD Opteron 2218</a>	2	1,036	491	95	F (1207)	Server
<a href="#">AMD Athlon 7850 Dual-Core</a>	2	1,037	1,110	95	AM2+	Desktop
<a href="#">AMD GX-222GC SOC</a>	2	1,038	819	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
<a href="#">Intel Atom E3845 @ 1.91GHz</a>	4	1,038	536	10	FCBGA1170	Desktop
<a href="#">MT8783</a>	8	1,039	353	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-680UM @ 1.47GHz</a>	2	1,046	773	18	BGA1288	Laptop
<a href="#">AMD Athlon II X2 235e</a>	2	1,049	1,107	45	AM3	Desktop
<a href="#">AMD A4-3400 APU</a>	2	1,051	1,065	65	FM1	Desktop
<a href="#">Rockchip RK3566 BOX DEMO V10 ANDROID Board</a>	4	1,051	510	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon W3503 @ 2.40GHz</a>	2	1,052	1,015	130	LGA1366	Server
<a href="#">Intel Celeron G530T @ 2.00GHz</a>	2	1,055	966	35	LGA1155	Desktop
<a href="#">Intel Celeron 2980U @ 1.60GHz</a>	2	1,056	929	15	FCBGA1168	Laptop
<a href="#">MT6592T</a>	8	1,056	354	NA	Unknown	Mobile/Embedded
<a href="#">AMD Embedded G-Series GX-215JJ Radeon R2E</a>	2	1,057	869	10	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Athlon II X2 4400e</a>	2	1,059	1,121	37	Unknown	Unknown
<a href="#">Intel Pentium G6950 @ 2.80GHz</a>	2	1,061	1,035	73	LGA1156	Desktop
<a href="#">AMD A6-9200</a>	2	1,062	925	10	BGA	Laptop
<a href="#">AMD Phenom X4 Quad-Core GS-6560</a>	4	1,063	282	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>	2	1,064	1,126	65	LGA775	Desktop
<a href="#">AMD GX-412HC</a>	4	1,065	412	7	FT3b	Laptop
<a href="#">AMD Phenom II N660 Dual-Core</a>	2	1,065	1,167	35	S1	Laptop
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L24</a>	8	1,065	344	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-350M @ 2.27GHz</a>	2	1,066	878	35	BGA1288	Laptop
<a href="#">Intel Pentium 2127U @ 1.90GHz</a>	2	1,066	992	17	FCBGA1023	Laptop
<a href="#">Samsung EXYNOS5433</a>	8	1,067	468	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II P820 Triple-Core</a>	3	1,068	717	25	S1	Laptop
<a href="#">Intel Celeron 1005M @ 1.90GHz</a>	2	1,068	1,015	35	FCPGA988	Laptop
<a href="#">MediaTek MT6750V/WT</a>	8	1,068	403	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>	2	1,069	1,111	25	PGA478	Laptop
<a href="#">Intel Xeon 3085 @ 3.00GHz</a>	2	1,070	1,124	65	LGA775	Server
<a href="#">MT6755BM</a>	8	1,070	520	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium E6600 @ 3.06GHz</a>	2	1,072	1,156	65	LGA775	Desktop
<a href="#">AMD Athlon II X2 B24</a>	2	1,073	1,206	65	AM3	Desktop
<a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>	2	1,073	1,144	35	BGA479	Laptop
<a href="#">Intel Pentium E6500 @ 2.93GHz</a>	2	1,073	1,210	65	LGA775	Desktop
<a href="#">AMD Athlon II X2 245e</a>	2	1,075	1,145	45	AM3	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">MT8173</a>	4	1,077	848	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom 8400 Triple-Core</a>	3	1,079	786	95	AM2+	Desktop
<a href="#">AMD Athlon II X2 250</a>	2	1,082	1,154	65	AM3	Desktop
<a href="#">AMD Phenom 8250e Triple-Core</a>	3	1,084	729	65	940	Desktop
<a href="#">15/70</a>	2	1,085	878	NA	Unknown	Unknown
<a href="#">Qualcomm MSM 8939 HUAWEI TEXAS-A1</a>	8	1,085	383	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G1101 @ 2.27GHz</a>	2	1,086	929	73	FCLGA1156	Desktop
<a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>	2	1,087	1,198	65	LGA775	Desktop
<a href="#">MT6795</a>	8	1,088	436	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 1222</a>	2	1,089	1,128	103	AM2	Server
<a href="#">Intel Core i7-640UM @ 1.20GHz</a>	2	1,090	817	18	BGA1288	Laptop
<a href="#">Intel Celeron 2002E @ 1.50GHz</a>	2	1,091	871	25	FCBGA1364	Laptop
<a href="#">Qualcomm MSM8992</a>	6	1,092	455	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A4-4350B</a>	2	1,093	988	15	FT4	Laptop
<a href="#">Intel Core2 Extreme X7900 @ 2.80GHz</a>	2	1,093	1,087	44	PGA478	Laptop
<a href="#">Intel Celeron G530 @ 2.40GHz</a>	2	1,096	1,078	65	LGA1155	Desktop
<a href="#">Intel Xeon 3075 @ 2.66GHz</a>	2	1,096	1,096	NA	Unknown	Server
<a href="#">MediaTek MT6762G</a>	8	1,096	431	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-3420 APU</a>	2	1,099	1,154	65	FM1	Desktop
<a href="#">AMD Phenom II X2 B57</a>	2	1,099	1,231	80	Unknown	Unknown
<a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a>	2	1,099	1,144	NA	Socket P	Laptop
<a href="#">ARM Cortex-A72 6 Core 1416 MHz</a>	6	1,101	482	NA	Unknown	Unknown
<a href="#">AMD Athlon II X2 260</a>	2	1,102	1,247	65	AM3	Desktop
<a href="#">Intel Celeron G550T @ 2.20GHz</a>	2	1,102	1,026	35	LGA1155	Desktop
<a href="#">Intel Pentium B970 @ 2.30GHz</a>	2	1,102	1,058	35	PGA988	Laptop
<a href="#">AMD Athlon II X2 210e</a>	2	1,105	1,105	45	AM3	Desktop
<a href="#">AMD Opteron 2220</a>	2	1,106	553	95	F (1207)	Server
<a href="#">AMD Phenom II X2 545</a>	2	1,107	1,083	80	AM2+/AM3	Desktop
<a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>	2	1,109	1,151	28	PGA478	Laptop
<a href="#">Intel Celeron G540 @ 2.50GHz</a>	2	1,110	1,131	65	LGA1155	Desktop
<a href="#">AMD Phenom 8250 Triple-Core</a>	3	1,114	752	65	Unknown	Desktop
<a href="#">Intel Celeron G1820TE @ 2.20GHz</a>	2	1,115	728	35	LGA1150	Desktop
<a href="#">AMD Phenom II P840 Triple-Core</a>	3	1,116	790	35	S1	Laptop
<a href="#">AMD A6-1450 APU</a>	4	1,117	468	8	FT3	Laptop
<a href="#">Intel Pentium A1018 @ 2.10GHz</a>	2	1,117	1,020	35	FCPGA988	Laptop
<a href="#">Intel Xeon L5320 @ 1.86GHz</a>	4	1,118	281	50	LGA771	Server
<a href="#">AMD E2-6110 APU</a>	4	1,121	466	15	AM1,FT3b	Laptop
<a href="#">AMD A6-5345M APU</a>	2	1,122	1,094	17	FP2	Laptop
<a href="#">MediaTek MT6750T</a>	8	1,123	473	NA	Unknown	Mobile/Embedded
<a href="#">AMD E2-3800 APU</a>	4	1,124	447	15	FT3	Laptop
<a href="#">AMD Phenom II X2 B53</a>	2	1,126	1,164	80	AM3	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">AMD A8-7050</a>	2	1,129	890	15	Unknown	Laptop
<a href="#">AMD Phenom 8450e Triple-Core</a>	3	1,134	781	65	AM2+	Desktop
<a href="#">Intel Celeron J1900 @ 1.99GHz</a>	4	1,134	649	10	FCBGA1170	Desktop
<a href="#">Intel Core2 Extreme X9000 @ 2.80GHz</a>	2	1,135	1,103	44	PGA478	Laptop
<a href="#">Intel Xeon W3505 @ 2.53GHz</a>	2	1,136	1,105	130	LGA1366	Server
<a href="#">AMD Phenom II N830 Triple-Core</a>	3	1,137	798	35	S1	Laptop
<a href="#">Intel Core i3-2312M @ 2.10GHz</a>	2	1,138	927	35	PGA988B	Laptop
<a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a>	2	1,138	1,077	44	PGA478	Laptop
<a href="#">AMD A9-9420e</a>	2	1,139	999	NA	Unknown	Laptop
<a href="#">AMD Phenom II N870 Triple-Core</a>	3	1,139	858	35	S1	Laptop
<a href="#">Intel Core2 Extreme X9100 @ 3.06GHz</a>	2	1,139	1,175	44	PGA478	Laptop
<a href="#">Intel Pentium G640T @ 2.40GHz</a>	2	1,139	1,102	35	LGA1155	Desktop
<a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a>	2	1,140	1,196	65	LGA775	Desktop
<a href="#">Intel Pentium N3520 @ 2.16GHz</a>	4	1,140	667	7.5	FCBGA1170	Laptop
<a href="#">AMD A6-5350M APU</a>	2	1,142	1,197	35	FS1r2	Laptop
<a href="#">AMD Phenom 8850 Triple-Core</a>	3	1,142	982	95	AM2+	Desktop
<a href="#">Intel Celeron 3215U @ 1.70GHz</a>	2	1,144	1,060	15	FCBGA1168	Laptop
<a href="#">AMD A6 Micro-6500T APU</a>	4	1,146	630	NA	Unknown	Laptop
<a href="#">Intel Pentium 3805U @ 1.90GHz</a>	2	1,148	1,079	15	FCBGA1168	Laptop
<a href="#">MediaTek MT6753T</a>	8	1,149	416	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N3160 @ 1.60GHz</a>	4	1,150	564	6	FCBGA1170	Laptop
<a href="#">AMD Phenom II X2 B55</a>	2	1,151	1,244	80	AM3	Desktop
<a href="#">AMD A6-3410MX APU</a>	4	1,152	699	45	FS1	Laptop
<a href="#">Intel Pentium E6700 @ 3.20GHz</a>	2	1,152	1,314	65	LGA775	Desktop
<a href="#">AMD Sempron 3850 APU</a>	4	1,153	448	25	AM1,FS1b	Desktop
<a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>	4	1,153	428	NA	Unknown	Unknown
<a href="#">AMD Athlon II X2 250e</a>	2	1,155	1,201	45	AM3	Desktop
<a href="#">AMD Athlon II X2 255</a>	2	1,155	1,246	65	AM3	Desktop
<a href="#">AMD QC-4000</a>	4	1,155	449	15	FT3	Laptop
<a href="#">Intel Pentium E5800 @ 3.20GHz</a>	2	1,158	1,311	65	LGA775	Desktop
<a href="#">MTK6757</a>	8	1,158	709	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II P920 Quad-Core</a>	4	1,160	598	25	S1	Laptop
<a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>	2	1,161	1,275	65	LGA775	Desktop
<a href="#">MT6757WH</a>	8	1,161	419	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-380M @ 2.53GHz</a>	2	1,162	1,018	35	PGA988A	Laptop
<a href="#">AMD Phenom II X2 511</a>	2	1,163	1,253	65	AM2+/AM3	Unknown
<a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>	2	1,163	1,220	35	BGA479	Laptop
<a href="#">Intel Pentium G645T @ 2.50GHz</a>	2	1,164	1,100	35	LGA1155	Desktop
<a href="#">AMD Phenom II X640 Dual-Core</a>	2	1,165	1,142	45	S1	Unknown
<a href="#">Intel Atom Z3795 @ 1.60GHz</a>	4	1,166	654	4	UTFCBGA1380	Laptop
<a href="#">Intel Pentium F6800 @ 3.33GHz</a>	2	1,166	1,358	65	LGA775	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">ARM Cortex-A57 4 Core 1734 MHz</a>	4	1,172	387	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>	2	1,172	1,126	NA	Socket P	Laptop
<a href="#">Intel Xeon Gold 6133 @ 2.50GHz</a>	1	1,172	1,429	150	FCLGA3647	Server
<a href="#">MT6755V/CM</a>	8	1,172	334	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G540T @ 2.10GHz</a>	2	1,174	972	35	LGA1155	Desktop
<a href="#">AMD A6-9220C</a>	2	1,175	1,031	6	FT4	Laptop
<a href="#">Intel Pentium G840 @ 2.80GHz</a>	2	1,175	1,252	65	FCLGA1155	Desktop
<a href="#">AMD Athlon II X2 B28</a>	2	1,177	1,347	65	AM3	Desktop
<a href="#">Intel Core i3-390M @ 2.67GHz</a>	2	1,178	1,096	35	BGA1288	Laptop
<a href="#">Intel Celeron 3965Y @ 1.50GHz</a>	2	1,179	889	6	FCBGA1515	Laptop
<a href="#">Intel Celeron 3755U @ 1.70GHz</a>	2	1,182	1,022	15	FCBGA1168	Laptop
<a href="#">AMD R-460L APU</a>	4	1,183	776	25	BGA827 (FP2)	Laptop
<a href="#">AMD A4-4000 APU</a>	1	1,184	1,191	65	FM2	Desktop
<a href="#">Intel Core i3-3217U @ 1.80GHz</a>	2	1,185	912	17	BGA1023	Laptop
<a href="#">Intel Core i3-2310M @ 2.10GHz</a>	2	1,186	940	35	BGA1023	Laptop
<a href="#">Intel Core2 Duo E8335 @ 2.93GHz</a>	2	1,187	1,206	NA	Socket P	Laptop
<a href="#">AMD Phenom 8750B Triple-Core</a>	3	1,188	901	95	AM2+	Desktop
<a href="#">Intel Atom x5-Z8550 @ 1.44GHz</a>	4	1,190	705	4	UTFCBGA1380	Laptop, Mobile/Embedded
<a href="#">ARM Cortex-A72 6 Core 1512 MHz</a>	6	1,192	522	NA	Unknown	Unknown
<a href="#">Intel Celeron N3150 @ 1.60GHz</a>	4	1,193	572	6	FCBGA1170	Laptop
<a href="#">Intel Celeron J3355 @ 2.00GHz</a>	2	1,195	806	10	FCBGA1296	Desktop, Laptop
<a href="#">Intel Pentium N3530 @ 2.16GHz</a>	4	1,197	705	7.5	FCBGA1170	Laptop
<a href="#">ROC-RK3568-PC HDMI (Android)</a>	4	1,197	551	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 2222</a>	2	1,198	618	95	F (1207)	Server
<a href="#">Qualcomm Technologies, Inc SDM450</a>	8	1,198	398	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G550 @ 2.60GHz</a>	2	1,200	1,192	65	LGA1155	Desktop
<a href="#">AMD Phenom 8650 Triple-Core</a>	3	1,205	854	95	AM2+	Desktop
<a href="#">Intel Core i5-430M @ 2.27GHz</a>	2	1,209	996	35	BGA1288	Laptop
<a href="#">AMD Phenom 8600 Triple-Core</a>	3	1,210	898	95	AM2+	Desktop
<a href="#">AMD A4-9125</a>	2	1,211	1,039	15	BGA (FT4)	Laptop
<a href="#">Intel Core i5-450M @ 2.40GHz</a>	2	1,211	1,039	35	PGA988A	Laptop
<a href="#">Intel Pentium G620 @ 2.60GHz</a>	2	1,213	1,205	65	LGA1155	Desktop
<a href="#">AMD Phenom 8450 Triple-Core</a>	3	1,214	829	95	AM2+	Desktop
<a href="#">AMD Phenom II P860 Triple-Core</a>	3	1,214	831	35	S1	Laptop
<a href="#">AMD R-272F APU</a>	2	1,215	1,087	35	FS1	Desktop, Laptop
<a href="#">Intel Pentium N3540 @ 2.16GHz</a>	4	1,215	714	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron J3160 @ 1.60GHz</a>	4	1,216	594	6	BGA1170	Desktop
<a href="#">Intel Core i3-2328M @ 2.20GHz</a>	2	1,218	985	35	PGA988	Laptop
<a href="#">MT6755V/BM</a>	8	1,219	520	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-5300B APU</a>	2	1,220	1,254	65	FM2	Desktop
<a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>	2	1,220	1,199	35	BGA479,PGA478	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">AMD A4-4020 APU</a>	2	1,225	1,238	65	FM2	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9530</a>	4	1,228	417	NA	AM2+ (940-pin)	Desktop
<a href="#">AMD A4-9120</a>	2	1,229	1,059	15	BGA	Laptop
<a href="#">Intel Core i3-4012Y @ 1.50GHz</a>	2	1,229	698	11.5	FCBGA1168	Laptop
<a href="#">MT6755M</a>	8	1,229	501	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X2 265</a>	2	1,233	1,344	65	AM3	Desktop
<a href="#">AMD Athlon II X2 270</a>	2	1,234	1,353	65	AM3	Desktop
<a href="#">Snapdragon 898</a>	4	1,234	1,138	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a>	4	1,235	629	4	UTFCBGA1380	Laptop
<a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>	2	1,236	1,323	65	LGA775	Desktop
<a href="#">Intel Celeron 2950M @ 2.00GHz</a>	2	1,237	1,150	37	FCPGA946	Laptop
<a href="#">Intel Celeron 3855U @ 1.60GHz</a>	2	1,237	944	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-2330M @ 2.20GHz</a>	2	1,238	985	35	BGA1023	Laptop
<a href="#">Intel Xeon X5260 @ 3.33GHz</a>	2	1,238	1,406	80	LGA771	Server
<a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>	2	1,240	1,307	NA	Socket P	Laptop
<a href="#">MT6750V/C</a>	8	1,241	411	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3110 @ 3.00GHz</a>	2	1,242	1,331	65	LGA775	Server
<a href="#">Intel Atom C3338 @ 1.50GHz</a>	2	1,245	874	8.5	FCBGA1310	Server, Mobile/Embedded
<a href="#">Intel Core i3-3227U @ 1.90GHz</a>	2	1,248	939	17	BGA1023	Laptop
<a href="#">Intel Pentium J2900 @ 2.41GHz</a>	4	1,250	731	10	FCBGA1170	Desktop
<a href="#">Intel Celeron 3765U @ 1.90GHz</a>	2	1,252	1,171	15	FCBGA1168	Laptop
<a href="#">Intel Pentium G640 @ 2.80GHz</a>	2	1,252	1,302	65	LGA1155	Desktop
<a href="#">AMD Phenom II N850 Triple-Core</a>	3	1,253	882	35	S1	Laptop
<a href="#">AMD A6-5357M APU</a>	2	1,260	1,268	35	FP2	Laptop
<a href="#">AMD A6-9210</a>	2	1,260	1,101	15	FP4	Laptop
<a href="#">Intel Core i3-2350M @ 2.30GHz</a>	2	1,260	1,003	35	PGA988B	Laptop
<a href="#">Intel Core i3-330E @ 2.13GHz</a>	2	1,260	934	35	BGA1288	Laptop
<a href="#">AMD A6-3420M APU</a>	4	1,262	786	35	FS1	Laptop
<a href="#">AMD Phenom II X620 Dual-Core</a>	2	1,262	1,339	45	S1	Laptop
<a href="#">Intel Pentium A1020 @ 2.41GHz</a>	4	1,265	705	10	FCBGA1170	Laptop
<a href="#">Intel Celeron 3865U @ 1.80GHz</a>	2	1,266	1,047	15	BGA1356	Laptop
<a href="#">AMD A6-5400K APU</a>	1	1,268	1,260	65	FM2	Desktop
<a href="#">Intel Celeron G555 @ 2.70GHz</a>	2	1,268	1,275	65	LGA1155	Desktop
<a href="#">Intel Core i3-2348M @ 2.30GHz</a>	2	1,268	1,041	35	rPGA988B	Laptop
<a href="#">AMD Embedded G-Series GX-224IJ Radeon R4E</a>	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-660UM @ 1.33GHz</a>	2	1,272	927	18	BGA1288	Laptop
<a href="#">Intel Pentium G630 @ 2.70GHz</a>	2	1,272	1,221	65	LGA1155	Desktop
<a href="#">Intel Celeron 1020M @ 2.10GHz</a>	2	1,275	1,176	35	FCPGA988	Laptop
<a href="#">Intel Core i5-460M @ 2.53GHz</a>	2	1,277	1,139	35	BGA1288	Laptop
<a href="#">AMD Sempron 240</a>	2	1,278	1,300	65	FM2	Desktop
<a href="#">MT6755</a>	8	1,278	536	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-9230</a>	2	1,279	1,158	15	Unknown	Desktop
<a href="#">AMD Phenom 9100e Quad-Core</a>	4	1,279	734	65	AM2+	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">BCM2835</a>	4	1,282	673	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WB</a>	8	1,282	463	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8996</a>	4	1,282	872	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8996</a>	4	1,284	728	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-5000 APU</a>	4	1,285	510	15	FT3	Laptop
<a href="#">AMD A6-9220</a>	2	1,285	1,139	15	Unknown	Laptop
<a href="#">MediaTek MT6762V/WA</a>	8	1,285	449	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM439</a>	8	1,289	485	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC9863a</a>	8	1,289	472	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G6960 @ 2.93GHz</a>	2	1,293	1,264	73	LGA1156	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9500</a>	4	1,297	711	95	AM2+	Desktop
<a href="#">Intel Core i5-480M @ 2.67GHz</a>	2	1,304	1,164	35	BGA1288	Laptop
<a href="#">Intel Xeon E5310 @ 1.60GHz</a>	4	1,306	640	80	LGA771	Server
<a href="#">AMD A8-4555M APU</a>	2	1,307	788	19	FP2	Laptop
<a href="#">AMD A8-3500M APU</a>	4	1,308	781	35	FS1	Laptop
<a href="#">AMD Phenom II X2 555</a>	2	1,308	1,315	80	AM2+/AM3	Desktop
<a href="#">Intel Pentium G2020T @ 2.50GHz</a>	2	1,308	1,338	35	FCLGA1155	Desktop
<a href="#">Intel Core i5-4202Y @ 1.60GHz</a>	2	1,309	851	11.5	FCBGA1168	Desktop
<a href="#">Intel Pentium 3550M @ 2.30GHz</a>	2	1,309	1,183	37	FCPGA946	Laptop
<a href="#">ARM Cortex-A73 6 Core 1992 MHz</a>	6	1,311	454	NA	Unknown	Unknown
<a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a>	4	1,311	642	4	BGA1380	Laptop
<a href="#">MT6763V/WT</a>	8	1,313	621	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon X2 340 Dual Core</a>	2	1,315	1,301	65	Unknown	Unknown
<a href="#">AMD Opteron 2393 SE</a>	2	1,317	1,237	105	F (1207)	Server
<a href="#">AMD Phenom II P940 Quad-Core</a>	4	1,319	679	35	S1	Laptop
<a href="#">AMD Athlon II X3 400e</a>	3	1,320	908	45	AM3	Desktop
<a href="#">Intel Pentium N3700 @ 1.60GHz</a>	4	1,320	647	6	FCBGA1170	Laptop
<a href="#">VIA QuadCore C4650@2.0GHz</a>	4	1,323	557	NA	Unknown	Unknown
<a href="#">Intel Xeon @ 2.20GHz</a>	1	1,324	1,383	61	PPGA603	Server
<a href="#">Intel Core i5 750S @ 2.40GHz</a>	4	1,326	1,039	82	LGA1156	Desktop
<a href="#">AMD Athlon X2 280</a>	2	1,327	1,258	65	AM3	Unknown
<a href="#">AMD A4-5050 APU</a>	4	1,328	538	13.5	FT3	Laptop
<a href="#">AMD A4-6300B APU</a>	1	1,328	1,373	65	Unknown	Desktop
<a href="#">Intel Xeon E3120 @ 3.16GHz</a>	2	1,330	1,364	65	LGA775	Server
<a href="#">AMD Athlon II X3 405e</a>	3	1,331	973	45	AM3	Desktop
<a href="#">AMD A6-9225</a>	2	1,332	1,178	15	BGA (FT4)	Laptop
<a href="#">Intel Celeron 4205U @ 1.80GHz</a>	2	1,334	1,048	15	FCBGA1528	Laptop
<a href="#">Intel Celeron G1610T @ 2.30GHz</a>	2	1,334	1,211	35	LGA1155	Desktop
<a href="#">Hisilicon Kirin 930</a>	8	1,337	419	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon L5240 @ 3.00GHz</a>	2	1,337	1,299	40	LGA771	Server
<a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>	2	1,338	1,403	65	LGA775	Desktop
<a href="#">Intel Xeon L3110 @ 3.00GHz</a>	2	1,338	1,279	45	LGA775	Server

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">MediaTek MT6762V/CB</a>	8	1,340	495	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom 8750 Triple-Core</a>	3	1,343	974	95	AM2+	Desktop
<a href="#">AMD A10 Micro-6700T APU</a>	4	1,345	700	5	FT3b	Laptop
<a href="#">AMD A4-5100 APU</a>	4	1,346	540	15	FT3	Laptop
<a href="#">Intel Core i3-2370M @ 2.40GHz</a>	2	1,346	1,074	35	PGA988B	Laptop
<a href="#">Samsung Exynos 7884</a>	8	1,346	637	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-5300 APU</a>	2	1,349	1,348	65	FM2	Desktop
<a href="#">Intel Core i3-4010Y @ 1.30GHz</a>	2	1,350	744	11.5	BGA1168	Desktop
<a href="#">Intel Pentium G850 @ 2.90GHz</a>	2	1,352	1,327	65	FCLGA1155	Desktop
<a href="#">Intel Core i3-2332M @ 2.20GHz</a>	2	1,353	936	35	rPGA988B	Laptop
<a href="#">Intel Pentium 2030M @ 2.50GHz</a>	2	1,353	1,157	35	FPCGA988	Laptop
<a href="#">Intel Pentium G645 @ 2.90GHz</a>	2	1,353	1,303	65	LGA1155	Desktop
<a href="#">AMD Athlon II X2 280</a>	2	1,355	1,462	65	AM3	Unknown
<a href="#">Qualcomm Technologies, Inc MSM8956</a>	6	1,356	738	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium N3710 @ 1.60GHz</a>	4	1,357	687	6	FCBGA1170	Laptop
<a href="#">AMD Phenom II X2 570</a>	2	1,360	1,408	80	AM3	Desktop
<a href="#">Intel Core i3-3217UE @ 1.60GHz</a>	2	1,362	711	17	BGA1023	Laptop
<a href="#">Intel Pentium 2020M @ 2.40GHz</a>	2	1,367	1,267	35	FPCGA988	Laptop
<a href="#">MediaTek MT6765G</a>	8	1,369	497	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a>	4	1,373	697	4	UTFCBGA1380	Laptop
<a href="#">MT8176</a>	6	1,380	1,027	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WR</a>	8	1,381	519	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-3500 APU</a>	3	1,382	958	65	FM1	Desktop
<a href="#">AMD E1-6050J APU</a>	2	1,385	787	10	Unknown	Unknown
<a href="#">Intel Xeon L5310 @ 1.60GHz</a>	4	1,385	662	50	LGA771	Server
<a href="#">AMD GX-415GA SOC</a>	4	1,386	520	15	FT3 (769-BGA)	Laptop
<a href="#">Qualcomm Technologies, Inc SDA450</a>	8	1,388	458	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 5150 APU</a>	4	1,389	550	25	AM1,FS1b	Desktop
<a href="#">MT6755V/WS</a>	8	1,389	538	NA	Unknown	Mobile/Embedded
<a href="#">AMD A9-9400</a>	2	1,390	1,246	10	FP4	Laptop
<a href="#">AMD Phenom 8600B Triple-Core</a>	3	1,390	957	95	AM2+	Desktop
<a href="#">AMD Phenom II X2 B59</a>	2	1,392	1,384	80	AM2+/AM3	Unknown
<a href="#">AMD A8-3520M APU</a>	4	1,395	841	35	FS1	Laptop
<a href="#">Intel Celeron N4000 @ 1.10GHz</a>	2	1,396	1,020	6	FCBGA1090	Laptop
<a href="#">Intel Pentium G6951 @ 2.80GHz</a>	2	1,401	1,137	73	LGA1156	Desktop
<a href="#">MT6755V/B</a>	8	1,404	551	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X2 565</a>	2	1,405	1,413	80	AM2+/AM3	Desktop
<a href="#">Intel Celeron 1020E @ 2.20GHz</a>	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
<a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a>	2	1,407	777	13	LGA1150	Server
<a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a>	2	1,408	1,302	65	LGA775	Unknown
<a href="#">Intel Core i7-2610UE @ 1.50GHz</a>	2	1,409	972	17	BGA1023	Laptop
<a href="#">Intel Atom C2558 @ 2.40GHz</a>	4	1,410	358	15	BGA 1283	Laptop, Mobile/Embedded
<a href="#">AMD Phenom II P960 Quad-Core</a>	4	1,412	740	35	S1	Laptop
<a href="#">Intel Celeron 5205U @ 1.90GHz</a>	2	1,414	1,094	15	FCBGA1528	Laptop



<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

CPU Benchmarks

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">MSM8996pro</a>						
<a href="#">Intel Atom C2550 @ 2.40GHz</a>	4	1,422	554	14	FCBGA1283	Server
<a href="#">Intel Core i7-620LM @ 2.00GHz</a>	2	1,422	1,074	25	rPGA988A	Laptop
<a href="#">ASUS Tinker Board 2/2S</a>	6	1,423	890	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X3 740</a>	3	1,424	982	95	Unknown	Unknown
<a href="#">MediaTek MT6762V/WD</a>	8	1,424	481	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X2 560</a>	2	1,426	1,450	80	AM2+/AM3	Unknown
<a href="#">Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP</a>	8	1,426	404	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-6300 APU</a>	1	1,427	1,419	65	FM2	Desktop
<a href="#">AMD A6-5400B APU</a>	1	1,428	1,380	65	FM2	Desktop
<a href="#">Intel Xeon E3113 @ 3.00GHz</a>	2	1,429	1,282	65	LGA775	Server
<a href="#">AMD Phenom II X3 700e</a>	3	1,430	969	65	AM3	Desktop
<a href="#">Intel Core i5-2467M @ 1.60GHz</a>	2	1,435	842	17	BGA1023	Laptop
<a href="#">AMD Athlon X3 440</a>	3	1,438	1,129	95	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc APQ8076</a>	8	1,438	561	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X3 415e</a>	3	1,441	1,028	45	AM3	Desktop
<a href="#">Intel Pentium 4410Y @ 1.50GHz</a>	2	1,444	777	6	FCBGA1515	Laptop
<a href="#">Intel Core i3-530 @ 2.93GHz</a>	2	1,446	1,178	73	LGA1156	Desktop
<a href="#">Intel Core i3-4020Y @ 1.50GHz</a>	2	1,447	796	11.5	BGA1168	Desktop
<a href="#">AMD A6-3430MX APU</a>	4	1,448	822	45	FS1	Laptop
<a href="#">Intel Xeon E5240 @ 3.00GHz</a>	2	1,448	1,312	65	LGA771	Server
<a href="#">AMD A6-6400K APU</a>	1	1,450	1,427	65	FM2	Desktop
<a href="#">Intel Celeron G1620 @ 2.70GHz</a>	2	1,450	1,407	55	FCLGA1155	Desktop
<a href="#">Intel Core i5-3339Y @ 1.50GHz</a>	2	1,450	799	13	BGA1023	Desktop
<a href="#">Intel Xeon E5320 @ 1.86GHz</a>	4	1,451	768	80	LGA771	Server
<a href="#">Intel Xeon X5272 @ 3.40GHz</a>	2	1,451	1,411	80	LGA771	Server
<a href="#">MediaTek MT6763V/V</a>	8	1,454	548	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom 9450e Quad-Core</a>	4	1,455	841	65	AM2+	Desktop
<a href="#">AMD A8-3510MX APU</a>	4	1,457	826	45	FS1	Laptop
<a href="#">MT6763V/CT</a>	8	1,457	415	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium J3710 @ 1.60GHz</a>	4	1,461	714	6.5	Unknown	Desktop
<a href="#">AMD Opteron 1352</a>	4	1,464	849	75	AM2	Server
<a href="#">AMD A6-8500P</a>	2	1,466	1,272	15	BGA (FP4)	Laptop
<a href="#">Intel Core i7-640LM @ 2.13GHz</a>	2	1,469	1,013	25	BGA1288	Laptop
<a href="#">Intel Xeon E7320 @ 2.13GHz</a>	4	1,469	776	80	604	Server
<a href="#">Intel Celeron G1610 @ 2.60GHz</a>	2	1,470	1,353	55	FCLGA1155	Desktop
<a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>	2	1,472	1,542	NA	Unknown	Unknown
<a href="#">MediaTek MT8768WA</a>	8	1,473	537	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core m5-7Y54 @ 1.20GHz</a>	2	1,475	746	NA	Unknown	Unknown
<a href="#">AMD A4-6210 APU</a>	4	1,477	607	15	FT3b	Laptop
<a href="#">Intel Core i5-4300Y @ 1.60GHz</a>	2	1,479	965	11.5	BGA1168	Desktop
<a href="#">MediaTek MT6757V</a>	8	1,479	583	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Quad Q9000 @ 2.00GHz</a>	4	1,480	879	45	PGA478	Laptop
<a href="#">AMD A4 PRO-7300B APU</a>	1	1,481	1,522	65	Unknown	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Celeron 3867U @ 1.80GHz</a>	2	1,489	1,101	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3955U @ 2.00GHz</a>	2	1,490	1,202	15	FCBGA1356	Laptop
<a href="#">Qualcomm Technologies, Inc APQ8096</a>	4	1,490	1,101	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-7300 APU</a>	1	1,492	1,484	65	FM2	Desktop
<a href="#">Intel Pentium G870 @ 3.10GHz</a>	2	1,495	1,464	65	FCLGA1155	Desktop
<a href="#">MT6763V/B</a>	8	1,495	552	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A6-8530B</a>	2	1,498	1,271	15	FP4	Laptop
<a href="#">AMD Phenom 9350e Quad-Core</a>	4	1,501	792	65	AM2+	Desktop
<a href="#">Intel Celeron 2970M @ 2.20GHz</a>	2	1,501	1,245	37	FCPGA946	Laptop
<a href="#">AMD A9-9410</a>	2	1,504	1,317	25	FP4	Laptop
<a href="#">AMD Athlon X2 370K Dual Core</a>	1	1,504	1,514	65	Unknown	Unknown
<a href="#">AMD Phenom II X4 900e</a>	4	1,505	917	65	AM3	Desktop
<a href="#">Intel Celeron G1620T @ 2.40GHz</a>	2	1,507	1,321	35	LGA1155	Desktop
<a href="#">AMD Opteron 2354</a>	4	1,509	857	115	F (1207)	Server
<a href="#">AMD Phenom 9500 Quad-Core</a>	4	1,512	849	95	AM2+	Desktop
<a href="#">Intel Core i3-540 @ 3.07GHz</a>	2	1,512	1,264	73	LGA1156	Desktop
<a href="#">Qualcomm Technologies, Inc MSM8976</a>	8	1,513	698	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon X3 425</a>	3	1,516	845	95	Unknown	Unknown
<a href="#">Intel Pentium 4405Y @ 1.50GHz</a>	2	1,518	868	6	FCBGA1515	Laptop
<a href="#">AMD Phenom 9750B Quad-Core</a>	4	1,520	913	95	AM2+	Desktop
<a href="#">AMD A9-9420</a>	2	1,522	1,328	15	Unknown	Laptop
<a href="#">Intel Xeon X5270 @ 3.50GHz</a>	2	1,524	1,485	80	LGA771	Server
<a href="#">AMD Opteron X3216 APU</a>	2	1,525	1,294	15	Unknown	Server
<a href="#">AMD E2-7110 APU</a>	4	1,527	615	15	FP4 BGA	Laptop
<a href="#">Intel Xeon E5504 @ 2.00GHz</a>	4	1,529	838	80	LGA1366	Server
<a href="#">Qualcomm MSM8996PRO-AB</a>	4	1,530	944	NA	Unknown	Mobile/Embedded
<a href="#">Apple A8</a>	2	1,532	914	NA	Unknown	Mobile/Embedded
<a href="#">AMD A9-9425</a>	2	1,535	1,344	15	BGA (FT4)	Laptop
<a href="#">Intel Pentium G2030T @ 2.60GHz</a>	2	1,535	1,441	35	LGA1155	Desktop
<a href="#">Intel Core i5-4210Y @ 1.50GHz</a>	2	1,537	1,008	11	BGA1168	Desktop
<a href="#">AMD A6-6420K APU</a>	2	1,538	1,557	65	FM2	Desktop
<a href="#">AMD Phenom II N950 Quad-Core</a>	4	1,538	854	35	S1	Laptop
<a href="#">AMD Phenom II X3 B73</a>	3	1,538	1,056	95	AM3	Desktop
<a href="#">Intel Pentium G2010 @ 2.80GHz</a>	2	1,541	1,473	55	FCLGA1155	Desktop
<a href="#">Rockchip RK</a>	8	1,541	712	NA	Unknown	Mobile/Embedded
<a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>	4	1,547	556	NA	Unknown	Unknown
<a href="#">Intel Xeon E5335 @ 2.00GHz</a>	4	1,549	817	80	LGA771	Server
<a href="#">AMD A6-6420B APU</a>	1	1,550	1,629	65	FM2	Desktop
<a href="#">AMD PRO A4-8350B</a>	1	1,552	1,365	65	FM2+	Desktop
<a href="#">Intel Pentium 3560M @ 2.40GHz</a>	2	1,552	1,421	37	FCPGA946	Laptop
<a href="#">AMD Phenom II X3 710</a>	3	1,554	1,069	95	AM3	Desktop
<a href="#">MT6765V/WA</a>	8	1,556	617	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8 PRO-7150B APU</a>	4	1,557	789	19	FP3	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Core</a>						
<a href="#">Intel Core i5-4200Y @ 1.40GHz</a>	2	1,558	944	11.5	BGA1168	Desktop
<a href="#">Intel Celeron G1830 @ 2.80GHz</a>	2	1,560	1,513	53	LGA1150	Desktop
<a href="#">AMD Embedded G-Series GX-420GI Radeon R7E</a>	4	1,561	854	16.1	FP4	Laptop, Mobile/Embedded
<a href="#">AMD A4-6320 APU</a>	1	1,563	1,550	65	FM2	Desktop
<a href="#">Intel Pentium G3220T @ 2.60GHz</a>	2	1,564	1,447	35	LGA1150	Desktop
<a href="#">ZHAOXIN KaiXian KX-6640MA@2.2+GHz</a>	4	1,565	715	70	Unknown	Unknown
<a href="#">AMD Phenom X2 Dual-Core GE-5060</a>	2	1,566	1,053	NA	Unknown	Unknown
<a href="#">Intel Celeron N4020 @ 1.10GHz</a>	2	1,567	1,171	6	FCBGA1090	Laptop
<a href="#">AMD A8-3530MX APU</a>	4	1,570	933	45	FS1	Laptop
<a href="#">MediaTek MT6757CD</a>	8	1,572	622	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X3 720</a>	3	1,574	1,120	95	AM3	Desktop
<a href="#">AMD Athlon II X3 425</a>	3	1,576	1,105	95	AM3	Desktop
<a href="#">Intel Celeron G1840T @ 2.50GHz</a>	2	1,576	1,431	35	LGA1150	Desktop
<a href="#">AMD A8-3550MX APU</a>	4	1,579	938	45	FS1	Laptop
<a href="#">ARM phyrium FT1500a 4 Core 2000 MHz</a>	4	1,579	716	NA	Unknown	Unknown
<a href="#">Intel Celeron J4005 @ 2.00GHz</a>	2	1,581	1,119	10	FCBGA1090	Desktop
<a href="#">ARM Neoverse-N1 2 Core 0 MHz</a>	2	1,583	1,357	NA	Unknown	Unknown
<a href="#">Intel Core i3-550 @ 3.20GHz</a>	2	1,588	1,341	73	LGA1156	Desktop
<a href="#">Qualcomm MSM8953</a>	8	1,589	486	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4220Y @ 1.60GHz</a>	2	1,591	952	11.5	FCBGA1364	Laptop
<a href="#">MT6755V/W</a>	8	1,596	553	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 4415Y @ 1.60GHz</a>	2	1,597	898	6	FCBGA1515	Laptop
<a href="#">AMD A6-7400K APU</a>	2	1,598	1,426	65	FM2+	Desktop
<a href="#">AMD Phenom FX-5000 Quad-Core</a>	4	1,599	826	65	AM2+	Unknown
<a href="#">Intel Xeon X3210 @ 2.13GHz</a>	4	1,599	875	105	LGA775	Server
<a href="#">Intel Core i3-3110M @ 2.40GHz</a>	2	1,602	1,254	35	BGA1023	Laptop
<a href="#">MT6757WD</a>	8	1,602	620	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-8550</a>	2	1,604	1,474	65	FM2+	Desktop
<a href="#">AMD A8-5545M APU</a>	4	1,604	885	19	FP2	Laptop
<a href="#">Unisoc T310</a>	4	1,606	1,154	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 2000E @ 2.20GHz</a>	2	1,607	1,282	37	FCBGA1364	Laptop
<a href="#">Intel Celeron N4000C @ 1.10GHz</a>	2	1,611	1,150	6	FCBGA1090	Laptop
<a href="#">Samsung Exynos 7420</a>	8	1,612	812	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G2120T @ 2.70GHz</a>	2	1,613	1,493	35	FCLGA1155	Desktop
<a href="#">Intel Celeron G1820T @ 2.40GHz</a>	2	1,614	1,396	35	LGA1150	Desktop
<a href="#">AMD A6-6400B APU</a>	1	1,616	1,608	65	FM2	Desktop
<a href="#">MediaTek MT6797</a>	10	1,616	666	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7880</a>	8	1,616	462	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom 9600 Quad-Core</a>	4	1,619	904	95	AM2+	Desktop

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

[Home](#) CPU Benchmarks ▼

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">MSM8953</a>						
<a href="#">AMD A8-4500M APU</a>	2	1,622	887	35	FS1r2	Laptop
<a href="#">Intel Pentium G3320TE @ 2.30GHz</a>	2	1,623	1,314	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-3120M @ 2.50GHz</a>	2	1,626	1,266	35	PGA988	Laptop
<a href="#">Samsung Exynos 7904</a>	8	1,627	742	NA	Unknown	Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-216GD</a>	2	1,628	1,313	15	BGA (FP4)	Laptop, Mobile/Embedded
<a href="#">Snapdragon 888</a>	4	1,630	1,190	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-2100T @ 2.50GHz</a>	2	1,634	1,183	35	LGA1155	Desktop
<a href="#">AMD Opteron 2373 EE</a>	4	1,635	814	60	F (1207)	Server
<a href="#">Nvidia Tegra T210</a>	4	1,635	722	NA	Unknown	Mobile/Embedded
<a href="#">AMD A10-4655M APU</a>	2	1,637	909	25	FP2	Laptop
<a href="#">Intel Core i3-4010U @ 1.70GHz</a>	2	1,637	905	15	BGA1168	Laptop
<a href="#">HiSilicon Kirin 650</a>	8	1,639	628	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765V/CB</a>	8	1,639	591	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom 9550 Quad-Core</a>	4	1,640	872	95	AM2+	Desktop
<a href="#">AMD A6 PRO-7400B</a>	1	1,641	1,494	65	FM2+	Desktop
<a href="#">Intel Core i7-3689Y @ 1.50GHz</a>	2	1,642	984	13	FCBGA1023	Laptop
<a href="#">Intel Core i3-4005U @ 1.70GHz</a>	2	1,643	906	15	FCBGA1168	Laptop
<a href="#">AMD A8-7100 APU</a>	4	1,644	847	19	FP3	Laptop
<a href="#">AMD A6-5200 APU</a>	4	1,646	657	25	FT3	Laptop
<a href="#">AMD Phenom II N970 Quad-Core</a>	4	1,647	902	35	S1	Laptop
<a href="#">MT6765V/WB</a>	8	1,647	593	NA	Unknown	Mobile/Embedded
<a href="#">MT6757W</a>	8	1,648	592	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-3600 APU</a>	4	1,649	896	65	FM1	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9600</a>	4	1,649	764	95	AM2+	Desktop
<a href="#">AMD A4 PRO-3340B</a>	4	1,652	657	25	BGA769 (FT3)	Laptop
<a href="#">Intel Celeron G1820 @ 2.70GHz</a>	2	1,654	1,517	53	FCLGA1150	Desktop
<a href="#">Intel Core i3-4030Y @ 1.60GHz</a>	2	1,654	901	11.5	FCBGA1168	Laptop
<a href="#">Intel Core i7-720QM @ 1.60GHz</a>	4	1,655	964	45	PGA988A	Laptop
<a href="#">Samsung Exynos 7885</a>	8	1,656	850	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A6-9500E</a>	2	1,662	1,493	35	AM4	Desktop
<a href="#">Intel Xeon E5405 @ 2.00GHz</a>	4	1,664	877	80	LGA771	Server
<a href="#">MediaTek MT6765V/CA</a>	8	1,665	615	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X920 Quad-Core</a>	4	1,669	944	45	S1	Laptop
<a href="#">AMD Athlon II X3 435</a>	3	1,670	1,188	95	AM3	Desktop
<a href="#">Intel Pentium G2020 @ 2.90GHz</a>	2	1,670	1,562	55	FCLGA1155	Desktop
<a href="#">Intel Celeron 6305E @ 1.80GHz</a>	2	1,675	1,083	15	FCBGA1449	Mobile/Embedded
<a href="#">AMD A9-9430</a>	2	1,676	1,441	NA	Unknown	Desktop
<a href="#">Intel Xeon L5335 @ 2.00GHz</a>	4	1,678	827	50	LGA771	Server
<a href="#">AMD PRO A6-7350B</a>	2	1,679	1,535	15	FMA4	Laptop
<a href="#">Intel Core i5-520M @ 2.40GHz</a>	2	1,679	1,081	35	BGA1288	Laptop
<a href="#">AMD Phenom 9850 Quad-Core</a>	4	1,680	925	125	AM2+	Desktop
<a href="#">Intel Celeron 3965U @ 2.20GHz</a>	2	1,680	1,360	15	FCBGA1356	Laptop
<a href="#">AMD A6-6310 APU</a>	4	1,681	753	15	FT3	Laptop

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">Intel Celeron J4025 @ 2.00GHz</a>	2	1,688	1,234	10	FCBGA1090	Desktop
<a href="#">Intel Pentium G2100T @ 2.60GHz</a>	2	1,691	1,460	35	LGA1155	Desktop
<a href="#">Intel Celeron 4305U @ 2.20GHz</a>	2	1,694	1,378	15	FCBGA1528	Mobile/Embedded
<a href="#">Intel Atom x6211E @ 1.20GHz</a>	2	1,695	1,304	6	FCBGA1493	Mobile/Embedded
<a href="#">Intel Core i3-560 @ 3.33GHz</a>	2	1,696	1,379	73	LGA1156	Desktop
<a href="#">AMD Phenom 9650 Quad-Core</a>	4	1,699	924	95	AM2+	Desktop
<a href="#">AMD Phenom FX-5200 Quad-Core</a>	4	1,699	919	65	AM3	Unknown
<a href="#">AMD Phenom II X4 910</a>	4	1,699	973	95	AM3	Desktop
<a href="#">MediaTek MT8768CT</a>	8	1,699	614	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768WT</a>	8	1,701	608	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A4-3350B APU</a>	4	1,702	779	15	FT3b	Laptop
<a href="#">AMD Opteron 1356</a>	4	1,703	918	75	AM2	Server
<a href="#">HiSilicon Kirin 659</a>	8	1,703	665	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 4425Y @ 1.70GHz</a>	2	1,703	970	6	FCBGA1515	Laptop
<a href="#">AMD PRO A6-8500B</a>	2	1,704	1,365	15	FP4	Laptop
<a href="#">Intel Core M-5Y70 @ 1.10GHz</a>	2	1,705	1,039	4.5	BGA1234	Laptop
<a href="#">AMD Athlon II X3 440</a>	3	1,707	1,212	95	AM3	Desktop
<a href="#">Intel Celeron G1630 @ 2.80GHz</a>	2	1,707	1,553	55	FCLGA1155	Desktop
<a href="#">AArch64 rev 4 (aarch64)</a>	8	1,708	648	NA	Unknown	Unknown
<a href="#">AMD A10-7300 APU</a>	4	1,708	842	19	FP3	Laptop
<a href="#">Intel Pentium G2030 @ 3.00GHz</a>	2	1,709	1,598	55	FCLGA1155	Desktop
<a href="#">AMD Athlon II X4 600e</a>	4	1,711	913	45	AM3	Desktop
<a href="#">Qualcomm Technologies, Inc APQ8053</a>	8	1,712	557	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4158U @ 2.00GHz</a>	2	1,718	1,005	28	FCBGA1168	Laptop
<a href="#">AMD Phenom X2 Dual-Core GE-6060</a>	2	1,722	1,160	NA	Unknown	Unknown
<a href="#">MediaTek MT6797T</a>	10	1,723	533	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G3250T @ 2.80GHz</a>	2	1,726	1,568	35	LGA1150	Desktop
<a href="#">MT6752</a>	8	1,728	486	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2557M @ 1.70GHz</a>	2	1,732	1,048	17	BGA1023	Laptop
<a href="#">AMD A10-5745M APU</a>	4	1,733	977	25	FP2	Laptop
<a href="#">AMD Opteron 2356</a>	4	1,733	849	75	F (1207)	Server
<a href="#">AMD Phenom 9600B Quad-Core</a>	4	1,736	937	95	AM2+	Desktop
<a href="#">AMD Athlon 5350 APU</a>	4	1,738	698	25	AM1,FS1B	Desktop
<a href="#">Intel Core i5-540M @ 2.53GHz</a>	2	1,740	1,129	35	BGA1288	Laptop
<a href="#">HP Hexa-Core 2.0GHz</a>	4	1,741	804	NA	Unknown	Unknown
<a href="#">MT6765</a>	8	1,748	629	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-7310 APU</a>	4	1,751	790	25	Unknown	Laptop
<a href="#">Intel Core i3-4000M @ 2.40GHz</a>	2	1,752	1,279	37	FCPGA946	Laptop
<a href="#">Intel Pentium G3240T @ 2.70GHz</a>	2	1,755	1,558	35	LGA1150	Desktop
<a href="#">Intel Pentium G3260T @ 2.90GHz</a>	2	1,755	1,568	35	LGA1150	Desktop
<a href="#">Intel Atom C3538 @ 2.10GHz</a>	4	1,756	669	15	FCBGA1310	Server
<a href="#">AMD A10-4657M APU</a>	4	1,759	940	35	FP2	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core2 Quad Q9100 @ 2.26GHz</a>	4	1,764	930	45	PGA478	Laptop
<a href="#">AMD GX-424CC SOC</a>	4	1,766	799	25	FT3b	Laptop
<a href="#">AMD GX-420CA SOC</a>	4	1,767	669	25	FT3 (769-BGA)	Laptop
<a href="#">AMD Phenom II N830 3+1</a>	4	1,768	935	35	S1	Laptop
<a href="#">Intel Core i7-820QM @ 1.73GHz</a>	4	1,768	1,029	45	PGA988A	Laptop
<a href="#">SAMSUNG Exynos7420</a>	8	1,769	710	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM630</a>	8	1,772	612	NA	Unknown	Mobile/Embedded
<a href="#">AMD R-464L APU</a>	4	1,773	1,123	35	FS1r2	Unknown
<a href="#">AMD A8-5557M APU</a>	4	1,774	1,084	35	FP2	Laptop
<a href="#">AMD A8-6410 APU</a>	4	1,774	786	15	BGA769 (FT3b)	Laptop
<a href="#">Intel Core i7-740QM @ 1.73GHz</a>	4	1,776	1,008	45	PGA988A	Laptop
<a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>	4	1,777	958	105	LGA775	Desktop
<a href="#">AMD Athlon X3 435</a>	3	1,781	1,192	95	Unknown	Unknown
<a href="#">AMD Athlon X3 455</a>	3	1,783	1,227	95	AM2+/AM3	Unknown
<a href="#">MT6797M</a>	10	1,783	870	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X4 Quad-Core GP-9730</a>	4	1,784	957	NA	AM2+ (940-pin)	Desktop
<a href="#">Snapdragon 835</a>	8	1,784	1,016	9	Unknown	Unknown
<a href="#">AMD Athlon X4 530</a>	4	1,786	690	25	AM1	Desktop
<a href="#">Intel Core2 Quad Q8200 @ 2.33GHz</a>	4	1,792	1,014	95	LGA775	Desktop
<a href="#">AMD GX-420MC SOC</a>	4	1,796	695	17.5	FTB3b	Laptop
<a href="#">AMD Opteron 1381</a>	4	1,797	1,011	75	AM3	Server
<a href="#">AMD Phenom II X940 Quad-Core</a>	4	1,797	785	45	S1	Laptop
<a href="#">AMD A6-7470K</a>	1	1,799	1,576	65	FM2+	Desktop
<a href="#">AMD A8-7410 APU</a>	4	1,799	799	25	Unknown	Laptop
<a href="#">AMD Athlon II X3 445</a>	3	1,799	1,281	95	AM3	Desktop
<a href="#">Qualcomm Technologies, Inc SDM632</a>	8	1,801	747	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom 9750 Quad-Core</a>	4	1,804	942	125	AM2+	Desktop
<a href="#">Intel Core M-5Y10c @ 0.80GHz</a>	2	1,806	1,073	4.5	FCBGA1234	Laptop
<a href="#">AMD Athlon X4 620</a>	4	1,810	1,033	95	Unknown	Unknown
<a href="#">Intel Core2 Quad Q8300 @ 2.50GHz</a>	4	1,813	1,059	95	LGA775	Desktop
<a href="#">Intel Xeon E5345 @ 2.33GHz</a>	4	1,814	947	80	LGA771	Server
<a href="#">AMD A8-6500T APU</a>	2	1,816	1,048	45	FM2	Desktop
<a href="#">Intel Core i3-2100 @ 3.10GHz</a>	2	1,817	1,426	65	LGA1155	Desktop
<a href="#">Intel Core i5-4302Y @ 1.60GHz</a>	2	1,817	1,084	11.5	FCBGA1168	Desktop
<a href="#">T618</a>	8	1,817	1,136	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-610E @ 2.53GHz</a>	2	1,818	1,400	35	BGA1288	Laptop
<a href="#">Intel Xeon X3220 @ 2.40GHz</a>	4	1,819	942	105	LGA775	Server
<a href="#">Intel Core i3-2330E @ 2.20GHz</a>	2	1,823	1,063	35	rPGA988	Desktop
<a href="#">Intel Core i3-3130M @ 2.60GHz</a>	2	1,824	1,067	35	BGA1023	Laptop
<a href="#">AMD Phenom II X4 B15e</a>	4	1,825	1,069	NA	AM2+/AM3	Desktop
<a href="#">Qualcomm Technologies, Inc SM4250</a>	8	1,828	718	NA	Unknown	Mobile/Embedded

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">MediaTek MT8183</a>	8	1,832	855	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X3323 @ 2.50GHz</a>	4	1,837	1,059	80	LGA775	Server
<a href="#">Intel Core i5-560M @ 2.67GHz</a>	2	1,838	1,243	35	BGA1288	Laptop
<a href="#">Intel Core i3-2105 @ 3.10GHz</a>	2	1,840	1,363	65	LGA1155	Desktop
<a href="#">Intel Core M-5Y10 @ 0.80GHz</a>	2	1,840	1,098	4.5	Unknown	Laptop
<a href="#">AMD A6-9500E</a>	2	1,841	1,478	35	AM4	Desktop
<a href="#">AMD Phenom II X3 B77</a>	3	1,844	1,310	95	AM2+/AM3	Unknown
<a href="#">AMD Phenom II X4 805</a>	4	1,844	999	95	AM3	Desktop
<a href="#">Intel Core i3-2310E @ 2.10GHz</a>	2	1,845	733	35	FCBGA1023	Laptop
<a href="#">Intel Core2 Extreme Q9300 @ 2.53GHz</a>	4	1,845	1,046	45	PGA478	Desktop
<a href="#">Intel Core i3-4100E @ 2.40GHz</a>	2	1,848	1,390	37	FCBGA1364	Mobile/Embedded
<a href="#">AMD Phenom II X4 810</a>	4	1,849	1,018	95	AM3	Desktop
<a href="#">Intel Celeron G3900TE @ 2.30GHz</a>	2	1,850	1,402	35	FCLGA1151	Laptop
<a href="#">ARM Cortex-A53 6 Core 1896 MHz</a>	6	1,851	751	NA	Unknown	Unknown
<a href="#">Intel Pentium 1403 @ 2.60GHz</a>	2	1,851	990	80	LGA1356	Server
<a href="#">Intel Core i3-4110U @ 1.90GHz</a>	2	1,853	1,119	NA	Unknown	Laptop
<a href="#">Intel Core i5-4230U @ 1.90GHz</a>	2	1,853	1,620	15	FCBGA1364	Laptop
<a href="#">AMD A6-9500</a>	2	1,856	1,615	65	AM4	Desktop
<a href="#">AMD A8-5550M APU</a>	4	1,858	1,042	35	FS1r2	Laptop
<a href="#">Intel Pentium G3220 @ 3.00GHz</a>	2	1,858	1,702	54	FCLGA1150	Desktop
<a href="#">AMD Athlon II X4 610e</a>	4	1,859	1,003	45	AM3	Desktop
<a href="#">Qualcomm Technologies, Inc SDM460</a>	8	1,861	750	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 2378</a>	4	1,864	936	75	F (1207)	Server
<a href="#">Intel Pentium G2120 @ 3.10GHz</a>	2	1,868	1,707	55	FCLGA1155	Desktop
<a href="#">Intel Core i3-4030U @ 1.90GHz</a>	2	1,874	1,025	15	FCBGA1168	Laptop
<a href="#">AMD PRO A6-9500</a>	2	1,875	1,618	65	AM4	Desktop
<a href="#">Samsung Exynos 9610</a>	8	1,877	935	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3555LE @ 2.50GHz</a>	2	1,880	980	25	BGA1023	Laptop
<a href="#">Intel Celeron N4500 @ 1.10GHz</a>	2	1,882	1,267	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Core i5-2515E @ 2.50GHz</a>	2	1,882	1,189	35	BGA1023	Desktop
<a href="#">AMD PRO A6-8550B</a>	1	1,885	1,623	65	FM2+	Desktop
<a href="#">AMD PRO A6-8570</a>	2	1,889	1,638	65	AM4	Desktop
<a href="#">Intel Core i5-2510E @ 2.50GHz</a>	2	1,889	1,183	35	PGA988B	Laptop
<a href="#">AMD Phenom 9950 Quad-Core</a>	4	1,892	1,041	125	AM2+	Desktop
<a href="#">AMD Phenom II X4 905e</a>	4	1,895	1,029	65	AM3	Desktop
<a href="#">Intel Pentium G2130 @ 3.20GHz</a>	2	1,895	1,745	55	FCLGA1155	Desktop
<a href="#">AMD Opteron 1385</a>	4	1,898	1,035	115	AM2+,AM3	Server
<a href="#">AMD Phenom II X4 920</a>	4	1,899	1,068	125	AM2+	Desktop
<a href="#">AMD A10-5750M APU</a>	4	1,902	1,090	35	FS1r2	Laptop
<a href="#">AMD Opteron 2419 EE</a>	6	1,902	396	60	F (1207)	Server
<a href="#">Intel Core M-5Y10a @ 0.80GHz</a>	2	1,905	993	4.5	FCBGA1234	Laptop
<a href="#">Qualcomm Technologies, Inc SDM662</a>	8	1,905	915	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 B05e</a>	4	1,906	974	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

[Home](#) CPU Benchmarks ▼

<a href="#">2.00GHz</a>						
<a href="#">Samsung Exynos 9611</a>	8	1,908	1,007	NA	Unknown	Mobile/Embedded
<a href="#">AMD A10 PRO-7350B APU</a>	4	1,910	911	19	FP3	Laptop
<a href="#">AMD Opteron X2170 APU</a>	4	1,911	832	25	FT3	Server
<a href="#">Intel Pentium G3420T @ 2.70GHz</a>	2	1,912	1,570	35	LGA1150	Desktop
<a href="#">Qualcomm Technologies, Inc MSM8976SG</a>	8	1,912	736	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 620</a>	4	1,914	1,052	95	AM3	Desktop
<a href="#">Intel Core i5-580M @ 2.67GHz</a>	2	1,914	1,266	35	BGA1288	Laptop
<a href="#">Qualcomm Technologies, Inc SDM636</a>	8	1,915	809	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-2120 @ 3.30GHz</a>	2	1,917	1,517	65	LGA1155	Desktop
<a href="#">AMD A10-4600M APU</a>	2	1,918	1,065	35	FS1r2	Laptop
<a href="#">AMD Opteron 3320 EE</a>	2	1,918	838	25	AM3+	Server
<a href="#">Intel Xeon E5420 @ 2.50GHz</a>	4	1,921	1,047	80	LGA771	Server
<a href="#">Intel Xeon L5410 @ 2.33GHz</a>	4	1,921	1,029	50	LGA771	Server
<a href="#">AMD Athlon 5370 APU</a>	4	1,923	755	25	AM1,FS1B	Desktop
<a href="#">Intel Xeon E5410 @ 2.33GHz</a>	4	1,923	1,024	80	LGA771	Server
<a href="#">AMD Athlon II X3 460</a>	3	1,924	1,390	95	AM3	Desktop
<a href="#">Intel Core i7-840QM @ 1.87GHz</a>	4	1,924	1,137	45	PGA988A	Laptop
<a href="#">Intel Xeon E5506 @ 2.13GHz</a>	4	1,924	941	80	LGA1366	Server
<a href="#">Intel Celeron G1850 @ 2.90GHz</a>	2	1,926	1,695	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3240 @ 3.10GHz</a>	2	1,927	1,769	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3250 @ 3.20GHz</a>	2	1,928	1,811	53	LGA1150	Desktop
<a href="#">Intel Xeon E5507 @ 2.27GHz</a>	4	1,928	997	80	LGA1366	Server
<a href="#">Intel Xeon X3330 @ 2.66GHz</a>	4	1,928	1,160	95	LGA775	Server
<a href="#">AMD A6-7480</a>	2	1,931	1,638	65	FM2+	Desktop
<a href="#">Intel Celeron N3450 @ 1.10GHz</a>	4	1,931	762	6	FCBGA1296	Laptop
<a href="#">Intel Xeon E5603 @ 1.60GHz</a>	4	1,935	712	80	LGA1366	Server
<a href="#">AMD Athlon X4 730</a>	2	1,936	562	65	FM2	Desktop
<a href="#">Intel Xeon X6550 @ 2.00GHz</a>	4	1,936	390	130	LGA1567	Server
<a href="#">AMD A8-3800 APU</a>	4	1,939	1,064	65	FM1	Desktop
<a href="#">Intel Core i7-2637M @ 1.70GHz</a>	2	1,942	1,222	17	BGA1023	Laptop
<a href="#">AMD Phenom 9850B Quad-Core</a>	4	1,946	992	95	Unknown	Unknown
<a href="#">Intel Core i3-4120U @ 2.00GHz</a>	2	1,948	1,177	15	FCBGA1168	Laptop
<a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a>	4	1,948	1,086	95	LGA775	Desktop
<a href="#">Intel Core i3-3220T @ 2.80GHz</a>	2	1,949	1,506	35	LGA1155	Desktop
<a href="#">Unisoc T700</a>	8	1,950	1,027	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2410M @ 2.30GHz</a>	2	1,952	1,224	35	FCBGA1023, PPG	Laptop
<a href="#">Intel Atom E3900 @ 1.60GHz</a>	4	1,953	675	NA	Unknown	Laptop
<a href="#">Intel Atom E3940 @ 1.60GHz</a>	4	1,960	676	9.5	Unknown	Laptop
<a href="#">AMD Athlon II X4 605e</a>	4	1,961	1,016	45	AM3	Desktop
<a href="#">MT8788</a>	8	1,961	893	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3317U @ 1.70GHz</a>	2	1,965	1,232	17	BGA1023	Laptop
<a href="#">Intel Core i7-920XM @ 2.00GHz</a>	4	1,965	994	55	PGA988B	Laptop
<a href="#">AMD Athlon II X4 615e</a>	4	1,967	1,037	45	AM3	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

<a href="#">AMD Athlon X4 750 Quad Core</a>	4	1,986	1,338	65	FM2	Desktop
<a href="#">Intel Core i3-2130 @ 3.40GHz</a>	2	1,986	1,557	65	LGA1155	Desktop
<a href="#">Intel Xeon X3320 @ 2.50GHz</a>	4	1,986	1,097	95	LGA775	Server
<a href="#">Intel Pentium G3420 @ 3.20GHz</a>	2	1,990	1,805	54	FCLGA1150	Desktop
<a href="#">HiSilicon Kirin 950</a>	8	1,991	717	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2677M @ 1.80GHz</a>	2	1,993	1,240	17	BGA1023	Laptop
<a href="#">AMD Opteron 2427</a>	6	1,995	386	75	F (1207)	Server
<a href="#">AMD A10-5757M APU</a>	4	1,997	1,195	35	FP2	Laptop
<a href="#">Intel Core i7-2655LE @ 2.20GHz</a>	2	1,999	1,231	25	BGA1023	Desktop
<a href="#">Intel Core i3-3240T @ 2.90GHz</a>	2	2,000	1,532	35	LGA1155	Desktop
<a href="#">Intel Core i7-620M @ 2.67GHz</a>	2	2,000	1,286	35	BGA1288	Laptop
<a href="#">Intel Core i5-2430M @ 2.40GHz</a>	2	2,010	1,247	35	PGA988B	Laptop
<a href="#">Intel Core2 Extreme Q9200 @ 2.40GHz</a>	4	2,011	1,080	NA	Unknown	Desktop
<a href="#">Intel Pentium G3450T @ 2.90GHz</a>	2	2,016	1,135	35	LGA1150	Desktop
<a href="#">Intel Core i5-655K @ 3.20GHz</a>	2	2,017	1,446	73	LGA1156	Desktop
<a href="#">Intel Core i3-5005U @ 2.00GHz</a>	2	2,018	1,154	15	FCBGA1168	Laptop
<a href="#">Intel Core2 Quad Q9505 @ 2.83GHz</a>	4	2,020	1,190	95	LGA775	Desktop
<a href="#">T700-Unisoc</a>	8	2,020	1,003	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 830</a>	4	2,022	1,083	95	AM2+/AM3	Unknown
<a href="#">Intel Core2 Quad Q8400 @ 2.66GHz</a>	4	2,027	1,153	95	LGA775	Desktop
<a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>	4	2,027	559	105	LGA1567	Server
<a href="#">Intel Core i3-2102 @ 3.10GHz</a>	2	2,029	1,400	65	FCLGA1155	Desktop
<a href="#">Intel Atom T5700 @ 1.70GHz</a>	4	2,030	816	NA	Unknown	Laptop
<a href="#">Intel Celeron G3900E @ 2.40GHz</a>	2	2,034	1,499	35	FCBGA1440	Laptop
<a href="#">AMD A6-3650 APU</a>	4	2,037	1,096	100	FM1	Desktop
<a href="#">AMD A6-3670 APU</a>	4	2,040	1,128	100	FM1	Desktop
<a href="#">Intel Xeon L5420 @ 2.50GHz</a>	4	2,040	1,102	50	LGA771	Server
<a href="#">AMD Phenom II X4 910e</a>	4	2,044	1,076	65	AM3	Desktop
<a href="#">Apple A9</a>	2	2,048	1,181	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-640M @ 2.80GHz</a>	2	2,048	1,386	35	BGA1288	Laptop
<a href="#">Intel Pentium G3260 @ 3.30GHz</a>	2	2,048	1,868	53	LGA1150	Desktop
<a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>	2	2,050	1,421	20	LGA1155	Server
<a href="#">Intel Xeon X3230 @ 2.66GHz</a>	4	2,052	1,091	95	LGA775	Server
<a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>	4	2,055	1,076	105	LGA775	Desktop
<a href="#">Intel Atom C2758 @ 2.40GHz</a>	8	2,056	333	20	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-2450M @ 2.50GHz</a>	2	2,056	1,274	35	BGA1023	Laptop
<a href="#">Intel Core M-5Y71 @ 1.20GHz</a>	2	2,057	1,324	4.5	FCBGA1234	Laptop
<a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a>	4	2,057	1,139	95	LGA775	Desktop
<a href="#">AMD Opteron 4162 EE</a>	6	2,058	382	35	F (1207)	Server
<a href="#">Unisoc ums9230</a>	8	2,058	895	NA	Unknown	Mobile/Embedded
<a href="#">MT6769V/CZ</a>	8	2,059	1,022	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 3250 HE</a>	2	2,061	1,003	45	AM3+	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

CPU Benchmarks

<a href="#">Intel Core i5-2435M @ 2.40GHz</a>	2	2,068	1,281	35	BGA1023	Laptop
<a href="#">MediaTek MT6771V/WM</a>	8	2,069	792	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 2384</a>	4	2,074	1,074	75	F (1207)	Server
<a href="#">Qualcomm Technologies, Inc SM6125</a>	8	2,077	865	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 655</a>	4	2,078	1,473	95	AM2+ (940-pin)	Unknown
<a href="#">Intel Core i5-2415M @ 2.30GHz</a>	2	2,078	1,258	35	BGA1023	Desktop
<a href="#">Intel Core M-5Y31 @ 0.90GHz</a>	2	2,078	1,329	4.5	FCBGA1234	Laptop
<a href="#">AMD Opteron 1389</a>	4	2,079	1,102	75	AM2	Server
<a href="#">Intel Core i7-3517U @ 1.90GHz</a>	2	2,084	1,297	17	BGA1023	Laptop
<a href="#">AMD Athlon II X4 631 Quad-Core</a>	4	2,085	1,118	100	FM1	Desktop
<a href="#">Intel Celeron G3900T @ 2.60GHz</a>	2	2,085	1,549	35	Unknown	Desktop
<a href="#">Intel Pentium 4405U @ 2.10GHz</a>	2	2,085	1,215	15	FCBGA1356	Laptop
<a href="#">MediaTek MT6768V/CA</a>	8	2,085	1,028	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G3258 @ 3.20GHz</a>	2	2,089	1,861	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3450 @ 3.40GHz</a>	2	2,091	1,836	53	FCLGA1150	Desktop
<a href="#">AMD Athlon II X4 630</a>	4	2,092	1,139	95	AM3	Desktop
<a href="#">Intel Atom E3950 @ 1.60GHz</a>	4	2,092	737	12	BGA1296	Laptop
<a href="#">Intel Pentium G2140 @ 3.30GHz</a>	2	2,092	1,842	55	LGA1155	Desktop
<a href="#">AMD A10-7400P</a>	4	2,093	1,060	35	FP3	Laptop
<a href="#">Intel Core i3-2125 @ 3.30GHz</a>	2	2,093	1,550	65	LGA1155	Desktop
<a href="#">AMD A8-3820 APU</a>	4	2,094	1,126	65	FM1	Desktop
<a href="#">AMD 3015Ce</a>	2	2,096	1,342	6	FT5	Mobile/Embedded
<a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a>	4	2,097	1,125	95	LGA775	Desktop
<a href="#">AMD Athlon II X4 635</a>	4	2,101	1,136	95	AM3	Desktop
<a href="#">AMD Phenom II X4 B93</a>	4	2,104	1,141	95	AM3	Desktop
<a href="#">MediaTek MT6797X</a>	10	2,104	582	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 820</a>	4	2,105	1,136	95	AM3	Desktop
<a href="#">Intel Core i3-3210 @ 3.20GHz</a>	2	2,106	1,700	55	LGA1155	Desktop
<a href="#">Intel Pentium G3440T @ 2.80GHz</a>	2	2,107	1,615	35	LGA1150	Desktop
<a href="#">Qualcomm Technologies, Inc SDA660</a>	8	2,107	904	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 B25</a>	4	2,108	1,040	NA	AM2+/AM3	Desktop
<a href="#">Intel Celeron G3930T @ 2.70GHz</a>	2	2,109	1,650	35	FCLGA1151	Desktop
<a href="#">AMD Athlon X4 640</a>	4	2,115	1,224	95	Unknown	Unknown
<a href="#">MediaTek MT6771V/W</a>	8	2,121	867	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G3430 @ 3.30GHz</a>	2	2,125	1,915	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3440 @ 3.30GHz</a>	2	2,129	1,895	53	LGA1150	Desktop
<a href="#">MediaTek MT6763V/CE</a>	8	2,129	1,106	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM665</a>	8	2,129	891	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2560M @ 2.70GHz</a>	2	2,131	1,259	NA	Unknown	Unknown
<a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>	2	2,131	1,198	7	FCBGA1515	Laptop
<a href="#">Qualcomm Technologies, Inc SDM660</a>	8	2,134	958	NA	Unknown	Mobile/Embedded

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core i7-3517UE @ 1.70GHz</a>	2	2,141	1,205	17	BGA1023	Laptop
<a href="#">AMD Athlon II X4 641 Quad-Core</a>	4	2,143	1,192	100	FM1	Desktop
<a href="#">Intel Pentium N4200 @ 1.10GHz</a>	4	2,144	857	6	FCBGA1296	Laptop
<a href="#">AMD PRO A8-8600B</a>	4	2,148	1,107	15	BGA (FP4)	Laptop
<a href="#">AMD Phenom II X4 B45</a>	4	2,152	1,249	NA	Unknown	Unknown
<a href="#">Intel Xeon X3350 @ 2.66GHz</a>	4	2,158	1,156	95	LGA775	Server
<a href="#">Intel Core i3-5010U @ 2.10GHz</a>	2	2,159	1,234	15	FCBGA1168	Laptop
<a href="#">AMD Athlon II X4 640</a>	4	2,162	1,204	95	AM3	Desktop
<a href="#">Unisoc T618</a>	8	2,162	1,145	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon L5520 @ 2.27GHz</a>	4	2,163	969	60	LGA1366	Server
<a href="#">Intel Pentium G3460 @ 3.50GHz</a>	2	2,165	1,954	53	LGA1150	Desktop
<a href="#">AMD Phenom II X4 925</a>	4	2,173	1,156	95	AM3	Desktop
<a href="#">Intel Atom C2750 @ 2.41GHz</a>	8	2,174	291	20	BGA 1283	Server
<a href="#">AMD Athlon II X4 638 Quad-Core</a>	4	2,183	1,165	65	FM1	Desktop
<a href="#">MediaTek MT6769V/CU</a>	8	2,183	1,089	NA	Unknown	Mobile/Embedded
<a href="#">MT6765H</a>	8	2,183	631	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a>	4	2,187	1,217	95	LGA775	Desktop
<a href="#">Qualcomm Technologies, Inc BENGALP</a>	8	2,188	949	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G4400TE @ 2.40GHz</a>	2	2,190	1,481	35	FCLGA1151	Laptop
<a href="#">Intel Core M-5Y51 @ 1.10GHz</a>	2	2,191	1,407	4.5	FCBGA1234	Laptop
<a href="#">Intel Core i5-4250U @ 1.30GHz</a>	2	2,192	1,366	15	BGA1168	Laptop
<a href="#">MediaTek MT6769V/WB</a>	8	2,192	1,118	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-21050 @ 3.10GHz</a>	2	2,193	1,429	NA	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc TRINKET</a>	8	2,193	900	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 960T</a>	4	2,196	1,290	95	AM3	Desktop
<a href="#">Qualcomm Technologies, Inc BENGAL</a>	8	2,196	883	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-3220 @ 3.30GHz</a>	2	2,198	1,723	55	LGA1155	Desktop
<a href="#">AMD Phenom II X4 973</a>	4	2,204	1,180	NA	Unknown	Unknown
<a href="#">Intel Pentium 4415U @ 2.30GHz</a>	2	2,204	1,269	15	BGA1356	Laptop
<a href="#">Intel Xeon E5430 @ 2.66GHz</a>	4	2,204	1,155	80	LGA771	Server
<a href="#">Intel Celeron G3900 @ 2.80GHz</a>	2	2,207	1,716	51	FCLGA1151	Desktop
<a href="#">Intel Celeron N6211 @ 1.20GHz</a>	2	2,207	1,582	6.5	FCBGA1493	Mobile/Embedded
<a href="#">Intel Core i5-4200U @ 1.60GHz</a>	2	2,207	1,329	15	BGA1168	Laptop
<a href="#">Intel Celeron G4930T @ 3.00GHz</a>	2	2,209	1,742	35	FCLGA1151	Desktop
<a href="#">Intel Celeron 6305 @ 1.80GHz</a>	2	2,211	1,229	NA	FCBGA1449	Laptop
<a href="#">Qualcomm Technologies, Inc SDM670</a>	8	2,211	1,084	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-3225 @ 3.30GHz</a>	2	2,214	1,682	55	LGA1155	Desktop
<a href="#">MediaTek MT6769V/CB</a>	8	2,214	1,109	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-650 @ 3.20GHz</a>	2	2,217	1,387	73	LGA1156	Desktop
<a href="#">Intel Celeron G3930TE @ 2.70GHz</a>	2	2,218	1,706	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-5020U @ 2.20GHz</a>	2	2,218	1,283	15	FCBGA1168	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

CPU Benchmarks

<a href="#">MediaTek MT6769Z</a>	8	2,228	1,085	NA	Unknown	Mobile/Embedded
<a href="#">MT6969T</a>	8	2,228	1,125	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X3353 @ 2.66GHz</a>	4	2,229	1,173	80	LGA775	Server
<a href="#">Intel Celeron J3455 @ 1.50GHz</a>	4	2,235	806	10	FCBGA1296	Desktop
<a href="#">Samsung Exynos 8890</a>	8	2,235	921	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-3850 APU</a>	4	2,236	1,205	100	FM1	Desktop
<a href="#">AMD Phenom II X4 B50</a>	4	2,237	1,268	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B40</a>	4	2,238	1,231	NA	Unknown	Desktop
<a href="#">MediaTek MT6769T</a>	8	2,238	1,091	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-8600P</a>	2	2,240	1,103	15	FP4	Laptop
<a href="#">AArch64 rev 2 (aarch64)</a>	8	2,241	950	NA	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc SDM712</a>	8	2,242	1,227	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 840T</a>	4	2,245	1,271	95	AM2+/AM3	Unknown
<a href="#">Intel Core i5-2520M @ 2.50GHz</a>	2	2,247	1,370	35	PGA988B	Laptop
<a href="#">Intel Xeon X3430 @ 2.40GHz</a>	4	2,249	1,031	95	LGA1156	Server
<a href="#">MediaTek MT6771V/WT</a>	8	2,249	913	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM710</a>	8	2,251	1,170	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-940XM @ 2.13GHz</a>	4	2,252	1,223	55	PGA988	Laptop
<a href="#">AMD Phenom II X4 945</a>	4	2,253	1,226	125	AM3	Desktop
<a href="#">Intel Xeon L5430 @ 2.66GHz</a>	4	2,260	1,154	50	LGA771	Server
<a href="#">AMD FX-9800P</a>	4	2,262	1,137	15	Unknown	Laptop
<a href="#">AMD PRO A10-8700B</a>	2	2,262	1,140	15	BGA (FP4)	Laptop
<a href="#">AMD A10-8700P</a>	2	2,264	1,156	35	FP4	Laptop
<a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a>	4	2,267	1,202	75	LGA775	Desktop
<a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a>	4	2,268	1,230	130	LGA775	Desktop
<a href="#">Intel Celeron G3930 @ 2.90GHz</a>	2	2,271	1,794	51	FCLGA1151	Desktop
<a href="#">AMD Athlon II X4 645</a>	4	2,272	1,263	95	AM3	Desktop
<a href="#">Intel Xeon L3360 @ 2.83GHz</a>	4	2,273	1,226	65	LGA775	Server
<a href="#">Intel Core i3-6006U @ 2.00GHz</a>	2	2,277	1,169	15	FCBGA1356	Laptop
<a href="#">Intel Pentium 4417U @ 2.30GHz</a>	2	2,277	1,336	15	FCBGA1356	Laptop
<a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a>	2	2,278	1,344	17	LGA1155	Server
<a href="#">MediaTek MT6771V/C</a>	8	2,278	873	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-3240 @ 3.40GHz</a>	2	2,281	1,805	55	LGA1155	Desktop
<a href="#">Intel Pentium 5405U @ 2.30GHz</a>	2	2,281	1,337	15	FCBGA1528	Laptop
<a href="#">Hisilicon Kirin710</a>	8	2,282	946	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 3260 HE</a>	2	2,283	900	45	AM3+	Server
<a href="#">Intel Core i5-3437U @ 1.90GHz</a>	2	2,283	1,391	17	BGA1023	Laptop
<a href="#">Intel Xeon X3363 @ 2.83GHz</a>	4	2,283	1,240	80	LGA771	Server
<a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>	2	2,284	1,391	80	Unknown	Server
<a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a>	4	2,288	1,224	95	LGA775	Desktop
<a href="#">Intel Core i5-3427U @ 1.80GHz</a>	2	2,290	1,383	17	BGA1023	Laptop
<a href="#">Intel Core i5-4210U @ 1.70GHz</a>	2	2,294	1,376	15	FCBGA1168	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core i3-2140 @ 3.50GHz</a>	2	2,307	1,535	65	Unknown	Unknown
<a href="#">Intel Core i5-8200Y @ 1.30GHz</a>	2	2,308	1,374	5	FCBGA1515	Laptop
<a href="#">Intel Xeon X3380 @ 3.16GHz</a>	4	2,308	1,335	95	LGA775	Server
<a href="#">AMD Athlon II X4 555</a>	4	2,310	1,242	NA	Unknown	Unknown
<a href="#">Intel Celeron G3920 @ 2.90GHz</a>	2	2,310	1,740	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G5905T @ 3.30GHz</a>	2	2,310	1,996	35	FCLGA1200	Desktop
<a href="#">AMD A10-6700T APU</a>	2	2,311	1,310	45	FM2	Desktop
<a href="#">AMD Phenom II X4 B95</a>	4	2,313	1,236	95	AM3	Desktop
<a href="#">Intel Core i5-4260U @ 1.40GHz</a>	2	2,317	1,469	15	FCBGA1168	Laptop
<a href="#">Qualcomm Technologies, Inc SM6115</a>	8	2,319	913	NA	Unknown	Mobile/Embedded
<a href="#">MT6769V/CT</a>	8	2,321	1,074	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5440 @ 2.83GHz</a>	4	2,323	1,239	80	LGA771	Server
<a href="#">Intel Xeon X3360 @ 2.83GHz</a>	4	2,325	1,241	95	LGA775	Server
<a href="#">Intel Xeon E5606 @ 2.13GHz</a>	4	2,326	941	80	LGA1366	Server
<a href="#">Unisoc ums512</a>	8	2,328	1,109	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5365 @ 3.00GHz</a>	4	2,331	1,223	150	LGA771	Server
<a href="#">AMD Ryzen 3 3250C</a>	2	2,332	1,644	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD A8-3870K APU</a>	4	2,336	1,236	100	FM1	Desktop
<a href="#">MediaTek MT6771V/CT</a>	8	2,336	925	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 651 Quad-Core</a>	4	2,338	1,296	100	FM1	Unknown
<a href="#">AMD Phenom II X4 B35</a>	4	2,341	1,215	NA	AM2+/AM3	Desktop
<a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a>	4	2,348	1,352	NA	Unknown	Unknown
<a href="#">Intel Core i3-6102E @ 1.90GHz</a>	2	2,349	1,068	25	FCBGA1440	Laptop
<a href="#">AMD Phenom II X4 840</a>	4	2,350	1,308	95	AM2+/AM3	Desktop
<a href="#">Intel Core i7-4550U @ 1.50GHz</a>	2	2,354	1,289	15	BGA1168	Laptop
<a href="#">AMD Phenom II X4 B60</a>	4	2,357	1,304	NA	Unknown	Unknown
<a href="#">MediaTek MT6779V/CV</a>	8	2,359	1,040	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-660 @ 3.33GHz</a>	2	2,361	1,438	73	LGA1156	Desktop
<a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>	4	2,362	868	80	LGA 2011	Server
<a href="#">Qualcomm Technologies, Inc SM6225</a>	8	2,362	1,053	NA	Unknown	Mobile/Embedded
<a href="#">Apple A8X</a>	3	2,363	936	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>	4	2,363	829	80	LGA 1356	Server
<a href="#">Intel Core i5-2390T @ 2.70GHz</a>	2	2,364	1,394	35	LGA1155	Desktop
<a href="#">Intel Celeron N4505 @ 2.00GHz</a>	2	2,367	1,537	10	FCBGA1338	Mobile/Embedded
<a href="#">Intel Pentium 6405U @ 2.40GHz</a>	2	2,367	1,419	15	FCBGA1528	Laptop
<a href="#">Intel Pentium J4205 @ 1.50GHz</a>	4	2,367	911	10	FCBGA1296	Desktop
<a href="#">Intel Celeron G3950 @ 3.00GHz</a>	2	2,369	1,811	51	FCLGA1151	Desktop
<a href="#">Intel Core m5-6Y57 @ 1.10GHz</a>	2	2,369	1,361	7	FCBGA1515	Laptop
<a href="#">Intel Core i3-3250 @ 3.50GHz</a>	2	2,376	1,816	55	LGA1155	Desktop
<a href="#">AMD Phenom II X4 977</a>	4	2,377	1,368	95	Unknown	Unknown
<a href="#">Unisoc T610</a>	8	2,381	1,066	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 4170 HE</a>	6	2,382	476	65	C32	Server
<a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>	2	2,383	1,436	7	FCBGA1515	Laptop
<a href="#">AArch64 rev 1 (aarch64)</a>	8	2,385	1,045	NA	Unknown	Unknown

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
-----------------	--------------	-----------------	--------------------	----------------	---------------	-----------------

CPU Benchmarks

<a href="#">AMD PRO A12-8830B</a>	4	2,392	1,192	15	BGA (FP4)	Laptop
<a href="#">Intel Celeron G4900T @ 2.90GHz</a>	2	2,395	1,787	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-4650U @ 1.70GHz</a>	2	2,398	1,533	15	BGA1168	Laptop
<a href="#">Intel Pentium G4400T @ 2.90GHz</a>	2	2,399	1,795	35	FCLGA1151	Desktop
<a href="#">T610-Unisoc</a>	8	2,400	1,066	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 960</a>	8	2,401	1,069	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom C3558 @ 2.20GHz</a>	4	2,405	849	16	FCBGA1310	Server
<a href="#">Intel Celeron G4920 @ 3.20GHz</a>	2	2,406	1,965	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-3537U @ 2.00GHz</a>	2	2,406	1,497	17	BGA1023	Laptop
<a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a>	4	2,408	1,291	95	LGA775	Desktop
<a href="#">MT6771V/WL</a>	8	2,411	898	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 553</a>	4	2,418	1,204	NA	Unknown	Unknown
<a href="#">Intel Core i7-3667U @ 2.00GHz</a>	2	2,418	1,518	17	BGA1023	Laptop
<a href="#">AMD A12-9700P</a>	4	2,422	1,188	15	FP4	Laptop
<a href="#">Intel Core i7-2620M @ 2.70GHz</a>	2	2,423	1,468	35	BGA1023	Laptop
<a href="#">Intel Xeon L3426 @ 1.87GHz</a>	4	2,423	1,163	45	LGA1156	Server
<a href="#">AMD Phenom II X4 955</a>	4	2,428	1,303	125	AM3	Desktop
<a href="#">Intel Pentium G3470 @ 3.60GHz</a>	2	2,428	2,089	53	LGA1150	Desktop
<a href="#">MediaTek MT6779V/CU</a>	8	2,429	1,159	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5472 @ 3.00GHz</a>	4	2,432	1,297	80	LGA771	Server
<a href="#">Snapdragon 850 @ 2.96 GHz</a>	8	2,437	1,382	5	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc SM4350</a>	8	2,438	1,308	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 650</a>	4	2,440	1,329	95	Unknown	Unknown
<a href="#">Intel Core i7-2640M @ 2.80GHz</a>	2	2,440	1,492	35	BGA1023	Laptop
<a href="#">Intel Core i7-4610Y @ 1.70GHz</a>	2	2,446	1,583	11.5	BGA1168	Desktop
<a href="#">Intel Xeon X3370 @ 3.00GHz</a>	4	2,446	1,311	95	LGA775	Server
<a href="#">Intel Core i3-4100M @ 2.50GHz</a>	2	2,447	1,366	37	FCPGA946	Laptop
<a href="#">Intel Celeron G4900 @ 3.10GHz</a>	2	2,448	1,914	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-3210M @ 2.50GHz</a>	2	2,452	1,539	35	PGA988B	Laptop
<a href="#">Intel Celeron N4100 @ 1.10GHz</a>	4	2,453	1,011	6	FCBGA1090	Laptop
<a href="#">Intel Core2 Extreme X9650 @ 3.00GHz</a>	4	2,455	1,288	130	LGA775	Desktop
<a href="#">Intel Xeon D-1602 @ 2.50GHz</a>	2	2,459	1,435	27	FCBGA1667	Server
<a href="#">MT6769H</a>	8	2,461	1,055	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-661 @ 3.33GHz</a>	2	2,462	1,455	87	LGA1156	Desktop
<a href="#">AMD Phenom II X4 B55</a>	4	2,465	1,319	NA	AM2+/AM3	Desktop
<a href="#">AMD Opteron 8439 SE</a>	6	2,479	590	105	F (1207)	Server
<a href="#">Intel Xeon E5450 @ 3.00GHz</a>	4	2,479	1,293	80	LGA771	Server
<a href="#">Intel Xeon E5520 @ 2.27GHz</a>	4	2,479	1,056	80	LGA1366	Server
<a href="#">Intel Core i3-3245 @ 3.40GHz</a>	2	2,480	1,835	55	LGA1155	Desktop
<a href="#">AMD FX-7600P</a>	4	2,481	1,208	35	FP3	Laptop
<a href="#">AMD Phenom II X4 B97</a>	4	2,482	1,326	95	AM2+/AM3	Desktop
<a href="#">Intel Celeron G5920 @ 3.50GHz</a>	2	2,482	2,151	58	FCLGA1200	Desktop
<a href="#">AMD 3020e</a>	2	2,492	1,428	6	Unknown	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core i5-750 @ 2.67GHz</a>	4	2,495	1,242	95	LGA1156	Desktop
<a href="#">AMD Phenom II X4 850</a>	4	2,496	1,350	95	AM2+/AM3	Unknown
<a href="#">Intel Core i5-4310U @ 2.00GHz</a>	2	2,499	1,487	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4330TE @ 2.40GHz</a>	2	2,500	1,399	35	LGA1150	Desktop
<a href="#">Intel Core i5-5200U @ 2.20GHz</a>	2	2,502	1,513	15	FCBGA1168	Laptop
<a href="#">Intel Celeron N4120 @ 1.10GHz</a>	4	2,507	1,104	6	FCBGA1090	Laptop
<a href="#">Intel Core i5-670 @ 3.47GHz</a>	2	2,511	1,542	73	LGA1156	Desktop
<a href="#">AMD A10-9620P</a>	4	2,512	1,282	15	Unknown	Laptop
<a href="#">Hisilicon Kirin970</a>	8	2,514	926	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4300U @ 1.90GHz</a>	2	2,514	1,501	15	FCBGA1168	Laptop
<a href="#">Intel Pentium G4500T @ 3.00GHz</a>	2	2,518	1,845	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-3230M @ 2.60GHz</a>	2	2,519	1,561	35	PGA988	Laptop
<a href="#">Intel Core i5-4258U @ 2.40GHz</a>	2	2,520	1,528	28	FCBGA1168	Laptop
<a href="#">Intel Core i3-7102E @ 2.10GHz</a>	2	2,521	1,292	25	FCBGA1440	Laptop
<a href="#">Intel Xeon L5530 @ 2.40GHz</a>	4	2,522	1,169	60	LGA1366	Server
<a href="#">Intel Core i7-4500U @ 1.80GHz</a>	2	2,530	1,546	15	BGA1168	Laptop
<a href="#">AMD Athlon II X4 559</a>	4	2,532	1,378	NA	Unknown	Unknown
<a href="#">Apple A9X</a>	2	2,533	1,518	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 B99</a>	4	2,536	1,377	95	Unknown	Unknown
<a href="#">AMD Phenom II X4 965</a>	4	2,542	1,356	125	AM3	Desktop
<a href="#">AMD Phenom II X4 975</a>	4	2,544	1,417	125	AM3	Unknown
<a href="#">Qualcomm Technologies, Inc SM6150</a>	8	2,547	1,277	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3610ME @ 2.70GHz</a>	2	2,553	1,574	35	BGA1023	Laptop
<a href="#">Intel Xeon X5460 @ 3.16GHz</a>	4	2,554	1,369	120	LGA771	Server
<a href="#">Intel Core i3-7020U @ 2.30GHz</a>	2	2,558	1,323	15	FCBGA1356	Laptop
<a href="#">AMD Athlon II X4 557</a>	4	2,567	1,345	160	AM3	Desktop
<a href="#">AMD FX-4100 Quad-Core</a>	2	2,571	1,281	95	AM3+	Desktop
<a href="#">Intel Celeron G4930 @ 3.20GHz</a>	2	2,571	1,999	54	FCLGA1151-2	Desktop
<a href="#">MT6768G</a>	8	2,572	1,142	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-5500 APU</a>	2	2,573	1,332	65	FM2	Desktop
<a href="#">AMD Phenom II X4 B65</a>	4	2,576	1,357	NA	AM2+/AM3	Desktop
<a href="#">AMD FX-770K Quad-Core</a>	2	2,578	1,413	65	FM2+	Desktop
<a href="#">Intel Core i7-4510U @ 2.00GHz</a>	2	2,581	1,543	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-760 @ 2.80GHz</a>	4	2,586	1,310	95	LGA1156	Desktop
<a href="#">Intel Core i3-5157U @ 2.50GHz</a>	2	2,588	1,325	28	FCBGA1168	Laptop
<a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>	2	2,589	1,386	4.5	FCBGA1515	Laptop
<a href="#">Intel Xeon E5530 @ 2.40GHz</a>	4	2,592	1,153	80	LGA1366	Server
<a href="#">Intel Core i5-680 @ 3.60GHz</a>	2	2,593	1,577	73	LGA1156	Desktop
<a href="#">AMD PRO A10-9700B</a>	4	2,602	1,311	15	FP4	Laptop
<a href="#">Snapdragon 7c @ 2.40 GHz</a>	8	2,603	1,412	9	Unknown	Unknown
<a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a>	4	2,606	1,147	6	FCBGA1090	Laptop
<a href="#">AMD A12-9720P</a>	4	2,608	1,329	15	FP4	Laptop
<a href="#">Intel Pentium G4400 @ 3.30GHz</a>	2	2,612	2,030	54	FCLGA1151	Desktop
<a href="#">AMD PRO A12-8800B</a>	2	2,622	1,357	15	FP4	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

CPU Benchmarks ▼

<a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a>	4	2,632	1,398	136	LGA775	Desktop
<a href="#">Intel Core i5-3340M @ 2.70GHz</a>	2	2,633	1,629	35	BGA1023	Laptop
<a href="#">AMD FirePro A320 APU</a>	4	2,634	1,482	100	FM2	Desktop
<a href="#">Intel Xeon X5482 @ 3.20GHz</a>	4	2,636	1,394	150	LGA771	Server
<a href="#">Intel Core i3-6100U @ 2.30GHz</a>	2	2,639	1,344	15	FCBGA1356	Laptop
<a href="#">AMD Phenom II X4 970</a>	4	2,640	1,409	125	AM3	Unknown
<a href="#">Intel Core i5-3320M @ 2.60GHz</a>	2	2,643	1,613	35	BGA1023	Laptop
<a href="#">Intel Celeron G5900T @ 3.20GHz</a>	2	2,648	2,041	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-3250T @ 3.00GHz</a>	2	2,650	1,684	35	FCLGA1155	Desktop
<a href="#">Intel Core i7-3687U @ 2.10GHz</a>	2	2,650	1,599	17	BGA1023	Laptop
<a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>	2	2,654	1,600	4.5	FCBGA1515	Desktop, Laptop
<a href="#">AMD Athlon X4 740 Quad Core</a>	2	2,655	1,356	65	FM2	Desktop
<a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>	4	2,661	883	80	LGA 1356	Server
<a href="#">AArch64 rev 0 (aarch64)</a>	8	2,672	1,082	NA	Unknown	Unknown
<a href="#">Intel Core i3-4110M @ 2.60GHz</a>	2	2,678	1,389	37	FCPGA946	Laptop
<a href="#">Intel Xeon X3440 @ 2.53GHz</a>	4	2,678	1,153	95	LGA1156	Server
<a href="#">Intel Core i5-4402E @ 1.60GHz</a>	2	2,681	1,510	25	FCBGA1364	Laptop
<a href="#">Intel Core i7-4600U @ 2.10GHz</a>	2	2,685	1,673	15	FCBGA1168	Laptop
<a href="#">Intel Xeon E5607 @ 2.27GHz</a>	4	2,686	1,002	80	LGA1366	Server
<a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a>	4	2,687	1,300	6	FCBGA1090	Laptop
<a href="#">AMD 3015e</a>	2	2,703	1,391	6	Unknown	Laptop
<a href="#">AMD A8-5500B APU</a>	2	2,703	1,389	65	FM2	Desktop
<a href="#">Intel Xeon X5492 @ 3.40GHz</a>	4	2,705	1,446	150	LGA771	Server
<a href="#">Intel Celeron J4115 @ 1.80GHz</a>	4	2,706	1,069	NA	Unknown	Desktop
<a href="#">Intel Xeon X5470 @ 3.33GHz</a>	4	2,709	1,454	120	LGA771	Server
<a href="#">Intel Celeron G4950 @ 3.30GHz</a>	2	2,714	2,041	54	FCLGA1151	Desktop
<a href="#">AMD RX-427BB</a>	4	2,715	1,296	35	FP3	Laptop
<a href="#">AMD A6-9400</a>	2	2,717	1,664	10	FT4	Laptop
<a href="#">Intel Core i3-7100U @ 2.40GHz</a>	2	2,717	1,391	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-5500U @ 2.40GHz</a>	2	2,717	1,630	15	FCBGA1168	Laptop
<a href="#">AMD RX-425BB</a>	4	2,724	1,282	35	FP3	Mobile/Embedded
<a href="#">Intel Core i7-860S @ 2.53GHz</a>	4	2,725	1,413	82	LGA1156	Desktop
<a href="#">AMD PRO A12-9800B</a>	4	2,729	1,387	15	FP4	Laptop
<a href="#">AMD FX-4130 Quad-Core</a>	2	2,730	1,356	125	AM3+	Desktop
<a href="#">AMD A10-5700 APU</a>	2	2,731	1,438	65	FM2	Desktop
<a href="#">Intel Core i7-920 @ 2.67GHz</a>	4	2,733	1,219	130	LGA1366	Desktop
<a href="#">Intel Pentium G4500 @ 3.50GHz</a>	2	2,734	2,135	51	FCLGA1151	Desktop
<a href="#">Intel Core i5-5300U @ 2.30GHz</a>	2	2,736	1,644	15	FCBGA1168	Laptop
<a href="#">Intel Xeon E5540 @ 2.53GHz</a>	4	2,738	1,200	80	LGA1366	Server
<a href="#">Rockchip RK3399</a>	8	2,739	1,154	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CE</a>	8	2,740	1,224	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	2,751	977	80	LGA 2011	Server
<a href="#">Intel Core 860 @ 2.80GHz</a>	4	2,754	1,142	NA	Unknown	Unknown
<a href="#">Samsung Exynos 8895</a>	8	2,767	989	NA	Unknown	Mobile/Embedded



<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

[Home](#) CPU Benchmarks ▼

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD A8 PRO-7600B APU</a>	4	2,776	1,325	65	FM2+	Desktop
<a href="#">Intel Core i5-4200M @ 2.50GHz</a>	2	2,779	1,628	37	PGA946	Laptop
<a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a>	4	2,780	1,451	150	LGA771	Desktop
<a href="#">Intel Xeon W3520 @ 2.67GHz</a>	4	2,782	1,244	130	LGA1366	Server
<a href="#">Intel Core i7-870S @ 2.67GHz</a>	4	2,786	1,270	82	LGA1156	Desktop
<a href="#">Intel Xeon X3460 @ 2.80GHz</a>	4	2,787	1,227	95	LGA1156	Server
<a href="#">AMD Opteron 6172</a>	12	2,789	432	115	G34	Server
<a href="#">Intel Core i3-6157U @ 2.40GHz</a>	2	2,789	1,442	28	BGA1356	Laptop
<a href="#">Intel Celeron G5900 @ 3.40GHz</a>	2	2,790	2,150	58	FCLGA1200	Desktop
<a href="#">AMD FX-8800P</a>	2	2,791	1,361	35	FP4	Laptop
<a href="#">AMD A8-5600K APU</a>	2	2,795	1,414	100	FM2	Desktop
<a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>	2	2,797	1,618	4.5	FCBGA1515	Laptop
<a href="#">MT6833V/PNZA</a>	8	2,803	1,481	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4278U @ 2.60GHz</a>	2	2,804	1,711	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-8500Y @ 1.50GHz</a>	2	2,815	1,639	5	FCBGA1515	Laptop
<a href="#">AMD A8-6500 APU</a>	2	2,818	1,496	65	FM2	Desktop
<a href="#">Intel Xeon X3450 @ 2.67GHz</a>	4	2,818	1,240	95	LGA1156	Server
<a href="#">AMD A10-6800B APU</a>	2	2,824	1,513	100	FM2	Desktop
<a href="#">AMD PRO A10-8750B</a>	2	2,824	1,248	65	FM2+	Desktop
<a href="#">AMD Opteron 3350 HE</a>	4	2,825	1,362	45	Unknown	Server
<a href="#">AMD Opteron 6128</a>	8	2,826	447	115	G34	Server
<a href="#">AMD Phenom II X4 980</a>	4	2,829	1,521	125	AM3	Unknown
<a href="#">Intel Core i5-3360M @ 2.80GHz</a>	2	2,831	1,750	35	BGA1023	Laptop
<a href="#">Intel Core i5-8210Y @ 1.60GHz</a>	2	2,839	1,728	7	FCBGA1515	Laptop
<a href="#">Intel Celeron G5905 @ 3.50GHz</a>	2	2,851	2,201	58	FCLGA1200	Desktop
<a href="#">AMD FX-7600P APU</a>	4	2,856	1,436	35	FP3	Laptop
<a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>	2	2,862	1,765	4.5	FCBGA1515	Laptop
<a href="#">Qualcomm Technologies, Inc SDMMAGPIE</a>	8	2,862	1,447	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-930 @ 2.80GHz</a>	4	2,866	1,278	130	LGA1366	Desktop
<a href="#">Intel Core i3-4150T @ 3.00GHz</a>	2	2,867	1,597	35	FCLGA1150	Desktop
<a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a>	4	2,869	1,238	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Core i7-3520M @ 2.90GHz</a>	2	2,870	1,740	35	BGA1023	Laptop
<a href="#">AMD Opteron 4184</a>	6	2,872	630	95	C32	Server
<a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>	4	2,873	991	80	FCLGA1356	Server
<a href="#">Intel Core i3-4130T @ 2.90GHz</a>	2	2,879	1,637	35	LGA1150	Desktop
<a href="#">Intel Core i7-860 @ 2.80GHz</a>	4	2,883	1,319	95	LGA1156	Desktop
<a href="#">Intel Core i3-4350T @ 3.10GHz</a>	2	2,888	1,656	35	LGA1150	Laptop
<a href="#">Intel Xeon W3540 @ 2.93GHz</a>	4	2,890	1,289	130	LGA1366	Server
<a href="#">Intel Core i5-4210M @ 2.60GHz</a>	2	2,891	1,688	37	FPCGA946	Laptop
<a href="#">Qualcomm Technologies, Inc SM7150</a>	8	2,895	1,400	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A10-9700E</a>	2	2,896	1,333	35	AM4	Desktop
<a href="#">AMD A10-5800B APU</a>	2	2,897	1,526	100	FM2	Desktop
<a href="#">AMD FX-670K Quad-Core</a>	2	2,897	1,566	65	FM2	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

CPU Benchmarks

<a href="#">Intel Atom x6425RE @ 1.90GHz</a>	4	2,903	1,021	12	FCBGA1493	Mobile/Embedded
<a href="#">Snapdragon 7c Gen 2 @ 2.55</a>	8	2,907	1,511	7	Unknown	Unknown
<a href="#">HiSilicon Kirin 970</a>	8	2,908	1,110	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3540M @ 3.00GHz</a>	2	2,908	1,773	35	rPGA988B	Laptop
<a href="#">Intel Core i7-5550U @ 2.00GHz</a>	2	2,908	1,781	15	FCBGA1168	Laptop
<a href="#">Intel Celeron J4105 @ 1.50GHz</a>	4	2,909	1,096	10	FCBGA1090	Desktop
<a href="#">Intel Pentium G4560T @ 2.90GHz</a>	2	2,909	1,708	35	FCLGA1151	Desktop
<a href="#">AMD Athlon Silver 3050e</a>	2	2,911	1,459	6	Unknown	Laptop
<a href="#">Intel Core i5-4210H @ 2.90GHz</a>	2	2,918	1,716	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-880 @ 3.07GHz</a>	4	2,920	1,386	95	LGA1156	Desktop
<a href="#">MT6853V/NZA</a>	8	2,920	1,277	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>	2	2,928	1,689	4.5	FCBGA1515	Laptop
<a href="#">AMD Opteron 6128 HE</a>	8	2,932	823	85	Socket G34	Server
<a href="#">AMD Opteron 2431</a>	6	2,936	570	75	F (1207)	Server
<a href="#">AMD FX-4300 Quad-Core</a>	2	2,938	1,490	95	AM3+	Desktop
<a href="#">Intel Celeron G5925 @ 3.60GHz</a>	2	2,939	2,282	58	FCLGA1200	Desktop
<a href="#">AMD A10-5800K APU</a>	2	2,940	1,496	100	FM2	Desktop
<a href="#">AMD Athlon X4 760K Quad Core</a>	2	2,941	1,521	100	FM2	Desktop
<a href="#">Intel Core i5-2500T @ 2.30GHz</a>	4	2,942	1,489	45	LGA1155	Desktop
<a href="#">Intel Xeon L5630 @ 2.13GHz</a>	4	2,943	1,043	40	LGA1366	Server
<a href="#">Intel Pentium G4520 @ 3.60GHz</a>	2	2,945	2,241	51	FCLGA1151	Desktop
<a href="#">AMD A10-9700E</a>	4	2,947	1,413	35	AM4	Desktop
<a href="#">AMD Phenom II X6 1035T</a>	6	2,947	1,231	95	AM3	Desktop
<a href="#">Intel Core i7-4560U @ 1.60GHz</a>	2	2,950	1,782	NA	Unknown	Laptop
<a href="#">Qualcomm Technologies, Inc SM7125</a>	8	2,954	1,554	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3470T @ 2.90GHz</a>	2	2,958	1,791	35	LGA1155	Desktop
<a href="#">Intel Core i7-4558U @ 2.80GHz</a>	2	2,964	1,838	28	BGA1168	Laptop
<a href="#">Qualcomm Technologies, Inc SDM765G 5G</a>	8	2,974	1,608	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-6600K APU</a>	2	2,977	1,528	100	FM2	Desktop
<a href="#">Intel Xeon E5-2637 @ 3.00GHz</a>	2	2,978	1,526	80	FCLGA2011	Server
<a href="#">Intel Core i5-2405S @ 2.50GHz</a>	4	2,980	1,485	65	LGA1155	Desktop
<a href="#">Qualcomm Technologies, Inc SDMMAGPIEP</a>	8	2,980	1,505	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core m3-8100Y @ 1.10GHz</a>	2	2,982	1,775	5	FCBGA1515	Laptop
<a href="#">Intel Pentium GOLD 6500Y @ 1.10GHz</a>	2	2,982	1,812	5	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6785V/CC</a>	8	2,983	1,262	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4610M @ 3.00GHz</a>	2	2,984	1,729	37	FPGA946,FPGA947	Laptop
<a href="#">HiSilicon Kirin810</a>	8	2,986	1,522	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5550 @ 2.67GHz</a>	4	2,988	1,317	95	LGA1366	Server
<a href="#">AMD PRO A8-8670E</a>	4	2,989	1,382	35	AM4	Desktop
<a href="#">Intel Core i3-7130U @ 2.70GHz</a>	2	2,989	1,592	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-5600U @ 2.60GHz</a>	2	2,989	1,765	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-3380M @ 2.90GHz</a>	2	2,997	1,856	35	FCPGA988, FCBGA1	Laptop
<a href="#">Intel Celeron J4125 @ 2.00GHz</a>	4	3,006	1,172	10	FCBGA1090	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

CPU Benchmarks

<a href="#">Qualcomm Technologies, Inc SDM720G</a>	8	3,009	1,605	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-7650K</a>	2	3,013	1,372	65	FM2+	Desktop
<a href="#">Intel Core i5-6200U @ 2.30GHz</a>	2	3,028	1,588	15	FCBGA1356	Laptop
<a href="#">AMD Phenom II X6 1045T</a>	6	3,029	1,287	95	AM3	Desktop
<a href="#">Intel Core i5-4300M @ 2.60GHz</a>	2	3,035	1,769	37	PGA946	Laptop
<a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a>	4	3,039	1,205	10	FCBGA1090	Desktop
<a href="#">Intel Core i3-6100H @ 2.70GHz</a>	2	3,041	1,543	35	LGA 1151	Laptop
<a href="#">Intel Xeon W3530 @ 2.80GHz</a>	4	3,049	1,333	130	LGA1366	Server
<a href="#">Intel Core i5-5257U @ 2.70GHz</a>	2	3,050	1,882	23	FCBGA1168	Laptop
<a href="#">MediaTek MT6785V/CD</a>	8	3,055	1,296	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/ZA</a>	8	3,058	1,293	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 2435</a>	6	3,061	593	75	F (1207)	Server
<a href="#">Intel Core i5-24050S @ 2.50GHz</a>	4	3,061	1,397	65	LGA1155, FCLGA11	Desktop
<a href="#">Qualcomm Technologies, Inc LITO</a>	8	3,063	1,556	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-870 @ 2.93GHz</a>	4	3,064	1,392	95	LGA1156	Desktop
<a href="#">Intel Core i7-940 @ 2.93GHz</a>	4	3,066	1,345	130	LGA1366	Desktop
<a href="#">ZHAOXIN KaiXian KX- U6580@2.5GHz</a>	8	3,066	745	NA	Unknown	Unknown
<a href="#">AMD FX-4320</a>	2	3,073	1,545	95	AM3+	Desktop
<a href="#">AMD Athlon Silver 3050U</a>	2	3,075	1,715	15	FP5	Laptop
<a href="#">Intel Core i5-4308U @ 2.80GHz</a>	2	3,078	1,890	28	FCBGA1364	Laptop
<a href="#">Qualcomm Technologies, Inc SDM730G AIE</a>	8	3,079	1,477	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A12-8870E</a>	4	3,083	1,520	35	AM4	Desktop
<a href="#">Intel Core i5-4570TE @ 2.70GHz</a>	2	3,084	1,615	35	LGA1150	Desktop
<a href="#">Intel Core i3-6100TE @ 2.70GHz</a>	2	3,085	1,615	35	LGA 1151	Desktop
<a href="#">AMD A10-6700 APU</a>	4	3,090	1,607	65	FM2	Desktop
<a href="#">Qualcomm Technologies, Inc SM7250</a>	8	3,091	1,563	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-870K Quad Core</a>	2	3,094	1,369	NA	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc ATOLL-AB</a>	8	3,096	1,576	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4330T @ 3.00GHz</a>	2	3,098	1,717	35	LGA1150	Desktop
<a href="#">Intel Xeon X5560 @ 2.80GHz</a>	4	3,100	1,380	95	LGA1366	Server
<a href="#">Intel Core i5-4200H @ 2.80GHz</a>	2	3,108	1,803	47	BGA1364	Desktop
<a href="#">Intel Core i7-875K @ 2.93GHz</a>	4	3,119	1,374	95	LGA1156	Desktop
<a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a>	2	3,119	1,807	35	FCLGA1151-2	Server
<a href="#">AMD A10-6790K APU</a>	2	3,124	1,569	100	FM2	Desktop
<a href="#">Intel Core i5-4570T @ 2.90GHz</a>	2	3,127	1,868	35	LGA1150	Desktop
<a href="#">Intel Pentium G4600T @ 3.00GHz</a>	2	3,130	1,843	35	FCLGA1151	Desktop
<a href="#">AMD FX-4200 Quad-Core</a>	4	3,134	1,285	125	AM3+	Desktop
<a href="#">AMD FX-4170 Quad-Core</a>	2	3,135	1,512	125	AM3+	Desktop
<a href="#">AMD A10-7800 APU</a>	2	3,136	1,449	65	FM2+	Desktop
<a href="#">AMD Opteron X3418 APU</a>	4	3,137	1,450	25	Unknown	Server
<a href="#">Intel Core i5-4310M @ 2.70GHz</a>	2	3,139	1,823	37	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

<a href="#">Intel Core i7-5557U @ 3.10GHz</a>	2	3,148	1,930	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-2400S @ 2.50GHz</a>	4	3,150	1,476	65	LGA1155	Desktop
<a href="#">Intel Core i3-10100Y @ 1.30GHz</a>	2	3,151	1,813	5	BGA 1528	Mobile/Embedded
<a href="#">Intel Core i3-4170T @ 3.20GHz</a>	2	3,152	1,811	35	LGA1150	Desktop
<a href="#">AMD A10-7700K APU</a>	2	3,153	1,423	95	FM2+	Desktop
<a href="#">Intel Atom C3858 @ 2.00GHz</a>	12	3,154	501	25	FCBGA1310	Server
<a href="#">Qualcomm Technologies, Inc LAGOON</a>	8	3,154	1,654	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4360T @ 3.20GHz</a>	2	3,164	1,852	35	LGA1150	Desktop
<a href="#">MT8786V/CA</a>	8	3,168	1,165	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-6198DU @ 2.30GHz</a>	2	3,169	1,659	15	BGA1356	Laptop
<a href="#">AMD A12-9730P</a>	4	3,172	1,487	35	FP4	Laptop
<a href="#">Intel Core i5-6260U @ 1.80GHz</a>	2	3,180	1,654	15	FCBGA1356	Laptop
<a href="#">AMD PRO A10-8770E</a>	4	3,181	1,447	35	AM4	Desktop
<a href="#">ARM Neoverse-N1 4 Core 0 MHz</a>	4	3,183	1,299	NA	Unknown	Unknown
<a href="#">AMD A10 PRO-7800B APU</a>	2	3,184	1,502	65	FM2+	Desktop
<a href="#">Intel Xeon W3550 @ 3.07GHz</a>	4	3,186	1,416	130	LGA1366	Server
<a href="#">AMD Phenom II X6 1055T</a>	6	3,189	1,315	125	AM3	Desktop
<a href="#">O6/9c</a>	4	3,191	1,439	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A12-9800E</a>	4	3,191	1,546	35	AM4	Desktop
<a href="#">Intel Core i5-5287U @ 2.90GHz</a>	2	3,191	2,025	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-4600M @ 2.90GHz</a>	2	3,191	1,845	37	PGA946	Laptop
<a href="#">AMD PRO A8-8650B</a>	4	3,192	1,485	65	FM2+	Desktop
<a href="#">Intel Xeon X3470 @ 2.93GHz</a>	4	3,197	1,414	95	LGA1156	Server
<a href="#">Intel Celeron N5100 @ 1.10GHz</a>	4	3,198	1,375	6	FCBGA1338	Laptop
<a href="#">AMD A8-7600 APU</a>	2	3,208	1,451	65	FM2+	Desktop
<a href="#">Intel Core i5-4330M @ 2.80GHz</a>	2	3,208	1,855	37	Unknown	Laptop
<a href="#">MT6833V/NZA</a>	8	3,209	1,407	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-7670K</a>	4	3,210	1,514	95	FM2+	Desktop
<a href="#">MT6785</a>	8	3,214	1,301	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM7225</a>	8	3,216	1,756	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6853T</a>	8	3,217	1,488	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X3480 @ 3.07GHz</a>	4	3,220	1,393	95	LGA1156	Server
<a href="#">Intel Core i7-2715QE @ 2.10GHz</a>	4	3,221	1,287	45	BGA1023	Laptop
<a href="#">Intel Xeon L5638 @ 2.00GHz</a>	6	3,225	727	60	LGA1366	Server
<a href="#">AMD Phenom II X6 1075T</a>	6	3,231	1,395	125	AM3	Desktop
<a href="#">AMD FX-9830P</a>	4	3,233	1,559	35	FP4	Laptop
<a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a>	2	3,234	1,964	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon W5590 @ 3.33GHz</a>	4	3,239	1,571	130	LGA1366	Server
<a href="#">Intel Pentium D1508 @ 2.20GHz</a>	2	3,240	1,760	25	FCBGA1667	Server
<a href="#">Intel Core i5-6360U @ 2.00GHz</a>	2	3,241	1,793	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-4570T @ 2.90GHz</a>	2	3,244	1,693	35	FCLGA1150	Desktop
<a href="#">Intel Core i7-960 @ 3.20GHz</a>	4	3,246	1,452	130	LGA1366	Desktop
<a href="#">AMD FX-4330</a>	2	3,248	1,563	95	AM3+	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core i5-6300U @ 2.40GHz</a>	2	3,256	1,690	15	FCBGA1356	Laptop
<a href="#">AMD Opteron 4365 EE</a>	4	3,263	933	40	Socket C32	Server
<a href="#">AMD Phenom II X6 1065T</a>	6	3,268	1,349	95	AM3	Desktop
<a href="#">AMD Ryzen Embedded R1305G</a>	2	3,268	1,668	8	FP5	Laptop, Mobile/Embedded
<a href="#">MT6853V/TNZA</a>	8	3,272	1,509	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin820</a>	8	3,273	1,681	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5570 @ 2.93GHz</a>	4	3,274	1,410	95	LGA1366	Server
<a href="#">Intel Core i3-10110Y @ 1.00GHz</a>	2	3,278	2,093	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i7-6500U @ 2.50GHz</a>	2	3,278	1,709	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-7167U @ 2.80GHz</a>	2	3,280	1,635	28	Unknown	Laptop
<a href="#">AMD A8-9600</a>	4	3,282	1,483	65	AM4	Desktop
<a href="#">AMD Athlon X4 840</a>	2	3,287	1,482	65	FM2+	Desktop
<a href="#">Intel Core i3-4130 @ 3.40GHz</a>	2	3,288	1,889	54	LGA1150	Desktop
<a href="#">Intel Core i7-965 @ 3.20GHz</a>	4	3,288	1,452	130	LGA1366	Desktop
<a href="#">MT6833V/ZA</a>	8	3,288	1,408	NA	Unknown	Mobile/Embedded
<a href="#">MT6833</a>	8	3,292	1,380	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon L5609 @ 1.87GHz</a>	4	3,298	1,160	40	LGA1366	Server
<a href="#">AMD Embedded R-Series RX-421BD</a>	4	3,302	1,477	35	BGA (FP4)	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-6498DU @ 2.50GHz</a>	2	3,303	1,721	15	BGA1356	Laptop
<a href="#">Intel Core i3-6100E @ 2.70GHz</a>	2	3,315	1,688	35	LGA 1151	Laptop
<a href="#">AMD A10-8750</a>	2	3,320	1,554	65	FM2+	Desktop
<a href="#">Intel Xeon D-1520 @ 2.20GHz</a>	4	3,324	419	45	BGA 1667	Server
<a href="#">AMD A10-7860K</a>	2	3,326	1,536	65	FM2+	Desktop
<a href="#">Intel Xeon W3565 @ 3.20GHz</a>	4	3,326	1,496	130	LGA1366	Server
<a href="#">AMD FX-4150 Quad-Core</a>	4	3,327	1,465	125	AM3+	Desktop
<a href="#">Samsung Exynos 9810</a>	8	3,329	1,321	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X6 1405T</a>	6	3,335	1,247	95	AM2+,AM3	Desktop
<a href="#">Intel Core i3-4370T @ 3.30GHz</a>	2	3,343	1,911	35	FCLGA1150	Desktop
<a href="#">AMD PRO A8-9600</a>	2	3,347	1,468	65	AM4	Desktop
<a href="#">Intel Core i3-4150 @ 3.50GHz</a>	2	3,352	1,930	54	FCLGA1150	Desktop
<a href="#">Intel Xeon W3570 @ 3.20GHz</a>	4	3,354	1,520	130	LGA1366	Server
<a href="#">Intel Core i7-975 @ 3.33GHz</a>	4	3,356	1,507	130	LGA1366	Desktop
<a href="#">MT6781V/CD</a>	8	3,356	1,437	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-B4150 Quad-Core</a>	2	3,369	1,425	95	AM3+	Desktop
<a href="#">AMD Opteron X3421 APU</a>	4	3,375	1,497	35	Unknown	Server
<a href="#">Samsung Exynos 9825</a>	8	3,376	1,619	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4350 @ 3.60GHz</a>	2	3,380	1,859	54	LGA1150	Desktop
<a href="#">AMD Opteron 6136</a>	8	3,381	549	115	Socket G34	Server
<a href="#">AMD A10-7850K APU</a>	2	3,383	1,516	95	FM2+	Desktop
<a href="#">AMD Athlon X4 870K</a>	2	3,384	1,545	95	FM2+	Desktop
<a href="#">Intel Xeon W5580 @ 3.20GHz</a>	4	3,386	1,503	130	LGA1366	Server
<a href="#">Intel Core i5-2300 @ 2.80GHz</a>	4	3,387	1,431	95	LGA1155	Desktop
<a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>	5	3,391	1,627	7	FC-CSP1016	Laptop
<a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>	4	3,391	953	95	LGA 2011	Server
<a href="#">Intel Pentium Silver N5020 @ 1.10GHz</a>	4	3,404	1,307	6	FCBGA1090	Laptop

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded
<a href="#">AMD A12-9800</a>	2	3,428	1,601	65	AM4	Desktop
<a href="#">Intel Core i7-6560U @ 2.20GHz</a>	2	3,428	1,731	15	Unknown	Laptop
<a href="#">Intel Core i3-7100H @ 3.00GHz</a>	2	3,430	1,668	35	FCBGA1440	Laptop
<a href="#">Samsung Exynos 9820</a>	8	3,430	1,665	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2500S @ 2.70GHz</a>	4	3,445	1,670	65	LGA1155	Desktop
<a href="#">AMD A12-9800E</a>	4	3,447	1,604	35	AM4	Desktop
<a href="#">Intel Xeon X5698 @ 4.40GHz</a>	2	3,447	1,922	130	LGA1366	Server
<a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>	4	3,448	1,337	130	LGA2011	Server
<a href="#">AMD Athlon X4 860K</a>	2	3,456	1,539	95	FM2+	Desktop
<a href="#">AMD A10 PRO-7850B APU</a>	2	3,458	1,587	95	FM2+	Desktop
<a href="#">Qualcomm Technologies, Inc KHAJE</a>	8	3,458	1,169	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2635QM @ 2.00GHz</a>	4	3,466	1,235	45	BGA1224	Laptop
<a href="#">Intel Core i5-6267U @ 2.90GHz</a>	2	3,468	1,850	28	FCBGA1356	Laptop
<a href="#">AMD A10-7870K</a>	2	3,471	1,499	95	FM2+	Desktop
<a href="#">AMD Opteron 6164 HE</a>	12	3,478	399	85	Socket G34	Server
<a href="#">Intel Core i3-4160 @ 3.60GHz</a>	2	3,482	2,011	54	FCLGA1150	Desktop
<a href="#">Intel Core i5-4340M @ 2.90GHz</a>	2	3,491	2,032	37	Unknown	Laptop
<a href="#">Intel Xeon W3580 @ 3.33GHz</a>	4	3,495	1,553	130	LGA1366	Server
<a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	3,504	1,068	80	FCLGA1356	Server
<a href="#">Intel Core i7-6600U @ 2.60GHz</a>	2	3,505	1,849	15	FCBGA1356	Laptop
<a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a>	2	3,508	1,978	35	FCLGA1151-2	Desktop
<a href="#">AMD A10-7890K</a>	2	3,512	1,589	95	FM2+	Desktop
<a href="#">Intel Pentium G4560 @ 3.50GHz</a>	2	3,514	2,107	54	FCLGA1151	Desktop
<a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	3,516	1,371	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>	4	3,518	977	50	LGA 1356	Server
<a href="#">AMD A10-8850</a>	2	3,525	1,624	NA	Unknown	Desktop
<a href="#">AMD A10-9700</a>	4	3,541	1,616	65	AM4	Desktop
<a href="#">Intel Core i7-2630QM @ 2.00GHz</a>	4	3,547	1,219	45	PGA988B	Laptop
<a href="#">Intel Core i3-4330 @ 3.50GHz</a>	2	3,551	1,982	54	LGA1150	Desktop
<a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a>	4	3,556	1,422	NA	FCBGA1090	Desktop
<a href="#">Intel Core i3-4170 @ 3.70GHz</a>	2	3,558	2,063	54	LGA1150	Desktop
<a href="#">AMD Athlon X4 950</a>	4	3,559	1,652	65	AM4	Desktop
<a href="#">MT6875</a>	8	3,561	1,168	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 6176 SE</a>	12	3,564	507	140	G34	Server
<a href="#">AMD A8-7680</a>	4	3,565	1,635	45	FM2+	Laptop
<a href="#">Intel Core i7-6650U @ 2.20GHz</a>	2	3,579	1,813	15	FCBGA1356	Laptop
<a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>	4	3,589	1,451	45	LGA1155	Server
<a href="#">Intel Core i5-2310 @ 2.90GHz</a>	4	3,590	1,492	95	LGA1155	Desktop
<a href="#">Intel Core i5-4460T @ 1.90GHz</a>	4	3,592	1,478	35	LGA1150	Desktop
<a href="#">Intel Pentium Gold G5600T @ 3.30GHz</a>	2	3,601	2,025	35	FCLGA1151	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">3.40GHz</a>						
<a href="#">Intel Core i5-2320 @ 3.00GHz</a>	4	3,623	1,511	95	LGA1155	Desktop
<a href="#">DG1301SML87HY</a>	8	3,624	727	NA	Unknown	Unknown
<a href="#">Intel Core i3-6100T @ 3.20GHz</a>	2	3,624	1,892	35	LGA 1151	Desktop
<a href="#">AMD PRO A10-9700</a>	2	3,633	1,663	65	AM4	Desktop
<a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>	2	3,641	2,286	54	FCLGA1151-2	Desktop
<a href="#">AMD Phenom II X6 1090T</a>	6	3,647	1,457	125	AM3	Desktop
<a href="#">Intel Core i3-8130U @ 2.20GHz</a>	2	3,648	1,942	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-7500U @ 2.70GHz</a>	2	3,651	1,950	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-7600U @ 2.80GHz</a>	2	3,653	1,983	15	FCBGA1356	Laptop
<a href="#">Snapdragon 8cx @ 2.84 GHz</a>	8	3,655	1,757	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5620 @ 2.40GHz</a>	4	3,658	1,128	80	LGA1366	Server
<a href="#">AMD A9-9820</a>	8	3,662	798	NA	Unknown	Unknown
<a href="#">AMD Athlon X4 880K</a>	2	3,671	1,628	95	FM2+	Desktop
<a href="#">MT6781</a>	8	3,671	1,274	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8150 Plus</a>	8	3,671	1,631	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-6100 Six-Core</a>	3	3,676	1,317	95	AM3+	Desktop
<a href="#">AMD Ryzen 3 2200U</a>	2	3,686	1,680	15	FP5	Laptop
<a href="#">Intel Core i3-4360 @ 3.70GHz</a>	2	3,688	2,067	54	FCLGA1150	Desktop
<a href="#">AMD Opteron 6174</a>	12	3,697	488	115	Socket G34	Server
<a href="#">AMD Opteron 4332 HE</a>	6	3,715	1,346	65	Socket C32	Server
<a href="#">AMD Opteron 3280</a>	8	3,720	1,043	65	AM3+	Server
<a href="#">AMD Phenom II X6 1100T</a>	6	3,726	1,502	125	AM3	Desktop
<a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>	2	3,726	2,225	54	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5630 @ 2.53GHz</a>	4	3,726	1,176	80	LGA1366	Server
<a href="#">Intel Xeon E5-1607 @ 3.00GHz</a>	4	3,730	1,439	130	LGA2011	Server
<a href="#">Intel Core i5-7300U @ 2.60GHz</a>	2	3,744	1,967	15	FCBGA1356	Laptop
<a href="#">Intel Pentium Gold G6405T @ 3.50GHz</a>	2	3,746	2,206	35	FCLGA1200	Desktop
<a href="#">AMD PRO A10-8850B</a>	2	3,752	1,611	95	FM2+	Desktop
<a href="#">Intel Core i7-2670QM @ 2.20GHz</a>	4	3,752	1,334	45	PGA988B	Laptop
<a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	3,752	931	85	LGA2011-v3	Server
<a href="#">MediaTek MT6873</a>	8	3,752	1,316	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3335S @ 2.70GHz</a>	4	3,754	1,738	65	LGA1155	Desktop
<a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>	2	3,755	2,256	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium N6415 @ 1.20GHz</a>	4	3,760	1,616	6.5	FCBGA1493	Mobile/Embedded
<a href="#">Intel Pentium Gold G5600 @ 3.90GHz</a>	2	3,769	2,291	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-6567U @ 3.30GHz</a>	2	3,775	2,083	28	FCBGA1356	Laptop
<a href="#">AMD Athlon X4 845</a>	2	3,777	1,678	65	FM2+	Desktop
<a href="#">Intel Core i3-7100T @ 3.40GHz</a>	2	3,778	2,004	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-4370 @ 3.80GHz</a>	2	3,791	2,113	54	LGA1150	Desktop
<a href="#">Intel Core i5-2380P @ 3.10GHz</a>	4	3,797	1,607	95	LGA1155	Desktop
<a href="#">Intel Core i7-7560U @ 2.40GHz</a>	2	3,801	2,013	15	BGA1356	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>	4	3,810	1,571	95	LGA1155	Server
<a href="#">Intel Core i3-1115GRE @ 3.00GHz</a>	2	3,816	1,880	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i7-2675QM @ 2.20GHz</a>	4	3,820	1,284	45	BGA1224	Laptop
<a href="#">Intel Pentium G4620 @ 3.70GHz</a>	2	3,824	2,269	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G6900</a>	2	3,829	2,472	46	LGA1700,BGA1700	Desktop
<a href="#">Intel Core i3-8145U @ 2.10GHz</a>	2	3,836	2,143	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-2400 @ 3.10GHz</a>	4	3,837	1,580	95	LGA1155	Desktop
<a href="#">Intel Core i7-2840QM @ 2.40GHz</a>	4	3,842	1,493	NA	rPGA988B	Laptop
<a href="#">AMD FX-8100 Eight-Core O6/8e</a>	4 8	3,847 3,848	1,094 2,388	95 NA	AM3+ Unknown	Desktop Mobile/Embedded
<a href="#">AMD PRO A12-8870</a>	4	3,848	1,718	65	AM4	Desktop
<a href="#">Intel Core i7-6660U @ 2.40GHz</a>	2	3,851	1,983	15	FCBGA1356	Laptop
<a href="#">Intel Xeon E3-1220 @ 3.10GHz</a>	4	3,855	1,582	80	LGA1155	Server
<a href="#">AMD FX-6120 Six-Core</a>	3	3,863	1,415	95	AM3+	Desktop
<a href="#">MT6833P</a>	8	3,872	1,333	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-7500</a>	2	3,878	1,509	65	FM2+	Desktop
<a href="#">AMD PRO A12-9800</a>	4	3,878	1,775	65	AM4	Desktop
<a href="#">Intel Core i5-7260U @ 2.20GHz</a>	2	3,891	1,988	15	BGA1356	Laptop
<a href="#">AMD Ryzen 3 3200U</a>	2	3,894	1,827	15	FP5	Laptop
<a href="#">Intel Celeron J6412 @ 2.00GHz</a>	4	3,894	1,399	10	FCBGA1493	Mobile/Embedded
<a href="#">ARM Cortex-A72 8 Core 0 MHz</a>	8	3,906	1,531	NA	Unknown	Unknown
<a href="#">Intel Core i3-1000NG4 @ 1.10GHz</a>	2	3,911	1,911	9	BGA1526	Laptop
<a href="#">Intel Core i3-7101TE @ 3.40GHz</a>	2	3,911	1,997	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-6287U @ 3.10GHz</a>	2	3,922	2,080	28	FCBGA1356	Laptop
<a href="#">Intel Core i7-985 @ 3.47GHz</a>	4	3,928	1,579	NA	LGA1366	Unknown
<a href="#">AMD Opteron 4334</a>	3	3,949	1,269	95	Socket C32	Server
<a href="#">Intel Core i5-4590T @ 2.00GHz</a>	4	3,956	1,642	35	LGA1150	Desktop
<a href="#">Intel Core i5-7267U @ 3.10GHz</a>	2	3,965	2,080	28	BGA1356	Laptop
<a href="#">AMD Ryzen Embedded R1505G</a>	2	3,966	1,817	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Opteron 3365</a>	4	3,973	1,107	65	AM3+	Server
<a href="#">Intel Core i5-2450P @ 3.20GHz</a>	4	3,974	1,654	95	LGA1155	Desktop
<a href="#">AMD Ryzen 3 3250U</a>	2	3,985	1,844	15	FP5	Laptop
<a href="#">AMD FX-6200 Six-Core</a>	3	3,986	1,381	125	AM3+	Desktop
<a href="#">MT6877V/ZA</a>	8	3,997	1,930	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 300U</a>	2	4,005	1,845	15	FP5	Laptop
<a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a>	2	4,005	2,277	35	FCLGA1200	Desktop
<a href="#">AMD Opteron 6212</a>	4	4,007	1,085	115	Socket G34	Server
<a href="#">Intel Core i3-10110U @ 2.10GHz</a>	2	4,014	2,270	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E5640 @ 2.67GHz</a>	4	4,018	1,204	80	LGA1366	Server
<a href="#">Qualcomm Technologies, Inc SM8150P</a>	8	4,025	1,856	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Gold 3150U</a>	2	4,034	1,782	15	FP5	Laptop
<a href="#">Intel Core i3-6300T @ 3.30GHz</a>	2	4,040	2,055	35	LGA 1151	Desktop
<a href="#">Intel Core i7-2710QE @</a>	4	4,044	1,393	45	PGA988B	Laptop



<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>

 CPU Benchmarks 

<a href="#">Intel Atom x6413E @ 1.50GHz</a>	4	4,070	1,608	9	FCBGA1493	Mobile/Embedded
<a href="#">AMD Opteron 6234</a>	6	4,072	547	115	G34	Server
<a href="#">Intel Celeron J6413 @ 1.80GHz</a>	4	4,075	1,601	10	FCBGA1296	Mobile/Embedded
<a href="#">Intel Celeron N5095 @ 2.00GHz</a>	4	4,083	1,536	15	FCBGA1338	Desktop
<a href="#">Intel Core i7-2720QM @ 2.20GHz</a>	4	4,083	1,387	45	BGA1224	Laptop
<a href="#">Intel Core i5-3330 @ 3.00GHz</a>	4	4,085	1,724	77	LGA1155	Desktop
<a href="#">Intel Core i5-2550K @ 3.40GHz</a>	4	4,090	1,749	95	LGA1155	Desktop
<a href="#">Intel Core i5-2500K @ 3.30GHz</a>	4	4,091	1,698	95	LGA1155	Desktop
<a href="#">Intel Core i5-3340S @ 2.80GHz</a>	4	4,091	1,789	65	LGA1155	Desktop
<a href="#">Intel Core i7-7660U @ 2.50GHz</a>	2	4,093	2,136	15	BGA1356	Laptop
<a href="#">Intel Core i5-2500 @ 3.30GHz</a>	4	4,101	1,709	95	LGA1155	Desktop
<a href="#">Intel Pentium Gold G5620 @ 4.00GHz</a>	2	4,102	2,424	54	FCLGA1151-2	Desktop
<a href="#">Hisilicon Kirin980</a>	8	4,120	1,740	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-8145UE @ 2.20GHz</a>	2	4,133	2,324	15	FCBGA1528	Laptop
<a href="#">AMD Opteron 3380</a>	8	4,134	1,107	65	Unknown	Server
<a href="#">AMD Athlon 200GE</a>	2	4,135	1,816	35	AM4	Desktop
<a href="#">Qualcomm Technologies, Inc SM8150</a>	8	4,135	1,786	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>	2	4,136	2,489	58	FCLGA1200	Desktop
<a href="#">AMD Athlon PRO 200GE</a>	2	4,139	1,821	35	AM4	Desktop
<a href="#">Intel Core i5-4430S @ 2.70GHz</a>	4	4,145	1,712	65	LGA1150	Desktop
<a href="#">AMD FX-6300 Six-Core</a>	3	4,147	1,485	95	AM3+	Desktop
<a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>	2	4,147	2,491	58	FCLGA1200	Desktop
<a href="#">Intel Core i5-7287U @ 3.30GHz</a>	2	4,149	2,154	28	Unknown	Laptop
<a href="#">Intel Atom x6425E @ 2.00GHz</a>	4	4,153	1,602	12	FCBGA1493	Mobile/Embedded
<a href="#">Intel Core i3-6098P @ 3.60GHz</a>	2	4,157	2,154	54	LGA 1151	Desktop
<a href="#">Intel Core i3-7300T @ 3.50GHz</a>	2	4,159	2,128	35	FCLGA1151	Desktop
<a href="#">Intel Pentium Gold G5600F @ 3.90GHz</a>	2	4,160	2,442	54	FCLGA1151-2	Desktop
<a href="#">Intel Celeron N5105 @ 2.00GHz</a>	4	4,161	1,533	10	FCBGA1338	Mobile/Embedded
<a href="#">Hisilicon Kirin985</a>	8	4,162	1,823	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3570T @ 2.30GHz</a>	4	4,168	1,779	45	LGA1155	Desktop
<a href="#">Intel Core i5-3340 @ 3.10GHz</a>	4	4,169	1,771	77	LGA1155	Desktop
<a href="#">Intel Pentium J6426 @ 2.00GHz</a>	4	4,173	1,596	10	FCBGA1493	Mobile/Embedded
<a href="#">Intel Core i5-3475S @ 2.90GHz</a>	4	4,177	1,815	65	LGA1155	Desktop
<a href="#">Intel Core i3-6100 @ 3.70GHz</a>	2	4,182	2,224	51	LGA 1151	Desktop
<a href="#">AMD Ryzen 3 PRO 2100GE</a>	2	4,187	1,855	35	AM4	Desktop
<a href="#">Apple A11 Bionic</a>	6	4,206	1,173	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3350P @ 3.10GHz</a>	4	4,225	1,781	69	LGA1155	Desktop
<a href="#">Intel Xeon E5-2648L @ 1.80GHz</a>	8	4,235	931	70	LGA 2011	Server
<a href="#">AMD Athlon 320GE</a>	2	4,237	1,810	35	AM4	Desktop
<a href="#">Intel Core i7-7567U @ 3.50GHz</a>	2	4,237	2,249	28	BGA1356	Laptop
<a href="#">Intel Core i5-6350HQ @ 2.30GHz</a>	4	4,255	1,420	45	LGA 1151	Laptop
<a href="#">Intel Core i7-4770TE @ 2.30GHz</a>	4	4,257	1,458	45	LGA1150	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Atom C3958 @ 2.00GHz</a>	16	4,281	514	31	FCBGA1310	Server
<a href="#">Intel Xeon E5-1607 v2 @ 3.00GHz</a>	4	4,285	1,643	130	LGA 2011	Server
<a href="#">Intel Pentium Gold G6405 @ 4.10GHz</a>	2	4,286	2,519	58	FCLGA1200	Desktop
<a href="#">Intel Core i3-8109U @ 3.00GHz</a>	2	4,295	2,131	28	FCBGA1528	Laptop
<a href="#">Intel Core i5-6400T @ 2.20GHz</a>	4	4,305	1,651	35	LGA 1151	Desktop
<a href="#">MT6877T</a>	8	4,311	1,509	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin990</a>	8	4,328	1,908	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-7100 @ 3.90GHz</a>	2	4,334	2,336	51	FCLGA1151	Desktop
<a href="#">Intel Core i7-2920XM @ 2.50GHz</a>	4	4,344	1,499	55	FCPGA988	Laptop
<a href="#">Intel Core i5-3470S @ 2.90GHz</a>	4	4,351	1,898	65	LGA1155	Desktop
<a href="#">Intel Core i7-2820QM @ 2.30GHz</a>	4	4,352	1,522	45	BGA1224	Laptop
<a href="#">AMD FX-6130 Six-Core</a>	3	4,353	1,390	125	AM3+	Desktop
<a href="#">AMD Athlon 300GE</a>	2	4,366	1,888	35	AM4	Desktop
<a href="#">Renoir based on Qualcomm Technologies, Inc SM7350</a>	8	4,369	1,745	NA	Unknown	Mobile/Embedded
<a href="#">Microsoft ARM SQ1 @ 3.0 GHz</a>	8	4,371	1,862	15	Unknown	Laptop
<a href="#">Intel Core i3-6320 @ 3.90GHz</a>	2	4,372	2,343	51	LGA 1151	Desktop
<a href="#">Intel Core i3-8121U @ 2.20GHz</a>	2	4,376	1,927	15	Unknown	Laptop
<a href="#">AMD Opteron 4386</a>	4	4,378	1,012	95	C32	Server
<a href="#">Intel Pentium Gold G6505 @ 4.20GHz</a>	2	4,378	2,652	58	FCLGA1200	Desktop
<a href="#">Intel Core i7-2760QM @ 2.40GHz</a>	4	4,382	1,546	45	BGA1224	Laptop
<a href="#">Intel Pentium i3-6300 @ 3.80GHz</a>	2	4,391	2,300	51	LGA 1151	Desktop
<a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>	2	4,396	2,577	58	FCLGA1200	Desktop
<a href="#">vendor Kirin810</a>	8	4,415	1,585	NA	Unknown	Mobile/Embedded
<a href="#">MT6889Z/CZA</a>	8	4,416	1,817	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon L5639 @ 2.13GHz</a>	6	4,419	1,102	60	LGA1366	Server
<a href="#">Intel Core i7-2960XM @ 2.70GHz</a>	4	4,423	1,491	55	PGA988B	Laptop
<a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	4,423	1,097	80	LGA2011-v3	Server
<a href="#">Intel Core i5-4670T @ 2.30GHz</a>	4	4,427	1,736	45	FCLGA1150	Desktop
<a href="#">AMD FX-6350 Six-Core</a>	3	4,442	1,535	125	AM3+	Desktop
<a href="#">AMD FX-6330 Six-Core</a>	3	4,455	1,540	95	AM3+	Desktop
<a href="#">Intel Xeon X5647 @ 2.93GHz</a>	4	4,455	1,385	130	LGA1366	Server
<a href="#">AMD Athlon 220GE</a>	2	4,471	1,986	35	AM4	Laptop
<a href="#">Intel Core i3-8140U @ 2.10GHz</a>	2	4,472	2,289	15	FCBGA1528	Laptop
<a href="#">AMD Athlon PRO 300GE</a>	2	4,475	1,917	35	AM4	Desktop
<a href="#">AMD Athlon 3000G</a>	2	4,482	1,998	35	AM4	Desktop
<a href="#">Intel Core i5-3450 @ 3.10GHz</a>	4	4,489	1,885	77	LGA1155	Desktop
<a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>	4	4,489	1,633	140	LGA2011-v3	Server
<a href="#">Intel Pentium Gold G6605 @ 4.30GHz</a>	2	4,493	2,658	58	FCLGA1200	Desktop
<a href="#">Intel Core i3-8100TE @ 2.20GHz</a>	4	4,501	1,585	35	FCLGA1151	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">2.00GHz</a>						
<a href="#">Intel Core i7-2600S @ 2.80GHz</a>	4	4,524	1,712	65	LGA1155	Desktop
<a href="#">Intel Core i5-4570R @ 2.70GHz</a>	4	4,527	1,809	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-4460S @ 2.90GHz</a>	4	4,531	1,851	65	LGA1150	Desktop
<a href="#">Intel Core i5-3550S @ 3.00GHz</a>	4	4,537	1,982	65	LGA1155	Desktop
<a href="#">AMD Athlon Silver 3050GE</a>	2	4,545	2,016	35	AM4	Laptop
<a href="#">AMD Athlon 240GE</a>	2	4,551	1,986	35	AM4	Desktop
<a href="#">Intel Xeon X5667 @ 3.07GHz</a>	4	4,551	1,453	95	LGA1366	Server
<a href="#">MT6893</a>	8	4,551	1,941	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-8120 Eight-Core</a>	4	4,565	1,325	125	AM3+	Desktop
<a href="#">vendor Kirin980</a>	8	4,576	1,763	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon L5640 @ 2.27GHz</a>	6	4,591	1,139	60	LGA1366	Server
<a href="#">Mars based on Qualcomm Technologies, Inc SM8350</a>	8	4,592	1,986	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-6442EQ @ 1.90GHz</a>	4	4,598	1,716	25	FCBGA1440	Laptop
<a href="#">Intel Core i7-2860QM @ 2.50GHz</a>	4	4,599	1,596	45	BGA1224	Laptop
<a href="#">Intel Core i7-3612QM @ 2.10GHz</a>	4	4,599	1,540	35	PGA988B, FCBGA12	Laptop
<a href="#">Qualcomm Snapdragon 8350</a>	8	4,599	2,482	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4430 @ 3.00GHz</a>	4	4,617	1,802	84	LGA1150	Desktop
<a href="#">Intel Core i7-3632QM @ 2.20GHz</a>	4	4,619	1,576	35	rPGA988B	Laptop
<a href="#">Intel Core i5-3570S @ 3.10GHz</a>	4	4,620	1,995	65	LGA1155	Desktop
<a href="#">Intel Celeron N5095A @ 2.00GHz</a>	4	4,627	1,553	15	FCBGA1338	Desktop
<a href="#">Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	4,627	1,015	85	FCLGA3647	Server
<a href="#">AMD Athlon Silver PRO 3125GE</a>	2	4,633	2,074	35	AM4	Desktop
<a href="#">Intel Xeon E5-1410 @ 2.80GHz</a>	4	4,634	1,484	80	LGA1356	Server
<a href="#">Intel Core i5-3470 @ 3.20GHz</a>	4	4,654	1,942	77	LGA1155	Desktop
<a href="#">Intel Core i7-3635QM @ 2.40GHz</a>	4	4,657	1,673	45	Unknown	Laptop
<a href="#">Intel Core i5-4690T @ 2.50GHz</a>	4	4,658	1,929	45	LGA1150	Desktop
<a href="#">AMD Opteron 4284</a>	4	4,665	1,181	95	Socket C32	Server
<a href="#">Intel Core i5-7400T @ 2.40GHz</a>	4	4,665	1,757	35	LGA1151	Desktop
<a href="#">Apple A12 Bionic</a>	6	4,672	1,918	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom C3758 @ 2.20GHz</a>	8	4,675	857	25	FCBGA1310	Server
<a href="#">Intel Core i5-6300HQ @ 2.30GHz</a>	4	4,689	1,793	45	LGA 1151	Laptop
<a href="#">Intel Core i7-8665UE @ 1.70GHz</a>	4	4,693	1,399	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	4,695	1,046	85	FCLGA2011-3	Server
<a href="#">Intel Core i3-7300 @ 4.00GHz</a>	2	4,703	2,423	51	FCLGA1151	Desktop
<a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>	4	4,705	1,919	69	LGA1155	Server
<a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a>	4	4,711	1,552	45	LGA1155	Server
<a href="#">Intel Core i5-4440 @ 3.10GHz</a>	4	4,712	1,860	84	FCLGA1150	Desktop
<a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>	4	4,725	1,562	95	LGA1155	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core i5-4470S @ 3.00GHz</a>	4	4,742	1,756	65	LGA1150	Desktop
<a href="#">MT6877V/TZA</a>	8	4,746	2,072	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 6220</a>	4	4,753	1,203	115	Socket G34	Server
<a href="#">ARM Neoverse-N1 6 Core 0 MHz</a>	6	4,756	1,299	NA	Unknown	Unknown
<a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a>	4	4,764	1,502	25	LGA1150	Server
<a href="#">Intel Core i7-3610QE @ 2.30GHz</a>	4	4,767	1,526	45	rPGA988B	Laptop
<a href="#">Intel Core i5-6500TE @ 2.30GHz</a>	4	4,776	1,828	35	LGA 1151	Desktop
<a href="#">Intel Core i7-3612QE @ 2.10GHz</a>	4	4,783	1,658	35	BGA1224	Laptop
<a href="#">Intel Xeon D-1518 @ 2.20GHz</a>	4	4,784	1,256	35	FCBGA1667	Server
<a href="#">Intel Core i5-3550 @ 3.30GHz</a>	4	4,793	2,006	77	LGA1155	Desktop
<a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>	4	4,793	1,963	77	LGA1155	Server
<a href="#">Intel Xeon Bronze 3204 @ 1.90GHz</a>	6	4,796	1,103	85	FCLGA3647	Server
<a href="#">Intel Core i3-7350K @ 4.20GHz</a>	2	4,809	2,484	60	FCLGA1151	Desktop
<a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>	4	4,812	1,754	140	FCLGA2011-3	Server
<a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a>	8	4,818	1,853	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4460 @ 3.20GHz</a>	4	4,829	1,902	84	LGA1150	Desktop
<a href="#">Intel Core i5-7442EQ @ 2.10GHz</a>	4	4,834	1,819	25	FCBGA1440	Laptop
<a href="#">Intel Core i5-10210Y @ 1.00GHz</a>	4	4,836	2,032	7	UTFCBGA1377	Laptop
<a href="#">Intel Xeon E3-1505L v5 @ 2.00GHz</a>	4	4,838	1,635	25	FCBGA1440	Laptop, Server
<a href="#">Samsung Technologies, Inc Exynos E1080</a>	8	4,846	2,029	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-7320 @ 4.10GHz</a>	2	4,848	2,487	51	FCLGA1151	Desktop
<a href="#">Samsung Exynos 2100</a>	8	4,852	2,040	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-6500T @ 2.50GHz</a>	4	4,853	1,835	35	LGA 1151	Desktop
<a href="#">AMD Opteron 6366 HE</a>	8	4,858	793	85	Unknown	Server
<a href="#">AMD FX-8140 Eight-Core</a>	4	4,860	1,273	95	AM3+	Desktop
<a href="#">Star based on Qualcomm Technologies, Inc SM8350</a>	8	4,870	2,047	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4670S @ 3.10GHz</a>	4	4,872	2,052	65	FCLGA1150	Desktop
<a href="#">lisa based Qualcomm Technologies, Inc. SM7325</a>	8	4,898	1,909	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen 5 3500C</a>	4	4,905	2,153	15	FP5	Laptop
<a href="#">Intel Core i5-3570 @ 3.40GHz</a>	4	4,906	2,049	77	LGA1155	Desktop
<a href="#">ARM Cortex-A72 4 Core 0 MHz</a>	4	4,907	2,658	NA	Unknown	Unknown
<a href="#">Microsoft SQ2 @ 3.15 GHz</a>	8	4,910	1,935	NA	Unknown	Unknown
<a href="#">Intel Core i5-4570S @ 2.90GHz</a>	4	4,916	1,982	65	LGA1150	Desktop
<a href="#">Intel Core i5-3570K @ 3.40GHz</a>	4	4,935	2,047	77	LGA1155	Desktop
<a href="#">Intel Core i7-4700EQ @ 2.40GHz</a>	4	4,941	1,842	47	FCBGA1364	Desktop
<a href="#">Intel Xeon E5645 @ 2.40GHz</a>	6	4,955	1,147	80	LGA1366	Server
<a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>	8	4,956	2,217	NA	Unknown	Mobile/Embedded

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">3.10GHz</a>						
<a href="#">Qualcomm Snapdragon 7325</a>	8	5,008	2,027	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a>	4	5,013	1,761	25	FCLGA1151	Server
<a href="#">Intel Xeon E3-1230 @ 3.20GHz</a>	4	5,029	1,657	80	LGA1155	Server
<a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a>	4	5,034	2,042	84	LGA1150	Desktop
<a href="#">Intel Core i7-4765T @ 2.00GHz</a>	4	5,036	1,619	35	FCLGA1150	Desktop
<a href="#">06/8c</a>	8	5,040	2,680	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5649 @ 2.53GHz</a>	6	5,043	1,189	80	LGA1366	Server
<a href="#">Qualcomm Technologies, Inc SDM778G</a>	8	5,052	2,041	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon W-2102 @ 2.90GHz</a>	4	5,063	1,748	120	FCLGA2066	Server
<a href="#">Hisilicon Kirin9000</a>	8	5,083	2,490	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4590S @ 3.00GHz</a>	4	5,091	2,052	65	LGA1150	Desktop
<a href="#">Intel Core i7-3610QM @ 2.30GHz</a>	4	5,091	1,660	45	PGA988B	Laptop
<a href="#">Apple A13 Bionic</a>	6	5,097	2,108	NA	Unknown	Mobile/Embedded
<a href="#">Vili based on Qualcomm Technologies, Inc SM8350</a>	8	5,105	1,614	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4702MQ @ 2.20GHz</a>	4	5,110	1,692	37	FCPGA946	Laptop
<a href="#">Intel Xeon X5677 @ 3.47GHz</a>	4	5,112	1,614	130	LGA1366	Server
<a href="#">Intel Xeon X5672 @ 3.20GHz</a>	4	5,117	1,570	95	LGA1366	Server
<a href="#">Intel Core i5-7300HQ @ 2.50GHz</a>	4	5,118	1,971	45	Unknown	Laptop
<a href="#">Intel Core i5-6440HQ @ 2.60GHz</a>	4	5,133	2,010	45	LGA 1151	Laptop
<a href="#">Intel Core i7-3630QM @ 2.40GHz</a>	4	5,137	1,699	45	rPGA988B	Laptop
<a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>	6	5,142	1,108	95	LGA1356	Server
<a href="#">AMD FX-8310 Eight-Core</a>	4	5,145	1,413	95	AM3+	Desktop
<a href="#">Intel Core i3-1005G1 @ 1.20GHz</a>	2	5,147	2,256	15	FCBGA1526	Laptop
<a href="#">MT6893Z_A/CZA</a>	8	5,153	2,304	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc KONA</a>	8	5,157	2,323	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>	4	5,159	1,986	80	LGA1150	Server
<a href="#">Intel Core i5-6400 @ 2.70GHz</a>	4	5,165	1,966	65	LGA 1151	Desktop
<a href="#">AMD FX-8150 Eight-Core</a>	4	5,167	1,422	125	AM3+	Desktop
<a href="#">Intel Core i5-4570 @ 3.20GHz</a>	4	5,188	2,034	84	LGA1150	Desktop
<a href="#">Intel Core i7-4712HQ @ 2.30GHz</a>	4	5,188	1,684	37	FCBGA1364	Laptop
<a href="#">Intel Core i5-5575R @ 2.80GHz</a>	4	5,202	2,119	65	LGA1150	Desktop
<a href="#">Intel Core i7-3615QM @ 2.30GHz</a>	4	5,231	1,745	45	BGA1224	Laptop
<a href="#">Intel Core i5-4670R @ 3.00GHz</a>	4	5,233	2,164	65	FCBGA1364	Desktop
<a href="#">AMD FX-8370E Eight-Core</a>	4	5,235	1,490	95	AM3+	Desktop
<a href="#">AMD Opteron 6272</a>	8	5,240	753	115	G34	Server
<a href="#">Intel Core i7-6822EQ @ 2.00GHz</a>	4	5,241	1,572	25	LGA 1151	Laptop
<a href="#">Intel Xeon E5-4670 v4 @ 2.40GHz</a>	4	5,245	1,885	440	FCLGA2011-3	Server

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">2.30GHz</a>						
<a href="#">AMD FX-8300 Eight-Core</a>	4	5,253	1,488	95	AM3+	Desktop
<a href="#">AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</a>	4	5,257	1,237	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5687 @ 3.60GHz</a>	4	5,272	1,617	130	LGA1366	Server
<a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>	6	5,273	1,005	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-2620 @ 2.00GHz</a>	6	5,273	1,109	95	LGA2011	Server
<a href="#">Qualcomm Technologies, Inc SM8250</a>	8	5,273	2,246	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin9000</a>	8	5,276	2,574	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>	4	5,278	2,011	84	LGA1150	Server
<a href="#">AMD Opteron 6274</a>	8	5,286	849	115	G34	Server
<a href="#">Intel Core i7-10510Y @ 1.20GHz</a>	4	5,289	1,915	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i3-8100T @ 3.10GHz</a>	4	5,295	1,923	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a>	4	5,304	1,769	25	FCLGA1150	Server
<a href="#">Intel Core i7-4702HQ @ 2.20GHz</a>	4	5,305	1,651	37	FCBGA1364	Laptop
<a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>	6	5,305	1,119	60	LGA 2011	Server
<a href="#">Intel Core i5-7500T @ 2.70GHz</a>	4	5,327	1,968	35	FCLGA1151	Desktop
<a href="#">Intel Core i7-4700MQ @ 2.40GHz</a>	4	5,327	1,769	47	rPGA946B	Laptop
<a href="#">Intel Core i7-3615QE @ 2.30GHz</a>	4	5,334	1,751	45	BGA1224	Laptop
<a href="#">Intel Core i5-4590 @ 3.30GHz</a>	4	5,343	2,095	84	LGA1150	Desktop
<a href="#">Intel Core i7-2600 @ 3.40GHz</a>	4	5,344	1,741	95	LGA1155	Desktop
<a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	5,351	1,043	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>	4	5,362	1,740	95	LGA1155	Server
<a href="#">Intel Core i5-6440EQ @ 2.70GHz</a>	4	5,368	1,943	45	FCBGA1440	Laptop
<a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>	2	5,368	2,308	15	FCBGA1449	Laptop
<a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>	4	5,372	1,730	95	LGA1155	Server
<a href="#">Qualcomm Technologies, Inc SM8350</a>	8	5,372	2,137	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>	4	5,378	1,739	80	LGA1155	Server
<a href="#">Intel Core i5-4690S @ 3.20GHz</a>	4	5,382	2,189	65	LGA1150	Desktop
<a href="#">AMD FX-8320 Eight-Core</a>	4	5,415	1,475	125	AM3+	Desktop
<a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>	4	5,415	1,764	80	LGA1155	Server
<a href="#">Intel Core i3-9100T @ 3.10GHz</a>	4	5,419	2,106	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-4670 @ 3.40GHz</a>	4	5,420	2,139	84	LGA1150	Desktop
<a href="#">Intel Core i7-4785T @ 2.20GHz</a>	4	5,427	1,744	35	FCLGA1150	Desktop
<a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a>	4	5,427	1,734	45	LGA1150	Server
<a href="#">ARM Cortex-A72 16 Core 0 MHz</a>	16	5,435	600	NA	Unknown	Unknown
<a href="#">Intel Core i5-760S @ 2.53GHz</a>	4	5,440	1,578	NA	Unknown	Unknown
<a href="#">AMD Ryzen Embedded V1404I</a>	4	5,491	1,932	15	Unknown	Desktop, Mobile/Embedded
<a href="#">Intel Core i5-6402P @ 2.80GHz</a>	4	5,493	2,059	65	LGA 1151	Desktop
<a href="#">Intel Core i7-2600K @ 3.40GHz</a>	4	5,494	1,744	95	LGA1155	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core i7-4710HQ @ 2.50GHz</a>	4	5,506	1,781	47	FCBGA1364	Laptop
<a href="#">AMD Ryzen 3 2300U</a>	4	5,507	1,745	15	FP5	Laptop
<a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>	4	5,510	1,780	95	LGA1155	Server
<a href="#">Intel Core i5-7440HQ @ 2.80GHz</a>	4	5,513	2,017	45	BGA1440	Laptop
<a href="#">Intel Core i5-7400 @ 3.00GHz</a>	4	5,518	2,107	65	FCLGA1151	Desktop
<a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>	4	5,520	1,642	130	LGA2011	Server
<a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>	4	5,523	2,117	84	FCLGA1150	Server
<a href="#">Intel Core i5-4670K @ 3.40GHz</a>	4	5,535	2,152	84	LGA1150	Desktop
<a href="#">Qualcomm Technologies, Inc SM8250 AC</a>	8	5,545	2,544	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-5675C @ 3.10GHz</a>	4	5,548	2,251	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-8365UE @ 1.60GHz</a>	4	5,555	2,248	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-4750HQ @ 2.00GHz</a>	4	5,559	1,729	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4700HQ @ 2.40GHz</a>	4	5,560	1,784	47	FCBGA1364	Laptop
<a href="#">ARM Neoverse-N1 8 Core 0 MHz</a>	8	5,561	1,184	NA	Unknown	Unknown
<a href="#">Intel Core i5-4690 @ 3.50GHz</a>	4	5,566	2,203	84	LGA1150	Desktop
<a href="#">AMD Opteron 6376</a>	8	5,572	1,165	115	Socket G34	Server
<a href="#">Intel Core i7-3770T @ 2.50GHz</a>	4	5,573	1,933	45	LGA1155	Desktop
<a href="#">SM8350</a>	8	5,575	2,437	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2700K @ 3.50GHz</a>	4	5,581	1,779	95	LGA1155	Desktop
<a href="#">MT6893Z/CZA</a>	8	5,587	2,064	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-5675R @ 3.10GHz</a>	4	5,600	2,282	65	FCBGA1364	Desktop
<a href="#">MT6883Z/CZA</a>	8	5,605	1,694	NA	Unknown	Mobile/Embedded
<a href="#">MT6891</a>	8	5,611	1,751	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_D/CZA</a>	8	5,615	2,253	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4690K @ 3.50GHz</a>	4	5,620	2,196	88	LGA1150	Desktop
<a href="#">Intel Core i7-4722HQ @ 2.40GHz</a>	4	5,620	1,844	37	FCBGA1364	Laptop
<a href="#">AMD Opteron 6238</a>	6	5,625	1,157	115	Socket G34	Server
<a href="#">Intel Xeon D-1559 @ 1.50GHz</a>	12	5,647	569	45	FCBGA1667	Server
<a href="#">Intel Core i5-6600T @ 2.70GHz</a>	4	5,655	2,096	35	LGA 1151	Desktop
<a href="#">Intel Core i7-3720QM @ 2.60GHz</a>	4	5,657	1,864	45	BGA1224	Laptop
<a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>	4	5,657	1,908	72	FCLGA1151	Server
<a href="#">Intel Core i5-6500 @ 3.20GHz</a>	4	5,658	2,124	65	LGA 1151	Desktop
<a href="#">Intel Core i7-3940XM @ 3.00GHz</a>	4	5,671	1,930	55	rPGA988B	Laptop
<a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a>	4	5,682	1,875	65	FCLGA1151	Server
<a href="#">Intel Core i7-3740QM @ 2.70GHz</a>	4	5,689	1,879	45	rPGA988B	Laptop
<a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>	4	5,690	2,014	80	FCLGA1151	Server
<a href="#">Intel Core i7-3920XM @ 2.90GHz</a>	4	5,700	1,910	55	FCPGA988	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">MT8195AV/ZA</a>	8	5,735	1,840	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	5,754	1,013	85	FCLGA3647	Server
<a href="#">Intel Core i7-3820QM @ 2.70GHz</a>	4	5,755	1,915	45	BGA1224	Laptop
<a href="#">Intel Core i7-3820 @ 3.60GHz</a>	4	5,756	1,736	130	LGA2011	Desktop
<a href="#">Intel Core i7-4720HQ @ 2.60GHz</a>	4	5,765	1,869	47	BGA1364	Laptop
<a href="#">Intel Xeon E5-2450L @ 1.80GHz</a>	8	5,769	1,013	70	LGA 1356	Server
<a href="#">AMD Opteron 4274 HE</a>	4	5,776	1,060	65	C32	Server
<a href="#">Intel Core i3-1115G4E @ 3.00GHz</a>	2	5,776	2,552	15	BGA 1449	Mobile/Embedded
<a href="#">Intel Core i7-4710MQ @ 2.50GHz</a>	4	5,801	1,893	47	FCPGA946	Laptop
<a href="#">Intel Xeon X5650 @ 2.67GHz</a>	6	5,804	1,306	95	LGA1366	Server
<a href="#">Intel Core i3-8300T @ 3.20GHz</a>	4	5,827	2,005	25	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-4800MQ @ 2.70GHz</a>	4	5,830	1,941	47	rPGA946B	Laptop
<a href="#">SM7325</a>	8	5,836	2,132	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>	4	5,842	1,689	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>	6	5,863	1,190	95	LGA 1356	Server
<a href="#">AMD Ryzen 3 3300U</a>	4	5,867	1,905	15	FP5	Laptop
<a href="#">Intel Xeon E5-1620 @ 3.60GHz</a>	4	5,870	1,773	130	LGA2011	Server
<a href="#">Intel Xeon D-1521 @ 2.40GHz</a>	4	5,877	1,721	45	FCBGA1667	Server
<a href="#">AMD Opteron 6378</a>	8	5,889	1,127	115	G34	Server
<a href="#">AMD Ryzen 3 PRO 2200GE</a>	4	5,897	2,000	35	AM4	Desktop
<a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	5,903	1,211	60	LGA 1356	Server
<a href="#">Intel Core i7-5700EQ @ 2.60GHz</a>	4	5,905	2,124	47	FCBGA1364	Laptop
<a href="#">Intel Xeon D-1528 @ 1.90GHz</a>	6	5,910	1,281	35	FCBGA1667	Laptop, Server
<a href="#">Odin based on Qualcomm Technologies, Inc SM8350</a>	8	5,916	1,728	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin990</a>	8	5,924	2,011	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>	8	5,929	1,091	70	LGA 2011	Server
<a href="#">Intel Core i7-8550U @ 1.80GHz</a>	4	5,943	2,069	15	FC-BGA1356	Laptop
<a href="#">Intel Core i5-8250U @ 1.60GHz</a>	4	5,946	1,934	15	FC-BGA1356	Laptop
<a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>	4	5,951	2,062	80	FCLGA1151	Server
<a href="#">AMD FX-8350 Eight-Core</a>	4	5,965	1,575	125	AM3+	Desktop
<a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>	6	5,970	1,260	95	LGA 1356	Server
<a href="#">Intel Core i7-3840QM @ 2.80GHz</a>	4	5,973	1,953	45	rPGA988B	Laptop
<a href="#">MT6891Z/CZA</a>	8	5,978	1,759	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a>	4	5,987	2,104	45	FCLGA1150	Server
<a href="#">Intel Core i5-8265UC @ 1.60GHz</a>	4	5,988	2,200	NA	FCBGA1528	Laptop
<a href="#">AMD Ryzen 3 3350U</a>	4	5,996	1,990	15	Unknown	Laptop
<a href="#">Intel Core i7-5700HQ @ 2.70GHz</a>	4	6,003	2,021	47	FCBGA1364	Laptop



<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">2.70GHz</a>						
<a href="#">Intel Core i7-4770T @ 2.50GHz</a>	4	6,038	2,046	45	LGA1150	Desktop
<a href="#">Intel Core i7-4900MQ @ 2.80GHz</a>	4	6,045	1,946	47	FCPGA946	Laptop
<a href="#">AMD EPYC 3101 4-Core</a>	4	6,050	1,787	NA	Unknown	Unknown
<a href="#">Intel Core i7-4810MQ @ 2.80GHz</a>	4	6,052	2,012	47	FCPGA946	Laptop
<a href="#">Intel Core i5-7500 @ 3.40GHz</a>	4	6,068	2,283	65	LGA1151	Desktop
<a href="#">AMD Opteron 6344</a>	6	6,069	1,231	115	Unknown	Server
<a href="#">AMD Ryzen 3 PRO 2300U</a>	4	6,069	1,869	15	FP5	Laptop
<a href="#">Intel Core i3-8100B @ 3.60GHz</a>	4	6,071	2,361	65	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>	8	6,073	1,156	95	LGA2011	Server
<a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a>	4	6,088	1,848	25	FCBGA1440	Laptop, Server
<a href="#">Intel Core i7-5675C @ 3.10GHz</a>	4	6,089	2,249	65	LGA1150	Desktop
<a href="#">Intel Core i3-8300 @ 3.70GHz</a>	4	6,097	2,264	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8265U @ 1.60GHz</a>	4	6,109	2,125	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-6600 @ 3.30GHz</a>	4	6,112	2,285	65	LGA 1151	Desktop
<a href="#">Intel Core i7-4770HQ @ 2.20GHz</a>	4	6,112	1,939	47	FCBGA1364	Laptop
<a href="#">Intel Xeon X5670 @ 2.93GHz</a>	6	6,116	1,391	95	LGA1366	Server
<a href="#">AMD FX-8370 Eight-Core</a>	4	6,123	1,628	125	AM3+	Desktop
<a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>	6	6,131	1,270	95	LGA2011	Server
<a href="#">Intel Xeon X5660 @ 2.80GHz</a>	6	6,133	1,391	95	LGA1366	Server
<a href="#">Intel Core i7-4860HQ @ 2.40GHz</a>	4	6,138	1,901	47	FCBGA1364	Laptop
<a href="#">Qualcomm Technologies, Inc SM8350AC</a>	8	6,139	2,690	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen 3 PRO 3300U</a>	4	6,144	2,060	15	FP5	Laptop
<a href="#">Intel Core i3-9300T @ 3.20GHz</a>	4	6,162	2,318	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-3770S @ 3.10GHz</a>	4	6,163	2,031	65	LGA1155	Desktop
<a href="#">Intel Core i5-7600T @ 2.80GHz</a>	4	6,170	2,269	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-8100 @ 3.60GHz</a>	4	6,171	2,242	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a>	4	6,173	1,906	25	FCLGA1151	Server
<a href="#">Intel Core i7-8565UC @ 1.80GHz</a>	4	6,187	2,527	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a>	4	6,188	1,835	10	BGA1526	Laptop
<a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>	4	6,189	1,992	69	LGA1155	Server
<a href="#">Intel Xeon W-2104 @ 3.20GHz</a>	4	6,202	1,836	120	FCLGA2066	Server
<a href="#">Intel Xeon D-1622 @ 2.60GHz</a>	4	6,205	1,875	40	FCBGA1667	Server
<a href="#">Intel Xeon E-2104G @ 3.20GHz</a>	4	6,215	1,981	65	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	6,244	1,849	130	LGA 2011	Server
<a href="#">AMD Opteron 6276</a>	8	6,245	1,005	115	Socket G34	Server
<a href="#">Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	6,246	1,303	80	FCLGA2011	Server
<a href="#">MT6893Z C/CZA</a>	8	6,270	1,867	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-8365U @ 1.60GHz</a>	4	6,273	2,174	15	FCBGA1528	Laptop

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

 CPU Benchmarks 

<a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>	4	6,295	2,043	69	LGA1155	Server
<a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>	6	6,298	1,552	130	LGA 2011	Server
<a href="#">Intel Core i3-1115G4 @ 3.00GHz</a>	2	6,299	2,698	NA	FCBGA1449	Laptop
<a href="#">Intel Core i7-4760HQ @ 2.10GHz</a>	4	6,300	1,944	47	FCBGA1364	Laptop
<a href="#">AMD Ryzen 3 1200</a>	4	6,305	1,927	65	AM4	Desktop
<a href="#">Intel Core i5-6600K @ 3.50GHz</a>	4	6,306	2,332	91	FCLGA1151	Desktop
<a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>	4	6,309	2,041	77	LGA1155	Server
<a href="#">Intel Xeon E3-1225 v6 @ 3.30GHz</a>	4	6,312	2,303	73	FCLGA1151	Server
<a href="#">Intel Core i5-8350U @ 1.70GHz</a>	4	6,313	2,041	15	FC-BGA1356	Laptop
<a href="#">Intel Xeon E5-2640 @ 2.50GHz</a>	6	6,321	1,348	95	LGA2011	Server
<a href="#">Intel Xeon E-2254ML @ 1.70GHz</a>	4	6,333	2,029	25	FCBGA1440	Server
<a href="#">Intel Core i7-4870HQ @ 2.50GHz</a>	4	6,345	2,082	47	FCBGA1364	Laptop
<a href="#">AMD Ryzen 3 PRO 1200</a>	4	6,347	1,936	65	AM4	Desktop
<a href="#">Intel Core i7-4850HQ @ 2.30GHz</a>	4	6,360	2,002	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-8565U @ 1.80GHz</a>	4	6,362	2,247	15	FCBGA1356	Laptop
<a href="#">Intel Xeon X5675 @ 3.07GHz</a>	6	6,378	1,473	95	LGA1366	Server
<a href="#">AMD Opteron 6282 SE</a>	16	6,385	953	140	Unknown	Server
<a href="#">Intel Core i7-8650U @ 1.90GHz</a>	4	6,387	2,161	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-3770 @ 3.40GHz</a>	4	6,396	2,077	77	LGA1155	Desktop
<a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a>	6	6,415	1,210	52	LGA2011-v3	Server
<a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>	4	6,420	1,690	85	FCLGA3647	Server
<a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>	4	6,425	2,062	69	LGA1155	Server
<a href="#">Intel Core i7-4770R @ 3.20GHz</a>	4	6,429	2,161	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-10210U @ 1.60GHz</a>	4	6,438	2,241	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8665U @ 1.90GHz</a>	4	6,445	2,254	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a>	4	6,450	2,207	65	LGA1150	Server
<a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>	6	6,460	1,401	95	FCLGA2011	Server
<a href="#">Intel Core i7-3770K @ 3.50GHz</a>	4	6,461	2,082	77	LGA1155	Desktop
<a href="#">Intel Xeon E3-1290 V2 @ 3.70GHz</a>	4	6,461	2,112	87	LGA1155	Server
<a href="#">Intel Core i7-970 @ 3.20GHz</a>	6	6,492	1,454	130	LGA1366	Desktop
<a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	6,498	1,387	80	FCLGA1356	Server
<a href="#">Intel Core i7-4820K @ 3.70GHz</a>	4	6,510	1,952	130	FCLGA2011	Desktop
<a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>	4	6,511	2,174	69	LGA1155	Server
<a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>	4	6,535	2,014	130	FCLGA2011	Server
<a href="#">AMD Ryzen 3 2200GE</a>	4	6,537	2,049	35	AM4	Desktop
<a href="#">Intel Core i7-6700HQ @ 2.60GHz</a>	4	6,543	1,918	45	FCBGA1440	Laptop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">2.20GHz</a>						
<a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>	2	6,591	2,393	NA	Unknown	Server
<a href="#">Intel Xeon E3-1268L v5 @ 2.40GHz</a>	4	6,600	1,869	35	FCLGA1151	Laptop, Server
<a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>	4	6,600	2,149	77	LGA1155	Server
<a href="#">Intel Core i7-1180G7 @ 1.30GHz</a>	4	6,607	2,323	15	FCBGA1598	Laptop
<a href="#">Intel Core i5-7600 @ 3.50GHz</a>	4	6,610	2,475	65	FCLGA1151	Desktop
<a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	6,610	1,388	60	LGA 2011	Server
<a href="#">Intel Core i3-9100 @ 3.60GHz</a>	4	6,628	2,519	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-10310U @ 1.70GHz</a>	4	6,635	2,268	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	4	6,636	2,496	112	FCLGA2066	Desktop
<a href="#">AMD Ryzen Embedded R2314</a>	4	6,643	1,969	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 6380</a>	8	6,645	1,096	115	G34	Server
<a href="#">Intel Core i7-6700TE @ 2.40GHz</a>	4	6,692	2,010	35	LGA 1151	Desktop
<a href="#">AMD Ryzen 3 PRO 2200G</a>	4	6,703	2,058	65	AM4	Desktop
<a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	6,727	2,066	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>	4	6,749	2,077	80	LGA1150	Server
<a href="#">Intel Core i7-4960HQ @ 2.60GHz</a>	4	6,750	2,195	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4930MX @ 3.00GHz</a>	4	6,753	2,180	57	FCPGA946	Laptop
<a href="#">AMD FX-9590 Eight-Core</a>	4	6,762	1,828	220	AM3+	Desktop
<a href="#">Intel Core i3-9100F @ 3.60GHz</a>	4	6,762	2,518	65	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold 8505</a>	1	6,771	3,112	15	BGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Xeon E5-2448L v2 @ 1.80GHz</a>	10	6,774	1,235	70	LGA 1356	Server
<a href="#">AMD Ryzen Embedded V1605B</a>	4	6,789	1,957	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 3 2200G</a>	4	6,790	2,063	65	AM4	Desktop
<a href="#">Intel Core i7-4980HQ @ 2.80GHz</a>	4	6,792	2,253	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-980X @ 3.33GHz</a>	6	6,799	1,530	130	LGA1366	Desktop
<a href="#">AMD Ryzen 5 3450U</a>	4	6,805	1,947	15	FP5	Laptop
<a href="#">Intel Xeon X5680 @ 3.33GHz</a>	6	6,812	1,510	130	LGA1366	Server
<a href="#">Intel Core i7-4770S @ 3.10GHz</a>	4	6,826	2,148	65	LGA1150	Desktop
<a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>	8	6,830	1,239	95	LGA 2011	Server
<a href="#">Intel Xeon E3-1285L v3 @ 3.10GHz</a>	4	6,848	2,132	65	LGA1150	Server
<a href="#">Intel Core i3-8350K @ 4.00GHz</a>	4	6,856	2,482	91	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-10510U @ 1.80GHz</a>	4	6,859	2,366	15	FCBGA1528	Laptop
<a href="#">AMD Ryzen 7 2700U</a>	4	6,861	1,798	15	FP5	Laptop
<a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	6,864	1,413	80	LGA 1356	Server
<a href="#">Intel Core i7-5850HQ @ 2.70GHz</a>	4	6,866	2,219	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-7600K @ 3.80GHz</a>	4	6,868	2,565	91	FCLGA1151	Desktop
<a href="#">Intel Xeon E5-2623 v3 @ 2.80GHz</a>	4	6,869	1,861	105	LGA2011-v3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

<a href="#">Intel Xeon X5690 @ 3.47GHz</a>	6	6,907	1,606	130	LGA1366	Server
<a href="#">AMD Ryzen 3 1300X</a>	4	6,910	2,088	65	AM4	Desktop
<a href="#">Intel Xeon W3680 @ 3.33GHz</a>	6	6,917	1,547	130	LGA1366	Server
<a href="#">Intel Core i7-6820EQ @ 2.80GHz</a>	4	6,924	1,969	45	FCBGA1440	Laptop
<a href="#">AMD Opteron 6287 SE</a>	16	6,925	1,091	NA	G34	Server
<a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	6,927	962	95	LGA 1356	Server
<a href="#">Intel Pentium Gold G7400</a>	2	6,930	3,080	46	LGA1700,BGA1700	Desktop
<a href="#">Intel Core i7-6820HQ @ 2.70GHz</a>	4	6,935	1,992	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 PRO 3500U</a>	4	6,937	1,958	15	FP5	Laptop
<a href="#">Intel Core i7-4790S @ 3.20GHz</a>	4	6,939	2,209	65	LGA1150	Desktop
<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	4	6,954	2,073	35	FCLGA1150	Server
<a href="#">Intel Core i7-7700HQ @ 2.80GHz</a>	4	6,961	2,070	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2124 @ 3.30GHz</a>	4	6,966	2,527	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	6,986	1,363	95	FCLGA2011	Server
<a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>	4	6,987	2,220	84	LGA1150	Server
<a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>	4	6,999	2,152	80	FCLGA1150	Server
<a href="#">AMD Athlon Gold 3150G</a>	4	7,002	2,308	65	AM4	Desktop
<a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a>	4	7,002	2,169	45	Unknown	Server
<a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>	4	7,004	2,142	84	LGA1150	Server
<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	4	7,006	2,024	140	LGA2011-v3	Server
<a href="#">AMD Opteron 6386 SE</a>	16	7,017	1,262	140	Socket G34	Server
<a href="#">Intel Core i7-980 @ 3.33GHz</a>	6	7,018	1,558	130	LGA1366	Desktop
<a href="#">Intel Core i7-4770 @ 3.40GHz</a>	4	7,023	2,165	84	LGA1150	Desktop
<a href="#">AMD Ryzen 3 PRO 3200G</a>	4	7,030	2,216	65	AM4	Desktop
<a href="#">Intel Core i7-5850EQ @ 2.70GHz</a>	4	7,036	2,119	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>	4	7,054	2,161	80	LGA1150	Server
<a href="#">Intel Core i7-10610U @ 1.80GHz</a>	4	7,060	2,371	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-4940MX @ 3.10GHz</a>	4	7,060	2,286	57	FPGA946,FPGA947	Laptop
<a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>	4	7,066	2,148	80	LGA1150	Server
<a href="#">AMD Ryzen 3 PRO 3200GE</a>	4	7,071	2,189	35	AM4	Laptop
<a href="#">Intel Core i5-8305G @ 2.80GHz</a>	4	7,073	2,118	65	BGA2270	Laptop
<a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a>	4	7,076	1,914	10	FCBGA1526	Laptop
<a href="#">Intel Core i7-995X @ 3.60GHz</a>	6	7,079	1,683	NA	Unknown	Desktop
<a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a>	4	7,082	2,029	45	FCBGA1440	Server
<a href="#">Intel Core i7-4771 @ 3.50GHz</a>	4	7,086	2,187	84	LGA1150	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	4	7,113	1,956	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-4770K @ 3.50GHz</a>	4	7,116	2,162	84	LGA1150	Desktop
<a href="#">Intel Xeon D-1557 @ 1.50GHz</a>	12	7,118	718	45	FCBGA1667	Server
<a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>	4	7,143	2,213	95	LGA1150	Server
<a href="#">AMD Ryzen 7 3700C</a>	4	7,145	2,301	15	FP5	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-990X @ 3.47GHz</a>	6	7,148	1,600	130	LGA1366	Desktop
<a href="#">Intel Xeon D-1539 @ 1.60GHz</a>	8	7,175	1,179	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1537 @ 1.70GHz</a>	8	7,176	1,104	35	FCBGA1667	Server
<a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a>	8	7,181	1,106	70	LGA 2011	Server
<a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>	4	7,187	2,137	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 3200G</a>	4	7,192	2,220	65	AM4	Desktop
<a href="#">Intel Xeon W3690 @ 3.47GHz</a>	6	7,213	1,607	130	LGA1366	Server
<a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>	4	7,220	2,190	84	FCLGA1150	Server
<a href="#">Intel Xeon E-2224 @ 3.40GHz</a>	4	7,223	2,434	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>	10	7,229	1,027	105	FCLGA2011-3	Server
<a href="#">Intel Core i7-4790 @ 3.60GHz</a>	4	7,235	2,235	84	FCLGA1150	Desktop
<a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>	4	7,235	2,179	80	LGA1150	Server
<a href="#">AMD Ryzen 7 PRO 2700U</a>	4	7,250	2,036	15	FP5	Laptop
<a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>	4	7,256	2,294	82	LGA1150	Server
<a href="#">Intel Core i7-6700T @ 2.80GHz</a>	4	7,273	2,093	35	LGA 1151	Desktop
<a href="#">AMD Opteron 6281</a>	8	7,279	1,129	NA	Socket G34	Server
<a href="#">Intel Core i3-9300 @ 3.70GHz</a>	4	7,279	2,666	62	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>	8	7,308	1,311	95	LGA2011	Server
<a href="#">AMD Ryzen 7 3700U</a>	4	7,321	2,014	15	FP5	Laptop
<a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>	8	7,321	1,137	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>	8	7,335	1,266	95	LGA2011	Server
<a href="#">AMD Ryzen 7 PRO 3700U</a>	4	7,337	2,007	15	FP5	Laptop
<a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>	4	7,345	2,258	84	FCLGA1150	Server
<a href="#">Intel Xeon E3-1281 v3 @ 3.70GHz</a>	4	7,352	2,328	82	LGA1150	Server
<a href="#">Intel Core i3-9320 @ 3.70GHz</a>	4	7,358	2,711	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-6920HQ @ 2.90GHz</a>	4	7,363	2,117	45	FCBGA1440	Laptop
<a href="#">Intel Xeon @ 2.00GHz</a>	6	7,363	939	NA	Unknown	Unknown
<a href="#">AMD Ryzen 3 3200GE</a>	4	7,408	2,203	35	AM4	Desktop
<a href="#">Intel Core i3-10100T @ 3.00GHz</a>	4	7,416	2,320	35	FCLGA1200	Laptop
<a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>	4	7,418	2,391	84	LGA1150	Server
<a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>	4	7,435	2,121	140	LGA2011-v3	Server
<a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>	4	7,439	2,269	80	FCLGA1150	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

<a href="#">Intel Core i3-9350KF @ 4.00GHz</a>	4	7,450	2,743	91	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8400T @ 1.70GHz</a>	6	7,453	1,924	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-7820EQ @ 3.00GHz</a>	4	7,453	2,207	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	7,465	1,577	80	FCLGA2011	Server
<a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>	4	7,467	2,228	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	7,475	1,102	70	FCLGA2011	Server
<a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>	6	7,501	1,596	130	LGA2011	Server
<a href="#">Intel Xeon E-2224G @ 3.50GHz</a>	4	7,507	2,722	71	FCLGA1151-2	Server
<a href="#">AMD Ryzen 5 PRO 2400GE</a>	4	7,517	2,110	35	AM4	Desktop
<a href="#">Intel Xeon E-2124G @ 3.40GHz</a>	4	7,518	2,749	71	FCLGA1151-2	Server
<a href="#">Intel Core i7-7700T @ 2.90GHz</a>	4	7,530	2,147	35	FCLGA1151	Desktop
<a href="#">AMD Ryzen 3 2300X</a>	4	7,540	2,363	65	AM4	Desktop
<a href="#">AMD Ryzen 7 3780U</a>	4	7,549	2,229	15	FP5	Laptop
<a href="#">Intel Core i5-8300H @ 2.30GHz</a>	4	7,552	2,314	45	FCLGA1151-2	Laptop
<a href="#">Intel Xeon E3-1575M v5 @ 3.00GHz</a>	4	7,552	2,105	45	FCBGA1440	Server
<a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	7,558	2,046	135	LGA2011-v3	Server
<a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a>	4	7,563	2,139	45	FCBGA1440	Laptop, Server
<a href="#">AMD Ryzen 3 4300U</a>	4	7,568	2,326	15	FP6	Laptop
<a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	7,582	1,696	85	FCLGA2011-3	Server
<a href="#">Intel Core i7-5775R @ 3.30GHz</a>	4	7,584	2,287	65	LGA1150	Desktop
<a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>	4	7,614	2,260	95	FCLGA1150	Server
<a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>	4	7,654	2,382	140	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 2800H</a>	4	7,656	2,164	45	FP5	Laptop
<a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a>	4	7,662	2,378	45	LGA1150	Server
<a href="#">Intel Core i5-9300HF @ 2.40GHz</a>	4	7,673	2,359	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 3550U</a>	4	7,681	2,053	15	Unknown	Unknown
<a href="#">Intel Core i3-9350K @ 4.00GHz</a>	4	7,694	2,823	91	FCLGA1151	Desktop
<a href="#">Intel Core i7-5950HQ @ 2.90GHz</a>	4	7,696	2,288	47	FCBGA1364	Laptop
<a href="#">AMD Athlon Gold PRO 3150G</a>	4	7,702	2,321	65	AM4	Desktop
<a href="#">Intel Core i5-8500T @ 2.10GHz</a>	6	7,702	2,044	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-7820HK @ 2.90GHz</a>	4	7,706	2,174	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 PRO 1300</a>	4	7,717	2,229	65	AM4	Desktop
<a href="#">Intel Core i5-8257U @ 1.40GHz</a>	4	7,725	2,317	15	FCBGA1528	Laptop
<a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>	4	7,731	1,750	60	FCBGA2518	Server
<a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	7,741	1,275	95	LGA 2011	Server
<a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>	4	7,757	2,307	15	FCBGA1526	Laptop
<a href="#">Intel Xeon E3-1260L v5 @ 2.90GHz</a>	4	7,757	2,287	45	FCLGA1151	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Core i5-9300H @ 2.40GHz</a>	4	7,809	2,354	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9400T @ 1.80GHz</a>	6	7,818	2,060	35	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 3580U</a>	4	7,827	2,121	15	FP5	Laptop
<a href="#">AMD Ryzen 5 2600H</a>	4	7,836	2,136	45	FP5	Laptop
<a href="#">Intel Core i3-10105T @ 3.00GHz</a>	4	7,850	2,350	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-8260U @ 1.60GHz</a>	4	7,854	2,313	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	7,889	1,687	85	LGA2011-v3	Server
<a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a>	4	7,911	2,122	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E3-1515M v5 @ 2.80GHz</a>	4	7,938	2,148	45	FCBGA1440	Server
<a href="#">Intel Core i7-8705G @ 3.10GHz</a>	4	7,971	2,293	65	BGA2270	Laptop
<a href="#">Intel Core i7-8709G @ 3.10GHz</a>	4	7,990	2,291	100	BGA2270	Laptop
<a href="#">AMD Ryzen 5 3550H</a>	4	7,999	2,078	35	FP5	Laptop
<a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a>	4	8,017	2,339	65	LGA1150	Server
<a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a>	4	8,021	2,179	45	FCBGA1440	Server
<a href="#">AMD Opteron 6348</a>	6	8,030	1,302	115	Unknown	Server
<a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>	4	8,042	2,202	80	FCLGA1151	Server
<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	4	8,055	2,561	28	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-4790K @ 4.00GHz</a>	4	8,058	2,469	88	LGA1150	Desktop
<a href="#">Intel Core i5-8279U @ 2.40GHz</a>	4	8,060	2,469	28	FCBGA1528	Laptop
<a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>	4	8,061	2,282	80	FCLGA1151	Server
<a href="#">Intel Core i7-6700 @ 3.40GHz</a>	4	8,076	2,303	65	LGA 1151	Desktop
<a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>	8	8,076	1,392	95	LGA2011	Server
<a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>	6	8,105	1,742	130	LGA2011	Server
<a href="#">Intel Core i5-8400H @ 2.50GHz</a>	4	8,118	2,468	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-8259U @ 2.30GHz</a>	4	8,133	2,246	28	FCBGA1528	Laptop
<a href="#">AMD Ryzen 5 2400GE</a>	4	8,134	2,180	35	AM4	Desktop
<a href="#">Intel Core i3-10305T @ 3.00GHz</a>	4	8,136	2,456	35	FCLGA1200	Desktop
<a href="#">Intel Core i7-8706G @ 3.10GHz</a>	4	8,136	2,519	65	BGA2270	Laptop
<a href="#">Intel Xeon E-2276ME @ 2.80GHz</a>	6	8,167	1,604	45	FCBGA1440	Server, Mobile/Embedded
<a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a>	4	8,207	2,391	35	FCBGA1440	Laptop, Server
<a href="#">AMD Ryzen Embedded V1756B</a>	4	8,215	2,143	45	FP5	Desktop, Mobile/Embedded
<a href="#">Intel Core i7-8557U @ 1.70GHz</a>	4	8,225	2,571	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8600T @ 2.30GHz</a>	6	8,227	2,180	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-10100E @ 3.20GHz</a>	4	8,229	2,297	65	FCLGA1200	Desktop, Mobile/Embedded
<a href="#">Intel Xeon E5-2470 @ 2.30GHz</a>	8	8,240	1,443	95	LGA 1356	Server
<a href="#">Intel Core i7-3930K @ 3.20GHz</a>	6	8,244	1,762	130	LGA2011	Desktop
<a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>	4	8,245	2,279	15	FCBGA1526	Laptop
<a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>	4	8,252	2,327	80	FCLGA1151	Server
<a href="#">Intel Core i5-9500T @ 2.20GHz</a>	6	8,253	2,200	35	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 PRO 3400GE</a>	4	8,271	2,266	35	AM4	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

CPU Benchmarks

<a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>	4	8,320	2,343	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>	4	8,334	2,289	80	FCLGA1151	Server
<a href="#">Intel Core i7-10810U @ 1.10GHz</a>	6	8,353	2,322	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-3970X @ 3.50GHz</a>	6	8,373	1,832	150	LGA2011	Desktop
<a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>	6	8,389	1,788	130	LGA2011	Server
<a href="#">Intel Core i5-9600T @ 2.30GHz</a>	6	8,393	2,175	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>	4	8,408	2,291	15	FCBGA1526	Laptop
<a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>	4	8,408	2,402	65	FCBGA1440	Server
<a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>	8	8,411	1,399	115	LGA2011	Server
<a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>	4	8,421	2,327	80	FCLGA1151	Server
<a href="#">Intel Xeon E5-2628 v3 @ 2.50GHz</a>	8	8,447	1,754	85	LGA2011-v3	Server
<a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>	4	8,471	2,334	72	FCLGA1151	Server
<a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>	8	8,472	1,393	115	LGA 2011	Server
<a href="#">Intel Xeon W-2123 @ 3.60GHz</a>	4	8,484	2,233	120	FCLGA2066	Server
<a href="#">AMD Ryzen Embedded V1807B</a>	4	8,488	2,190	45	FP5	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-10200H @ 2.40GHz</a>	4	8,513	2,491	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-8569U @ 2.80GHz</a>	4	8,535	2,766	28	FCBGA1528	Laptop
<a href="#">Apple A14 Bionic</a>	6	8,540	3,412	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E-2314 @ 2.80GHz</a>	4	8,549	3,167	65	FCLGA1200	Server
<a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>	4	8,595	2,078	105	FCLGA3647	Server
<a href="#">Intel Core i7-3960X @ 3.30GHz</a>	6	8,596	1,816	130	LGA2011	Desktop
<a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>	4	8,606	2,433	73	FCLGA1151	Server
<a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	8,611	1,350	70	FCLGA2011	Server
<a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>	8	8,630	1,476	130	LGA2011	Server
<a href="#">Intel Core i7-7700 @ 3.60GHz</a>	4	8,640	2,471	65	LGA1151	Desktop
<a href="#">ARM X-Gene 32 Core 3300 MHz</a>	32	8,684	583	NA	Unknown	Unknown
<a href="#">Intel Xeon W-2223 @ 3.60GHz</a>	4	8,686	2,255	120	FCLGA2066	Server
<a href="#">Intel Core i5-10300H @ 2.50GHz</a>	4	8,700	2,617	45	FCBGA1440	Desktop, Laptop
<a href="#">Intel Core i7-1065G7 @ 1.30GHz</a>	4	8,713	2,408	15	FCBGA-1526	Laptop
<a href="#">AMD Ryzen 5 2400G</a>	4	8,729	2,159	65	AM4	Desktop
<a href="#">Intel Xeon E-2134 @ 3.50GHz</a>	4	8,741	2,569	71	FCLGA1151-2	Server
<a href="#">Intel Core i7-8559U @ 2.70GHz</a>	4	8,742	2,578	28	FCBGA1528	Laptop
<a href="#">Intel Core i7-8809G @ 3.10GHz</a>	4	8,755	2,456	100	BGA2270	Laptop
<a href="#">Intel Core i3-10100 @ 3.60GHz</a>	4	8,815	2,638	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>	4	8,840	2,459	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>	4	8,842	2,458	72	FCLGA1151	Server
<a href="#">Intel Core i3-10100F @ 3.60GHz</a>	4	8,857	2,604	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-3170K @ 3.20GHz</a>	4	8,882	2,510	NA	Unknown	Unknown
<a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>	8	8,884	1,473	115	LGA2011	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## [Home](#) CPU Benchmarks ▼

<a href="#">Intel Core i3-10105 @ 3.70GHz</a>	4	8,975	2,717	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 3400GE</a>	4	8,994	2,324	35	AM4	Desktop
<a href="#">Intel Core i5-10400H @ 2.60GHz</a>	4	9,022	2,755	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 3350G</a>	4	9,061	2,286	65	AM4	Desktop
<a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>	12	9,061	1,317	105	FCLGA2011-3	Server
<a href="#">Intel Xeon D-1548 @ 2.00GHz</a>	8	9,075	1,647	45	FCBGA1667	Server
<a href="#">AMD Ryzen 5 1500X</a>	4	9,082	2,110	65	AM4	Desktop
<a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	9,083	1,895	130	FCLGA2011	Server
<a href="#">Intel Xeon E3-1280 v6 @ 3.90GHz</a>	4	9,087	2,564	72	FCLGA1151	Server
<a href="#">Intel Core i7-9850HL @ 1.90GHz</a>	6	9,112	2,139	25	FCBGA1440	Desktop, Laptop
<a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>	8	9,139	1,426	85	LGA2011-v3	Server
<a href="#">Intel Core i3-10105F @ 3.70GHz</a>	4	9,142	2,675	NA	FCLGA1200	Desktop
<a href="#">Intel Core i7-1185GRE @ 2.80GHz</a>	4	9,142	2,793	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	9,152	1,610	85	FCLGA2011-3	Server
<a href="#">Intel Core i5-9500TE @ 2.20GHz</a>	6	9,212	2,296	35	FCLGA1151-2	Laptop
<a href="#">Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	9,216	1,118	NA	LGA 2011	Server
<a href="#">Intel Core i5-8400 @ 2.80GHz</a>	6	9,218	2,406	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon D-1587 @ 1.70GHz</a>	16	9,223	835	65	FCBGA1667	Server
<a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>	4	9,229	2,593	73	FCLGA1151	Server
<a href="#">Intel Xeon D-1567 @ 2.10GHz</a>	12	9,236	988	65	FCBGA1667	Server
<a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>	8	9,262	1,558	85	FCLGA3647	Server
<a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>	4	9,276	2,692	79	FCLGA1151	Server
<a href="#">AMD Ryzen 5 PRO 3400G</a>	4	9,315	2,330	65	AM4	Desktop
<a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>	6	9,316	2,020	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	9,320	1,786	130	FCLGA2011	Server
<a href="#">Intel Xeon E-2144G @ 3.60GHz</a>	4	9,322	2,679	71	FCLGA1151-2	Server
<a href="#">Intel Core i3-10300 @ 3.70GHz</a>	4	9,329	2,684	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 3400G</a>	4	9,335	2,361	65	AM4	Desktop
<a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>	8	9,374	1,560	130	LGA2011	Server
<a href="#">Intel Core i7-4930K @ 3.40GHz</a>	6	9,377	1,975	130	LGA2011	Desktop
<a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>	6	9,377	1,817	135	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 2500X</a>	4	9,384	2,319	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 1500</a>	4	9,402	2,158	65	AM4	Desktop
<a href="#">Intel Core i5-8500B @ 3.00GHz</a>	6	9,421	2,572	65	FCBGA1440	Laptop
<a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>	4	9,428	2,372	105	FCLGA3647	Server
<a href="#">Intel Core i5-9400 @ 2.90GHz</a>	6	9,491	2,484	65	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 PRO 3350G</a>	4	9,498	2,328	65	AM4	Desktop

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

[Home](#) CPU Benchmarks ▼

<a href="#">AMD Ryzen 5 PRO 3350GE</a>	4	9,643	2,340	35	Unknown	Desktop
<a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a>	4	9,643	2,322	28	FCBGA1344	Laptop
<a href="#">Intel Xeon E-2274G @ 4.00GHz</a>	4	9,660	2,758	83	FCLGA1151-2	Server
<a href="#">Intel Core i7-7700K @ 4.20GHz</a>	4	9,662	2,732	95	LGA 1151	Desktop
<a href="#">AMD Ryzen 5 3350GE</a>	4	9,684	2,342	35	Unknown	Desktop
<a href="#">Intel Core i3-10305 @ 3.80GHz</a>	4	9,689	2,834	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2687W @ 3.10GHz</a>	8	9,770	1,695	150	LGA2011	Server
<a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>	8	9,772	1,570	115	LGA 2011	Server
<a href="#">Intel Core i7-5820K @ 3.30GHz</a>	6	9,805	2,011	140	LGA2011-v3	Desktop
<a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>	8	9,807	1,650	135	LGA2011	Server
<a href="#">Intel Core i5-9500 @ 3.00GHz</a>	6	9,814	2,608	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E-2244G @ 3.80GHz</a>	4	9,826	2,807	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a>	12	9,847	1,292	75	LGA2011-v3	Server
<a href="#">Intel Core i5-8600 @ 3.10GHz</a>	6	9,848	2,582	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-7740X @ 4.30GHz</a>	4	9,864	2,805	112	FCLGA2066	Desktop
<a href="#">Intel Core i7-4960X @ 3.60GHz</a>	6	9,906	2,078	130	LGA2011	Desktop
<a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>	4	9,913	2,551	15	BGA 1449	Laptop
<a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>	4	9,945	2,510	28	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a>	10	9,949	1,483	75	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	10,004	1,672	95	FCLGA2011	Server
<a href="#">Intel Xeon E-2234 @ 3.60GHz</a>	4	10,010	2,895	71	FCLGA1151-2	Server
<a href="#">Intel Xeon D-1540 @ 2.00GHz</a>	8	10,028	1,602	45	FCBGA1667	Server
<a href="#">Intel Core i5-10400T @ 2.00GHz</a>	6	10,032	2,166	35	FCLGA1200	Desktop
<a href="#">Intel Xeon W-2125 @ 4.00GHz</a>	4	10,043	2,607	120	FCLGA2066	Server
<a href="#">Intel Core i7-8750H @ 2.20GHz</a>	6	10,096	2,333	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a>	4	10,100	2,484	28	FCBGA1344	Laptop
<a href="#">AMD Ryzen 3 5300U</a>	4	10,124	2,405	15	FP6	Laptop
<a href="#">Intel Core i7-10710U @ 1.10GHz</a>	6	10,125	2,460	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-10320 @ 3.80GHz</a>	4	10,132	2,849	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 3 PRO 4450U</a>	4	10,139	2,364	15	FP6	Laptop
<a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>	4	10,141	2,728	15	BGA1526	Laptop
<a href="#">Intel Core i5-8600K @ 3.60GHz</a>	6	10,191	2,611	95	FCLGA1151-2	Desktop
<a href="#">Intel Xeon D-1541 @ 2.10GHz</a>	8	10,201	1,708	45	FCBGA1667	Server
<a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>	6	10,223	2,073	130	LGA 2011	Server
<a href="#">AMD EPYC 3201</a>	8	10,258	1,928	30	SP4r2	Server
<a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>	8	10,260	1,628	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	10,274	1,442	95	LGA 2011	Server
<a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>	4	10,279	2,612	15	FCBGA1598	Server
<a href="#">Intel Core i7-5930K @ 3.50GHz</a>	6	10,291	2,061	140	LGA2011-v3	Desktop
<a href="#">Intel Core i5-1145G7E @ 2.60GHz</a>	4	10,293	2,725	15	FCBGA1449	Mobile/Embedded

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

 CPU Benchmarks ▼

<a href="#">Intel Core i5-9500F @ 3.00GHz</a>	6	10,330	2,678	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-10325 @ 3.90GHz</a>	4	10,347	2,913	65	FCLGA1200	Desktop
<a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>	8	10,348	1,445	70	FCLGA3647	Server
<a href="#">Intel Core i7-8850H @ 2.60GHz</a>	6	10,367	2,407	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9600 @ 3.10GHz</a>	6	10,369	2,751	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>	12	10,372	1,514	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>	6	10,379	2,115	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	10,382	1,498	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	10,391	2,071	135	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 1600</a>	6	10,401	1,685	65	AM4	Desktop
<a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>	4	10,414	2,809	28	FCBGA1449	Laptop
<a href="#">Intel Core i5-10500T @ 2.30GHz</a>	6	10,430	2,346	35	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a>	8	10,464	1,872	75	LGA2011-v3	Server
<a href="#">Intel Core i7-8700T @ 2.40GHz</a>	6	10,469	2,362	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-1155G7 @ 2.50GHz</a>	4	10,473	3,038	28	FCBGA1449	Laptop
<a href="#">Intel Xeon D-1581 @ 1.80GHz</a>	16	10,476	1,466	65	FCBGA1667	Server
<a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10	10,525	1,486	105	FCLGA2011-3	Server
<a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>	4	10,618	2,880	15	BGA1526	Laptop
<a href="#">Intel Core i7-6800K @ 3.40GHz</a>	6	10,663	2,268	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-1265U</a>	2	10,671	3,207	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-11320H @ 3.20GHz</a>	4	10,694	2,946	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-9700T @ 2.00GHz</a>	8	10,699	2,443	35	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 3 4300G</a>	4	10,792	2,548	65	AM4	Desktop
<a href="#">Intel Core i5-9600K @ 3.70GHz</a>	6	10,792	2,774	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-11390H @ 3.40GHz</a>	4	10,810	3,033	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-9700TE @ 1.80GHz</a>	8	10,826	2,309	35	FCLGA1151-2	Desktop, Laptop
<a href="#">AMD Ryzen 3 PRO 4350G</a>	4	10,831	2,540	65	AM4	Desktop
<a href="#">Intel Core i9-8950HK @ 2.90GHz</a>	6	10,833	2,498	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9600KF @ 3.70GHz</a>	6	10,835	2,787	95	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>	12	10,838	1,384	105	FCLGA2011-3	Server
<a href="#">Apple A12X Bionic</a>	8	10,844	2,611	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	10,864	1,743	55	FCLGA2011-3	Server
<a href="#">Intel Xeon E-2186M @ 2.90GHz</a>	6	10,867	2,474	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2176M @ 2.70GHz</a>	6	10,889	2,455	45	FCBGA1440	Laptop
<a href="#">Intel Xeon W-2225 @ 4.10GHz</a>	4	10,889	2,676	105	FCLGA2066	Server
<a href="#">Intel Xeon E-2126G @ 3.30GHz</a>	6	10,922	2,658	80	FCLGA1151-2	Server
<a href="#">AMD Ryzen 3 PRO 4200GE</a>	4	10,930	2,540	35	Unknown	Laptop
<a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>	4	11,054	2,915	15	BGA1526	Laptop
<a href="#">Intel Core i7-1195G7 @ 2.90GHz</a>	4	11,068	3,101	28	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	11,079	1,433	75	FCLGA2011-3	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">AMD Ryzen 5 4500U</a>	6	11,112	2,457	15	FP6	Laptop
<a href="#">Intel Core i7-1185G7E @ 2.80GHz</a>	4	11,114	3,017	15	FCBGA1449	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-1235U</a>	2	11,119	3,335	15	BGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Xeon E-2226G @ 3.40GHz</a>	6	11,119	2,853	80	FCLGA1151-2	Server
<a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>	8	11,137	1,821	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	11,152	2,249	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	11,185	1,762	85	FCLGA2011-3	Server
<a href="#">Intel Core i7-9750H @ 2.60GHz</a>	6	11,213	2,488	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	11,243	1,863	90	LGA2011-v3	Server
<a href="#">ARM Neoverse-N1 16 Core 0 MHz</a>	16	11,281	1,272	NA	Unknown	Unknown
<a href="#">AMD Ryzen 3 PRO 4350GE</a>	4	11,285	2,568	35	AM4	Desktop
<a href="#">Intel Core i7-6850K @ 3.60GHz</a>	6	11,310	2,412	140	FCLGA2011-3	Desktop
<a href="#">AMD Ryzen 3 PRO 4200G</a>	4	11,315	2,564	65	FP6	Desktop
<a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	11,344	1,749	135	FCLGA2011-3	Server
<a href="#">AMD Ryzen 3 4300GE</a>	4	11,351	2,560	35	AM4	Desktop
<a href="#">Intel Core i3-11100B @ 3.60GHz</a>	4	11,357	2,912	65	Unknown	Desktop
<a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	11,436	1,385	65	FCLGA2011-3	Server
<a href="#">AMD Ryzen 3 PRO 5450U</a>	4	11,453	2,847	15	FP6	Laptop
<a href="#">Intel Core i7-9750HF @ 2.60GHz</a>	6	11,473	2,549	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	11,523	1,366	135	FCLGA2011-3	Server
<a href="#">Intel Core i7-9850H @ 2.60GHz</a>	6	11,524	2,553	45	Unknown	Laptop
<a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>	6	11,527	2,405	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a>	14	11,547	1,435	75	FCLGA2011-3	Server
<a href="#">Intel Core i5-10500H @ 2.50GHz</a>	6	11,592	2,621	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10600T @ 2.40GHz</a>	6	11,596	2,413	35	FCLGA1200	Desktop
<a href="#">Intel Xeon D-1577 @ 1.30GHz</a>	16	11,645	1,319	45	FCBGA1667	Server
<a href="#">AMD Ryzen 3 3100</a>	4	11,670	2,428	65	AM4	Desktop
<a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	11,725	1,643	115	FCLGA2011	Server
<a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>	8	11,736	1,802	80	FCBGA2518	Server
<a href="#">Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	11,777	2,040	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	11,820	1,397	65	LGA2011-v3	Server
<a href="#">Intel Xeon E-2276M @ 2.80GHz</a>	6	11,829	2,650	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 5400U</a>	4	11,867	2,890	15	FP6	Laptop
<a href="#">Intel Core i7-9700E @ 2.60GHz</a>	8	11,905	2,581	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	11,919	1,959	110	LGA 2011	Server
<a href="#">Intel Xeon E5-2650 v3 @</a>	10	11,926	1,631	105	LGA2011-v3	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">2.40GHz</a>						
<a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>	16	11,960	1,209	NA	LGA2011-v3	Server
<a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a>	8	12,024	2,428	35	FCLGA1151-2	Server
<a href="#">AMD Ryzen 5 PRO 4500U</a>	6	12,049	2,486	15	FP6	Laptop
<a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	12,083	2,067	150	FCLGA2011	Server
<a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>	12	12,119	1,571	115	LGA 2011	Server
<a href="#">Intel Core i7-10850H @ 2.70GHz</a>	6	12,147	2,741	45	FCBGA1440	Laptop
<a href="#">Intel Xeon D-2141I @ 2.20GHz</a>	8	12,177	1,756	65	FCBGA2518	Server
<a href="#">Intel Core i7-11370H @ 3.30GHz</a>	4	12,189	3,037	35	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	12,217	2,017	130	LGA 2011	Server
<a href="#">Intel Core i7-1260P</a>	4	12,224	2,385	28	BGA1700	Laptop
<a href="#">AMD Ryzen 3 5425U</a>	4	12,269	3,056	15	FP6	Laptop
<a href="#">Intel Core i5-10400 @ 2.90GHz</a>	6	12,321	2,587	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 1600</a>	6	12,322	2,075	65	AM4	Desktop
<a href="#">Intel Core i7-11375H @ 3.30GHz</a>	4	12,349	3,099	35	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	12,354	1,983	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1660 v3 @ 3.00GHz</a>	8	12,360	1,976	140	LGA2011-v3	Server
<a href="#">Intel Core i7-10750H @ 2.60GHz</a>	6	12,382	2,719	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>	10	12,399	1,674	105	LGA2011-v3	Server
<a href="#">Intel Core i7-8700B @ 3.20GHz</a>	6	12,420	2,765	65	FCBGA1440	Laptop
<a href="#">Intel Core i5-10505 @ 3.20GHz</a>	6	12,425	2,870	65	FCLGA1200	Desktop
<a href="#">Intel Xeon W-2133 @ 3.60GHz</a>	6	12,436	2,278	140	FCLGA2066	Server
<a href="#">Intel Core i5-10400F @ 2.90GHz</a>	6	12,440	2,572	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>	8	12,465	2,067	130	LGA 2011	Server
<a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	12,495	1,478	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	12,510	1,785	115	FCLGA2011	Server
<a href="#">Intel Core i7-5960X @ 3.00GHz</a>	8	12,697	1,975	140	LGA2011-v3	Desktop
<a href="#">AMD Ryzen 3 3300X</a>	4	12,760	2,691	65	AM4	Desktop
<a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	12,816	2,013	75	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 3500</a>	6	12,834	2,516	65	AM4	Desktop
<a href="#">Intel Core i7-12800H</a>	6	12,867	3,129	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-7800X @ 3.50GHz</a>	6	12,891	2,432	140	FCLGA2066	Desktop
<a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	12,944	1,726	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 4650U</a>	6	12,951	2,470	15	FP6	Laptop
<a href="#">AMD Ryzen 5 1600X</a>	6	12,954	2,183	95	AM4	Desktop
<a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	12,969	2,030	135	FCLGA2011-3	Server
<a href="#">Intel Core i7-8700 @ 3.20GHz</a>	6	13,054	2,664	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-10500 @ 3.10GHz</a>	6	13,060	2,780	65	FCLGA1200	Desktop

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Xeon W-10855M @ 2.80GHz</a>	6	13,121	2,812	45	FCBGA1440	Laptop, Server
<a href="#">Intel Core i7-10700T @ 2.00GHz</a>	8	13,143	2,676	35	FCLGA1200	Desktop
<a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>	10	13,169	1,681	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	13,176	1,792	105	LGA2011-v3	Server
<a href="#">AMD Ryzen 3 5300G</a>	4	13,179	3,052	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5500U</a>	6	13,185	2,458	15	FP6	Laptop
<a href="#">Intel Xeon E-2334 @ 3.40GHz</a>	4	13,189	3,244	65	FCLGA1200	Server
<a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>	8	13,191	2,124	140	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 2600</a>	6	13,196	2,250	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2600</a>	6	13,250	2,263	65	AM4	Desktop
<a href="#">Intel Xeon E-2146G @ 3.50GHz</a>	6	13,343	2,678	80	FCLGA1151-2	Server
<a href="#">AMD Ryzen 5 3500X</a>	6	13,345	2,530	65	AM4	Desktop
<a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>	8	13,350	2,192	140	FCLGA2011-3	Server
<a href="#">Intel Core i5-11400T @ 1.30GHz</a>	6	13,367	2,628	35	FCLGA1200	Desktop
<a href="#">Intel Xeon E-2276G @ 3.80GHz</a>	6	13,371	2,894	80	FCLGA1151-2	Server
<a href="#">Intel Core i7-9700 @ 3.00GHz</a>	8	13,390	2,784	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-11500T @ 1.50GHz</a>	6	13,401	2,530	35	FCLGA1200	Desktop
<a href="#">Intel Core i7-9700F @ 3.00GHz</a>	8	13,444	2,794	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	13,481	1,880	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	13,487	1,711	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	13,495	1,599	115	LGA 2011	Server
<a href="#">Intel Xeon E-2136 @ 3.30GHz</a>	6	13,540	2,706	80	FCLGA1151-2	Server
<a href="#">Intel Xeon W-1270TE @ 2.00GHz</a>	8	13,553	2,796	35	FCLGA1200	Server
<a href="#">AMD Ryzen 5 4600U</a>	6	13,603	2,415	15	FP6	Laptop
<a href="#">Intel Xeon E-2176G @ 3.70GHz</a>	6	13,643	2,749	80	FCLGA1151-2	Server
<a href="#">AMD Ryzen 7 4700U</a>	8	13,652	2,554	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 5350GE</a>	4	13,707	3,106	35	AM4	Desktop
<a href="#">AMD Ryzen 3 5300GE</a>	4	13,843	3,104	35	AM4	Desktop
<a href="#">Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	13,846	2,158	135	FCLGA2011-3	Server
<a href="#">Intel Core i7-8700K @ 3.70GHz</a>	6	13,873	2,766	95	FCLGA1151-2	Desktop
<a href="#">Intel Xeon W-1250 @ 3.30GHz</a>	6	13,888	2,860	80	FCLGA1200	Server
<a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	13,892	1,710	120	LGA2011-v3	Server
<a href="#">Intel Xeon E-2186G @ 3.80GHz</a>	6	13,909	2,780	95	FCLGA1151-2	Server
<a href="#">Intel Core i9-9900T @ 2.10GHz</a>	8	13,947	2,505	35	FCLGA1151-2	Desktop
<a href="#">AMD EPYC 3251</a>	8	13,965	1,872	50	SP4r2	Server
<a href="#">Intel Core i5-10600 @ 3.30GHz</a>	6	13,973	2,916	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-9880H @ 2.30GHz</a>	8	14,019	2,564	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 PRO 5350G</a>	4	14,025	3,105	65	AM4	Desktop
<a href="#">Intel Xeon E-2246G @ 3.60GHz</a>	6	14,055	2,833	80	FCLGA1151-2	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">2.40GHz</a>						
<a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>	8	14,120	2,348	140	FCLGA2011-3	Server
<a href="#">Intel Core i7-6900K @ 3.20GHz</a>	8	14,203	2,352	140	FCLGA2011-3	Desktop
<a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	14,222	1,807	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>	14	14,256	1,558	120	FCLGA2011-3	Server
<a href="#">Intel Xeon W-2135 @ 3.70GHz</a>	6	14,272	2,610	140	FCLGA2066	Server
<a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>	6	14,273	2,247	115	FCLGA3647	Server
<a href="#">Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	14,285	1,657	NA	LGA2011	Server
<a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>	10	14,285	1,858	85	FCLGA3647	Server
<a href="#">Intel Xeon W-2235 @ 3.80GHz</a>	6	14,320	2,665	130	FCLGA2066	Server
<a href="#">Intel Xeon E-2286G @ 4.00GHz</a>	6	14,384	2,846	95	FCLGA1151-2	Server
<a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>	8	14,405	1,967	105	Unknown	Server
<a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	14,434	1,583	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E-2236 @ 3.40GHz</a>	6	14,435	2,880	80	FCLGA1151-2	Server
<a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>	8	14,439	2,060	85	FCLGA3647	Server
<a href="#">Intel Core i7-9700KF @ 3.60GHz</a>	8	14,519	2,925	95	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	14,537	1,687	120	LGA2011-v3	Server
<a href="#">Intel Core i7-9700K @ 3.60GHz</a>	8	14,546	2,900	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-10600K @ 4.10GHz</a>	6	14,553	2,936	125	FCLGA1200	Desktop
<a href="#">Intel Core i3-12100F</a>	4	14,557	3,540	58	FCLGA1700	Server
<a href="#">Intel Core i5-10600KF @ 4.10GHz</a>	6	14,566	2,947	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-8086K @ 4.00GHz</a>	6	14,572	2,895	95	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 7 PRO 1700</a>	8	14,590	2,026	65	AM4	Desktop
<a href="#">Intel Core i3-12100</a>	4	14,649	3,550	60	LGA 1700	Desktop
<a href="#">AMD Ryzen 7 2700E</a>	8	14,657	2,410	45	AM4	Desktop
<a href="#">AMD Ryzen 7 1700</a>	8	14,664	1,991	65	AM4	Desktop
<a href="#">Intel Core i9-9980HK @ 2.40GHz</a>	8	14,706	2,617	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	14,734	1,587	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 4600HS</a>	6	14,735	2,468	35	FP6	Laptop
<a href="#">AMD Ryzen 5 4600H</a>	6	14,753	2,463	45	FP6	Laptop
<a href="#">Apple M1 8 Core 3200 MHz</a>	8	14,770	3,763	15.1	Unknown	Desktop, Laptop, Mobile/Embedded
<a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	14,783	1,717	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 4400GE</a>	6	14,795	2,664	35	Unknown	Laptop
<a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	14,812	1,897	160	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>	10	14,820	2,040	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2658A v3 @ 2.90GHz</a>	12	14,879	1,688	105	FCLGA2011-3	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">2.40GHz</a>						
<a href="#">Intel Xeon W-1250P @ 4.10GHz</a>	6	14,924	2,985	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>	12	14,931	1,709	85	FCLGA3647	Server
<a href="#">AMD EPYC 7251</a>	8	14,935	1,671	120	SP3	Server
<a href="#">Intel Core i3-12300</a>	4	14,954	3,670	60	LGA 1700	Desktop
<a href="#">AMD EPYC 7301</a>	16	14,991	1,363	155	SP3	Server
<a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>	10	15,030	1,831	100	FCLGA3647	Server
<a href="#">Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	15,038	1,897	105	FCLGA2011-3	Server
<a href="#">Intel Core i7-10870H @ 2.20GHz</a>	8	15,054	2,728	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10880H @ 2.30GHz</a>	8	15,064	2,805	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-11260H @ 2.60GHz</a>	6	15,068	2,954	45	FCBGA1787	Laptop
<a href="#">AMD Ryzen 7 PRO 2700</a>	8	15,097	2,166	65	AM4	Desktop
<a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>	12	15,105	1,751	85	FCBGA2518	Server
<a href="#">Intel Core i9-10900T @ 1.90GHz</a>	10	15,133	2,528	35	FCLGA1200	Desktop
<a href="#">Intel Xeon Silver 4215R @ 3.20GHz</a>	8	15,133	2,349	130	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>	12	15,187	1,781	85	FCLGA3647	Server
<a href="#">Intel Core i7-11700T @ 1.40GHz</a>	8	15,220	2,837	35	FCLGA1200	Desktop
<a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>	12	15,248	1,790	85	FCLGA3647	Server
<a href="#">Intel Core i5-11600T @ 1.70GHz</a>	6	15,254	2,884	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 5600U</a>	6	15,317	2,927	15	FP6	Laptop
<a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>	16	15,397	1,461	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E-2336 @ 2.90GHz</a>	6	15,419	3,343	65	FCLGA1200	Server
<a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>	10	15,420	1,866	85	FCLGA3647	Server
<a href="#">AMD Ryzen 5 PRO 5650U</a>	6	15,421	2,959	15	FP6	Laptop
<a href="#">Intel Xeon Gold 5217 @ 3.00GHz</a>	8	15,429	2,173	115	FCLGA3647	Server
<a href="#">Intel Core i7-10875H @ 2.30GHz</a>	8	15,477	2,786	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2286M @ 2.40GHz</a>	8	15,489	2,802	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 7 1700X</a>	8	15,503	2,072	95	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750U</a>	8	15,522	2,564	15	FP6	Laptop
<a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	15,522	1,774	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 7 PRO 1700X</a>	8	15,530	2,231	95	AM4	Desktop
<a href="#">AMD Ryzen 5 4600G</a>	6	15,564	2,658	65	AM4	Desktop
<a href="#">AMD Ryzen 7 2700</a>	8	15,649	2,197	65	AM4	Desktop
<a href="#">AMD Ryzen 5 4600GE</a>	6	15,656	2,605	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4650GE</a>	6	15,680	2,625	35	AM4	Desktop
<a href="#">Intel Core i9-10885H @ 2.40GHz</a>	8	15,717	2,811	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2695 v3 @ 2.30GHz</a>	14	15,801	1,739	120	LGA2011-v3	Server
<a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>	14	15,816	1,531	105	Unknown	Server
<a href="#">AMD Ryzen 7 4850U Mobile</a>	8	15,920	2,653	15	FP6	Laptop



<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>	12	16,107	1,502	120	LGA2011-v3	Server
<a href="#">Intel Core i5-11400H @ 2.70GHz</a>	6	16,108	3,064	45	FCBGA1787	Laptop
<a href="#">AMD Ryzen Embedded V2748</a>	8	16,186	2,646	54	FP6	Mobile/Embedded
<a href="#">AMD Ryzen 7 5700U</a>	8	16,205	2,626	15	FP6	Laptop
<a href="#">Intel Core i9-10980HK @ 2.40GHz</a>	8	16,284	2,870	45	FCBGA1440	Laptop
<a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>	12	16,287	1,746	105	FCLGA3647	Server
<a href="#">AMD Ryzen 7 1800X</a>	8	16,304	2,186	95	AM4	Desktop
<a href="#">Intel Xeon Silver 4214 @ 2.20GHz</a>	12	16,323	1,722	85	FCLGA3647	Server
<a href="#">Intel Core i7-10700TE @ 2.00GHz</a>	8	16,332	2,772	35	FCLGA1200	Laptop
<a href="#">Intel Core i5-11500H @ 2.90GHz</a>	6	16,396	3,145	45	FCBGA1787	Laptop
<a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	16,435	1,908	135	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 4650G</a>	6	16,445	2,665	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4400G</a>	6	16,456	2,656	NA	Unknown	Desktop
<a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>	8	16,511	2,257	130	FCLGA3647	Server
<a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	16,745	1,613	145	FCLGA2011-3	Server
<a href="#">AMD Ryzen Threadripper 1900X</a>	8	16,884	2,340	180	sTR4	Desktop
<a href="#">Intel Core i9-9900 @ 3.10GHz</a>	8	16,910	2,867	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	16,936	2,343	165	FCLGA2011-3	Server
<a href="#">Intel Core i7-10700F @ 2.90GHz</a>	8	16,939	2,916	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700 @ 2.90GHz</a>	8	17,011	2,925	65	FCLGA1200	Desktop
<a href="#">AMD EPYC 7232P</a>	8	17,017	1,549	120	SP3	Server
<a href="#">Intel Core i7-10700E @ 2.90GHz</a>	8	17,020	2,845	65	FCLGA1200	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 7 4800U</a>	8	17,098	2,603	15	FP6	Laptop
<a href="#">Intel Core i7-6950X @ 3.00GHz</a>	10	17,123	2,343	140	LGA2011-v3	Desktop
<a href="#">Intel Core i5-11400 @ 2.60GHz</a>	6	17,146	3,048	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 5600H</a>	6	17,181	2,984	45	FP6	Laptop
<a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>	8	17,210	2,754	80	FCLGA1151-2	Server
<a href="#">AMD Ryzen 7 PRO 2700X</a>	8	17,221	2,395	105	AM4	Desktop
<a href="#">Intel Xeon E-2288G @ 3.70GHz</a>	8	17,221	2,916	95	FCLGA1151-2	Server
<a href="#">Intel Core i7-7820X @ 3.60GHz</a>	8	17,294	2,541	140	FCLGA2066	Desktop
<a href="#">Intel Core i5-11400F @ 2.60GHz</a>	6	17,296	3,025	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	17,388	1,633	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	17,430	1,474	135	FCLGA2011-3	Server
<a href="#">Intel Xeon W-3223 @ 3.50GHz</a>	8	17,523	2,503	160	FCLGA3647	Server
<a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	17,533	1,909	135	FCLGA2011-3	Server
<a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a>	14	17,540	1,827	105	FCLGA3647	Server
<a href="#">Intel Xeon E-2378 @ 2.60GHz</a>	8	17,564	2,851	65	FCLGA1200	Server
<a href="#">Intel Xeon W-2140B @ 3.20GHz</a>	8	17,566	2,580	NA	FCLGA2066	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Xeon E-2278G @ 3.40GHz</a>	8	17,684	2,958	80	FCLGA1151-2	Server
<a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>	14	17,686	1,847	105	FCLGA3647	Server
<a href="#">AMD Ryzen 7 PRO 5850U</a>	8	17,738	3,082	15	FP6	Laptop
<a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	17,757	2,065	160	FCLGA2011-3	Server
<a href="#">Intel Core i5-11500B @ 3.30GHz</a>	6	17,783	3,224	65	Unknown	Desktop
<a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a>	14	17,795	1,833	120	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 3600</a>	6	17,826	2,577	65	AM4	Desktop
<a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	17,887	1,960	120	FCLGA2011-3	Server
<a href="#">Intel Core i9-10900TE @ 1.80GHz</a>	10	17,888	2,684	35	FCLGA1200	Mobile/Embedded
<a href="#">AMD Ryzen 5 PRO 3600</a>	6	17,900	2,609	65	AM4	Desktop
<a href="#">AMD Ryzen Embedded V2718</a>	8	17,972	2,439	15	FP6	Mobile/Embedded
<a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>	16	18,070	1,425	110	FCBGA2518	Server
<a href="#">Intel Xeon W-1270 @ 3.40GHz</a>	8	18,093	3,060	80	FCLGA1200	Server
<a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>	18	18,148	1,910	120	LGA2011-v3	Server
<a href="#">Intel Xeon W-2145 @ 3.70GHz</a>	8	18,194	2,622	140	FCLGA2066	Server
<a href="#">Intel Core i5-12600T</a>	6	18,202	3,805	35	FCLGA1700	Desktop
<a href="#">AMD Ryzen 7 Extreme Edition</a>	8	18,209	2,666	NA	FP6	Laptop
<a href="#">AMD 4700S</a>	8	18,212	2,399	NA	Unknown	Desktop
<a href="#">Intel Core i7-9800X @ 3.80GHz</a>	8	18,236	2,599	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9820X @ 3.30GHz</a>	10	18,240	2,406	165	FCLGA2066	Desktop
<a href="#">Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	18,244	1,612	150	LGA2011-1	Server
<a href="#">AMD Ryzen 5 3600X</a>	6	18,291	2,671	95	AM4	Desktop
<a href="#">Intel Core i5-11600 @ 2.80GHz</a>	6	18,326	3,301	65	FCLGA1200	Desktop
<a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>	16	18,385	1,728	100	FCBGA2518	Server
<a href="#">Intel Xeon W-1290T @ 1.90GHz</a>	10	18,409	2,974	35	FCLGA1200	Server
<a href="#">Intel Xeon Platinum P-8124 @ 3.00GHz</a>	18	18,416	2,007	240	FCLGA3647	Server
<a href="#">AMD Ryzen 7 PRO 4750GE</a>	8	18,531	2,709	35	AM4	Desktop
<a href="#">Intel Xeon W-1270E @ 3.40GHz</a>	8	18,589	2,913	80	FCLGA1200	Server, Mobile/Embedded
<a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>	8	18,656	2,523	150	FCLGA3647	Server
<a href="#">Intel Xeon W-1350 @ 3.30GHz</a>	6	18,682	3,518	80	FCLGA1200	Server
<a href="#">Intel Core i9-9900KF @ 3.60GHz</a>	8	18,710	2,968	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900K @ 3.60GHz</a>	8	18,737	2,962	95	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 PRO 5650GE</a>	6	18,771	3,225	35	AM4	Desktop
<a href="#">AMD Ryzen 7 5825U</a>	8	18,774	3,246	15	AM4	Laptop
<a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>	12	18,776	2,018	100	FCLGA3647	Server
<a href="#">AMD Ryzen 5 3600XT</a>	6	18,795	2,795	95	AM4	Desktop
<a href="#">Hygon C86 7255 16-core</a>	16	18,831	1,490	NA	Unknown	Unknown
<a href="#">AMD Ryzen 7 5800U</a>	8	18,872	3,096	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5600GE</a>	6	18,879	3,224	35	AM4	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

[Home](#) CPU Benchmarks ▼

<a href="#">2.40GHz</a> <a href="#">Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	19,010	2,494	105	FCLGA4189	Server
<a href="#">Intel Xeon W-11855M @ 3.20GHz</a>	6	19,063	3,328	45	FCBGA1787	Laptop, Server
<a href="#">AMD Ryzen 7 4800H</a>	8	19,067	2,640	45	FP6	Laptop
<a href="#">Intel Core i7-10700KF @ 3.80GHz</a>	8	19,153	3,054	125	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 6126 @ 2.60GHz</a>	12	19,223	2,019	125	FCLGA3647	Server
<a href="#">Intel Xeon W-1270P @ 3.80GHz</a>	8	19,245	3,074	95	FCLGA1200	Server
<a href="#">Intel Xeon E5-2697 v3 @ 2.60GHz</a>	14	19,256	2,011	145	LGA2011-v3	Server
<a href="#">Intel Core i7-10700K @ 3.80GHz</a>	8	19,314	3,075	125	FCLGA1200	Desktop
<a href="#">AMD Ryzen 9 4900H</a>	8	19,319	2,734	45	FP6	Laptop
<a href="#">Intel Core i7-7900X @ 3.30GHz</a>	10	19,358	2,610	140	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>	16	19,365	2,499	205	FCLGA-3647	Server
<a href="#">Intel Xeon W-2245 @ 3.90GHz</a>	8	19,421	2,767	155	FCLGA2066	Server
<a href="#">AMD Ryzen 9 4900HS</a>	8	19,449	2,631	35	FP6	Laptop
<a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>	16	19,451	1,775	100	FCLGA3647	Server
<a href="#">Intel Core i9-9900KS @ 4.00GHz</a>	8	19,506	3,039	127	FCLGA1151-2	Desktop
<a href="#">AMD EPYC 7252</a>	8	19,550	1,992	120	SP3	Server
<a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	19,551	1,868	120	FCLGA2011-3	Server
<a href="#">Intel Core i5-12400F</a>	6	19,691	3,571	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-12400</a>	6	19,780	3,559	65	LGA 1700	Desktop
<a href="#">Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	19,794	1,990	135	LGA2011-v3	Server
<a href="#">Intel Core i5-11600KF @ 3.90GHz</a>	6	19,795	3,356	125	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>	12	19,810	2,104	125	FCLGA3647	Server
<a href="#">Intel Core i5-12450H</a>	4	19,820	3,628	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-11600K @ 3.90GHz</a>	6	19,844	3,376	125	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 5600G</a>	6	19,848	3,192	65	AM4	Desktop
<a href="#">Intel Xeon W-1350P @ 4.00GHz</a>	6	19,935	3,512	65	FCLGA1200	Server
<a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	20,050	1,975	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	20,079	1,622	145	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 4700G</a>	8	20,138	2,758	65	AM4	Desktop
<a href="#">Intel Core i9-11900T @ 1.50GHz</a>	8	20,225	3,419	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 PRO 5875U</a>	8	20,369	2,919	15	FP6	Laptop
<a href="#">Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	20,373	1,948	120	FCLGA2011-3	Server
<a href="#">Intel Core i5-12500</a>	6	20,387	3,761	65	LGA 1700	Desktop
<a href="#">Intel Xeon Gold 6244 @ 3.60GHz</a>	8	20,402	2,752	150	FCLGA3647	Server
<a href="#">AMD Ryzen 7 4700GE</a>	8	20,414	2,728	35	AM4	Desktop
<a href="#">AMD EPYC 7451</a>	24	20,471	1,975	180	SP3	Server

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

CPU Benchmarks

<a href="#">AMD Ryzen 7 PRO 4750G</a>	8	20,604	2,710	65	AM4	Desktop
<a href="#">Intel Core i9-10900E @ 2.80GHz</a>	10	20,658	2,969	65	FCLGA1200	Desktop, Mobile/Embedded
<a href="#">AMD Ryzen 7 5800HS</a>	8	20,719	3,067	35	FP6	Laptop
<a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>	16	20,721	1,880	125	FCLGA3647	Server
<a href="#">AMD Ryzen 5 PRO 5650G</a>	6	20,750	3,239	65	AM4	Desktop
<a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	20,817	1,940	145	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2697R v4 @ 2.30GHz</a>	18	20,843	2,007	145	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 PRO 4700G</a>	8	20,848	2,700	65	AM4	Desktop
<a href="#">Intel Core i7-11700 @ 2.50GHz</a>	8	20,848	3,133	95	FCLGA1200	Desktop
<a href="#">AMD EPYC 7262</a>	8	20,875	2,015	155	SP3	Server
<a href="#">Intel Core i9-10900F @ 2.80GHz</a>	10	20,920	3,074	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 9 5900H</a>	8	20,960	3,312	NA	AM4	Laptop
<a href="#">Intel Xeon Silver 4310T @ 2.30GHz</a>	10	20,973	2,288	105	FCLGA4189	Server
<a href="#">AMD Ryzen 7 5800HS Creator Edition</a>	8	21,026	3,146	NA	Unknown	Laptop
<a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>	14	21,042	2,180	140	FCLGA3647	Server
<a href="#">Intel Xeon W-2155 @ 3.30GHz</a>	10	21,198	2,637	140	FCLGA2066	Server
<a href="#">Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	21,225	2,524	140	FCLGA4189	Server
<a href="#">AMD EPYC 7281</a>	16	21,230	1,613	155	SP3	Server
<a href="#">Intel Core i7-11850H @ 2.50GHz</a>	8	21,241	3,230	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-7900X @ 3.30GHz</a>	10	21,303	2,592	140	FCLGA2066	Desktop
<a href="#">Intel Core i5-12600</a>	6	21,389	3,858	65	LGA 1700	Desktop
<a href="#">AMD Ryzen 9 5980HS</a>	8	21,412	3,145	35	FP6	Laptop
<a href="#">Intel Core i7-11700F @ 2.50GHz</a>	8	21,471	3,342	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-11800H @ 2.30GHz</a>	8	21,475	3,138	45	FCBGA1787	Laptop
<a href="#">Intel Xeon E5-2697A v4 @ 2.60GHz</a>	16	21,494	2,038	145	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 5800H</a>	8	21,498	3,087	45	FP6	Laptop
<a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	21,545	1,963	145	FCLGA2011-3	Server
<a href="#">Intel Core i5-1240P</a>	4	21,646	3,659	28	FCBGA1744	Laptop
<a href="#">Intel Core i9-11900H @ 2.50GHz</a>	8	21,701	3,212	45	FCBGA1787	Laptop
<a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	21,755	2,141	135	FCLGA2011-3	Server
<a href="#">Intel Core i9-10910 @ 3.60GHz</a>	10	21,801	3,145	125	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a>	16	21,803	1,698	125	FCLGA3647	Server
<a href="#">Intel Core i9-9900X @ 3.50GHz</a>	10	21,862	2,605	165	FCLGA2066	Desktop
<a href="#">Intel Xeon W-2255 @ 3.70GHz</a>	10	21,981	2,724	165	FCLGA2066	Desktop, Server
<a href="#">AMD Ryzen Threadripper 1920</a>	12	22,066	2,299	140	sTR4	Desktop
<a href="#">Intel Xeon W-1290E @ 3.50GHz</a>	10	22,066	2,914	95	FCLGA1200	Server
<a href="#">AMD Ryzen 5 5600X</a>	6	22,109	3,379	65	AM4	Desktop
<a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>	16	22,117	2,245	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5224 @ 2.20GHz</a>	8	22,180	2,500	165	FCLGA4189	Server

<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

## 🏠 CPU Benchmarks ▼

<a href="#">3.00GHz</a>						
<a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>	22	22,291	2,155	140	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	22,298	2,051	NA	FCLGA3647	Server
<a href="#">AMD Ryzen 7 PRO 5750GE</a>	8	22,378	3,321	35	AM4	Desktop
<a href="#">Apple M1 Pro 10 Core 3200 MHz</a>	10	22,426	3,849	NA	Unknown	Desktop, Laptop
<a href="#">Intel Core i7-11700B @ 3.20GHz</a>	8	22,539	3,362	65	Unknown	Desktop
<a href="#">AMD Ryzen 7 5700GE</a>	8	22,566	3,371	35	AM4	Desktop
<a href="#">AMD Ryzen 7 6800H</a>	8	22,593	3,333	45	FP7	Laptop
<a href="#">Intel Core i3-12500H</a>	10	22,629	3,702	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-11950H @ 2.60GHz</a>	8	22,664	3,319	45	FCBGA1787	Laptop
<a href="#">AMD Ryzen 7 PRO 3700</a>	8	22,677	2,673	65	AM4	Desktop
<a href="#">Apple M1 Max 10 Core 3200 MHz</a>	10	22,688	3,849	NA	Unknown	Desktop, Laptop
<a href="#">Intel Core i9-10900X @ 3.70GHz</a>	10	22,723	2,697	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen 7 3700X</a>	8	22,724	2,681	65	AM4	Desktop
<a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>	18	22,733	1,840	140	FCLGA3647	Server
<a href="#">Intel Xeon E5-2696 v4 @ 2.20GHz</a>	22	22,810	2,237	145	FCLGA2011-3	Server

Showing 1 to 3,782 of 3,782 entries

[Previous](#) **1** [Next](#)

### Notes:

- Price is obtained from our affiliates. \*\* after the price denotes the last seen price for products that are no longer available.
- CPU Value is calculated by taking CPU Mark / Price.
- Single Thread Value is calculated by taking Single Thread CPU Mark / Price.
- Power Performance is calculated by taking CPU Mark / TDP.
- Test Date is the date of our first benchmark submission.

- [Intel Core i7-1270P](#)
- [Intel Xeon Gold 6138 @ 2.00GHz](#)
- [Software](#)
- [BurnInTest](#)
- [Intel Xeon W-126P @ 3.70GHz](#)
- [AMD EPYC 7551 PerformanceTest](#)
- [AMD EPYC 7F32 OSForensics](#)
- [Intel Core i9-11900KB @ 3.30GHz MemTest86](#)
- [Intel Core i9-1250P WirelessMon](#)
- [Intel Core i9-1250P Zoom Search Engine](#)
- [AMD Ryzen 7 5800H Free Software per 1920X](#)
- [Intel Xeon Platinum 8176 @ 2.10GHz Benchmarks](#)
- [AMD Ryzen 9 5900HX CPU Benchmarks](#)
- [Intel Xeon W-2175 @ 2.50GHz Video Card Benchmarks](#)
- [Intel Core i9-11900 @ 2.50GHz Hard Drive Benchmarks](#)
- [Intel Core i9-7920X @ 2.90GHz RAM Benchmarks](#)
- [AMD Ryzen 7 3800X PC Systems Benchmarks](#)
- [AMD Ryzen 9 5980HX Android Benchmarks](#)
- [Intel Xeon Gold 6140 @ 3.20GHz IOS / iPhone Benchmarks](#)
- [Intel Xeon E5-2670 v4 @ 2.50GHz Software Marketshare](#)
- [Intel Core i9-11980HK @ 2.60GHz Internet Bandwidth](#)
- [Intel Core i9-10900KF @ 3.70GHz Services](#)
- [AMD EPYC 7351 Store](#)
- [Intel Xeon Silver 4310 @ 2.10GHz Support](#)

### Hardware

- [USB3.0 Loopback Plugs](#)
- [USB2.0 Loopback Plugs](#)
- [PCIe Test Cards](#)
- [USB Power Delivery Tester](#)
- [Serial and Parallel Loopback Plugs](#)
- [USB Short Circuit Testers](#)

### About Us

- [Company](#)
- [Contact Us](#)
- [The Press Room](#)

### International

### Disclaimer

### Refunds

Social

CPU Name	CPU Mark	Thread Mark	P (W)	Socket	Category	
<a href="#">Intel Xeon E5-2696 v3 @ 2.30GHz</a>	28	23,765	2,214	145	LGA2011-v3	Server
<a href="#">Intel Core i9-10900K @ 3.70GHz</a>	10	23,805	2,214	125	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 3800XT</a>	8	23,823	2,847	105	AM4	Desktop
<a href="#">AMD EPYC 7551P</a>	32	23,927	1,651	180	SP3	Server
<a href="#">Intel Core i9-11900F @ 2.50GHz</a>	8	23,958	3,532	65	FCLGA1200	Desktop
<a href="#">Intel Xeon W-11955M @ 2.60GHz</a>	8	24,173	3,392	45	FCBGA1787	Laptop, Server
<a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>	20	24,234	2,290	150	FCLGA3647	Server
<a href="#">Intel Core i7-11700KF @ 3.60GHz</a>	8	24,282	3,419	125	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	24,415	1,950	145	FCLGA2011-3	Server
<a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>	12	24,446	2,450	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6150 @ 2.70GHz</a>	18	24,489	2,190	165	FCLGA3647	Server
<a href="#">Intel Xeon W-1370 @ 2.90GHz</a>	8	24,511	3,568	80	FCLGA1200	Desktop, Server
<a href="#">AMD Ryzen 7 5700G</a>	8	24,566	3,286	65	AM4	Desktop
<a href="#">Intel Xeon W-2170B @ 2.50GHz</a>	14	24,745	2,578	NA	FCLGA-2066	Server
<a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>	16	24,786	2,248	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6138T @ 2.00GHz</a>	20	24,800	2,050	125	FCLGA3647	Server
<a href="#">AMD Ryzen 9 6900HS</a>	8	24,819	3,383	35	FP7	Laptop
<a href="#">Intel Core i7-11700K @ 3.60GHz</a>	8	24,828	3,432	125	FCLGA1200	Desktop
<a href="#">AMD EPYC 7501</a>	32	24,925	1,925	155	SP3	Server
<a href="#">AMD Ryzen 7 PRO 5750G</a>	8	25,045	3,377	65	AM4	Desktop
<a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a>	20	25,191	2,200	125	FCLGA3647	Server
<a href="#">Intel Xeon W-1370P @ 3.60GHz</a>	8	25,202	3,494	125	FCLGA1200	Desktop, Server
<a href="#">Intel Core i9-9920X @ 3.50GHz</a>	12	25,357	2,624	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a>	26	25,396	1,455	NA	FCLGA3647	Server
<a href="#">Intel Core i9-11900KF @ 3.50GHz</a>	8	25,466	3,566	125	FCLGA1200	Desktop
<a href="#">AMD EPYC 7351P</a>	16	25,484	1,809	155	SP3	Server
<a href="#">AMD Ryzen Threadripper 2920X</a>	12	25,528	2,494	180	sTR4	Desktop
<a href="#">Intel Core i9-11900K @ 3.50GHz</a>	8	25,549	3,515	125	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 5800</a>	8	25,555	3,391	65	AM4	Desktop
<a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>	18	25,740	2,396	125	FCLGA3647	Server
<a href="#">Intel Xeon W-2265 @ 3.50GHz</a>	12	25,866	2,803	165	FCLGA2066	Server
<a href="#">Intel Xeon W-3323 @ 3.50GHz</a>	12	25,875	2,617	220	FCLGA4189	Desktop, Server
<a href="#">Intel Xeon W-3235 @ 3.30GHz</a>	12	25,974	2,622	180	FCLGA3647	Server
<a href="#">Intel Xeon W-1390P @ 3.50GHz</a>	8	26,031	3,619	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon E5-2698R v4 @ 2.20GHz</a>	20	26,211	2,389	NA	FCLGA2011-3	Server
<a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>	16	26,288	2,196	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5318Y @</a>	24	26,400	1,826	165	FCLGA4189	Server

Copyright © 2022 PassMark® Software

Home CPU Benchmarks

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

[Home](#) CPU Benchmarks ▼

<a href="#">3.00GHz</a>						
<a href="#">AMD Ryzen Threadripper 2990X</a>	32	26,469	2,285	250	TR4	Desktop
<a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	26,485	1,984	150	FCLGA3647	Server
<a href="#">Intel Core i9-7940X @ 3.10GHz</a>	14	26,560	2,486	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>	20	26,657	2,285	125	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8175M @ 2.50GHz</a>	24	26,659	1,903	NA	FCLGA3647	Server
<a href="#">Intel Core i9-7960X @ 2.80GHz</a>	16	26,699	2,525	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10920X @ 3.50GHz</a>	12	26,818	2,773	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a>	16	26,901	2,247	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6226R @ 2.90GHz</a>	16	26,981	2,288	150	FCLGA3647	Server
<a href="#">Intel Core i5-12600KF</a>	6	27,142	3,971	150	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700H</a>	6	27,213	3,805	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-12600K</a>	6	27,278	3,974	150	FCLGA1700	Desktop
<a href="#">Intel Xeon W-2195 @ 2.30GHz</a>	18	27,325	2,413	140	FCLGA2066	Server
<a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	27,377	2,123	165	FCLGA3647	Server
<a href="#">AMD EPYC 7571</a>	32	27,445	1,934	120	SP3	Server
<a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>	24	27,470	2,013	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>	22	27,617	1,691	140	FCLGA3647	Server
<a href="#">Intel Xeon W-2275 @ 3.30GHz</a>	14	27,933	2,805	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen Threadripper 1950X</a>	16	28,037	2,294	180	sTR4	Desktop
<a href="#">ARM Neoverse-N1 64 Core 0 MHz</a>	64	28,079	1,085	NA	Unknown	Unknown
<a href="#">AMD Ryzen 7 5800X</a>	8	28,395	3,489	105	AM4	Desktop
<a href="#">Intel Core i9-9940X @ 3.30GHz</a>	14	28,411	2,647	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 5317 @ 3.00GHz</a>	12	28,580	2,437	150	FCLGA4189	Server
<a href="#">Intel Core i9-10940X @ 3.30GHz</a>	14	28,672	2,727	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-12900HK</a>	6	28,730	3,836	45	FCBGA1744	Laptop
<a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a>	20	28,915	2,203	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>	20	28,962	2,182	150	FCLGA3647	Server
<a href="#">Intel Xeon W-2191B @ 2.30GHz</a>	18	29,067	2,645	140	FCLGA2066	Server
<a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>	18	29,356	2,381	200	FCLGA3647	Server
<a href="#">Intel Core i9-7980XE @ 2.60GHz</a>	18	29,530	2,470	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen Threadripper 2950X</a>	16	29,951	2,489	180	sTR4	Desktop
<a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>	24	30,103	2,167	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3265 @ 2.70GHz</a>	24	30,105	2,572	205	FCLGA3647	Server
<a href="#">AMD Ryzen Threadripper 2970WX</a>	24	30,125	2,355	250	sTR4	Desktop
<a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>	16	30,145	2,370	205	FCLGA3647	Server

<b>CPU Name</b>	<b>Cores</b>	<b>CPU Mark</b>	<b>Thread Mark</b>	<b>TDP (W)</b>	<b>Socket</b>	<b>Category</b>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Home](#) CPU Benchmarks ▼

<a href="#">Intel Xeon Silver 4314 @ 2.40GHz</a>	16	30,525	2,205	135	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	30,616	2,346	205	FCLGA3647	Server
<a href="#">AMD Ryzen 9 3900</a>	12	30,699	2,632	65	AM4	Desktop
<a href="#">Intel Core i9-9960X @ 3.10GHz</a>	16	30,924	2,637	165	FCLGA2066	Desktop
<a href="#">AMD EPYC 7371</a>	16	31,094	2,377	NA	SP3	Server
<a href="#">Intel Core i7-12700</a>	8	31,371	3,925	65	FCLGA1700	Desktop
<a href="#">AMD Ryzen 9 PRO 3900</a>	12	31,372	2,623	65	AM4	Desktop
<a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	31,500	1,863	210	LGA 3647	Server
<a href="#">AMD EPYC 7282</a>	16	31,631	1,987	120	SP3	Server
<a href="#">Intel Core i7-12700F</a>	8	31,658	3,983	65	FCLGA1700	Desktop
<a href="#">AMD EPYC 7401P</a>	24	31,767	1,834	155	SP3	Server
<a href="#">Intel Xeon W-2295 @ 3.00GHz</a>	18	31,853	2,701	165	FCLGA2066	Server
<a href="#">Intel Core i9-9980XE @ 3.00GHz</a>	18	31,985	2,571	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6230R @ 2.10GHz</a>	26	32,223	2,020	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6252 @ 2.10GHz</a>	24	32,410	2,143	150	FCLGA3647	Server
<a href="#">AMD EPYC 7302P</a>	16	32,480	1,878	155	SP3	Server
<a href="#">AMD Ryzen Threadripper 2990WX</a>	32	32,572	2,299	250	sTR4	Desktop
<a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	32,616	2,138	205	FCLGA3647	Server
<a href="#">AMD Ryzen 9 3900X</a>	12	32,766	2,726	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3900XT</a>	12	32,873	2,787	105	AM4	Desktop
<a href="#">AMD EPYC 7302</a>	16	33,015	1,978	155	SP3	Server
<a href="#">Intel Xeon Gold 5220R @ 2.20GHz</a>	24	33,370	2,399	150	FCLGA3647	Server
<a href="#">AMD Ryzen Threadripper PRO 3945WX</a>	12	33,425	2,709	280	sTRX4	Desktop
<a href="#">Intel Core i9-10980XE @ 3.00GHz</a>	18	33,670	2,670	165	FCLGA2066	Desktop
<a href="#">Intel Xeon D-2799 @ 2.40GHz</a>	20	33,760	2,403	NA	Unknown	Unknown
<a href="#">Intel Core i7-12700KF</a>	8	33,923	4,045	190	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700K</a>	8	33,926	4,037	190	FCLGA1700	Desktop
<a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a>	24	33,970	2,315	165	LGA3647	Server
<a href="#">AMD Ryzen 9 5900</a>	12	34,824	3,432	65	AM4	Desktop
<a href="#">Intel Xeon Gold 6326 @ 2.90GHz</a>	16	35,328	2,356	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>	20	35,352	2,426	205	FCLGA3647	Server
<a href="#">Intel Core i9-12900F</a>	8	35,651	4,081	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900T</a>	8	35,833	4,032	35	FCLGA1700	Desktop
<a href="#">Intel Xeon W-3175X @ 3.10GHz</a>	28	37,167	2,148	255	FCLGA3647	Desktop
<a href="#">Intel Xeon Silver 4316 @ 2.30GHz</a>	20	37,264	2,380	150	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6238R @ 2.20GHz</a>	28	37,511	2,362	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8260 @ 2.30GHz</a>	24	37,575	2,344	205	FCLGA3647	Server



<input type="text" value="CPU Name"/>	<input type="text" value="Cores"/>	<input type="text" value="CPU Mark"/>	<input type="text" value="Thread Mark"/>	<input type="text" value="TDP (W)"/>	<input type="text" value="Socket"/>	<input type="text" value="Category"/>
---------------------------------------	------------------------------------	---------------------------------------	--	--------------------------------------	-------------------------------------	---------------------------------------

[Home](#) CPU Benchmarks ▼

<a href="#">3.10GHz</a>						
<a href="#">ARM Neoverse-N1 80 Core 0 MHz</a>	80	37,809	1,311	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 80 Core 3000 MHz</a>	80	38,122	1,329	NA	Unknown	Unknown
<a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>	24	38,604	2,296	205	FCLGA3647	Server
<a href="#">Intel Core i9-12900</a>	8	38,803	4,175	65	FCLGA1700	Desktop
<a href="#">AMD Ryzen 9 3950X</a>	16	39,167	2,739	105	AM4	Desktop
<a href="#">AMD Ryzen 9 5900X</a>	12	39,473	3,494	105	AM4	Desktop
<a href="#">Intel Xeon W-3265M @ 2.70GHz</a>	24	39,620	2,718	205	FCLGA3647	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 3955WX</a>	16	40,173	2,695	280	sTRX4	Desktop
<a href="#">AMD EPYC 7352</a>	24	40,472	1,995	155	SP3	Server
<a href="#">AMD EPYC 7313P</a>	16	40,494	2,572	155	SP3	Server
<a href="#">AMD EPYC 7313</a>	16	40,575	2,610	155	SP3	Server
<a href="#">Intel Xeon W-3275M @ 2.50GHz</a>	28	40,767	2,725	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24	40,794	2,386	NA	Unknown	Server
<a href="#">Intel Core i9-12900K</a>	8	40,875	4,208	241	FCLGA1700	Desktop
<a href="#">AMD EPYC 7F52</a>	16	40,951	2,446	240	SP3	Server
<a href="#">Intel Core i9-12900KF</a>	8	40,951	4,216	241	FCLGA1700	Desktop
<a href="#">Apple M1 Ultra 20 Core</a>	16	41,432	3,893	60	Unknown	Desktop
<a href="#">Intel Xeon Gold 6354 @ 3.00GHz</a>	18	41,434	2,406	205	FCLGA4189	Server
<a href="#">AMD Ryzen Threadripper PRO 5945WX</a>	12	41,578	3,347	280	sWRX8	Desktop
<a href="#">AMD EPYC 7402P</a>	24	41,741	1,970	180	SP3	Server
<a href="#">AMD EPYC 7452</a>	32	41,871	1,689	155	SP3	Server
<a href="#">AMD EPYC 7601</a>	32	42,244	1,941	180	SP3	Server
<a href="#">Intel Xeon Gold 6330 @ 2.00GHz</a>	28	43,056	2,034	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6312U @ 2.40GHz</a>	24	43,745	2,383	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	45,517	2,522	185	FCLGA4189	Server
<a href="#">AMD EPYC 7713P</a>	64	45,860	2,736	225	SP3	Server
<a href="#">AMD EPYC 7343</a>	16	45,882	2,947	190	SP3	Server
<a href="#">AMD EPYC 73F3</a>	16	46,085	2,878	240	SP3	Server
<a href="#">AMD Ryzen 9 5950X</a>	16	46,215	3,501	105	AM4	Desktop
<a href="#">AMD EPYC 7413</a>	24	46,295	1,983	180	SP3	Server
<a href="#">Intel Xeon Gold 6342 @ 2.80GHz</a>	24	48,330	2,453	230	FCLGA4189	Server
<a href="#">AMD EPYC 7502P</a>	32	48,571	1,887	180	SP3	Server
<a href="#">AMD EPYC 7502</a>	32	49,177	1,843	180	SP3	Server
<a href="#">Intel Xeon Platinum 8347C @ 2.10GHz</a>	36	49,386	2,445	210	LGA4189	Server
<a href="#">AMD EPYC 7402</a>	24	51,368	2,081	180	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 5955WX</a>	16	51,656	3,346	280	sWRX8	Desktop
<a href="#">Intel Xeon Platinum 8375C @ 2.80GHz</a>	32	51,836	2,439	300	FCLGA4189	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## [Home](#) CPU Benchmarks ▼

<a href="#">Intel Xeon Platinum 8358 @ 2.60GHz</a>	32	54,416	2,382	250	FCLGA4189	Server
<a href="#">AMD Ryzen Threadripper 3960X</a>	24	54,738	2,678	280	sTRX4	Desktop
<a href="#">AMD EPYC 7532</a>	32	55,358	2,137	200	SP3	Server
<a href="#">AMD EPYC 7543</a>	32	56,359	2,749	240	SP3	Server
<a href="#">AMD EPYC 7542</a>	32	56,728	2,207	225	SP3	Server
<a href="#">AMD EPYC 7443P</a>	24	57,711	2,965	200	SP3	Server
<a href="#">AMD EPYC 7513</a>	32	59,732	2,447	200	SP3	Server
<a href="#">AMD EPYC 74F3</a>	24	60,948	2,975	240	SP3	Server
<a href="#">AMD EPYC 7702P</a>	64	61,689	2,110	200	SP3	Server
<a href="#">Intel Xeon Platinum 8380 @ 2.30GHz</a>	40	62,317	2,385	270	FCLGA4189	Server
<a href="#">AMD Ryzen Threadripper PRO 3975WX</a>	32	63,173	2,664	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper 3970X</a>	32	63,872	2,694	280	sTRX4	Desktop
<a href="#">AMD EPYC 7R32</a>	48	64,727	1,922	NA	Unknown	Server
<a href="#">AMD EPYC 7543P</a>	32	67,733	2,758	225	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 5965WX</a>	24	68,405	3,346	280	sWRX8	Desktop
<a href="#">AMD EPYC 75F3</a>	32	68,505	2,775	280	SP3	Server
<a href="#">AMD EPYC 7742</a>	64	68,749	2,145	225	SP3	Server
<a href="#">AMD EPYC 7662</a>	64	71,576	2,054	225	SP3	Server
<a href="#">AMD EPYC 7702</a>	64	71,646	2,097	200	SP3	Server
<a href="#">AMD EPYC 7643</a>	48	76,455	2,695	225	SP3	Server
<a href="#">AMD EPYC 7B13</a>	60	77,460	2,564	NA	Unknown	Server
<a href="#">AMD Ryzen Threadripper PRO 5975WX</a>	32	80,933	3,344	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper 3990X</a>	64	81,331	2,569	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper PRO 3995WX</a>	64	84,705	2,625	280	sTRX4	Desktop
<a href="#">AMD EPYC 7713</a>	64	85,861	2,727	225	SP3	Server
<a href="#">AMD EPYC 7J13</a>	64	86,006	2,387	NA	Unknown	Server
<a href="#">AMD EPYC 7763</a>	64	88,338	2,635	280	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 5995WX</a>	64	108,822	3,330	280	sWRX8	Desktop