

## Układ sortymentowy pozyskania drewna

PAKIET 03

Pozycja planu	Adres	Grupa czynności	Masa	
			Sortyment	Plan
202115690	205 -a -00	IB	BRZS4	1,00
202115690	205 -a -00	IB	SO S2A D	147,00
202115690	205 -a -00	IB	SO S4	37,00
202115690	205 -a -00	IB	SO WA0 2	6,00
202115690	205 -a -00	IB	SO WA0 3	4,00
202115690	205 -a -00	IB	SO WB0 1	27,00
202115690	205 -a -00	IB	SO WB0 2	80,00
202115690	205 -a -00	IB	SO WB0 3	26,00
202115690	205 -a -00	IB	SO WCK 1	179,00
202115690	205 -a -00	IB	SO WCK 2	193,00
202115690	205 -a -00	IB	SO WCK 3	22,00
202115690	205 -a -00	IB	SO WDK 1	7,00
202115690	205 -a -00	IB	SO WDK 2	8,00
202115690	205 -a -00	IB	SO WDK 3	1,00
202115690	205 -a -00	IB	SW S2A D	12,00
202115690	205 -a -00	IB	SW S4	12,00
202116111	197 -a -00	IIIA	BRZS2A D	1,00
202116111	197 -a -00	IIIA	BRZS4	1,00
202116111	197 -a -00	IIIA	SO S2A D	24,00
202116111	197 -a -00	IIIA	SO S4	8,00
202116111	197 -a -00	IIIA	SO WB0 1	2,00
202116111	197 -a -00	IIIA	SO WB0 2	17,00
202116111	197 -a -00	IIIA	SO WB0 3	3,00
202116111	197 -a -00	IIIA	SO WCK 1	25,00
202116111	197 -a -00	IIIA	SO WCK 2	58,00
202116111	197 -a -00	IIIA	SO WCK 3	20,00
202116111	197 -a -00	IIIA	SO WDK 1	1,00
202116111	197 -a -00	IIIA	SO WDK 2	2,00
202116111	197 -a -00	IIIA	SO WDK 3	1,00
202116111	197 -a -00	IIIA	SW S2A D	3,00
202116111	197 -a -00	IIIA	SW S4	2,00
202116112	209 -a -00	IIIAU	BRZS2A D	2,00
202116112	209 -a -00	IIIAU	BRZS4	2,00
202116112	209 -a -00	IIIAU	DB S4	2,00
202116112	209 -a -00	IIIAU	PL S4	5,00
202116112	209 -a -00	IIIAU	SO S2A D	157,00
202116112	209 -a -00	IIIAU	SO S4	43,00
202116112	209 -a -00	IIIAU	SO WA0 2	57,00
202116112	209 -a -00	IIIAU	SO WA0 3	40,00
202116112	209 -a -00	IIIAU	SO WB0 1	10,00
202116112	209 -a -00	IIIAU	SO WB0 2	125,00
202116112	209 -a -00	IIIAU	SO WB0 3	70,00
202116112	209 -a -00	IIIAU	SO WC0 1	8,00
202116112	209 -a -00	IIIAU	SO WC0 2	68,00
202116112	209 -a -00	IIIAU	SO WC0 3	39,00
202116112	209 -a -00	IIIAU	SO WCK 1	129,00
202116112	209 -a -00	IIIAU	SO WCK 2	33,00

202116112	209 -a -00	IIIAU	SO WD 2	2,00
202116112	209 -a -00	IIIAU	SO WD 3	1,00
202116112	209 -a -00	IIIAU	SO WDK 1	4,00
202116112	209 -a -00	IIIAU	SO WDK 2	1,00
202116112	209 -a -00	IIIAU	SW S2A D	21,00
202116112	209 -a -00	IIIAU	SW S4	15,00
202116112	209 -a -00	IIIAU	SW WC0 1	3,00
202116112	209 -a -00	IIIAU	SW WC0 2	2,00
202116112	209 -a -00	IIIAU	SW WC0 3	1,00
202115658	- -	PR	SO S2A D	177,00
202115658	- -	PR	SO S4	10,00
202115658	- -	PR	SO WC0 1	20,00
202115658	- -	PR	SW S2A D	10,00
202115658	- -	PR	SW S4	10,00
202115663	53 -d -00	TPP	SO S2A D	36,00
202115663	53 -d -00	TPP	SO S2B D	36,00
202115663	53 -d -00	TPP	SO S4	5,00
202115669	83 -b -00	TPP	BRZS4	2,00
202115669	83 -b -00	TPP	SO S2A D	209,00
202115669	83 -b -00	TPP	SO S2B D	70,00
202115669	83 -b -00	TPP	SO S4	10,00
202115684	198 -c -00	TPP	BRZS4	5,00
202115684	198 -c -00	TPP	SO S2A D	151,00
202115684	198 -c -00	TPP	SO S2B D	101,00
202115684	198 -c -00	TPP	SO S4	10,00
202115684	198 -c -00	TPP	SW S4	5,00
202115689	204 -a -00	TPP	BRZS2A D	10,00
202115689	204 -a -00	TPP	BRZS4	6,00
202115689	204 -a -00	TPP	SO S2A D	252,00
202115689	204 -a -00	TPP	SO S2B D	252,00
202115689	204 -a -00	TPP	SO S4	20,00
202115739	221 -c -00	IIIAU	BRZS2A D	7,00
202115739	221 -c -00	IIIAU	BRZS4	5,00
202115739	221 -c -00	IIIAU	DB S2A D	12,00
202115739	221 -c -00	IIIAU	DB S4	8,00
202115739	221 -c -00	IIIAU	KL S2A D	5,00
202115739	221 -c -00	IIIAU	KL S4	7,00
202115739	221 -c -00	IIIAU	LP S4	1,00
202115739	221 -c -00	IIIAU	OS S4	3,00
202115739	221 -c -00	IIIAU	PL S4	1,00
202115739	221 -c -00	IIIAU	SO S2A D	27,00
202115739	221 -c -00	IIIAU	SO S4	14,00
202115739	221 -c -00	IIIAU	SO WB0 2	8,00
202115739	221 -c -00	IIIAU	SO WB0 3	4,00
202115739	221 -c -00	IIIAU	SO WCK 1	13,00
202115739	221 -c -00	IIIAU	SO WCK 2	35,00
202115739	221 -c -00	IIIAU	SO WCK 3	38,00
202115739	221 -c -00	IIIAU	SO WDK 1	1,00
202115739	221 -c -00	IIIAU	SO WDK 2	2,00
202115739	221 -c -00	IIIAU	SO WDK 3	2,00
202115739	221 -c -00	IIIAU	WZ S4	1,00
202115740	222 -f -00	IIIAU	BRZS2A D	6,00
202115740	222 -f -00	IIIAU	BRZS4	3,00
202115740	222 -f -00	IIIAU	DB S2A D	19,00



202115740	222 -f -00	IIIAU	DB S4	13,00
202115740	222 -f -00	IIIAU	KL S4	1,00
202115740	222 -f -00	IIIAU	OL S4	7,00
202115740	222 -f -00	IIIAU	OS S4	2,00
202115740	222 -f -00	IIIAU	PL S4	1,00
202115740	222 -f -00	IIIAU	SO S2A D	30,00
202115740	222 -f -00	IIIAU	SO S4	16,00
202115740	222 -f -00	IIIAU	SO WB0 2	1,00
202115740	222 -f -00	IIIAU	SO WB0 3	11,00
202115740	222 -f -00	IIIAU	SO WCK 1	17,00
202115740	222 -f -00	IIIAU	SO WCK 2	61,00
202115740	222 -f -00	IIIAU	SO WCK 3	62,00
202115740	222 -f -00	IIIAU	SO WDK 2	1,00
202115740	222 -f -00	IIIAU	SO WDK 3	1,00
202115742	235 -y -00	IIIAU	BK S4	1,00
202115742	235 -y -00	IIIAU	BRZS4	1,00
202115742	235 -y -00	IIIAU	DB S2A D	30,00
202115742	235 -y -00	IIIAU	DB S4	70,00
202115742	235 -y -00	IIIAU	DB WC0 1	4,00
202115742	235 -y -00	IIIAU	DB WC0 2	10,00
202115742	235 -y -00	IIIAU	DB WC0 3	8,00
202115742	235 -y -00	IIIAU	DB WD 1	5,00
202115742	235 -y -00	IIIAU	DB WD 2	12,00
202115742	235 -y -00	IIIAU	DB WD 3	10,00
202115742	235 -y -00	IIIAU	KL S4	2,00
202115742	235 -y -00	IIIAU	OS S4	5,00
202115742	235 -y -00	IIIAU	PL S4	2,00
202115742	235 -y -00	IIIAU	WZ S4	1,00
202115735	- -	PR	BRZS2A D	10,00
202115735	- -	PR	BRZS4	10,00
202115735	- -	PR	SO S2A D	20,00
202115735	- -	PR	SO S4	15,00
202115735	- -	PR	SO WCK 1	10,00
202115735	- -	PR	SO WCK 2	20,00
202115735	- -	PR	SO WCK 3	5,00
202115735	- -	PR	SO WDK 1	5,00
202115735	- -	PR	SO WDK 2	5,00
202115735	- -	PR	SO WDK 3	5,00
202115737	- -	PTP	BRZS4	5,00
202115737	- -	PTP	DB S4	10,00
202115737	- -	PTP	SO S2A D	10,00
202115737	- -	PTP	SO S4	10,00
202115738	- -	PTW	BRZS4	10,00
202115738	- -	PTW	SO S2A D	5,00
202115738	- -	PTW	SO S4	5,00
202115741	229 -o -00	TWP	BRZS4	6,00
202115741	229 -o -00	TWP	DB S2A D	6,00
202115741	229 -o -00	TWP	DB S4	4,00
202115741	229 -o -00	TWP	MD S4	2,00
202115741	229 -o -00	TWP	SO S2A D	9,00
202115741	229 -o -00	TWP	SW S2A D	6,00
202115743	237 -b -01	TWP	BRZS4	2,00
202115743	237 -b -01	TWP	OS S4	1,00
202115743	237 -b -01	TWP	SO S2A D	15,00

202115744	237 -b -99	TWP	OS S4	5,00
202115744	237 -b -99	TWP	SO S4	4,00

4 004,00



## PAKIET 03

## Zestawienie stopni trudności i współczynników utrudnień pozyskania drewna

Grupy gat.: 1: So, Md, Os, Tp, Lp, Wb; 2: Św, Jd, Dg; 3: pozostałe

Czynność	Grupa gat.	Sort.	Śred./dł.	St. trud. II	St. trud. III	St. trud. IV	Razem	
CWDN-D	1	W	do 24	392,00	31,00		423,00	
			pow. 24	877,00	226,00		1 103,00	
		S4	-	88,00	81,00		169,00	
		S2	dł. pow. 1,5	328,00	1 371,00		1 699,00	
	2	W	do 24	3,00			3,00	
			pow. 24	3,00			3,00	
		S4	-	29,00	5,00		34,00	
		S2	dł. pow. 1,5	36,00			36,00	
	3	S4	-	11,00	60,00		71,00	
		S2	dł. pow. 1,5	3,00	59,00		62,00	
	CWDPN	1	W	do 24		35,00		35,00
				pow. 24		35,00		35,00
S4			-		40,00	17,00	57,00	
S2			dł. pow. 1,5			29,00	29,00	
2		S4	-		10,00		10,00	
		S2	dł. pow. 1,5		10,00	6,00	16,00	
3		W	do 24			9,00	9,00	
			pow. 24			40,00	40,00	
		S4	-		102,00	22,00	124,00	
		S2	dł. pow. 1,5		40,00	6,00	46,00	
<b>Razem:</b>				1 770,00	2 154,00	80,00	4 004,00	

## PAKIET 03

## Zestawienie stref i odległości zrywki

Odl. zrywki w mb do:	Sposób zagosp.	Iglaste/ liściaste	Sort.	St. trud. I	St. trud. II	Razem		
100	zrębony	iglaste	W	553,00		553,00		
			S4	49,00		49,00		
			S2	159,00		159,00		
		liściaste	S4	1,00		1,00		
			bezzrębony	iglaste	W	722,00		722,00
					S4	70,00		70,00
	S2	220,00				220,00		
	liściaste	S4		20,00		20,00		
		S2		9,00		9,00		
		200		bezzrębony	iglaste	W	174,00	103,00
S4	86,00		18,00			104,00		
S2	1 055,00		42,00			1 097,00		
liściaste	W				49,00	49,00		
	S4		53,00		116,00	169,00		
	S2		35,00		54,00	89,00		
300	bezzrębony		iglaste		W	50,00		50,00
					S4	30,00		30,00
					S2	304,00		304,00
		liściaste	S4	22,00		22,00		
			S2	10,00		10,00		
			<b>Razem:</b>			3 622,00	382,00	4 004,00