

# CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

## CPU Mega List

Below is a list of all single socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

### Single CPU Systems *Last Updated: 9th of May 2022*

Columns

Show  entries

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen Threadripper PRO 5995WX</a>	64	108,822	3,330	280	sWRX8	Desktop
<a href="#">AMD EPYC 7763</a>	64	88,338	2,635	280	SP3	Server
<a href="#">AMD EPYC 7J13</a>	64	86,006	2,387	NA	Unknown	Server
<a href="#">AMD EPYC 7713</a>	64	85,861	2,727	225	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 3995WX</a>	64	83,541	2,622	280	sWRX8	Desktop
<a href="#">AMD Ryzen Threadripper 3990X</a>	64	81,568	2,569	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper PRO 5975WX</a>	32	80,842	3,340	280	sWRX8	Desktop
<a href="#">AMD EPYC 7B13</a>	60	77,460	2,564	NA	Unknown	Server
<a href="#">AMD EPYC 7643</a>	48	76,455	2,695	225	SP3	Server
<a href="#">AMD EPYC 7702</a>	64	71,646	2,097	200	SP3	Server
<a href="#">AMD EPYC 7662</a>	64	71,576	2,054	225	SP3	Server
<a href="#">AMD EPYC 7742</a>	64	68,749	2,145	225	SP3	Server

<a href="#">AMD EPYC 75F3</a>	32	68,505	2,775	280	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 5965WX</a>	24	68,405	3,346	280	sWRX8	Desktop
<a href="#">AMD EPYC 7642</a>	48	67,748	2,155	225	SP3	Server
<a href="#">AMD EPYC 7543P</a>	32	67,144	2,742	225	SP3	Server
<a href="#">AMD EPYC 7R32</a>	48	64,727	1,922	NA	Unknown	Server
<a href="#">AMD Ryzen Threadripper 3970X</a>	32	63,836	2,694	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper PRO 3975WX</a>	32	63,495	2,666	280	sWRX8	Desktop
<a href="#">Intel Xeon Platinum 8380 @ 2.30GHz</a>	40	62,317	2,385	270	FCLGA4189	Server
<a href="#">AMD EPYC 7702P</a>	64	61,689	2,110	200	SP3	Server
<a href="#">AMD EPYC 74F3</a>	24	60,948	2,975	240	SP3	Server
<a href="#">AMD EPYC 7513</a>	32	59,732	2,447	200	SP3	Server
<a href="#">AMD EPYC 7443P</a>	24	57,666	2,965	200	SP3	Server
<a href="#">AMD EPYC 7542</a>	32	56,728	2,207	225	SP3	Server
<a href="#">AMD EPYC 7543</a>	32	56,562	2,563	240	SP3	Server
<a href="#">AMD EPYC 7532</a>	32	55,358	2,137	200	SP3	Server
<a href="#">AMD Ryzen Threadripper 3960X</a>	24	54,757	2,678	280	sTRX4	Desktop
<a href="#">Intel Xeon Platinum 8358 @ 2.60GHz</a>	32	54,416	2,382	250	FCLGA4189	Server
<a href="#">AMD EPYC 7453</a>	28	53,511	2,580	225	SP3	Server
<a href="#">Intel Xeon Gold 6348 @ 2.60GHz</a>	28	53,112	2,455	235	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8375C @ 2.90GHz</a>	32	51,836	2,439	300	FCLGA4189	Server
<a href="#">AMD EPYC 7402</a>	24	51,368	2,081	180	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 5955WX</a>	16	51,227	3,345	280	sWRX8	Desktop
<a href="#">Intel Xeon Platinum 8347C @ 2.10GHz</a>	36	49,386	2,445	210	LGA4189	Server
<a href="#">AMD EPYC 7502</a>	32	49,177	1,843	180	SP3	Server
<a href="#">AMD EPYC 7502P</a>	32	48,995	1,894	180	SP3	Server
<a href="#">Intel Xeon Gold 6342 @ 2.80GHz</a>	24	48,330	2,453	230	FCLGA4189	Server
<a href="#">AMD EPYC 7413</a>	24	46,295	1,983	180	SP3	Server
<a href="#">AMD Ryzen 9 5950X</a>	16	46,197	3,498	105	AM4	Desktop
<a href="#">AMD EPYC 73F3</a>	16	46,085	2,878	240	SP3	Server
<a href="#">AMD EPYC 7343</a>	16	45,882	2,947	190	SP3	Server
<a href="#">AMD EPYC 7713P</a>	64	45,860	2,736	225	SP3	Server
<a href="#">Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	45,517	2,522	185	FCLGA4189	Server
<a href="#">Intel Core i9-12900KS</a>	8	44,399	4,333	150	LGA 1700	Desktop
<a href="#">Intel Xeon Gold 6312U @ 2.40GHz</a>	24	43,745	2,383	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6330 @ 2.00GHz</a>	28	43,056	2,034	205	FCLGA4189	Server
<a href="#">AMD EPYC 7601</a>	32	42,244	1,941	180	SP3	Server
<a href="#">AMD EPYC 7452</a>	32	41,871	1,689	155	SP3	Server
<a href="#">AMD EPYC 7402P</a>	24	41,741	1,970	180	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 5945WX</a>	12	41,578	3,347	280	sWRX8	Desktop
<a href="#">Intel Xeon Gold 6354 @ 3.00GHz</a>	18	41,434	2,406	205	FCLGA4189	Server
<a href="#">Apple M1 Ultra 20 Core</a>	16	41,353	3,897	60	Unknown	Desktop

<a href="#">Intel Core i9-12900KF</a>	8	41,170	4,213	241	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900K</a>	8	41,095	4,209	241	FCLGA1700	Desktop
<a href="#">AMD EPYC 7F52</a>	16	40,951	2,446	240	SP3	Server
<a href="#">AMD EPYC 7313P</a>	16	40,879	2,608	155	SP3	Server
<a href="#">Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24	40,794	2,386	NA	Unknown	Server
<a href="#">Intel Xeon W-3275M @ 2.50GHz</a>	28	40,767	2,725	205	FCLGA3647	Server
<a href="#">AMD EPYC 7313</a>	16	40,575	2,610	155	SP3	Server
<a href="#">AMD EPYC 7352</a>	24	40,472	1,995	155	SP3	Server
<a href="#">AMD Ryzen Threadripper PRO 3955WX</a>	16	40,225	2,696	280	sWRX8	Desktop
<a href="#">Intel Xeon W-3265M @ 2.70GHz</a>	24	39,618	2,698	205	FCLGA3647	Desktop, Server
<a href="#">AMD Ryzen 9 5900X</a>	12	39,446	3,494	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3950X</a>	16	39,155	2,738	105	AM4	Desktop
<a href="#">Intel Xeon W-3335 @ 3.40GHz</a>	16	38,944	2,556	250	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>	24	38,604	2,296	205	FCLGA3647	Server
<a href="#">Intel Core i9-12900</a>	8	38,251	4,161	65	FCLGA1700	Desktop
<a href="#">ARM Neoverse-N1 80 Core 3000 MHz</a>	80	38,122	1,329	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 80 Core 0 MHz</a>	80	37,809	1,311	NA	Unknown	Unknown
<a href="#">Intel Xeon Gold 6346 @ 3.10GHz</a>	16	37,606	2,455	205	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	37,575	2,011	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6238R @ 2.20GHz</a>	28	37,511	2,362	165	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4316 @ 2.30GHz</a>	20	37,264	2,380	150	FCLGA4189	Server
<a href="#">Intel Xeon W-3175X @ 3.10GHz</a>	28	37,167	2,148	255	FCLGA3647	Desktop
<a href="#">Intel Core i9-12900F</a>	8	35,726	4,045	65	FCLGA1700	Desktop
<a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>	20	35,352	2,426	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6326 @ 2.90GHz</a>	16	35,328	2,356	185	FCLGA4189	Server
<a href="#">Intel Core i9-12900T</a>	8	35,007	3,955	35	FCLGA1700	Desktop
<a href="#">AMD Ryzen 9 5900</a>	12	34,721	3,432	65	AM4	Desktop
<a href="#">Intel Core i7-12700K</a>	8	34,160	4,049	190	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700KF</a>	8	34,118	4,053	190	FCLGA1700	Desktop
<a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a>	24	33,970	2,315	165	LGA3647	Server
<a href="#">Intel Xeon D-2799 @ 2.40GHz</a>	20	33,792	2,404	129	FCBGA2579	Server
<a href="#">AMD Ryzen Threadripper PRO 3945WX</a>	12	33,417	2,708	280	sWRX8	Desktop
<a href="#">Intel Core i9-10980XE @ 3.00GHz</a>	18	33,408	2,667	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 5220R @ 2.20GHz</a>	24	33,370	2,399	150	FCLGA3647	Server
<a href="#">AMD EPYC 7302</a>	16	33,015	1,978	155	SP3	Server
<a href="#">AMD Ryzen 9 3900XT</a>	12	32,869	2,786	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3900X</a>	12	32,750	2,725	105	AM4	Desktop
<a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	32,616	2,138	205	FCLGA3647	Server
<a href="#">AMD EPYC 7302P</a>	16	32,480	1,878	155	SP3	Server
<a href="#">AMD Ryzen Threadripper 2990WX</a>	32	32,475	2,290	250	sTR4	Desktop
<a href="#">Intel Xeon Gold 6252 @ 2.10GHz</a>	24	32,410	2,143	150	FCLGA3647	Server

<a href="#">Intel Core i7-12700F</a>	8	32,323	3,984	65	FCLGA1700	Desktop
<a href="#">Intel Xeon Gold 6230R @ 2.10GHz</a>	26	32,223	2,020	150	FCLGA3647	Server
<a href="#">Intel Core i9-9980XE @ 3.00GHz</a>	18	31,905	2,566	165	FCLGA2066	Desktop
<a href="#">Intel Xeon W-2295 @ 3.00GHz</a>	18	31,680	2,696	165	FCLGA2066	Server
<a href="#">Intel Core i7-12700</a>	8	31,677	3,947	65	FCLGA1700	Desktop
<a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	31,500	1,863	210	LGA 3647	Server
<a href="#">AMD Ryzen 9 PRO 3900</a>	12	31,372	2,623	65	AM4	Desktop
<a href="#">AMD EPYC 7371</a>	16	31,094	2,377	NA	SP3	Server
<a href="#">AMD EPYC 7282</a>	16	30,977	1,889	120	SP3	Server
<a href="#">AMD Ryzen 9 3900</a>	12	30,661	2,627	65	AM4	Desktop
<a href="#">Intel Core i9-9960X @ 3.10GHz</a>	16	30,655	2,631	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	30,616	2,346	205	FCLGA3647	Server
<a href="#">AMD Ryzen Threadripper 2970WX</a>	24	30,433	2,358	250	sTR4	Desktop
<a href="#">AMD EPYC 7551P</a>	32	30,313	1,719	180	SP3	Server
<a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>	16	30,220	2,321	205	FCLGA3647	Server
<a href="#">Intel Core i9-12900HK</a>	6	30,213	3,946	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-9990XE @ 4.00GHz</a>	14	30,162	2,970	255	LGA2066	Desktop
<a href="#">Intel Xeon W-3265 @ 2.70GHz</a>	24	30,105	2,572	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>	24	30,103	2,167	205	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4314 @ 2.40GHz</a>	16	30,043	2,179	135	FCLGA4189	Server
<a href="#">AMD Ryzen Threadripper 2950X</a>	16	29,981	2,488	180	sTR4	Desktop
<a href="#">Intel Core i9-7980XE @ 2.60GHz</a>	18	29,842	2,474	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-12900H</a>	6	29,767	3,978	45	FCBGA1744	Laptop
<a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>	18	29,356	2,381	200	FCLGA3647	Server
<a href="#">Intel Xeon W-2191B @ 2.30GHz</a>	18	29,049	2,609	140	FCLGA2066	Server
<a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>	20	28,962	2,182	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a>	20	28,915	2,203	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>	18	28,848	2,264	200	FCLGA3647	Server
<a href="#">Intel Xeon W-3245 @ 3.20GHz</a>	16	28,798	2,377	205	FCLGA3647	Server
<a href="#">Intel Core i9-10940X @ 3.30GHz</a>	14	28,619	2,724	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 5317 @ 3.00GHz</a>	12	28,580	2,437	150	FCLGA4189	Server
<a href="#">Intel Core i9-9940X @ 3.30GHz</a>	14	28,410	2,641	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen 7 5800X</a>	8	28,348	3,484	105	AM4	Desktop
<a href="#">AMD EPYC 7401P</a>	24	28,271	1,689	155	SP3	Server
<a href="#">ARM Neoverse-N1 64 Core 0 MHz</a>	64	28,079	1,085	NA	Unknown	Unknown
<a href="#">AMD Ryzen Threadripper 1950X</a>	16	28,042	2,293	180	sTR4	Desktop
<a href="#">Intel Xeon W-2275 @ 3.30GHz</a>	14	27,904	2,790	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>	22	27,617	1,691	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>	24	27,470	2,013	165	FCLGA3647	Server
<a href="#">AMD EPYC 7571</a>	32	27,445	1,934	120	SP3	Server
<a href="#">Intel Core i5-12600K</a>	6	27,437	3,965	150	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700H</a>	6	27,408	3,768	45	FCBGA1744	Laptop
<a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	27,377	2,123	165	FCLGA3647	Server
<a href="#">Intel Xeon W-2195 @ 2.30GHz</a>	18	27,325	2,413	140	FCLGA2066	Server

<a href="#">Intel Core i5-12600KF</a>	6	27,271	3,973	150	FCLGA1700	Desktop
<a href="#">Intel Xeon Gold 6226R @ 2.90GHz</a>	16	27,211	2,290	150	FCLGA3647	Server
<a href="#">AMD Ryzen 7 5700X</a>	8	27,062	3,372	65	AM4	Desktop
<a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a>	16	26,901	2,247	150	FCLGA3647	Server
<a href="#">Intel Core i9-7960X @ 2.80GHz</a>	16	26,699	2,525	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10920X @ 3.50GHz</a>	12	26,693	2,764	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Platinum 8175M @ 2.50GHz</a>	24	26,659	1,903	NA	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>	20	26,657	2,285	125	FCLGA3647	Server
<a href="#">Intel Core i9-7940X @ 3.10GHz</a>	14	26,523	2,490	165	FCLGA2066	Desktop
<a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	26,485	1,984	150	FCLGA3647	Server
<a href="#">AMD Ryzen Threadripper 2990X</a>	32	26,469	2,285	250	TR4	Desktop
<a href="#">AMD EPYC 7272</a>	12	26,446	2,013	120	SP3	Server
<a href="#">Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	26,400	1,826	165	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>	16	26,288	2,196	150	FCLGA3647	Server
<a href="#">Intel Xeon W-1390P @ 3.50GHz</a>	8	26,031	3,619	125	FCLGA1200	Desktop, Server
<a href="#">AMD Ryzen 7 5800X3D</a>	8	26,016	2,907	105	AM4	Desktop
<a href="#">Intel Xeon W-2265 @ 3.50GHz</a>	12	25,984	2,810	165	FCLGA2066	Server
<a href="#">Intel Xeon W-3235 @ 3.30GHz</a>	12	25,974	2,622	180	FCLGA3647	Server
<a href="#">Intel Xeon W-3323 @ 3.50GHz</a>	12	25,875	2,617	220	FCLGA4189	Desktop, Server
<a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>	18	25,740	2,396	125	FCLGA3647	Server
<a href="#">AMD Ryzen 7 5800</a>	8	25,644	3,386	65	AM4	Desktop
<a href="#">Intel Core i9-11900K @ 3.50GHz</a>	8	25,542	3,519	125	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2698R v4 @ 2.20GHz</a>	20	25,532	2,225	NA	FCLGA2011-3	Server
<a href="#">AMD EPYC 7351P</a>	16	25,484	1,809	155	SP3	Server
<a href="#">Intel Core i9-11900KF @ 3.50GHz</a>	8	25,405	3,564	125	FCLGA1200	Desktop
<a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a>	26	25,396	1,455	NA	FCLGA3647	Server
<a href="#">Intel Core i9-9920X @ 3.50GHz</a>	12	25,291	2,621	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen Threadripper 2920X</a>	12	25,218	2,482	180	sTR4	Desktop
<a href="#">Intel Xeon W-1370P @ 3.60GHz</a>	8	25,202	3,494	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a>	20	25,191	2,200	125	FCLGA3647	Server
<a href="#">AMD Ryzen 7 PRO 5750G</a>	8	24,987	3,353	65	AM4	Desktop
<a href="#">AMD EPYC 7501</a>	32	24,925	1,925	155	SP3	Server
<a href="#">Intel Xeon Gold 6138T @ 2.00GHz</a>	20	24,800	2,050	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>	16	24,786	2,248	205	FCLGA3647	Server
<a href="#">Intel Core i7-11700K @ 3.60GHz</a>	8	24,745	3,430	125	FCLGA1200	Desktop
<a href="#">Intel Xeon W-2170B @ 2.50GHz</a>	14	24,745	2,578	NA	FCLGA-2066	Server
<a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	24,619	1,937	145	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 5700G</a>	8	24,552	3,282	65	AM4	Desktop
<a href="#">Intel Xeon Gold 6150 @ 2.70GHz</a>	18	24,489	2,190	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>	12	24,446	2,450	165	FCLGA3647	Server
<a href="#">AMD Ryzen 9 6900HS</a>	8	24,390	3,354	35	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 6850U</a>	8	24,352	3,442	28	FP7	Laptop
<a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>	20	24,234	2,290	150	FCLGA3647	Server
<a href="#">Intel Core i7-11700KF @ 3.60GHz</a>	8	24,133	3,420	125	FCLGA1200	Desktop

<a href="#">Intel Xeon W-1370 @ 2.90GHz</a>	8	23,908	3,538	80	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-11955M @ 2.60GHz</a>	8	23,859	3,375	45	FCBGA1787	Laptop, Server
<a href="#">AMD Ryzen 7 3800XT</a>	8	23,816	2,845	105	AM4	Desktop
<a href="#">Intel Core i9-11900F @ 2.50GHz</a>	8	23,773	3,526	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900K @ 3.70GHz</a>	10	23,757	3,167	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-11980HK @ 2.60GHz</a>	8	23,640	3,313	45	FCBGA1787	Laptop
<a href="#">Intel Xeon Silver 4310 @ 2.10GHz</a>	12	23,589	2,200	120	FCLGA4189	Server
<a href="#">AMD EPYC 7351</a>	16	23,566	1,821	155	SP3	Server
<a href="#">Intel Xeon E5-2696 v3 @ 2.30GHz</a>	18	23,556	2,209	145	LGA2011-v3	Server
<a href="#">AMD Ryzen 7 6800H</a>	8	23,518	3,309	45	FP7	Laptop
<a href="#">Intel Xeon W-1390 @ 2.80GHz</a>	8	23,515	3,358	80	FCLGA1200	Server
<a href="#">Intel Xeon E5-2679 v4 @ 2.50GHz</a>	20	23,512	1,951	200	FCLGA2011-3	Server
<a href="#">Intel Core i9-10900KF @ 3.70GHz</a>	10	23,508	3,141	125	FCLGA1200	Desktop
<a href="#">Intel Xeon E-2388G @ 3.20GHz</a>	8	23,501	3,323	95	FCLGA1200	Server
<a href="#">Intel Xeon Gold 6146 @ 3.20GHz</a>	12	23,432	2,493	165	FCLGA3647	Server
<a href="#">AMD Ryzen 9 5980HX</a>	8	23,425	3,333	45	FP6	Laptop
<a href="#">Intel Core i9-7920X @ 2.90GHz</a>	12	23,319	2,473	140	FCLGA2066	Desktop
<a href="#">AMD Ryzen 7 3800X</a>	8	23,274	2,735	105	AM4	Desktop
<a href="#">Intel Core i5-12500H</a>	4	23,256	3,637	45	FCBGA1744	Laptop
<a href="#">Intel Xeon W-2175 @ 2.50GHz</a>	14	23,215	2,481	140	FCLGA2066	Server
<a href="#">Intel Xeon E5-2696 v4 @ 2.20GHz</a>	22	23,207	2,248	145	FCLGA2011-3	Server
<a href="#">Intel Xeon Platinum 8176 @ 2.10GHz</a>	28	23,179	2,048	165	FCLGA3647	Server
<a href="#">AMD Ryzen 9 5900HX</a>	8	23,143	3,231	45	FP6	Laptop
<a href="#">Intel Core i5-1250P</a>	4	23,120	3,619	28	BGA1700	Laptop
<a href="#">Intel Core i9-11900 @ 2.50GHz</a>	8	23,117	3,443	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-10850K @ 3.60GHz</a>	10	23,049	3,091	125	FCLGA1200	Desktop
<a href="#">AMD EPYC 7F32</a>	8	23,026	2,423	180	SP3	Server
<a href="#">Intel Xeon W-1290P @ 3.70GHz</a>	10	22,997	3,204	125	FCLGA1200	Server
<a href="#">AMD Ryzen 7 6800HS</a>	8	22,963	3,296	35	FP7	Laptop
<a href="#">Intel Xeon Gold 6138 @ 2.00GHz</a>	20	22,851	2,220	125	FCLGA3647	Server
<a href="#">AMD Ryzen Threadripper 1920X</a>	12	22,831	2,302	180	sTR4	Desktop
<a href="#">AMD Ryzen 7 PRO 3700</a>	8	22,800	2,673	65	AM4	Desktop
<a href="#">Intel Core i7-12700T</a>	8	22,774	3,503	35	FCLGA1700	Desktop
<a href="#">Intel Core i9-11900KB @ 3.30GHz</a>	8	22,741	3,307	65	FCBGA1787	Desktop
<a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>	18	22,733	1,840	140	FCLGA3647	Server
<a href="#">AMD Ryzen 7 3700X</a>	8	22,716	2,680	65	AM4	Desktop
<a href="#">Intel Core i9-10900X @ 3.70GHz</a>	10	22,683	2,696	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen 7 5700GE</a>	8	22,566	3,371	35	AM4	Desktop
<a href="#">Apple M1 Max 10 Core 3200 MHz</a>	10	22,565	3,851	NA	Unknown	Desktop, Laptop
<a href="#">Intel Core i9-11950H @ 2.60GHz</a>	8	22,558	3,296	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-11700B @ 3.20GHz</a>	8	22,539	3,362	65	Unknown	Desktop
<a href="#">AMD Ryzen 7 PRO 5750GE</a>	8	22,315	3,320	35	AM4	Desktop
<a href="#">Apple M1 Pro 10 Core 3200 MHz</a>	10	22,313	3,843	NA	Unknown	Desktop, Laptop
<a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	22,298	2,051	NA	FCLGA3647	Server

<a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>	22	22,291	2,155	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>	12	22,266	2,224	150	FCLGA3647	Server
<a href="#">AMD Ryzen 9 5900HS</a>	8	22,205	3,201	35	FP6	Laptop
<a href="#">Intel Xeon Gold 6334 @ 3.60GHz</a>	8	22,160	2,592	165	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>	16	22,117	2,245	125	FCLGA3647	Server
<a href="#">AMD Ryzen 5 5600X</a>	6	22,085	3,377	65	AM4	Desktop
<a href="#">Intel Xeon W-1290E @ 3.50GHz</a>	10	22,066	2,914	95	FCLGA1200	Server
<a href="#">AMD Ryzen Threadripper 1920</a>	12	22,066	2,299	140	sTR4	Desktop
<a href="#">Intel Xeon W-2255 @ 3.70GHz</a>	10	22,042	2,727	165	FCLGA2066	Desktop, Server
<a href="#">AMD EPYC 7551</a>	32	22,005	1,736	180	SP3	Server
<a href="#">Intel Core i9-9900X @ 3.50GHz</a>	10	21,868	2,604	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10910 @ 3.60GHz</a>	10	21,826	3,146	125	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a>	16	21,803	1,698	125	FCLGA3647	Server
<a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	21,755	2,141	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	21,545	1,963	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2697A v4 @ 2.60GHz</a>	16	21,494	2,038	145	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 5800H</a>	8	21,463	3,082	45	FP6	Laptop
<a href="#">Intel Core i5-12600</a>	6	21,420	3,888	65	LGA 1700	Desktop
<a href="#">AMD Ryzen 5 5600</a>	6	21,419	3,214	65	AM4	Desktop
<a href="#">Intel Core i7-11700F @ 2.50GHz</a>	8	21,414	3,339	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 9 5980HS</a>	8	21,412	3,145	35	FP6	Laptop
<a href="#">Intel Core i7-11800H @ 2.30GHz</a>	8	21,363	3,135	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-11900H @ 2.50GHz</a>	8	21,361	3,200	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-7900X @ 3.30GHz</a>	10	21,310	2,594	140	FCLGA2066	Desktop
<a href="#">AMD EPYC 7281</a>	16	21,230	1,613	155	SP3	Server
<a href="#">Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	21,225	2,524	140	FCLGA4189	Server
<a href="#">Intel Xeon W-2155 @ 3.30GHz</a>	10	21,198	2,637	140	FCLGA2066	Server
<a href="#">Intel Core i7-11850H @ 2.50GHz</a>	8	21,075	3,217	45	FCBGA1787	Laptop
<a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>	14	21,042	2,180	140	FCLGA3647	Server
<a href="#">Intel Core i7-1270P</a>	4	21,030	3,796	28	BGA1700	Laptop
<a href="#">Intel Xeon Silver 4310T @ 2.30GHz</a>	10	20,973	2,288	105	FCLGA4189	Server
<a href="#">AMD Ryzen 9 5900H</a>	8	20,960	3,312	NA	AM4	Laptop
<a href="#">AMD Ryzen 7 5800HS Creator Edition</a>	8	20,948	3,101	NA	Unknown	Laptop
<a href="#">Intel Core i9-10900F @ 2.80GHz</a>	10	20,881	3,070	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 PRO 4700G</a>	8	20,848	2,700	65	AM4	Desktop
<a href="#">Intel Xeon E5-2697R v4 @ 2.30GHz</a>	18	20,843	2,007	145	FCLGA2011-3	Server
<a href="#">AMD EPYC 7262</a>	8	20,827	2,026	155	SP3	Server
<a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>	16	20,721	1,880	125	FCLGA3647	Server
<a href="#">AMD Ryzen 7 5800HS</a>	8	20,684	3,060	35	FP6	Laptop
<a href="#">Intel Core i9-10900E @ 2.80GHz</a>	10	20,658	2,969	65	FCLGA1200	Desktop, Mobile/Embedded
<a href="#">Intel Core i7-11700 @ 2.50GHz</a>	8	20,613	3,148	95	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 PRO 5650G</a>	6	20,578	3,228	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750G</a>	8	20,573	2,710	65	AM4	Desktop
<a href="#">Intel Xeon W-1290 @ 3.20GHz</a>	10	20,533	3,093	80	FCLGA1200	Server
<a href="#">AMD EPYC 7451</a>	24	20,471	1,975	180	SP3	Server



<a href="#">Intel Xeon W-2150B @ 3.00GHz</a>	10	20,457	2,711	NA	FCLGA2066	Server
<a href="#">Intel Core i9-10900 @ 2.80GHz</a>	10	20,440	3,058	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 4700GE</a>	8	20,416	2,726	35	AM4	Desktop
<a href="#">Intel Xeon Gold 6244 @ 3.60GHz</a>	8	20,402	2,752	150	FCLGA3647	Server
<a href="#">Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	20,373	1,948	120	FCLGA2011-3	Server
<a href="#">AMD Ryzen 7 PRO 5875U</a>	8	20,369	2,919	15	FP6	Laptop
<a href="#">Intel Core i5-12500</a>	6	20,310	3,760	65	LGA 1700	Desktop
<a href="#">Intel Core i9-11900T @ 1.50GHz</a>	8	20,225	3,419	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 4700G</a>	8	20,138	2,758	65	AM4	Desktop
<a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	20,138	1,916	145	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	20,094	1,971	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	20,079	1,622	145	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 5500</a>	6	19,972	3,091	65	AM4	Desktop
<a href="#">Intel Xeon W-1350P @ 4.00GHz</a>	6	19,935	3,512	65	FCLGA1200	Server
<a href="#">AMD Ryzen 5 5600G</a>	6	19,829	3,188	65	AM4	Desktop
<a href="#">Intel Core i5-12450H</a>	4	19,820	3,628	45	FCBGA1744	Laptop
<a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>	12	19,810	2,104	125	FCLGA3647	Server
<a href="#">Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	19,794	1,990	135	LGA2011-v3	Server
<a href="#">Intel Core i5-11600K @ 3.90GHz</a>	6	19,776	3,374	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600KF @ 3.90GHz</a>	6	19,751	3,359	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-12400F</a>	6	19,667	3,569	65	FCLGA1700	Desktop
<a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	19,551	1,868	120	FCLGA2011-3	Server
<a href="#">AMD EPYC 7252</a>	8	19,550	1,992	120	SP3	Server
<a href="#">Intel Core i5-12400</a>	6	19,538	3,531	65	LGA 1700	Desktop
<a href="#">Intel Core i9-9900KS @ 4.00GHz</a>	8	19,522	3,039	127	FCLGA1151-2	Desktop
<a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>	16	19,451	1,775	100	FCLGA3647	Server
<a href="#">Intel Xeon W-2245 @ 3.90GHz</a>	8	19,446	2,763	155	FCLGA2066	Server
<a href="#">AMD Ryzen 9 4900HS</a>	8	19,415	2,628	35	FP6	Laptop
<a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>	16	19,365	2,499	205	FCLGA-3647	Server
<a href="#">Intel Core i7-7900X @ 3.30GHz</a>	10	19,358	2,610	140	FCLGA2066	Desktop
<a href="#">AMD Ryzen 9 4900H</a>	8	19,339	2,733	45	FP6	Laptop
<a href="#">Intel Core i7-10700K @ 3.80GHz</a>	8	19,269	3,073	125	FCLGA1200	Desktop
<a href="#">Intel Xeon W-1270P @ 3.80GHz</a>	8	19,245	3,074	95	FCLGA1200	Server
<a href="#">Intel Xeon E5-2697 v3 @ 2.60GHz</a>	14	19,238	2,009	145	LGA2011-v3	Server
<a href="#">Intel Xeon Gold 6126 @ 2.60GHz</a>	12	19,223	2,019	125	FCLGA3647	Server
<a href="#">Intel Core i7-10700KF @ 3.80GHz</a>	8	19,142	3,056	125	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 4800H</a>	8	19,055	2,638	45	FP6	Laptop
<a href="#">Intel Core i7-12800H</a>	6	19,052	3,604	45	FCBGA1744	Laptop
<a href="#">Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	19,010	2,494	105	FCLGA4189	Server
<a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>	16	18,978	1,730	145	FCLGA2011-3	Server
<a href="#">Intel Core i5-1240P</a>	4	18,963	3,356	28	FCBGA1744	Laptop
<a href="#">Intel Xeon W-1350 @ 3.30GHz</a>	6	18,940	3,511	80	FCLGA1200	Server
<a href="#">AMD Ryzen 5 5600GE</a>	6	18,879	3,224	35	AM4	Desktop
<a href="#">AMD Ryzen 7 4800HS</a>	8	18,862	2,609	45	FP6	Laptop
<a href="#">Intel Xeon W-11855M @ 3.20GHz</a>	6	18,857	3,319	45	FCBGA1787	Laptop, Server
<a href="#">AMD Ryzen 7 5800U</a>	8	18,853	3,092	15	FP6	Laptop



<a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>	12	18,846	2,023	100	FCLGA3647	Server
<a href="#">Hygon C86 7255 16-core</a>	16	18,831	1,490	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 80 Core 2600</a>	80	18,823	1,127	NA	Unknown	Unknown

[CPU Benchmarks](#)
[Video Card Benchmarks](#)
[Hard Drive Benchmarks](#)
[RAM](#)
[PC Systems](#)
[Android](#)
[iOS](#)


<a href="#">Intel Xeon E-2356G @ 3.20GHz</a>	6	18,757	3,507	80	FCLGA1200	Server
<a href="#">AMD Ryzen 5 PRO 5650GE</a>	6	18,716	3,223	35	AM4	Desktop
<a href="#">Intel Core i9-9900K @ 3.60GHz</a>	8	18,714	2,960	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900KF @ 3.60GHz</a>	8	18,691	2,968	95	FCLGA1151-2	Desktop
<a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>	8	18,656	2,523	150	FCLGA3647	Server
<a href="#">AMD Ryzen 5 PRO 6650U</a>	6	18,649	3,277	28	FP7	Laptop
<a href="#">Intel Xeon W-1270E @ 3.40GHz</a>	8	18,635	2,990	80	FCLGA1200	Server, Mobile/Embedded
<a href="#">AMD Ryzen 7 PRO 4750GE</a>	8	18,571	2,709	35	AM4	Desktop
<a href="#">Intel Xeon Platinum P-8124 @ 3.00GHz</a>	18	18,416	2,007	240	FCLGA3647	Server
<a href="#">Intel Xeon W-1290T @ 1.90GHz</a>	10	18,409	2,974	35	FCLGA1200	Server
<a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>	16	18,385	1,728	100	FCBGA2518	Server
<a href="#">Intel Core i5-11600 @ 2.80GHz</a>	6	18,328	3,303	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-9820X @ 3.30GHz</a>	10	18,288	2,406	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen 5 3600X</a>	6	18,285	2,670	95	AM4	Desktop
<a href="#">Intel Xeon E-2378 @ 2.60GHz</a>	8	18,248	3,258	65	FCLGA1200	Server
<a href="#">Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	18,244	1,612	150	LGA2011-1	Server
<a href="#">Intel Xeon W-2145 @ 3.70GHz</a>	8	18,225	2,625	140	FCLGA2066	Server
<a href="#">AMD 4700S</a>	8	18,224	2,399	NA	Unknown	Desktop
<a href="#">Intel Core i7-9800X @ 3.80GHz</a>	8	18,212	2,588	165	FCLGA2066	Desktop
<a href="#">AMD Ryzen 7 Extreme Edition</a>	8	18,209	2,666	NA	FP6	Laptop
<a href="#">Intel Core i5-12600T</a>	6	18,202	3,805	35	FCLGA1700	Desktop
<a href="#">AMD Ryzen 7 5825U</a>	8	18,191	3,073	15	AM4	Laptop
<a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>	18	18,148	1,910	120	LGA2011-v3	Server
<a href="#">Intel Xeon W-1270 @ 3.40GHz</a>	8	18,093	3,060	80	FCLGA1200	Server
<a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>	16	18,070	1,425	110	FCBGA2518	Server
<a href="#">AMD Ryzen Embedded V2718</a>	8	17,972	2,439	15	FP6	Mobile/Embedded
<a href="#">AMD Ryzen 5 PRO 3600</a>	6	17,900	2,609	65	AM4	Desktop
<a href="#">Intel Core i9-10900TE @ 1.80GHz</a>	10	17,888	2,684	35	FCLGA1200	Mobile/Embedded
<a href="#">AMD Ryzen 5 3600</a>	6	17,821	2,576	65	AM4	Desktop
<a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a>	14	17,795	1,833	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	17,757	2,065	160	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	17,737	1,949	120	FCLGA2011-3	Server
<a href="#">Intel Core i5-12500T</a>	6	17,728	3,618	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-11500B @ 3.30GHz</a>	6	17,721	3,225	65	Unknown	Desktop
<a href="#">Intel Xeon E-2278G @ 3.40GHz</a>	8	17,706	2,951	80	FCLGA1151-2	Server
<a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>	14	17,686	1,847	105	FCLGA3647	Server
<a href="#">Intel Core i5-11500 @ 2.70GHz</a>	6	17,626	3,153	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 2700X</a>	8	17,578	2,436	105	AM4	Desktop
<a href="#">Intel Xeon W-2140B @ 3.20GHz</a>	8	17,576	2,579	NA	FCLGA2066	Server

<a href="#">AMD Ryzen 7 PRO 5850U</a>	8	17,561	3,058	15	FP6	Laptop
<a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a>	14	17,540	1,827	105	FCLGA3647	Server
<a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	17,533	1,909	135	FCLGA2011-3	Server
<a href="#">Apple M1 Pro 8 Core 3200 MHz</a>	8	17,481	3,806	NA	Unknown	Desktop, Laptop
<a href="#">Intel Xeon W-3223 @ 3.50GHz</a>	8	17,456	2,503	160	FCLGA3647	Server
<a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	17,430	1,474	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	17,388	1,633	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E-2288G @ 3.70GHz</a>	8	17,313	2,927	95	FCLGA1151-2	Server
<a href="#">Intel Core i7-7820X @ 3.60GHz</a>	8	17,285	2,538	140	FCLGA2066	Desktop
<a href="#">AMD Ryzen 7 PRO 2700X</a>	8	17,221	2,395	105	AM4	Desktop
<a href="#">Intel Core i5-11400F @ 2.60GHz</a>	6	17,219	3,023	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 5600H</a>	6	17,197	2,982	45	FP6	Laptop
<a href="#">Intel Core i7-6950X @ 3.00GHz</a>	10	17,142	2,334	140	LGA2011-v3	Desktop
<a href="#">Intel Core i5-11400 @ 2.60GHz</a>	6	17,129	3,048	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 7 4800U</a>	8	17,077	2,604	15	FP6	Laptop
<a href="#">Intel Core i7-10700E @ 2.90GHz</a>	8	17,020	2,845	65	FCLGA1200	Laptop, Mobile/Embedded
<a href="#">AMD EPYC 7232P</a>	8	17,017	1,549	120	SP3	Server
<a href="#">Intel Core i7-10700F @ 2.90GHz</a>	8	16,982	2,919	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen Threadripper 1900X</a>	8	16,955	2,343	180	sTR4	Desktop
<a href="#">Intel Core i7-10700 @ 2.90GHz</a>	8	16,945	2,923	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	16,936	2,343	165	FCLGA2011-3	Server
<a href="#">Intel Core i9-9900 @ 3.10GHz</a>	8	16,880	2,863	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	16,745	1,613	145	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 4500</a>	6	16,698	2,605	65	AM4	Desktop
<a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>	8	16,518	2,240	130	FCLGA3647	Server
<a href="#">Intel Core i5-11500H @ 2.90GHz</a>	6	16,458	3,148	45	FCBGA1787	Laptop
<a href="#">AMD Ryzen 5 PRO 4400G</a>	6	16,456	2,656	NA	Unknown	Desktop
<a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	16,444	1,903	135	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 4650G</a>	6	16,426	2,664	65	AM4	Desktop
<a href="#">Intel Core i7-11600H @ 2.90GHz</a>	6	16,403	3,185	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-10700TE @ 2.00GHz</a>	8	16,332	2,772	35	FCLGA1200	Laptop
<a href="#">AMD Ryzen 7 1800X</a>	8	16,308	2,187	95	AM4	Desktop
<a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>	12	16,287	1,746	105	FCLGA3647	Server
<a href="#">Intel Core i9-10980HK @ 2.40GHz</a>	8	16,275	2,869	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen Embedded V2748</a>	8	16,186	2,646	54	FP6	Mobile/Embedded
<a href="#">Intel Xeon E5-2695 v3 @ 2.30GHz</a>	14	16,113	1,757	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>	12	16,107	1,502	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 7 5700U</a>	8	16,103	2,619	15	FP6	Laptop
<a href="#">Intel Core i5-11400H @ 2.70GHz</a>	6	16,073	3,062	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-1260P</a>	4	16,020	3,067	28	BGA1700	Laptop
<a href="#">Intel Xeon W-10885M @ 2.40GHz</a>	8	16,013	2,768	45	FCBGA1440	Laptop, Server
<a href="#">AMD Ryzen 7 4850U Mobile</a>	8	15,920	2,653	15	FP6	Laptop
<a href="#">Intel Xeon E-2336 @ 2.90GHz</a>	6	15,900	3,353	65	FCLGA1200	Server
<a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>	14	15,816	1,531	105	Unknown	Server
<a href="#">Intel Xeon Silver 4214 @ 2.20GHz</a>	12	15,772	1,712	85	FCLGA3647	Server
<a href="#">AMD Ryzen 5 PRO 4650GE</a>	6	15,712	2,632	35	AM4	Desktop

<a href="#">Intel Core i9-10885H @ 2.40GHz</a>	8	15,679	2,810	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 4600GE</a>	6	15,656	2,605	35	AM4	Desktop
<a href="#">AMD Ryzen 7 2700</a>	8	15,653	2,197	65	AM4	Desktop
<a href="#">AMD Ryzen 5 4600G</a>	6	15,577	2,658	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 1700X</a>	8	15,530	2,231	95	AM4	Desktop
<a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	15,522	1,774	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 7 PRO 4750U</a>	8	15,510	2,561	15	FP6	Laptop
<a href="#">AMD Ryzen 7 1700X</a>	8	15,494	2,074	95	AM4	Desktop
<a href="#">Intel Xeon Gold 5217 @ 3.00GHz</a>	8	15,429	2,173	115	FCLGA3647	Server
<a href="#">Intel Core i7-10875H @ 2.30GHz</a>	8	15,422	2,779	45	FCBGA1440	Laptop
<a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>	10	15,420	1,866	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>	16	15,397	1,461	135	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 PRO 5650U</a>	6	15,373	2,965	15	FP6	Laptop
<a href="#">Intel Core i5-11260H @ 2.60GHz</a>	6	15,314	2,969	45	FCBGA1787	Laptop
<a href="#">AMD Ryzen 5 5600U</a>	6	15,276	2,926	15	FP6	Laptop
<a href="#">Intel Core i7-11700T @ 1.40GHz</a>	8	15,271	2,859	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600T @ 1.70GHz</a>	6	15,254	2,884	35	FCLGA1200	Desktop
<a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>	8	15,252	2,639	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2286M @ 2.40GHz</a>	8	15,249	2,778	45	FCBGA1440	Laptop
<a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>	12	15,248	1,790	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>	12	15,187	1,781	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4215R @ 3.20GHz</a>	8	15,147	2,349	130	FCLGA3647	Server
<a href="#">Intel Core i9-10900T @ 1.90GHz</a>	10	15,134	2,523	35	FCLGA1200	Desktop
<a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>	12	15,105	1,751	85	FCBGA2518	Server
<a href="#">Intel Core i9-10880H @ 2.30GHz</a>	8	15,064	2,805	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 7 PRO 2700</a>	8	15,059	2,145	65	AM4	Desktop
<a href="#">Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	15,038	1,897	105	FCLGA2011-3	Server
<a href="#">Intel Core i7-10870H @ 2.20GHz</a>	8	15,027	2,727	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 5625U</a>	6	15,014	3,035	15	FP6	Laptop
<a href="#">AMD EPYC 7301</a>	16	14,991	1,363	155	SP3	Server
<a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>	10	14,987	1,830	100	FCLGA3647	Server
<a href="#">Intel Core i3-12300</a>	4	14,955	3,673	60	LGA 1700	Desktop
<a href="#">AMD EPYC 7251</a>	8	14,935	1,671	120	SP3	Server
<a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>	12	14,931	1,709	85	FCLGA3647	Server
<a href="#">Intel Xeon W-1250P @ 4.10GHz</a>	6	14,924	2,985	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	14,917	1,037	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2658A v3 @ 2.20GHz</a>	12	14,879	1,688	105	FCLGA2011-3	Server
<a href="#">Intel Xeon D-1733NT @ 2.00GHz</a>	8	14,849	2,198	NA	Unknown	Unknown
<a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	14,829	1,571	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>	10	14,820	2,040	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	14,812	1,897	160	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 4400GE</a>	6	14,795	2,664	35	Unknown	Laptop
<a href="#">AMD Ryzen 5 4600HS</a>	6	14,735	2,468	35	FP6	Laptop
<a href="#">AMD Ryzen 5 4600H</a>	6	14,733	2,461	45	FP6	Laptop
<a href="#">Intel Core i9-9980HK @ 2.40GHz</a>	8	14,716	2,618	45	FCBGA1440	Laptop
<a href="#">Apple M1 8 Core 3200 MHz</a>	8	14,690	3,763	15.1	Unknown	Desktop, Laptop,

						Mobile/Embedded
<a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	14,674	1,717	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 7 2700E</a>	8	14,657	2,410	45	AM4	Desktop
<a href="#">AMD Ryzen 7 1700</a>	8	14,625	1,985	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 1700</a>	8	14,590	2,026	65	AM4	Desktop
<a href="#">Intel Core i5-10600KF @ 4.10GHz</a>	6	14,574	2,947	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-8086K @ 4.00GHz</a>	6	14,550	2,895	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700K @ 3.60GHz</a>	8	14,549	2,899	95	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	14,537	1,687	120	LGA2011-v3	Server
<a href="#">Intel Core i5-10600K @ 4.10GHz</a>	6	14,534	2,936	125	FCLGA1200	Desktop
<a href="#">Intel Core i3-12100</a>	4	14,503	3,549	60	LGA 1700	Desktop
<a href="#">Intel Core i7-9700KF @ 3.60GHz</a>	8	14,499	2,920	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-12100F</a>	4	14,486	3,532	58	FCLGA1700	Server
<a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>	8	14,439	2,060	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	14,434	1,583	105	FCLGA2011-3	Server
<a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>	8	14,405	1,967	105	Unknown	Server
<a href="#">Intel Xeon E-2286G @ 4.00GHz</a>	6	14,384	2,846	95	FCLGA1151-2	Server
<a href="#">Intel Xeon W-2235 @ 3.80GHz</a>	6	14,332	2,662	130	FCLGA2066	Server
<a href="#">Intel Xeon E-2236 @ 3.40GHz</a>	6	14,311	2,848	80	FCLGA1151-2	Server
<a href="#">Intel Core i7-6900K @ 3.20GHz</a>	8	14,300	2,353	140	FCLGA2011-3	Desktop
<a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>	10	14,285	1,858	85	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>	6	14,273	2,247	115	FCLGA3647	Server
<a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>	14	14,256	1,558	120	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 PRO 5675U</a>	6	14,253	2,783	15	FP6	Laptop
<a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	14,218	1,811	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	14,206	1,643	NA	LGA2011	Server
<a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>	8	14,120	2,348	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	14,112	1,723	110	LGA2011-v3	Server
<a href="#">Intel Xeon W-2135 @ 3.70GHz</a>	6	14,109	2,592	140	FCLGA2066	Server
<a href="#">Intel Xeon E-2374G @ 3.70GHz</a>	4	14,086	3,445	80	FCLGA1200	Server
<a href="#">AMD Ryzen 5 2600X</a>	6	14,053	2,406	95	AM4	Desktop
<a href="#">Intel Xeon E-2246G @ 3.60GHz</a>	6	14,050	2,825	80	FCLGA1151-2	Server
<a href="#">AMD Ryzen 3 PRO 5350G</a>	4	13,976	3,104	65	AM4	Desktop
<a href="#">Intel Core i9-9880H @ 2.30GHz</a>	8	13,976	2,555	45	FCBGA1440	Laptop
<a href="#">AMD EPYC 3251</a>	8	13,965	1,872	50	SP4r2	Server
<a href="#">Intel Core i9-9900T @ 2.10GHz</a>	8	13,947	2,505	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-10600 @ 3.30GHz</a>	6	13,923	2,912	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	13,917	1,695	120	LGA2011-v3	Server
<a href="#">Intel Xeon E-2186G @ 3.80GHz</a>	6	13,909	2,780	95	FCLGA1151-2	Server
<a href="#">Intel Core i7-8700K @ 3.70GHz</a>	6	13,850	2,764	95	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	13,846	2,158	135	FCLGA2011-3	Server
<a href="#">AMD Ryzen 3 5300GE</a>	4	13,843	3,104	35	AM4	Desktop
<a href="#">Intel Core i5-11500T @ 1.50GHz</a>	6	13,842	2,595	35	FCLGA1200	Desktop
<a href="#">Intel Xeon W-1250 @ 3.30GHz</a>	6	13,744	2,865	80	FCLGA1200	Server
<a href="#">AMD Ryzen 3 PRO 5350GE</a>	4	13,707	3,106	35	AM4	Desktop
<a href="#">AMD Ryzen 7 4700U</a>	8	13,646	2,553	15	FP6	Laptop

<a href="#">Intel Xeon E-2176G @ 3.70GHz</a>	6	13,643	2,749	80	FCLGA1151-2	Server
<a href="#">Intel Xeon W-1270TE @ 2.00GHz</a>	8	13,553	2,796	35	FCLGA1200	Server
<a href="#">Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	13,521	1,604	115	LGA 2011	Server
<a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	13,489	1,578	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	13,487	1,711	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	13,481	1,880	130	FCLGA2011	Server
<a href="#">Intel Core i7-9700F @ 3.00GHz</a>	8	13,465	2,796	65	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 5 4600U</a>	6	13,460	2,418	15	FP6	Laptop
<a href="#">Intel Core i7-9700 @ 3.00GHz</a>	8	13,385	2,781	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E-2276G @ 3.80GHz</a>	6	13,371	2,894	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2136 @ 3.30GHz</a>	6	13,356	2,711	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2146G @ 3.50GHz</a>	6	13,351	2,679	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>	8	13,340	2,193	140	FCLGA2011-3	Server
<a href="#">AMD Ryzen 5 3500X</a>	6	13,320	2,525	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2600</a>	6	13,250	2,263	65	AM4	Desktop
<a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>	8	13,214	2,127	140	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 2600</a>	6	13,196	2,250	65	AM4	Desktop
<a href="#">Intel Xeon E-2334 @ 3.40GHz</a>	4	13,189	3,244	65	FCLGA1200	Server
<a href="#">AMD Ryzen 5 5500U</a>	6	13,189	2,460	15	FP6	Laptop
<a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>	10	13,169	1,681	85	FCLGA3647	Server
<a href="#">AMD Ryzen 3 5300G</a>	4	13,139	3,055	65	AM4	Desktop
<a href="#">Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	13,133	1,791	105	LGA2011-v3	Server
<a href="#">Intel Core i7-10700T @ 2.00GHz</a>	8	13,108	2,661	35	FCLGA1200	Desktop
<a href="#">Intel Xeon D-2143IT @ 2.20GHz</a>	8	13,107	1,812	65	FCBGA2518	Server
<a href="#">Intel Core i5-11400T @ 1.30GHz</a>	6	13,078	2,549	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-10500 @ 3.10GHz</a>	6	13,048	2,784	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-8700 @ 3.20GHz</a>	6	13,048	2,662	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	12,969	2,030	135	FCLGA2011-3	Server
<a href="#">Intel Xeon W-10855M @ 2.80GHz</a>	6	12,955	2,776	45	FCBGA1440	Laptop, Server
<a href="#">AMD Ryzen 5 1600X</a>	6	12,945	2,183	95	AM4	Desktop
<a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	12,944	1,726	120	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 4650U</a>	6	12,873	2,461	15	FP6	Laptop
<a href="#">Intel Core i7-7800X @ 3.50GHz</a>	6	12,864	2,414	140	FCLGA2066	Desktop
<a href="#">AMD Ryzen 5 3500</a>	6	12,837	2,515	65	AM4	Desktop
<a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	12,816	2,013	75	FCLGA2011-3	Server
<a href="#">Intel Core i3-12100T</a>	4	12,767	3,412	35	FCLGA1700	Desktop
<a href="#">AMD Ryzen 3 3300X</a>	4	12,746	2,689	65	AM4	Desktop
<a href="#">Intel Core i3-1215U</a>	2	12,704	3,607	15	FCBGA1744	Laptop
<a href="#">Intel Core i7-5960X @ 3.00GHz</a>	8	12,692	1,976	140	LGA2011-v3	Desktop
<a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	12,530	1,789	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>	8	12,502	2,077	130	LGA 2011	Server
<a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	12,495	1,478	115	FCLGA2011	Server
<a href="#">Intel Xeon W-2133 @ 3.60GHz</a>	6	12,438	2,274	140	FCLGA2066	Server
<a href="#">Intel Core i5-10400F @ 2.90GHz</a>	6	12,437	2,572	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>	10	12,399	1,674	105	LGA2011-v3	Server
<a href="#">Intel Core i7-9700E @ 2.60GHz</a>	8	12,364	2,574	65	FCLGA1151-2	Desktop

<a href="#">Intel Xeon E5-1660 v3 @ 3.00GHz</a>	8	12,360	1,976	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	12,354	1,983	135	LGA2011-v3	Server
<a href="#">Intel Core i7-10750H @ 2.60GHz</a>	6	12,353	2,716	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-1265U</a>	2	12,334	3,422	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-10400 @ 2.90GHz</a>	6	12,321	2,587	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 1600</a>	6	12,314	2,074	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 5475U</a>	4	12,266	3,001	15	FP6	Laptop
<a href="#">Intel Core i7-8700B @ 3.20GHz</a>	6	12,247	2,752	65	FCBGA1440	Laptop
<a href="#">Intel Core i7-11375H @ 3.30GHz</a>	4	12,238	3,061	35	FCBGA1449	Laptop
<a href="#">Intel Core i5-10505 @ 3.20GHz</a>	6	12,221	2,874	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	12,183	2,015	130	LGA 2011	Server
<a href="#">Intel Xeon D-2141I @ 2.20GHz</a>	8	12,177	1,756	65	FCBGA2518	Server
<a href="#">Intel Core i7-10850H @ 2.70GHz</a>	6	12,124	2,740	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>	12	12,119	1,571	115	LGA 2011	Server
<a href="#">Intel Core i7-11370H @ 3.30GHz</a>	4	12,100	3,018	35	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	12,083	2,067	150	FCLGA2011	Server
<a href="#">AMD Ryzen 5 PRO 4500U</a>	6	12,049	2,486	15	FP6	Laptop
<a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a>	8	12,024	2,428	35	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>	16	11,960	1,209	NA	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	11,950	1,818	90	FCLGA2011-3	Server
<a href="#">Intel Core i5-1245U</a>	2	11,934	3,386	15	BGA1700	Mobile/Embedded
<a href="#">Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	11,931	1,629	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	11,919	1,959	110	LGA 2011	Server
<a href="#">AMD Ryzen 3 5400U</a>	4	11,839	2,893	15	FP6	Laptop
<a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	11,820	1,397	65	LGA2011-v3	Server
<a href="#">Intel Xeon E-2276M @ 2.80GHz</a>	6	11,818	2,648	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	11,777	2,040	120	LGA2011-v3	Server
<a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>	8	11,736	1,802	80	FCBGA2518	Server
<a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	11,718	1,658	115	FCLGA2011	Server
<a href="#">AMD Ryzen 3 3100</a>	4	11,660	2,427	65	AM4	Desktop
<a href="#">Intel Xeon D-1577 @ 1.30GHz</a>	16	11,645	1,319	45	FCBGA1667	Server
<a href="#">Intel Core i5-10500H @ 2.50GHz</a>	6	11,604	2,620	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a>	14	11,547	1,435	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>	6	11,534	2,406	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	11,523	1,366	135	FCLGA2011-3	Server
<a href="#">Intel Core i7-9850H @ 2.60GHz</a>	6	11,483	2,550	45	Unknown	Laptop
<a href="#">AMD Ryzen 3 PRO 5450U</a>	4	11,453	2,847	15	FP6	Laptop
<a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	11,436	1,385	65	FCLGA2011-3	Server
<a href="#">Intel Core i7-9750HF @ 2.60GHz</a>	6	11,391	2,539	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10600T @ 2.40GHz</a>	6	11,376	2,422	35	FCLGA1200	Desktop
<a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	11,373	1,774	85	FCLGA2011-3	Server
<a href="#">Intel Core i3-11100B @ 3.60GHz</a>	4	11,357	2,912	65	Unknown	Desktop
<a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	11,344	1,749	135	FCLGA2011-3	Server
<a href="#">AMD Ryzen 3 4300GE</a>	4	11,316	2,558	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 4200G</a>	4	11,315	2,564	65	FP6	Desktop
<a href="#">Intel Core i7-6850K @ 3.60GHz</a>	6	11,295	2,407	140	FCLGA2011-3	Desktop



<a href="#">ARM Neoverse-N1 16 Core 0 MHz</a>	16	11,281	1,272	NA	Unknown	Unknown
<a href="#">AMD Ryzen 3 PRO 4350GE</a>	4	11,270	2,567	35	AM4	Desktop
<a href="#">Intel Core i7-9750H @ 2.60GHz</a>	6	11,206	2,487	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	11,205	1,865	90	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	11,152	2,249	135	FCLGA2011-3	Server
<a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>	8	11,137	1,821	85	FCLGA3647	Server
<a href="#">Intel Core i5-1235U</a>	2	11,119	3,335	15	BGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Xeon E-2226G @ 3.40GHz</a>	6	11,119	2,853	80	FCLGA1151-2	Server
<a href="#">Intel Core i7-1185G7E @ 2.80GHz</a>	4	11,114	3,017	15	FCBGA1449	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 5 4500U</a>	6	11,098	2,454	15	FP6	Laptop
<a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	11,079	1,433	75	FCLGA2011-3	Server
<a href="#">Intel Core i5-11300H @ 3.10GHz</a>	4	11,029	2,834	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-1195G7 @ 2.90GHz</a>	4	10,992	3,085	28	FCBGA1449	Laptop
<a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>	4	10,955	2,897	15	BGA1526	Laptop
<a href="#">Intel Xeon E-2176M @ 2.70GHz</a>	6	10,946	2,454	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 PRO 4200GE</a>	4	10,930	2,540	35	Unknown	Laptop
<a href="#">Intel Core i7-11390H @ 3.40GHz</a>	4	10,915	3,056	35	FCBGA1449	Laptop
<a href="#">Intel Xeon E-2186M @ 2.90GHz</a>	6	10,904	2,481	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	10,902	1,503	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	10,864	1,743	55	FCLGA2011-3	Server
<a href="#">Intel Xeon W-2225 @ 4.10GHz</a>	4	10,844	2,667	105	FCLGA2066	Server
<a href="#">Apple A12X Bionic</a>	8	10,842	2,606	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>	12	10,838	1,384	105	FCLGA2011-3	Server
<a href="#">Intel Core i5-9600KF @ 3.70GHz</a>	6	10,833	2,786	95	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 3 PRO 4350G</a>	4	10,833	2,540	65	AM4	Desktop
<a href="#">Intel Core i7-9700TE @ 1.80GHz</a>	8	10,826	2,309	35	FCLGA1151-2	Desktop, Laptop
<a href="#">Intel Core i9-8950HK @ 2.90GHz</a>	6	10,803	2,489	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9600K @ 3.70GHz</a>	6	10,792	2,772	95	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 3 4300G</a>	4	10,792	2,548	65	AM4	Desktop
<a href="#">Intel Xeon E-2126G @ 3.30GHz</a>	6	10,747	2,652	80	FCLGA1151-2	Server
<a href="#">Intel Core i7-9700T @ 2.00GHz</a>	8	10,736	2,445	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-11320H @ 3.20GHz</a>	4	10,732	2,951	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-6800K @ 3.40GHz</a>	6	10,658	2,270	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>	4	10,580	2,874	15	BGA1526	Laptop
<a href="#">Intel Core i5-1155G7 @ 2.50GHz</a>	4	10,561	3,014	28	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10	10,525	1,486	105	FCLGA2011-3	Server
<a href="#">Intel Xeon D-1581 @ 1.80GHz</a>	16	10,476	1,466	65	FCBGA1667	Server
<a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a>	8	10,464	1,872	75	LGA2011-v3	Server
<a href="#">Intel Core i5-1145G7E @ 2.60GHz</a>	4	10,454	2,691	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i7-8700T @ 2.40GHz</a>	6	10,439	2,366	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>	4	10,412	2,821	28	FCBGA1449	Laptop
<a href="#">AMD Ryzen 5 PRO 1600</a>	6	10,401	1,685	65	AM4	Desktop
<a href="#">Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	10,392	1,771	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	10,391	2,071	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	10,382	1,498	95	LGA 2011	Server
<a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>	6	10,375	2,116	140	LGA2011-v3	Server



<a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>	12	10,372	1,514	105	FCLGA2011-3	Server
<a href="#">Intel Core i5-9600 @ 3.10GHz</a>	6	10,369	2,751	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-10500T @ 2.30GHz</a>	6	10,367	2,342	35	FCLGA1200	Desktop
<a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>	8	10,348	1,445	70	FCLGA3647	Server
<a href="#">Intel Core i7-8850H @ 2.60GHz</a>	6	10,333	2,399	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9500F @ 3.00GHz</a>	6	10,330	2,676	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-1160G7 @ 1.20GHz</a>	4	10,316	2,827	NA	FCBGA1598	Laptop
<a href="#">Intel Core i3-10325 @ 3.90GHz</a>	4	10,308	2,890	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-5930K @ 3.50GHz</a>	6	10,304	2,063	140	LGA2011-v3	Desktop
<a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>	4	10,279	2,612	15	FCBGA1598	Server
<a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	10,274	1,442	95	LGA 2011	Server
<a href="#">AMD EPYC 3201</a>	8	10,258	1,928	30	SP4r2	Server
<a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>	8	10,246	1,613	85	FCLGA3647	Server
<a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>	6	10,223	2,073	130	LGA 2011	Server
<a href="#">Intel Core i5-8600K @ 3.60GHz</a>	6	10,200	2,609	95	FCLGA1151-2	Desktop
<a href="#">Intel Xeon D-1541 @ 2.10GHz</a>	8	10,170	1,702	45	FCBGA1667	Server
<a href="#">AMD Ryzen 3 PRO 4450U</a>	4	10,129	2,364	15	FP6	Laptop
<a href="#">Intel Core i3-10320 @ 3.80GHz</a>	4	10,115	2,848	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>	4	10,098	2,727	15	BGA1526	Laptop
<a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a>	4	10,093	2,484	28	FCBGA1344	Laptop
<a href="#">Intel Core i7-10710U @ 1.10GHz</a>	6	10,086	2,457	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8750H @ 2.20GHz</a>	6	10,084	2,330	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10400T @ 2.00GHz</a>	6	10,052	2,168	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 3 5300U</a>	4	10,048	2,402	15	FP6	Laptop
<a href="#">Intel Xeon W-2125 @ 4.00GHz</a>	4	10,039	2,599	120	FCLGA2066	Server
<a href="#">Intel Xeon D-1540 @ 2.00GHz</a>	8	10,028	1,602	45	FCBGA1667	Server
<a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	9,995	1,675	95	FCLGA2011	Server
<a href="#">Intel Core i5-10500TE @ 2.30GHz</a>	6	9,960	2,145	35	FCLGA1200	Laptop, Mobile/Embedded
<a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a>	10	9,949	1,483	75	LGA2011-v3	Server
<a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>	4	9,926	2,511	28	FCBGA1449	Laptop
<a href="#">Intel Core i7-4960X @ 3.60GHz</a>	6	9,906	2,078	130	LGA2011	Desktop
<a href="#">Intel Xeon E-2234 @ 3.60GHz</a>	4	9,903	2,871	71	FCLGA1151-2	Server
<a href="#">Intel Core i7-7740X @ 4.30GHz</a>	4	9,864	2,805	112	FCLGA2066	Desktop
<a href="#">Intel Core i5-8600 @ 3.10GHz</a>	6	9,849	2,582	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a>	12	9,847	1,292	75	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>	8	9,841	1,659	135	LGA2011	Server
<a href="#">Intel Xeon E-2244G @ 3.80GHz</a>	4	9,826	2,807	71	FCLGA1151-2	Server
<a href="#">Intel Core i7-5820K @ 3.30GHz</a>	6	9,816	2,010	140	LGA2011-v3	Desktop
<a href="#">Intel Xeon E5-2687W @ 3.10GHz</a>	8	9,790	1,688	150	LGA2011	Server
<a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>	8	9,770	1,571	115	LGA 2011	Server
<a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>	4	9,756	2,549	15	BGA 1449	Laptop
<a href="#">Intel Core i5-9500 @ 3.00GHz</a>	6	9,706	2,579	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-10305 @ 3.80GHz</a>	4	9,689	2,834	65	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 3350GE</a>	4	9,684	2,342	35	Unknown	Desktop
<a href="#">Intel Xeon E-2274G @ 4.00GHz</a>	4	9,660	2,758	83	FCLGA1151-2	Server
<a href="#">Intel Core i7-7700K @ 4.20GHz</a>	4	9,658	2,730	95	LGA 1151	Desktop

<a href="#">AMD Ryzen 5 PRO 3350GE</a>	4	9,643	2,340	35	Unknown	Desktop
<a href="#">AMD Ryzen 3 5425U</a>	4	9,641	2,788	15	FP6	Laptop
<a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a>	4	9,626	2,323	28	FCBGA1344	Laptop
<a href="#">Intel Xeon E-2174G @ 3.80GHz</a>	4	9,596	2,650	71	FCLGA1151-2	Server
<a href="#">Intel Core i5-8500 @ 3.00GHz</a>	6	9,580	2,485	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9400F @ 2.90GHz</a>	6	9,539	2,470	65	FCLGA1151-2	Desktop, Laptop
<a href="#">AMD Ryzen 5 PRO 3350G</a>	4	9,498	2,328	65	AM4	Desktop
<a href="#">Intel Core i5-9400 @ 2.90GHz</a>	6	9,478	2,479	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>	4	9,428	2,372	105	FCLGA3647	Server
<a href="#">Intel Core i5-8500B @ 3.00GHz</a>	6	9,406	2,574	65	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 PRO 1500</a>	4	9,402	2,158	65	AM4	Desktop
<a href="#">AMD Ryzen 5 2500X</a>	4	9,384	2,319	65	AM4	Desktop
<a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>	6	9,377	1,817	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>	8	9,362	1,561	130	LGA2011	Server
<a href="#">Intel Core i7-4930K @ 3.40GHz</a>	6	9,360	1,963	130	LGA2011	Desktop
<a href="#">AMD Ryzen 5 3400G</a>	4	9,331	2,360	65	AM4	Desktop
<a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>	6	9,323	2,026	130	FCLGA2011	Server
<a href="#">Intel Xeon E-2144G @ 3.60GHz</a>	4	9,322	2,679	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	9,320	1,786	130	FCLGA2011	Server
<a href="#">AMD Ryzen 5 PRO 3400G</a>	4	9,307	2,330	65	AM4	Desktop
<a href="#">Intel Core i3-10300 @ 3.70GHz</a>	4	9,284	2,677	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>	4	9,276	2,692	79	FCLGA1151	Server
<a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>	8	9,262	1,558	85	FCLGA3647	Server
<a href="#">Intel Xeon D-1567 @ 2.10GHz</a>	12	9,236	988	65	FCBGA1667	Server
<a href="#">Intel Core i5-8400 @ 2.80GHz</a>	6	9,224	2,404	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon D-1587 @ 1.70GHz</a>	16	9,223	835	65	FCBGA1667	Server
<a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>	4	9,220	2,577	73	FCLGA1151	Server
<a href="#">Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	9,216	1,118	NA	LGA 2011	Server
<a href="#">Intel Core i5-9500TE @ 2.20GHz</a>	6	9,212	2,296	35	FCLGA1151-2	Laptop
<a href="#">Intel Xeon E3-1280 v6 @ 3.90GHz</a>	4	9,166	2,561	72	FCLGA1151	Server
<a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	9,152	1,610	85	FCLGA2011-3	Server
<a href="#">Intel Core i7-1185GRE @ 2.80GHz</a>	4	9,142	2,793	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>	8	9,139	1,426	85	LGA2011-v3	Server
<a href="#">Intel Core i3-10105F @ 3.70GHz</a>	4	9,137	2,676	NA	FCLGA1200	Desktop
<a href="#">Intel Core i7-9850HL @ 1.90GHz</a>	6	9,112	2,139	25	FCBGA1440	Desktop, Laptop
<a href="#">Intel Xeon D-1715TER @ 2.40GHz</a>	4	9,104	2,269	50	FCBGA2227	Server
<a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	9,083	1,895	130	FCLGA2011	Server
<a href="#">AMD Ryzen 5 1500X</a>	4	9,080	2,109	65	AM4	Desktop
<a href="#">Intel Xeon D-1548 @ 2.00GHz</a>	8	9,075	1,647	45	FCBGA1667	Server
<a href="#">AMD Ryzen 5 3350G</a>	4	9,067	2,281	65	AM4	Desktop
<a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>	12	9,061	1,317	105	FCLGA2011-3	Server
<a href="#">ARM Neoverse-N1 12 Core 0 MHz</a>	12	9,031	1,309	NA	Unknown	Unknown
<a href="#">AMD Ryzen 5 3400GE</a>	4	8,985	2,324	35	AM4	Desktop
<a href="#">Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	8,978	1,532	55	LGA2011-v3	Server
<a href="#">Intel Core i7-6700K @ 4.00GHz</a>	4	8,972	2,521	95	LGA1151	Desktop
<a href="#">Intel Core i3-10105 @ 3.70GHz</a>	4	8,909	2,718	65	FCLGA1200	Desktop

<a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>	8	8,907	1,479	115	LGA2011	Server
<a href="#">Intel Core i5-10400H @ 2.60GHz</a>	4	8,895	2,741	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-3170K @ 3.20GHz</a>	4	8,882	2,510	NA	Unknown	Unknown
<a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>	4	8,862	2,462	72	FCLGA1151	Server
<a href="#">Intel Core i3-10100F @ 3.60GHz</a>	4	8,857	2,604	65	FCLGA1200	Desktop
<a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>	4	8,853	2,456	72	FCLGA1151	Server
<a href="#">Intel Core i3-10100 @ 3.60GHz</a>	4	8,798	2,637	65	FCLGA1200	Desktop
<a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>	4	8,771	2,120	105	FCLGA3647	Server
<a href="#">Intel Core i7-8809G @ 3.10GHz</a>	4	8,759	2,458	100	BGA2270	Laptop
<a href="#">Intel Core i7-8559U @ 2.70GHz</a>	4	8,743	2,575	28	FCBGA1528	Laptop
<a href="#">Intel Xeon E-2134 @ 3.50GHz</a>	4	8,741	2,569	71	FCLGA1151-2	Server
<a href="#">AMD Ryzen 5 2400G</a>	4	8,727	2,159	65	AM4	Desktop
<a href="#">Intel Xeon W-2223 @ 3.60GHz</a>	4	8,689	2,258	120	FCLGA2066	Server
<a href="#">Intel Core i5-10300H @ 2.50GHz</a>	4	8,686	2,616	45	FCBGA1440	Desktop, Laptop
<a href="#">ARM X-Gene 32 Core 3300 MHz</a>	32	8,684	583	NA	Unknown	Unknown
<a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>	4	8,659	2,441	73	FCLGA1151	Server
<a href="#">Intel Core i7-1065G7 @ 1.30GHz</a>	4	8,655	2,399	15	FCBGA-1526	Laptop
<a href="#">Intel Core i7-7700 @ 3.60GHz</a>	4	8,639	2,472	65	LGA1151	Desktop
<a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>	8	8,630	1,476	130	LGA2011	Server
<a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	8,611	1,350	70	FCLGA2011	Server
<a href="#">Intel Core i7-3960X @ 3.30GHz</a>	6	8,596	1,816	130	LGA2011	Desktop
<a href="#">Apple A14 Bionic</a>	6	8,540	3,413	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-8569U @ 2.80GHz</a>	4	8,523	2,773	28	FCBGA1528	Laptop
<a href="#">AMD Ryzen Embedded V1807B</a>	4	8,488	2,190	45	FP5	Laptop, Mobile/Embedded
<a href="#">Intel Xeon W-2123 @ 3.60GHz</a>	4	8,486	2,219	120	FCLGA2066	Server
<a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>	8	8,472	1,393	115	LGA 2011	Server
<a href="#">Intel Xeon E5-2628 v3 @ 2.50GHz</a>	8	8,447	1,754	85	LGA2011-v3	Server
<a href="#">Intel Xeon E-2314 @ 2.80GHz</a>	4	8,422	3,089	65	FCLGA1200	Server
<a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>	4	8,421	2,327	80	FCLGA1151	Server
<a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>	6	8,417	1,790	130	LGA2011	Server
<a href="#">Intel Core i5-10200H @ 2.40GHz</a>	4	8,414	2,481	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>	8	8,411	1,399	115	LGA2011	Server
<a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>	4	8,408	2,402	65	FCBGA1440	Server
<a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>	4	8,408	2,352	72	FCLGA1151	Server
<a href="#">Intel Core i5-9600T @ 2.30GHz</a>	6	8,393	2,175	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8706G @ 3.10GHz</a>	4	8,388	2,543	65	BGA2270	Laptop
<a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>	4	8,388	2,299	15	FCBGA1526	Laptop
<a href="#">AMD Ryzen 5 PRO 2400G</a>	4	8,378	2,132	65	AM4	Desktop
<a href="#">Intel Core i7-3970X @ 3.50GHz</a>	6	8,373	1,832	150	LGA2011	Desktop
<a href="#">Intel Core i7-10810U @ 1.10GHz</a>	6	8,353	2,322	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>	4	8,320	2,343	80	FCLGA1151	Server
<a href="#">AMD Opteron 6386 SE</a>	16	8,320	1,340	140	Socket G34	Server
<a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>	4	8,317	2,279	80	FCLGA1151	Server
<a href="#">AMD Ryzen 7 3750H</a>	4	8,279	2,106	35	FP5	Laptop
<a href="#">AMD Ryzen 5 PRO 3400GE</a>	4	8,269	2,266	35	AM4	Desktop
<a href="#">Intel Core i5-9400H @ 2.50GHz</a>	4	8,261	2,501	45	FCBGA1440	Laptop

<a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>	4	8,260	2,323	80	FCLGA1151	Server
<a href="#">Intel Core i5-9500T @ 2.20GHz</a>	6	8,256	2,200	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>	4	8,251	2,277	15	FCBGA1526	Laptop
<a href="#">Intel Core i7-3930K @ 3.20GHz</a>	6	8,248	1,762	130	LGA2011	Desktop
<a href="#">Intel Xeon E5-2470 @ 2.30GHz</a>	8	8,240	1,443	95	LGA 1356	Server
<a href="#">Intel Core i3-10100E @ 3.20GHz</a>	4	8,229	2,297	65	FCLGA1200	Desktop, Mobile/Embedded
<a href="#">Intel Core i5-8600T @ 2.30GHz</a>	6	8,227	2,180	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8557U @ 1.70GHz</a>	4	8,225	2,571	15	FCBGA1528	Laptop
<a href="#">AMD Ryzen Embedded V1756B</a>	4	8,215	2,143	45	FP5	Desktop, Mobile/Embedded
<a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a>	4	8,184	2,386	35	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E-2276ME @ 2.80GHz</a>	6	8,167	1,604	45	FCBGA1440	Server, Mobile/Embedded
<a href="#">ARM Apple M1 Pro (Virtual) 3 Core 0 MHz</a>	3	8,165	3,843	NA	Unknown	Unknown
<a href="#">Intel Core i3-10305T @ 3.00GHz</a>	4	8,136	2,456	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 2400GE</a>	4	8,134	2,180	35	AM4	Desktop
<a href="#">Intel Core i5-8259U @ 2.30GHz</a>	4	8,128	2,246	28	FCBGA1528	Laptop
<a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>	6	8,115	1,746	130	LGA2011	Server
<a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>	8	8,104	1,395	95	LGA2011	Server
<a href="#">Intel Core i7-6700 @ 3.40GHz</a>	4	8,077	2,300	65	LGA 1151	Desktop
<a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>	4	8,073	2,284	80	FCLGA1151	Server
<a href="#">Intel Core i7-4790K @ 4.00GHz</a>	4	8,060	2,467	88	LGA1150	Desktop
<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	4	8,055	2,561	28	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-8400H @ 2.50GHz</a>	4	8,037	2,466	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a>	4	8,030	2,341	65	LGA1150	Server
<a href="#">AMD Opteron 6348</a>	6	8,030	1,302	115	Unknown	Server
<a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a>	4	8,021	2,179	45	FCBGA1440	Server
<a href="#">Intel Core i5-8279U @ 2.40GHz</a>	4	8,004	2,448	28	FCBGA1528	Laptop
<a href="#">Intel Core i3-10300T @ 3.00GHz</a>	4	7,997	2,350	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 3550H</a>	4	7,993	2,078	35	FP5	Laptop
<a href="#">Intel Core i7-8709G @ 3.10GHz</a>	4	7,990	2,291	100	BGA2270	Laptop
<a href="#">Intel Core i7-8705G @ 3.10GHz</a>	4	7,947	2,288	65	BGA2270	Laptop
<a href="#">Intel Xeon E3-1515M v5 @ 2.80GHz</a>	4	7,938	2,148	45	FCBGA1440	Server
<a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a>	4	7,930	2,131	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	7,906	1,693	85	LGA2011-v3	Server
<a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>	4	7,880	2,122	80	FCLGA1151	Server
<a href="#">Intel Core i5-8260U @ 1.60GHz</a>	4	7,854	2,313	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-10105T @ 3.00GHz</a>	4	7,850	2,350	35	FCLGA1200	Desktop
<a href="#">AMD Ryzen 5 3580U</a>	4	7,846	2,125	15	FP5	Laptop
<a href="#">AMD Ryzen 5 2600H</a>	4	7,836	2,136	45	FP5	Laptop
<a href="#">Intel Core i5-9400T @ 1.80GHz</a>	6	7,819	2,057	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-5775C @ 3.30GHz</a>	4	7,801	2,318	65	FCLGA1150	Desktop
<a href="#">AMD Ryzen 5 1400</a>	4	7,790	1,905	65	AM4	Desktop
<a href="#">Intel Core i5-9300H @ 2.40GHz</a>	4	7,788	2,347	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1260L v5 @ 2.90GHz</a>	4	7,757	2,287	45	FCLGA1151	Server
<a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	7,741	1,275	95	LGA 2011	Server

<a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>	4	7,731	1,750	60	FCBGA2518	Server
<a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>	4	7,729	2,307	15	FCBGA1526	Laptop
<a href="#">AMD Ryzen 3 PRO 1300</a>	4	7,717	2,229	65	AM4	Desktop
<a href="#">Intel Core i7-5775R @ 3.30GHz</a>	4	7,714	2,318	65	LGA1150	Desktop
<a href="#">AMD Athlon Gold PRO 3150G</a>	4	7,702	2,321	65	AM4	Desktop
<a href="#">Intel Core i5-8500T @ 2.10GHz</a>	6	7,699	2,045	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-5950HQ @ 2.90GHz</a>	4	7,696	2,288	47	FCBGA1364	Laptop
<a href="#">Intel Core i3-9350K @ 4.00GHz</a>	4	7,694	2,823	91	FCLGA1151	Desktop
<a href="#">Intel Core i5-8257U @ 1.40GHz</a>	4	7,682	2,315	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-7820HK @ 2.90GHz</a>	4	7,682	2,179	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 5 3550U</a>	4	7,681	2,053	15	Unknown	Unknown
<a href="#">Intel Core i5-9300HF @ 2.40GHz</a>	4	7,678	2,360	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a>	4	7,662	2,378	45	LGA1150	Server
<a href="#">AMD Ryzen 7 2800H</a>	4	7,656	2,164	45	FP5	Laptop
<a href="#">AMD Ryzen 7 3780U</a>	4	7,651	2,227	15	FP5	Laptop
<a href="#">Intel Xeon E3-1575M v5 @ 3.00GHz</a>	4	7,629	2,125	45	FCBGA1440	Server
<a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>	4	7,614	2,260	95	FCLGA1150	Server
<a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>	4	7,585	2,366	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	7,582	1,696	85	FCLGA2011-3	Server
<a href="#">AMD Ryzen 3 4300U</a>	4	7,570	2,325	15	FP6	Laptop
<a href="#">AMD Ryzen 3 2300X</a>	4	7,566	2,364	65	AM4	Desktop
<a href="#">Intel Core i7-7700T @ 2.90GHz</a>	4	7,561	2,156	35	FCLGA1151	Desktop
<a href="#">Intel Xeon E-2224G @ 3.50GHz</a>	4	7,550	2,726	71	FCLGA1151-2	Server
<a href="#">Intel Core i5-8300H @ 2.30GHz</a>	4	7,541	2,310	45	FCLGA1151-2	Laptop
<a href="#">AMD Ryzen 5 PRO 2400GE</a>	4	7,530	2,108	35	AM4	Desktop
<a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a>	4	7,523	2,124	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon E-2124G @ 3.40GHz</a>	4	7,518	2,749	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>	6	7,501	1,596	130	LGA2011	Server
<a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	7,485	2,040	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	7,475	1,102	70	FCLGA2011	Server
<a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	7,470	1,574	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>	4	7,456	2,127	140	LGA2011-v3	Server
<a href="#">Intel Core i7-7820EQ @ 3.00GHz</a>	4	7,453	2,207	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>	4	7,449	2,226	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-8400T @ 1.70GHz</a>	6	7,447	1,924	35	FCLGA1151-2	Desktop
<a href="#">Intel Xeon D-1531 @ 2.20GHz</a>	6	7,447	1,424	45	FCBGA1667	Server
<a href="#">Intel Xeon E5-1620 v4 @ 3.50GHz</a>	4	7,437	2,251	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>	4	7,432	2,271	80	FCLGA1150	Server
<a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>	4	7,418	2,391	84	LGA1150	Server
<a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>	8	7,410	1,154	95	LGA 1356	Server
<a href="#">Intel Core i3-10100T @ 3.00GHz</a>	4	7,407	2,320	35	FCLGA1200	Laptop
<a href="#">Intel Xeon E3-1281 v3 @ 3.70GHz</a>	4	7,406	2,340	82	LGA1150	Server
<a href="#">Intel Core i7-6920HQ @ 2.90GHz</a>	4	7,378	2,119	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 7 PRO 2700U</a>	4	7,372	2,051	15	FP5	Laptop
<a href="#">Intel Xeon @ 2.00GHz</a>	6	7,363	939	NA	Unknown	Unknown

<a href="#">Intel Core i3-9320 @ 3.70GHz</a>	4	7,358	2,711	62	FCLGA1151-2	Desktop
<a href="#">Intel Xeon D-1559 @ 1.50GHz</a>	12	7,353	957	45	FCBGA1667	Server
<a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>	4	7,345	2,258	84	FCLGA1150	Server
<a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>	8	7,335	1,266	95	LGA2011	Server
<a href="#">Intel Core i3-9350KF @ 4.00GHz</a>	4	7,318	2,666	91	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 3 3200GE</a>	4	7,317	2,199	35	AM4	Desktop
<a href="#">AMD Ryzen 7 3700U</a>	4	7,316	2,011	15	FP5	Laptop
<a href="#">AMD Ryzen 7 PRO 3700U</a>	4	7,310	2,009	15	FP5	Laptop
<a href="#">Intel Core i3-9300 @ 3.70GHz</a>	4	7,279	2,666	62	FCLGA1151-2	Desktop
<a href="#">AMD Opteron 6281</a>	8	7,279	1,129	NA	Socket G34	Server
<a href="#">Intel Core i7-6700T @ 2.80GHz</a>	4	7,271	2,091	35	LGA 1151	Desktop
<a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>	4	7,256	2,294	82	LGA1150	Server
<a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>	4	7,245	2,184	80	LGA1150	Server
<a href="#">Intel Core i7-4790 @ 3.60GHz</a>	4	7,235	2,233	84	FCLGA1150	Desktop
<a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>	10	7,229	1,027	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>	4	7,228	2,188	84	FCLGA1150	Server
<a href="#">Intel Xeon E-2224 @ 3.40GHz</a>	4	7,223	2,434	71	FCLGA1151-2	Server
<a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>	4	7,209	2,140	45	FCBGA1440	Laptop
<a href="#">Intel Xeon W3690 @ 3.47GHz</a>	6	7,208	1,606	130	LGA1366	Server
<a href="#">AMD Ryzen 3 3200G</a>	4	7,185	2,218	65	AM4	Desktop
<a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a>	8	7,181	1,106	70	LGA 2011	Server
<a href="#">Intel Xeon D-1537 @ 1.70GHz</a>	8	7,176	1,104	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1539 @ 1.60GHz</a>	8	7,175	1,179	35	FCBGA1667	Server
<a href="#">AMD Ryzen 7 3700C</a>	4	7,145	2,301	15	FP5	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	4	7,145	1,966	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>	4	7,143	2,213	95	LGA1150	Server
<a href="#">Intel Core i7-990X @ 3.47GHz</a>	6	7,137	1,600	130	LGA1366	Desktop
<a href="#">Intel Core i7-4770K @ 3.50GHz</a>	4	7,129	2,165	84	LGA1150	Desktop
<a href="#">Intel Xeon D-1557 @ 1.50GHz</a>	12	7,118	718	45	FCBGA1667	Server
<a href="#">AMD Ryzen 5 3500U</a>	4	7,100	1,981	15	FP5	Laptop
<a href="#">Intel Xeon X5679 @ 3.20GHz</a>	6	7,095	1,547	115	LGA1366	Server
<a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a>	4	7,092	2,033	45	FCBGA1440	Server
<a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a>	4	7,080	2,183	45	Unknown	Server
<a href="#">Intel Core i7-995X @ 3.60GHz</a>	6	7,079	1,683	NA	Unknown	Desktop
<a href="#">Intel Core i7-4771 @ 3.50GHz</a>	4	7,077	2,191	84	LGA1150	Desktop
<a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>	4	7,073	2,152	80	LGA1150	Server
<a href="#">Intel Core i5-8305G @ 2.80GHz</a>	4	7,073	2,118	65	BGA2270	Laptop
<a href="#">AMD Ryzen 3 PRO 3200GE</a>	4	7,071	2,189	35	AM4	Laptop
<a href="#">AMD Athlon Gold PRO 3150GE</a>	4	7,068	2,158	35	AM4	Desktop
<a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>	4	7,065	2,161	80	LGA1150	Server
<a href="#">Intel Core i7-10610U @ 1.80GHz</a>	4	7,062	2,362	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-4940MX @ 3.10GHz</a>	4	7,060	2,286	57	FPGA946,FPGA947	Laptop
<a href="#">AMD Ryzen 3 PRO 3200G</a>	4	7,037	2,216	65	AM4	Desktop
<a href="#">Intel Core i7-5850EQ @ 2.70GHz</a>	4	7,036	2,119	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4770 @ 3.40GHz</a>	4	7,023	2,164	84	LGA1150	Desktop



<a href="#">Intel Core i7-980 @ 3.33GHz</a>	6	7,017	1,558	130	LGA1366	Desktop
<a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>	8	7,012	1,233	95	LGA2011	Server
<a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>	4	7,008	2,142	84	LGA1150	Server
<a href="#">AMD Athlon Gold 3150G</a>	4	7,002	2,308	65	AM4	Desktop
<a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>	4	7,000	2,152	80	FCLGA1150	Server
<a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a>	4	6,998	1,926	10	FCBGA1526	Laptop
<a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>	4	6,987	2,220	84	LGA1150	Server
<a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	6,986	1,363	95	FCLGA2011	Server
<a href="#">Intel Xeon E-2124 @ 3.30GHz</a>	4	6,977	2,537	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	4	6,977	2,019	140	LGA2011-v3	Server
<a href="#">AMD Ryzen 5 PRO 3500U</a>	4	6,968	1,964	15	FP5	Laptop
<a href="#">Intel Core i7-7700HQ @ 2.80GHz</a>	4	6,956	2,070	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-4790S @ 3.20GHz</a>	4	6,954	2,198	65	LGA1150	Desktop
<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	4	6,954	2,073	35	FCLGA1150	Server
<a href="#">AMD Ryzen 5 PRO 2500U</a>	4	6,953	1,829	15	FP5	Laptop
<a href="#">Intel Core i7-6820HQ @ 2.70GHz</a>	4	6,940	1,990	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	6,927	962	95	LGA 1356	Server
<a href="#">AMD Opteron 6287 SE</a>	16	6,925	1,091	NA	G34	Server
<a href="#">Intel Core i7-6820EQ @ 2.80GHz</a>	4	6,924	1,969	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 1300X</a>	4	6,919	2,093	65	AM4	Desktop
<a href="#">Intel Xeon W3680 @ 3.33GHz</a>	6	6,917	1,547	130	LGA1366	Server
<a href="#">Intel Core i7-6820HK @ 2.70GHz</a>	4	6,906	1,941	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	6,897	2,073	135	FCLGA2011-3	Server
<a href="#">Intel Pentium Gold G7400</a>	2	6,896	3,084	46	LGA1700,BGA1700	Desktop
<a href="#">AMD Ryzen 7 2700U</a>	4	6,893	1,807	15	FP5	Laptop
<a href="#">Intel Xeon X5690 @ 3.47GHz</a>	6	6,873	1,609	130	LGA1366	Server
<a href="#">Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	6,869	1,861	105	LGA2011-v3	Server
<a href="#">Intel Core i7-5850HQ @ 2.70GHz</a>	4	6,866	2,219	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-7600K @ 3.80GHz</a>	4	6,864	2,564	91	FCLGA1151	Desktop
<a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	6,864	1,413	80	LGA 1356	Server
<a href="#">Intel Core i3-8350K @ 4.00GHz</a>	4	6,862	2,489	91	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E3-1285L v3 @ 3.10GHz</a>	4	6,848	2,132	65	LGA1150	Server
<a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>	8	6,830	1,239	95	LGA 2011	Server
<a href="#">Intel Core i7-10510U @ 1.80GHz</a>	4	6,828	2,361	15	FCBGA1528	Laptop
<a href="#">AMD Ryzen 5 3450U</a>	4	6,824	1,936	15	FP5	Laptop
<a href="#">AMD Ryzen Embedded V1605B</a>	4	6,822	1,961	15	FP5	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-4770S @ 3.10GHz</a>	4	6,819	2,148	65	LGA1150	Desktop
<a href="#">Intel Core i7-980X @ 3.33GHz</a>	6	6,813	1,532	130	LGA1366	Desktop
<a href="#">Intel Xeon X5680 @ 3.33GHz</a>	6	6,809	1,511	130	LGA1366	Server
<a href="#">AMD Ryzen 3 2200G</a>	4	6,782	2,060	65	AM4	Desktop
<a href="#">Intel Core i7-4960HQ @ 2.60GHz</a>	4	6,779	2,188	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E5-2448L v2 @ 1.80GHz</a>	10	6,774	1,235	70	LGA 1356	Server
<a href="#">Intel Pentium Gold 8505</a>	1	6,771	3,112	15	BGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i3-9100F @ 3.60GHz</a>	4	6,768	2,519	65	FCLGA1151-2	Desktop
<a href="#">AMD FX-9590 Eight-Core</a>	4	6,768	1,829	220	AM3+	Desktop
<a href="#">Intel Core i7-4980HQ @ 2.80GHz</a>	4	6,767	2,250	47	FCBGA1364	Laptop



<a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>	4	6,760	2,081	80	LGA1150	Server
<a href="#">Intel Core i7-4930MX @ 3.00GHz</a>	4	6,753	2,180	57	FCPGA946	Laptop
<a href="#">Intel Core i7-6700TE @ 2.40GHz</a>	4	6,734	2,012	35	LGA 1151	Desktop
<a href="#">AMD Ryzen 3 PRO 2200G</a>	4	6,703	2,058	65	AM4	Desktop
<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	4	6,675	2,511	112	FCLGA2066	Desktop
<a href="#">Intel Core i5-10310U @ 1.70GHz</a>	4	6,655	2,278	15	FCBGA1528	Laptop
<a href="#">AMD Opteron 6380</a>	8	6,645	1,096	115	G34	Server
<a href="#">AMD Ryzen Embedded R2314</a>	4	6,643	1,969	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-9100 @ 3.60GHz</a>	4	6,625	2,519	65	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>	4	6,613	2,151	77	LGA1155	Server
<a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	6,610	1,388	60	LGA 2011	Server
<a href="#">Intel Core i7-1180G7 @ 1.30GHz</a>	4	6,607	2,323	15	FCBGA1598	Laptop
<a href="#">Intel Core i5-7600 @ 3.50GHz</a>	4	6,598	2,476	65	FCLGA1151	Desktop
<a href="#">MT6891Z/CZA</a>	8	6,596	1,857	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>	2	6,591	2,393	NA	Unknown	Server
<a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a>	6	6,566	1,321	60	FCLGA1356	Server
<a href="#">AMD Ryzen 5 2500U</a>	4	6,555	1,834	15	FP5	Laptop
<a href="#">Qualcomm Technologies, Inc SA8195P</a>	8	6,554	1,741	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-6700HQ @ 2.60GHz</a>	4	6,541	1,919	45	FCBGA1440	Laptop
<a href="#">AMD Ryzen 3 2200GE</a>	4	6,537	2,049	35	AM4	Desktop
<a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>	4	6,535	2,015	130	FCLGA2011	Server
<a href="#">Intel Xeon W3670 @ 3.20GHz</a>	6	6,534	1,501	130	LGA1366	Server
<a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>	4	6,511	2,174	69	LGA1155	Server
<a href="#">Intel Core i7-4820K @ 3.70GHz</a>	4	6,506	1,945	130	FCLGA2011	Desktop
<a href="#">Intel Core i7-970 @ 3.20GHz</a>	6	6,499	1,455	130	LGA1366	Desktop
<a href="#">Odin based on Qualcomm Technologies, Inc SM8350</a>	8	6,498	1,758	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3770K @ 3.50GHz</a>	4	6,463	2,082	77	LGA1155	Desktop
<a href="#">Intel Xeon E3-1290 V2 @ 3.70GHz</a>	4	6,461	2,112	87	LGA1155	Server
<a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>	6	6,460	1,401	95	FCLGA2011	Server
<a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a>	4	6,450	2,207	65	LGA1150	Server
<a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>	4	6,435	2,065	69	LGA1155	Server
<a href="#">Intel Core i7-4770R @ 3.20GHz</a>	4	6,429	2,161	65	FCBGA1364	Desktop
<a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>	4	6,420	1,690	85	FCLGA3647	Server
<a href="#">MT6893Z_C/CZA</a>	8	6,418	1,830	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a>	6	6,415	1,210	52	LGA2011-v3	Server
<a href="#">Intel Core i5-10210U @ 1.60GHz</a>	4	6,400	2,231	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-3770 @ 3.40GHz</a>	4	6,397	2,076	77	LGA1155	Desktop
<a href="#">Intel Core i7-4870HQ @ 2.50GHz</a>	4	6,387	2,089	47	FCBGA1364	Laptop
<a href="#">Qualcomm Technologies, Inc SM8350AC</a>	8	6,385	2,732	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 6282 SE</a>	16	6,385	953	140	Unknown	Server
<a href="#">Intel Core i7-8665U @ 1.90GHz</a>	4	6,382	2,236	15	FCBGA1528	Laptop
<a href="#">Intel Xeon X5675 @ 3.07GHz</a>	6	6,378	1,473	95	LGA1366	Server
<a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	6,372	1,384	80	FCLGA1356	Server

<a href="#">Intel Core i7-8565U @ 1.80GHz</a>	4	6,360	2,247	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-8650U @ 1.90GHz</a>	4	6,359	2,156	15	FC-BGA1356	Laptop
<a href="#">AMD Ryzen 3 PRO 1200</a>	4	6,347	1,936	65	AM4	Desktop
<a href="#">Intel Xeon E-2254ML @ 1.70GHz</a>	4	6,333	2,029	25	FCBGA1440	Server
<a href="#">Intel Xeon E5-2640 @ 2.50GHz</a>	6	6,321	1,348	95	LGA2011	Server
<a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>	4	6,316	2,042	77	LGA1155	Server
<a href="#">Intel Xeon E3-1225 v6 @ 3.30GHz</a>	4	6,312	2,303	73	FCLGA1151	Server
<a href="#">Intel Core i5-6600K @ 3.50GHz</a>	4	6,310	2,332	91	FCLGA1151	Desktop
<a href="#">AMD Ryzen 3 1200</a>	4	6,304	1,927	65	AM4	Desktop
<a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>	4	6,301	2,044	69	LGA1155	Server
<a href="#">Intel Core i7-4760HQ @ 2.10GHz</a>	4	6,300	1,944	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4850HQ @ 2.30GHz</a>	4	6,299	1,972	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>	6	6,298	1,552	130	LGA 2011	Server
<a href="#">Intel Core i7-4790T @ 2.70GHz</a>	4	6,291	2,100	45	LGA1150	Desktop
<a href="#">Intel Core i5-8350U @ 1.70GHz</a>	4	6,284	2,031	15	FC-BGA1356	Laptop
<a href="#">Intel Core i3-1115G4 @ 3.00GHz</a>	2	6,274	2,693	NA	FCBGA1449	Laptop
<a href="#">Intel Core i7-4910MQ @ 2.90GHz</a>	4	6,265	2,019	47	FCPGA946	Laptop
<a href="#">Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	6,246	1,303	80	FCLGA2011	Server
<a href="#">AMD Opteron 6276</a>	8	6,245	1,005	115	Socket G34	Server
<a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	6,244	1,849	130	LGA 2011	Server
<a href="#">Intel Core i5-8365U @ 1.60GHz</a>	4	6,239	2,166	15	FCBGA1528	Laptop
<a href="#">Intel Xeon D-1622 @ 2.60GHz</a>	4	6,205	1,875	40	FCBGA1667	Server
<a href="#">Intel Xeon W-2104 @ 3.20GHz</a>	4	6,202	1,836	120	FCLGA2066	Server
<a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>	4	6,193	1,995	69	LGA1155	Server
<a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a>	4	6,190	1,839	10	BGA1526	Laptop
<a href="#">Intel Core i7-8565UC @ 1.80GHz</a>	4	6,187	2,527	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-3770S @ 3.10GHz</a>	4	6,180	2,035	65	LGA1155	Desktop
<a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a>	4	6,173	1,906	25	FCLGA1151	Server
<a href="#">Intel Core i3-8100 @ 3.60GHz</a>	4	6,164	2,240	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9300T @ 3.20GHz</a>	4	6,162	2,318	35	FCLGA1151-2	Desktop
<a href="#">SM7325</a>	8	6,145	2,147	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen 3 PRO 3300U</a>	4	6,144	2,060	15	FP5	Laptop
<a href="#">Intel Core i7-4860HQ @ 2.40GHz</a>	4	6,138	1,901	47	FCBGA1364	Laptop
<a href="#">Intel Core i3-8300 @ 3.70GHz</a>	4	6,136	2,262	62	FCLGA1151-2	Desktop
<a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>	6	6,131	1,270	95	LGA2011	Server
<a href="#">Intel Core i7-4770HQ @ 2.20GHz</a>	4	6,129	1,935	47	FCBGA1364	Laptop
<a href="#">AMD FX-8370 Eight-Core</a>	4	6,128	1,626	125	AM3+	Desktop
<a href="#">Intel Core i5-6600 @ 3.30GHz</a>	4	6,110	2,284	65	LGA 1151	Desktop
<a href="#">Intel Xeon X5660 @ 2.80GHz</a>	6	6,107	1,387	95	LGA1366	Server
<a href="#">Intel Core i5-8265U @ 1.60GHz</a>	4	6,100	2,122	15	FCBGA1528	Laptop
<a href="#">Intel Xeon X5670 @ 2.93GHz</a>	6	6,090	1,392	95	LGA1366	Server
<a href="#">Intel Core i7-5675C @ 3.10GHz</a>	4	6,089	2,249	65	LGA1150	Desktop
<a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a>	4	6,088	1,848	25	FCBGA1440	Laptop, Server
<a href="#">Intel Core i3-8100B @ 3.60GHz</a>	4	6,081	2,363	65	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1268L v5 @ 2.40GHz</a>	4	6,079	1,654	35	FCLGA1151	Laptop, Server
<a href="#">Intel Core i5-7600T @ 2.80GHz</a>	4	6,073	2,231	35	FCLGA1151	Desktop

<a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>	8	6,073	1,156	95	LGA2011	Server
<a href="#">AMD Opteron 6344</a>	6	6,069	1,231	115	Unknown	Server
<a href="#">Intel Core i5-7500 @ 3.40GHz</a>	4	6,065	2,285	65	LGA1151	Desktop
<a href="#">Intel Xeon E-2104G @ 3.20GHz</a>	4	6,057	1,963	65	FCLGA1151-2	Server
<a href="#">Intel Core i7-4900MQ @ 2.80GHz</a>	4	6,051	1,951	47	FCPGA946	Laptop
<a href="#">AMD EPYC 3101 4-Core</a>	4	6,050	1,787	NA	Unknown	Unknown
<a href="#">Intel Core i7-4810MQ @ 2.80GHz</a>	4	6,037	2,005	47	FCPGA946	Laptop
<a href="#">Intel Xeon E3-1275L v3 @ 2.70GHz</a>	4	6,035	2,106	45	LGA1150	Server
<a href="#">Intel Core i7-5700HQ @ 2.70GHz</a>	4	6,023	2,025	47	FCBGA1364	Laptop
<a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a>	4	6,015	2,109	45	FCLGA1150	Server
<a href="#">vendor Kirin990</a>	8	5,998	2,015	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen 3 PRO 2300U</a>	4	5,996	1,861	15	FP5	Laptop
<a href="#">AMD FX-9370 Eight-Core</a>	4	5,996	1,673	220	AM3+	Desktop
<a href="#">Intel Core i5-8265UC @ 1.60GHz</a>	4	5,988	2,200	NA	FCBGA1528	Laptop
<a href="#">AMD FX-8350 Eight-Core</a>	4	5,971	1,576	125	AM3+	Desktop
<a href="#">Intel Core i7-3840QM @ 2.80GHz</a>	4	5,966	1,954	45	rPGA988B	Laptop
<a href="#">Intel Core i7-8550U @ 1.80GHz</a>	4	5,965	2,076	15	FC-BGA1356	Laptop
<a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>	4	5,961	2,064	80	FCLGA1151	Server
<a href="#">Intel Core i5-8250U @ 1.60GHz</a>	4	5,939	1,932	15	FC-BGA1356	Laptop
<a href="#">MT6893Z/CZA</a>	8	5,937	2,077	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>	8	5,929	1,091	70	LGA 2011	Server
<a href="#">AMD Ryzen Embedded V1404I</a>	4	5,917	1,938	15	Unknown	Desktop, Mobile/Embedded
<a href="#">Intel Xeon D-1528 @ 1.90GHz</a>	6	5,910	1,281	35	FCBGA1667	Laptop, Server
<a href="#">Intel Core i7-5700EQ @ 2.60GHz</a>	4	5,905	2,124	47	FCBGA1364	Laptop
<a href="#">AMD Ryzen 3 3350U</a>	4	5,904	1,976	15	Unknown	Laptop
<a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	5,903	1,211	60	LGA 1356	Server
<a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>	6	5,900	1,282	95	LGA 1356	Server
<a href="#">AMD Ryzen 3 PRO 2200GE</a>	4	5,897	2,000	35	AM4	Desktop
<a href="#">AMD Opteron 6378</a>	8	5,889	1,127	115	G34	Server
<a href="#">Intel Xeon D-1521 @ 2.40GHz</a>	4	5,876	1,724	45	FCBGA1667	Server
<a href="#">Intel Xeon E5-1620 @ 3.60GHz</a>	4	5,871	1,774	130	LGA2011	Server
<a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>	6	5,863	1,190	95	LGA 1356	Server
<a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>	4	5,842	1,689	80	LGA 1356	Server
<a href="#">Intel Core i7-4800MQ @ 2.70GHz</a>	4	5,836	1,946	47	rPGA946B	Laptop
<a href="#">vendor Kirin985</a>	8	5,834	1,894	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-8300T @ 3.20GHz</a>	4	5,827	2,005	25	FCLGA1151-2	Desktop
<a href="#">AMD Ryzen 3 3300U</a>	4	5,818	1,904	15	FP5	Laptop
<a href="#">Intel Core i7-4710MQ @ 2.50GHz</a>	4	5,800	1,895	47	FCPGA946	Laptop
<a href="#">SM8350</a>	8	5,782	2,455	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-1115G4E @ 3.00GHz</a>	2	5,776	2,552	15	BGA 1449	Mobile/Embedded
<a href="#">AMD Opteron 4274 HE</a>	4	5,776	1,060	65	C32	Server
<a href="#">Intel Xeon E5-2450L @ 1.80GHz</a>	8	5,769	1,013	70	LGA 1356	Server
<a href="#">Intel Core i7-4720HQ @ 2.60GHz</a>	4	5,768	1,871	47	BGA1364	Laptop
<a href="#">Intel Core i7-3820 @ 3.60GHz</a>	4	5,757	1,736	130	LGA2011	Desktop
<a href="#">Intel Core i7-3820QM @ 2.70GHz</a>	4	5,755	1,915	45	BGA1224	Laptop
<a href="#">Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	5,754	1,013	85	FCLGA3647	Server

<a href="#">Intel Xeon X5650 @ 2.67GHz</a>	6	5,753	1,301	95	LGA1366	Server
<a href="#">Intel Core i7-4770T @ 2.50GHz</a>	4	5,748	1,930	45	LGA1150	Desktop
<a href="#">MT8195AV/ZA</a>	8	5,735	1,840	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 2 @ 3.1</a>	8	5,734	1,965	7	Unknown	Unknown
<a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>	4	5,729	1,938	72	FCLGA1151	Server
<a href="#">Qualcomm Technologies, Inc SM8250_AC</a>	8	5,724	2,544	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-7440EQ @ 2.90GHz</a>	4	5,711	2,131	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-3740QM @ 2.70GHz</a>	4	5,708	1,885	45	rPGA988B	Laptop
<a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>	4	5,707	2,019	80	FCLGA1151	Server
<a href="#">MT6893Z_D/CZA</a>	8	5,701	2,262	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3920XM @ 2.90GHz</a>	4	5,700	1,910	55	FCPGA988	Laptop
<a href="#">MT6891</a>	8	5,688	1,766	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a>	4	5,682	1,875	65	FCLGA1151	Server
<a href="#">Intel Core i7-3940XM @ 3.00GHz</a>	4	5,671	1,930	55	rPGA988B	Laptop
<a href="#">MT6883Z/CZA</a>	8	5,665	1,694	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-6500 @ 3.20GHz</a>	4	5,656	2,123	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6600T @ 2.70GHz</a>	4	5,655	2,096	35	LGA 1151	Desktop
<a href="#">Intel Core i7-3720QM @ 2.60GHz</a>	4	5,654	1,860	45	BGA1224	Laptop
<a href="#">Intel Core i5-4690K @ 3.50GHz</a>	4	5,628	2,198	88	LGA1150	Desktop
<a href="#">AMD Opteron 6238</a>	6	5,625	1,157	115	Socket G34	Server
<a href="#">Intel Core i7-4722HQ @ 2.40GHz</a>	4	5,620	1,844	37	FCBGA1364	Laptop
<a href="#">Qualcomm Technologies, Inc SM8350</a>	8	5,619	2,151	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2700K @ 3.50GHz</a>	4	5,604	1,786	95	LGA1155	Desktop
<a href="#">Intel Core i7-4750HQ @ 2.00GHz</a>	4	5,599	1,733	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-5675R @ 3.10GHz</a>	4	5,598	2,286	65	FCBGA1364	Desktop
<a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>	4	5,574	1,793	95	LGA1155	Server
<a href="#">Intel Core i7-3770T @ 2.50GHz</a>	4	5,573	1,933	45	LGA1155	Desktop
<a href="#">Intel Core i5-4690 @ 3.50GHz</a>	4	5,572	2,205	84	LGA1150	Desktop
<a href="#">AMD Opteron 6376</a>	8	5,572	1,165	115	Socket G34	Server
<a href="#">Intel Core i7-4700HQ @ 2.40GHz</a>	4	5,563	1,784	47	FCBGA1364	Laptop
<a href="#">ARM Neoverse-N1 8 Core 0 MHz</a>	8	5,561	1,184	NA	Unknown	Unknown
<a href="#">Intel Core i5-8365UE @ 1.60GHz</a>	4	5,555	2,248	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-5675C @ 3.10GHz</a>	4	5,548	2,251	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-4670K @ 3.40GHz</a>	4	5,548	2,154	84	LGA1150	Desktop
<a href="#">Intel Core i5-7440HQ @ 2.80GHz</a>	4	5,526	2,029	45	BGA1440	Laptop
<a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>	4	5,523	1,646	130	LGA2011	Server
<a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>	4	5,520	2,115	84	FCLGA1150	Server
<a href="#">Intel Core i7-4710HQ @ 2.50GHz</a>	4	5,518	1,784	47	FCBGA1364	Laptop
<a href="#">AMD Ryzen 3 2300U</a>	4	5,507	1,745	15	FP5	Laptop
<a href="#">vendor Kirin820</a>	8	5,502	1,682	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4860EQ @ 1.80GHz</a>	4	5,500	1,754	47	FCBGA1364	Laptop
<a href="#">Intel Core i5-7400 @ 3.00GHz</a>	4	5,499	2,102	65	FCLGA1151	Desktop
<a href="#">Intel Core i7-2600K @ 3.40GHz</a>	4	5,497	1,743	95	LGA1155	Desktop
<a href="#">MT6893Z_A/CZA</a>	8	5,473	2,320	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3615QE @ 2.30GHz</a>	4	5,459	1,775	45	BGA1224	Laptop

<a href="#">Intel Core i5-4670 @ 3.40GHz</a>	4	5,443	2,143	84	LGA1150	Desktop
<a href="#">Intel Core i5-760S @ 2.53GHz</a>	4	5,440	1,578	NA	Unknown	Unknown
<a href="#">Intel Core i3-9100T @ 3.10GHz</a>	4	5,438	2,110	35	FCLGA1151-2	Desktop
<a href="#">ARM Cortex-A72 16 Core 0 MHz</a>	16	5,435	600	NA	Unknown	Unknown
<a href="#">Intel Core i7-4785T @ 2.20GHz</a>	4	5,427	1,744	35	FCLGA1150	Desktop
<a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a>	4	5,427	1,734	45	LGA1150	Server
<a href="#">Intel Core i5-6402P @ 2.80GHz</a>	4	5,414	2,027	65	LGA 1151	Desktop
<a href="#">AMD FX-8320 Eight-Core</a>	4	5,409	1,472	125	AM3+	Desktop
<a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>	4	5,398	1,744	80	LGA1155	Server
<a href="#">Qualcomm Technologies, Inc SM8250</a>	8	5,386	2,235	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>	4	5,386	1,761	80	LGA1155	Server
<a href="#">Intel Core i5-4690S @ 3.20GHz</a>	4	5,376	2,185	65	LGA1150	Desktop
<a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>	4	5,372	1,730	95	LGA1155	Server
<a href="#">Intel Core i5-6440EQ @ 2.70GHz</a>	4	5,368	1,943	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>	4	5,366	1,741	95	LGA1155	Server
<a href="#">Intel Core i7-4702HQ @ 2.20GHz</a>	4	5,361	1,662	37	FCBGA1364	Laptop
<a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>	2	5,360	2,309	15	FCBGA1449	Laptop
<a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	5,351	1,043	85	FCLGA2011-3	Server
<a href="#">Intel Core i5-4590 @ 3.30GHz</a>	4	5,346	2,093	84	LGA1150	Desktop
<a href="#">Intel Core i7-2600 @ 3.40GHz</a>	4	5,344	1,741	95	LGA1155	Desktop
<a href="#">Intel Core i5-7500T @ 2.70GHz</a>	4	5,318	1,964	35	FCLGA1151	Desktop
<a href="#">Intel Core i7-4700MQ @ 2.40GHz</a>	4	5,318	1,764	47	rPGA946B	Laptop
<a href="#">Qualcomm Technologies, Inc KONA</a>	8	5,314	2,324	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>	6	5,305	1,119	60	LGA 2011	Server
<a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a>	4	5,304	1,769	25	FCLGA1150	Server
<a href="#">Intel Xeon E3-1505L v5 @ 2.00GHz</a>	4	5,301	1,590	25	FCBGA1440	Laptop, Server
<a href="#">Intel Core i3-8100T @ 3.10GHz</a>	4	5,293	1,922	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-4712MQ @ 2.30GHz</a>	4	5,288	1,795	37	FCPGA946	Laptop
<a href="#">Intel Xeon X5687 @ 3.60GHz</a>	4	5,287	1,619	130	LGA1366	Server
<a href="#">AMD Opteron 6274</a>	8	5,286	849	115	G34	Server
<a href="#">Intel Xeon E5-2620 @ 2.00GHz</a>	6	5,277	1,111	95	LGA2011	Server
<a href="#">vendor Kirin9000</a>	8	5,276	2,574	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>	6	5,273	1,005	60	FCLGA1356	Server
<a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>	4	5,264	1,992	84	LGA1150	Server
<a href="#">AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</a>	4	5,257	1,237	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 6328</a>	4	5,246	1,433	115	G34	Server
<a href="#">Intel Xeon E5-1607 v4 @ 3.10GHz</a>	4	5,245	1,905	140	FCLGA2011-3	Server
<a href="#">Intel Core i7-6822EQ @ 2.00GHz</a>	4	5,241	1,572	25	LGA 1151	Laptop
<a href="#">AMD Opteron 6272</a>	8	5,240	753	115	G34	Server
<a href="#">AMD FX-8370E Eight-Core</a>	4	5,235	1,490	95	AM3+	Desktop
<a href="#">Intel Core i5-4670R @ 3.00GHz</a>	4	5,233	2,164	65	FCBGA1364	Desktop
<a href="#">Intel Core i7-3615QM @ 2.30GHz</a>	4	5,233	1,736	45	BGA1224	Laptop
<a href="#">AMD FX-8300 Eight-Core</a>	4	5,223	1,484	95	AM3+	Desktop
<a href="#">AMD Ryzen 5 3500C</a>	4	5,214	2,171	15	FP5	Laptop

<a href="#">Vili based on Qualcomm Technologies, Inc SM8350</a>	8	5,213	1,610	NA	Unknown	Mobile/Embedded
<a href="#">Iisa based Qualcomm Technologies, Inc. SM7325</a>	8	5,200	1,937	NA	Unknown	Mobile/Embedded
<a href="#">Microsoft SQ2 @ 3.15 GHz</a>	8	5,199	1,944	NA	Unknown	Unknown
<a href="#">Intel Core i5-4570 @ 3.20GHz</a>	4	5,198	2,035	84	LGA1150	Desktop
<a href="#">Qualcomm Technologies, Inc SDM778G</a>	8	5,186	2,048	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-6400 @ 2.70GHz</a>	4	5,163	1,964	65	LGA 1151	Desktop
<a href="#">Intel Core i7-4712HQ @ 2.30GHz</a>	4	5,161	1,672	37	FCBGA1364	Laptop
<a href="#">Intel Xeon E5649 @ 2.53GHz</a>	6	5,160	1,211	80	LGA1366	Server
<a href="#">AMD FX-8150 Eight-Core</a>	4	5,158	1,424	125	AM3+	Desktop
<a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>	4	5,154	1,984	80	LGA1150	Server
<a href="#">Apple A13 Bionic</a>	6	5,151	2,129	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>	6	5,149	1,108	95	LGA1356	Server
<a href="#">Qualcomm Snapdragon 7325</a>	8	5,148	2,022	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-8310 Eight-Core</a>	4	5,145	1,413	95	AM3+	Desktop
<a href="#">Intel Core i7-3630QM @ 2.40GHz</a>	4	5,133	1,696	45	rPGA988B	Laptop
<a href="#">Intel Core i3-1005G1 @ 1.20GHz</a>	2	5,127	2,250	15	FCBGA1526	Laptop
<a href="#">Intel Xeon X5672 @ 3.20GHz</a>	4	5,117	1,570	95	LGA1366	Server
<a href="#">Intel Xeon X5677 @ 3.47GHz</a>	4	5,112	1,614	130	LGA1366	Server
<a href="#">Intel Core i5-6440HQ @ 2.60GHz</a>	4	5,106	1,990	45	LGA 1151	Laptop
<a href="#">Intel Core i5-7300HQ @ 2.50GHz</a>	4	5,100	1,965	45	Unknown	Laptop
<a href="#">Intel Core i7-3610QM @ 2.30GHz</a>	4	5,100	1,665	45	PGA988B	Laptop
<a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>	8	5,098	2,213	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4590S @ 3.00GHz</a>	4	5,096	2,052	65	LGA1150	Desktop
<a href="#">Intel Core i7-4702MQ @ 2.20GHz</a>	4	5,095	1,682	37	FCPGA946	Laptop
<a href="#">Star based on Qualcomm Technologies, Inc SM8350</a>	8	5,087	1,995	NA	Unknown	Mobile/Embedded
<a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a>	8	5,085	1,866	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin9000</a>	8	5,083	2,490	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon W-2102 @ 2.90GHz</a>	4	5,077	1,753	120	FCLGA2066	Server
<a href="#">Intel Core i5-5575R @ 2.80GHz</a>	4	5,075	2,112	65	LGA1150	Desktop
<a href="#">vendor Kirin980</a>	8	5,065	1,722	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1230 @ 3.20GHz</a>	4	5,044	1,659	80	LGA1155	Server
<a href="#">06/8c</a>	8	5,040	2,680	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4765T @ 2.00GHz</a>	4	5,036	1,619	35	FCLGA1150	Desktop
<a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a>	4	5,034	2,042	84	LGA1150	Desktop
<a href="#">Intel Core i7-8665UE @ 1.70GHz</a>	4	5,017	1,538	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10510Y @ 1.20GHz</a>	4	5,016	1,957	7	UTFCBGA1377	Laptop
<a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a>	4	5,013	1,761	25	FCLGA1151	Server
<a href="#">Intel Xeon E3-1290 @ 3.60GHz</a>	4	4,988	1,833	95	LGA1155	Server
<a href="#">AMD FX-8320E Eight-Core</a>	4	4,972	1,410	95	AM3+	Desktop
<a href="#">Samsung Exynos 2100</a>	8	4,956	2,044	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5645 @ 2.40GHz</a>	6	4,955	1,147	80	LGA1366	Server
<a href="#">Intel Xeon E5-1607 v3 @ 3.10GHz</a>	4	4,950	1,814	140	LGA2011-v3	Server

<a href="#">Intel Core i7-4700EQ @ 2.40GHz</a>	4	4,941	1,842	47	FCBGA1364	Desktop
<a href="#">Intel Core i5-3570K @ 3.40GHz</a>	4	4,936	2,049	77	LGA1155	Desktop
<a href="#">Intel Core i7-3612QE @ 2.10GHz</a>	4	4,929	1,678	35	BGA1224	Laptop
<a href="#">Intel Core i5-4670S @ 3.10GHz</a>	4	4,919	2,063	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-4570S @ 2.90GHz</a>	4	4,914	1,981	65	LGA1150	Desktop
<a href="#">Intel Core i5-3570 @ 3.40GHz</a>	4	4,911	2,049	77	LGA1155	Desktop
<a href="#">ARM Cortex-A72 4 Core 0 MHz</a>	4	4,907	2,658	NA	Unknown	Unknown
<a href="#">MT6877V/TZA</a>	8	4,895	2,023	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-8140 Eight-Core</a>	4	4,860	1,273	95	AM3+	Desktop
<a href="#">AMD Opteron 6366 HE</a>	8	4,858	793	85	Unknown	Server
<a href="#">Intel Core i3-7320 @ 4.10GHz</a>	2	4,856	2,499	51	FCLGA1151	Desktop
<a href="#">Samsung Technologies, Inc Exynos E1080</a>	8	4,846	2,029	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-6500T @ 2.50GHz</a>	4	4,845	1,831	35	LGA 1151	Desktop
<a href="#">MT6893</a>	8	4,838	1,930	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-10210Y @ 1.00GHz</a>	4	4,836	2,032	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i5-4460 @ 3.20GHz</a>	4	4,835	1,903	84	LGA1150	Desktop
<a href="#">Intel Core i5-7442EQ @ 2.10GHz</a>	4	4,834	1,819	25	FCBGA1440	Laptop
<a href="#">Intel Core i3-7350K @ 4.20GHz</a>	2	4,819	2,493	60	FCLGA1151	Desktop
<a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>	4	4,812	1,754	140	FCLGA2011-3	Server
<a href="#">Intel Xeon Bronze 3204 @ 1.90GHz</a>	6	4,796	1,103	85	FCLGA3647	Server
<a href="#">Intel Xeon D-1518 @ 2.20GHz</a>	4	4,784	1,256	35	FCBGA1667	Server
<a href="#">Intel Core i5-3550 @ 3.30GHz</a>	4	4,783	1,997	77	LGA1155	Desktop
<a href="#">Intel Core i5-6500TE @ 2.30GHz</a>	4	4,776	1,828	35	LGA 1151	Desktop
<a href="#">Intel Core i7-3610QE @ 2.30GHz</a>	4	4,767	1,526	45	rPGA988B	Laptop
<a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>	4	4,766	1,929	77	LGA1155	Server
<a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a>	4	4,764	1,502	25	LGA1150	Server
<a href="#">ARM Neoverse-N1 6 Core 0 MHz</a>	6	4,756	1,299	NA	Unknown	Unknown
<a href="#">AMD Opteron 6220</a>	4	4,753	1,203	115	Socket G34	Server
<a href="#">Intel Pentium Silver N6005 @ 2.00GHz</a>	4	4,752	1,762	10	FCBGA1338	Laptop, Mobile/Embedded
<a href="#">Intel Pentium 6805 @ 1.10GHz</a>	2	4,745	1,964	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-4470S @ 3.00GHz</a>	4	4,742	1,756	65	LGA1150	Desktop
<a href="#">vendor Kirin9000E</a>	8	4,728	2,595	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>	4	4,725	1,562	95	LGA1155	Server
<a href="#">Intel Core i5-4440 @ 3.10GHz</a>	4	4,718	1,860	84	FCLGA1150	Desktop
<a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a>	4	4,711	1,552	45	LGA1155	Server
<a href="#">Intel Core i5-7400T @ 2.40GHz</a>	4	4,710	1,763	35	LGA1151	Desktop
<a href="#">Apple A12 Bionic</a>	6	4,705	1,924	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-7300 @ 4.00GHz</a>	2	4,703	2,423	51	FCLGA1151	Desktop
<a href="#">Intel Core i5-6300HQ @ 2.30GHz</a>	4	4,701	1,797	45	LGA 1151	Laptop
<a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	4,695	1,046	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>	4	4,692	1,899	69	LGA1155	Server
<a href="#">Intel Atom C3758 @ 2.20GHz</a>	8	4,683	859	25	FCBGA1310	Server
<a href="#">Intel Xeon E5-1410 @ 2.80GHz</a>	4	4,677	1,491	80	LGA1356	Server
<a href="#">AMD Opteron 4284</a>	4	4,665	1,181	95	Socket C32	Server



<a href="#">Intel Core i5-4690T @ 2.50GHz</a>	4	4,660	1,922	45	LGA1150	Desktop
<a href="#">Intel Core i5-3470 @ 3.20GHz</a>	4	4,658	1,943	77	LGA1155	Desktop
<a href="#">Intel Core i5-4430 @ 3.00GHz</a>	4	4,647	1,807	84	LGA1150	Desktop
<a href="#">AMD Athlon Silver PRO 3125GE</a>	2	4,633	2,074	35	AM4	Desktop
<a href="#">Intel Core i7-3632QM @ 2.20GHz</a>	4	4,628	1,581	35	rPGA988B	Laptop
<a href="#">Intel Celeron N5095A @ 2.00GHz</a>	4	4,627	1,553	15	FCBGA1338	Desktop
<a href="#">Intel Core i5-3570S @ 3.10GHz</a>	4	4,620	1,996	65	LGA1155	Desktop
<a href="#">Intel Core i7-3612QM @ 2.10GHz</a>	4	4,603	1,541	35	PGA988B, FCBGA12	Laptop
<a href="#">Qualcomm Snapdragon 8350</a>	8	4,599	2,482	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-6442EQ @ 1.90GHz</a>	4	4,598	1,716	25	FCBGA1440	Laptop
<a href="#">Intel Core i7-2860QM @ 2.50GHz</a>	4	4,594	1,590	45	BGA1224	Laptop
<a href="#">Mars based on Qualcomm Technologies, Inc SM8350</a>	8	4,592	1,986	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon L5640 @ 2.27GHz</a>	6	4,591	1,139	60	LGA1366	Server
<a href="#">AMD Ryzen Embedded V1500B</a>	4	4,588	1,217	16	BGA1140	Mobile/Embedded
<a href="#">Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	4,585	1,001	85	FCLGA3647	Server
<a href="#">AMD FX-8120 Eight-Core</a>	4	4,578	1,327	125	AM3+	Desktop
<a href="#">Renoir based on Qualcomm Technologies, Inc SM7350</a>	8	4,577	1,767	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-3635QM @ 2.40GHz</a>	4	4,575	1,652	45	Unknown	Laptop
<a href="#">Qualcomm Technologies, Inc SM6375</a>	8	4,571	1,960	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 240GE</a>	2	4,551	1,986	35	AM4	Desktop
<a href="#">Intel Xeon X5667 @ 3.07GHz</a>	4	4,551	1,453	95	LGA1366	Server
<a href="#">AMD Athlon Silver 3050GE</a>	2	4,545	2,016	35	AM4	Laptop
<a href="#">Microsoft ARM SQ1 @ 3.0 GHz</a>	8	4,545	1,866	15	Unknown	Laptop
<a href="#">Intel Core i5-3550S @ 3.00GHz</a>	4	4,537	1,982	65	LGA1155	Desktop
<a href="#">Intel Core i5-4570R @ 2.70GHz</a>	4	4,527	1,809	65	FCBGA1364	Desktop
<a href="#">Intel Core i7-2600S @ 2.80GHz</a>	4	4,524	1,712	65	LGA1155	Desktop
<a href="#">AMD Opteron 4280</a>	4	4,504	1,141	95	Socket C32	Server
<a href="#">Intel Core i5-4460S @ 2.90GHz</a>	4	4,503	1,847	65	LGA1150	Desktop
<a href="#">Intel Core i3-9100TE @ 2.20GHz</a>	4	4,501	1,585	35	FCLGA1151-2	Laptop
<a href="#">Intel Core i5-3450 @ 3.10GHz</a>	4	4,497	1,887	77	LGA1155	Desktop
<a href="#">Intel Pentium Gold G6605 @ 4.30GHz</a>	2	4,493	2,658	58	FCLGA1200	Desktop
<a href="#">AMD Athlon 3000G</a>	2	4,477	1,995	35	AM4	Desktop
<a href="#">AMD Athlon PRO 300GE</a>	2	4,475	1,917	35	AM4	Desktop
<a href="#">AMD FX-6350 Six-Core</a>	3	4,463	1,542	125	AM3+	Desktop
<a href="#">AMD FX-6330 Six-Core</a>	3	4,455	1,540	95	AM3+	Desktop
<a href="#">Intel Xeon X5647 @ 2.93GHz</a>	4	4,455	1,385	130	LGA1366	Server
<a href="#">AMD Athlon 220GE</a>	2	4,450	1,984	35	AM4	Laptop
<a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>	4	4,448	1,631	140	LGA2011-v3	Server
<a href="#">MT6877T</a>	8	4,442	1,591	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2960XM @ 2.70GHz</a>	4	4,423	1,491	55	PGA988B	Laptop
<a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	4,423	1,097	80	LGA2011-v3	Server
<a href="#">Intel Xeon L5639 @ 2.13GHz</a>	6	4,419	1,102	60	LGA1366	Server
<a href="#">MT6889Z/CZA</a>	8	4,416	1,817	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin810</a>	8	4,409	1,582	NA	Unknown	Mobile/Embedded

<a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>	2	4,396	2,577	58	FCLGA1200	Desktop
<a href="#">MT6875</a>	8	4,393	1,187	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-6300 @ 3.80GHz</a>	2	4,386	2,295	51	LGA 1151	Desktop
<a href="#">Intel Pentium Gold G6505 @ 4.20GHz</a>	2	4,378	2,652	58	FCLGA1200	Desktop
<a href="#">AMD Opteron 4386</a>	4	4,378	1,012	95	C32	Server
<a href="#">Intel Core i3-8121U @ 2.20GHz</a>	2	4,376	1,927	15	Unknown	Laptop
<a href="#">Intel Core i3-6320 @ 3.90GHz</a>	2	4,372	2,343	51	LGA 1151	Desktop
<a href="#">AMD Athlon 300GE</a>	2	4,366	1,888	35	AM4	Desktop
<a href="#">Intel Core i5-4670T @ 2.30GHz</a>	4	4,361	1,735	45	FCLGA1150	Desktop
<a href="#">Intel Core i5-3470S @ 2.90GHz</a>	4	4,353	1,900	65	LGA1155	Desktop
<a href="#">Intel Core i7-2760QM @ 2.40GHz</a>	4	4,353	1,534	45	BGA1224	Laptop
<a href="#">AMD FX-6130 Six-Core</a>	3	4,353	1,390	125	AM3+	Desktop
<a href="#">Intel Core i7-2820QM @ 2.30GHz</a>	4	4,347	1,515	45	BGA1224	Laptop
<a href="#">Intel Core i7-2920XM @ 2.50GHz</a>	4	4,344	1,499	55	FCPGA988	Laptop
<a href="#">Intel Core i3-7100 @ 3.90GHz</a>	2	4,342	2,339	51	FCLGA1151	Desktop
<a href="#">Hisilicon Kirin990</a>	8	4,328	1,908	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-8109U @ 3.00GHz</a>	2	4,303	2,133	28	FCBGA1528	Laptop
<a href="#">Intel Core i5-6400T @ 2.20GHz</a>	4	4,302	1,652	35	LGA 1151	Desktop
<a href="#">Intel Pentium Gold G6405 @ 4.10GHz</a>	2	4,285	2,534	58	FCLGA1200	Desktop
<a href="#">MT6877V/ZA</a>	8	4,285	1,903	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom C3958 @ 2.00GHz</a>	16	4,281	514	31	FCBGA1310	Server
<a href="#">Intel Core i5-4440S @ 2.80GHz</a>	4	4,277	1,790	65	LGA1150	Desktop
<a href="#">Intel Core i5-3450S @ 2.80GHz</a>	4	4,264	1,851	65	LGA1155	Desktop
<a href="#">Intel Xeon E5-1607 v2 @ 3.00GHz</a>	4	4,259	1,642	130	LGA 2011	Server
<a href="#">Intel Core i7-4770TE @ 2.30GHz</a>	4	4,257	1,458	45	LGA1150	Desktop
<a href="#">Intel Core i7-7567U @ 3.50GHz</a>	2	4,256	2,261	28	BGA1356	Laptop
<a href="#">Qualcomm Technologies, Inc SM8150</a>	8	4,256	1,786	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-6350HQ @ 2.30GHz</a>	4	4,255	1,420	45	LGA 1151	Laptop
<a href="#">AMD Ryzen Embedded R1606G</a>	2	4,253	1,923	15	FP5	Desktop, Mobile/Embedded
<a href="#">Intel Core i5-3350P @ 3.10GHz</a>	4	4,243	1,784	69	LGA1155	Desktop
<a href="#">AMD Athlon 320GE</a>	2	4,237	1,810	35	AM4	Desktop
<a href="#">Intel Xeon E5-2648L @ 1.80GHz</a>	8	4,235	931	70	LGA 2011	Server
<a href="#">Apple A11 Bionic</a>	6	4,234	1,192	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-8140U @ 2.10GHz</a>	2	4,227	2,135	15	FCBGA1528	Laptop
<a href="#">Hisilicon Kirin980</a>	8	4,226	1,743	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8150P</a>	8	4,224	1,879	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3570T @ 2.30GHz</a>	4	4,207	1,782	45	LGA1155	Desktop
<a href="#">AMD Ryzen 3 PRO 2100GE</a>	2	4,187	1,855	35	AM4	Desktop
<a href="#">Intel Core i3-6100 @ 3.70GHz</a>	2	4,177	2,221	51	LGA 1151	Desktop
<a href="#">Intel Core i5-3475S @ 2.90GHz</a>	4	4,177	1,815	65	LGA1155	Desktop
<a href="#">Intel Pentium J6426 @ 2.00GHz</a>	4	4,173	1,596	10	FCBGA1493	Mobile/Embedded
<a href="#">Intel Core i5-3340 @ 3.10GHz</a>	4	4,171	1,773	77	LGA1155	Desktop

<a href="#">Intel Core i3-6098P @ 3.60GHz</a>	2	4,170	2,160	54	LGA 1151	Desktop
<a href="#">Intel Core i5-4430S @ 2.70GHz</a>	4	4,168	1,719	65	LGA1150	Desktop
<a href="#">Hisilicon Kirin985</a>	8	4,162	1,823	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Gold G5600F @ 3.90GHz</a>	2	4,160	2,442	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-7300T @ 3.50GHz</a>	2	4,159	2,128	35	FCLGA1151	Desktop
<a href="#">AMD FX-6300 Six-Core</a>	3	4,156	1,486	95	AM3+	Desktop
<a href="#">Intel Atom x6425E @ 2.00GHz</a>	4	4,153	1,602	12	FCBGA1493	Mobile/Embedded
<a href="#">Intel Core i5-7287U @ 3.30GHz</a>	2	4,149	2,154	28	Unknown	Laptop
<a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>	2	4,147	2,491	58	FCLGA1200	Desktop
<a href="#">Intel Celeron N5105 @ 2.00GHz</a>	4	4,140	1,536	10	FCBGA1338	Mobile/Embedded
<a href="#">AMD Athlon PRO 200GE</a>	2	4,139	1,821	35	AM4	Desktop
<a href="#">AMD Athlon 200GE</a>	2	4,135	1,817	35	AM4	Desktop
<a href="#">AMD Opteron 3380</a>	8	4,134	1,107	65	Unknown	Server
<a href="#">Intel Core i3-8145UE @ 2.20GHz</a>	2	4,133	2,324	15	FCBGA1528	Laptop
<a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>	2	4,130	2,484	58	FCLGA1200	Desktop
<a href="#">Intel Core i5-2550K @ 3.40GHz</a>	4	4,123	1,754	95	LGA1155	Desktop
<a href="#">Intel Core i7-2720QM @ 2.20GHz</a>	4	4,114	1,396	45	BGA1224	Laptop
<a href="#">Intel Core i7-7660U @ 2.50GHz</a>	2	4,105	2,139	15	BGA1356	Laptop
<a href="#">Intel Pentium Gold G5620 @ 4.00GHz</a>	2	4,102	2,424	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-3340S @ 2.80GHz</a>	4	4,102	1,792	65	LGA1155	Desktop
<a href="#">Intel Core i5-2500 @ 3.30GHz</a>	4	4,101	1,708	95	LGA1155	Desktop
<a href="#">Intel Core i5-2500K @ 3.30GHz</a>	4	4,098	1,699	95	LGA1155	Desktop
<a href="#">Intel Core i5-3330 @ 3.00GHz</a>	4	4,091	1,726	77	LGA1155	Desktop
<a href="#">Intel Celeron J6413 @ 1.80GHz</a>	4	4,075	1,601	10	FCBGA1296	Mobile/Embedded
<a href="#">AMD Opteron 6234</a>	6	4,072	547	115	G34	Server
<a href="#">Intel Atom x6413E @ 1.50GHz</a>	4	4,070	1,608	9	FCBGA1493	Mobile/Embedded
<a href="#">Intel Core i5-7360U @ 2.30GHz</a>	2	4,052	2,189	15	FCBGA1356	Laptop
<a href="#">MT6833P</a>	8	4,051	1,375	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2710QE @ 2.10GHz</a>	4	4,044	1,393	45	PGA988B	Laptop
<a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>	4	4,041	1,481	45	LGA1155	Server
<a href="#">Intel Core i3-6300T @ 3.30GHz</a>	2	4,040	2,055	35	LGA 1151	Desktop
<a href="#">AMD Athlon Gold 3150U</a>	2	4,025	1,782	15	FP5	Laptop
<a href="#">Intel Xeon E5640 @ 2.67GHz</a>	4	4,018	1,204	80	LGA1366	Server
<a href="#">Intel Celeron N5095 @ 2.00GHz</a>	4	4,010	1,510	15	FCBGA1338	Desktop
<a href="#">AMD Opteron 6212</a>	4	4,007	1,085	115	Socket G34	Server
<a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a>	2	4,005	2,277	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10110U @ 2.10GHz</a>	2	4,004	2,265	15	FCBGA1528	Laptop
<a href="#">AMD FX-6200 Six-Core</a>	3	4,001	1,382	125	AM3+	Desktop
<a href="#">AMD Ryzen 3 3250U</a>	2	3,989	1,847	15	FP5	Laptop
<a href="#">Intel Core i5-4590T @ 2.00GHz</a>	4	3,982	1,648	35	LGA1150	Desktop
<a href="#">Intel Core i5-2450P @ 3.20GHz</a>	4	3,974	1,654	95	LGA1155	Desktop
<a href="#">AMD Opteron 3365</a>	4	3,973	1,107	65	AM3+	Server

<a href="#">AMD Ryzen Embedded R1505G</a>	2	3,966	1,817	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Athlon 300U</a>	2	3,959	1,820	15	FP5	Laptop
<a href="#">AMD Opteron 4334</a>	3	3,949	1,269	95	Socket C32	Server
<a href="#">MT6781</a>	8	3,937	1,337	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-985 @ 3.47GHz</a>	4	3,928	1,579	NA	LGA1366	Unknown
<a href="#">Intel Core i5-6287U @ 3.10GHz</a>	2	3,925	2,080	28	FCBGA1356	Laptop
<a href="#">Intel Core i5-7267U @ 3.10GHz</a>	2	3,925	2,059	28	BGA1356	Laptop
<a href="#">Intel Core i3-7101TE @ 3.40GHz</a>	2	3,911	1,997	35	FCLGA1151	Desktop
<a href="#">ARM Cortex-A72 8 Core 0 MHz</a>	8	3,906	1,531	NA	Unknown	Unknown
<a href="#">AMD Opteron 4332 HE</a>	6	3,906	1,413	65	Socket C32	Server
<a href="#">Intel Celeron J6412 @ 2.00GHz</a>	4	3,904	1,364	10	FCBGA1493	Mobile/Embedded
<a href="#">Intel Core i5-7260U @ 2.20GHz</a>	2	3,895	1,989	15	BGA1356	Laptop
<a href="#">AMD Ryzen 3 3200U</a>	2	3,885	1,826	15	FP5	Laptop
<a href="#">AMD PRO A12-9800</a>	4	3,878	1,775	65	AM4	Desktop
<a href="#">AMD A8-7500</a>	2	3,878	1,509	65	FM2+	Desktop
<a href="#">AMD FX-6120 Six-Core</a>	3	3,863	1,415	95	AM3+	Desktop
<a href="#">Intel Core i3-1000NG4 @ 1.10GHz</a>	2	3,862	1,884	9	BGA1526	Laptop
<a href="#">Intel Xeon E3-1220 @ 3.10GHz</a>	4	3,855	1,582	80	LGA1155	Server
<a href="#">Intel Core i7-6660U @ 2.40GHz</a>	2	3,851	1,983	15	FCBGA1356	Laptop
<a href="#">Q6/8e</a>	8	3,848	2,388	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A12-8870</a>	4	3,848	1,718	65	AM4	Desktop
<a href="#">AMD FX-8100 Eight-Core</a>	4	3,847	1,094	95	AM3+	Desktop
<a href="#">Intel Core i7-2840QM @ 2.40GHz</a>	4	3,842	1,493	NA	rPGA988B	Laptop
<a href="#">Intel Core i5-2400 @ 3.10GHz</a>	4	3,840	1,580	95	LGA1155	Desktop
<a href="#">Intel Core i3-8145U @ 2.10GHz</a>	2	3,839	2,143	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>	4	3,817	1,572	95	LGA1155	Server
<a href="#">Intel Core i3-1115GRE @ 3.00GHz</a>	2	3,816	1,880	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i7-6567U @ 3.30GHz</a>	2	3,812	2,099	28	FCBGA1356	Laptop
<a href="#">Intel Core i5-3330S @ 2.70GHz</a>	4	3,810	1,691	65	LGA1155	Desktop
<a href="#">Intel Core i3-4370 @ 3.80GHz</a>	2	3,807	2,126	54	LGA1150	Desktop
<a href="#">ZHAOXIN KaiXian KX-U6780A@2.7GHz</a>	8	3,802	732	NA	Unknown	Unknown
<a href="#">Intel Core i7-7560U @ 2.40GHz</a>	2	3,801	2,013	15	BGA1356	Laptop
<a href="#">MT8789V/CT</a>	8	3,800	1,441	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2380P @ 3.10GHz</a>	4	3,797	1,607	95	LGA1155	Desktop
<a href="#">Intel Core i3-7100T @ 3.40GHz</a>	2	3,787	2,007	35	FCLGA1151	Desktop
<a href="#">AMD Athlon X4 845</a>	2	3,784	1,680	65	FM2+	Desktop
<a href="#">MediaTek MT6873</a>	8	3,782	1,316	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G4620 @ 3.70GHz</a>	2	3,777	2,268	51	FCLGA1151	Desktop
<a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>	2	3,770	2,258	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600 @ 3.90GHz</a>	2	3,769	2,291	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-2675QM @ 2.20GHz</a>	4	3,766	1,262	45	BGA1224	Laptop
<a href="#">Intel Pentium N6415 @ 1.20GHz</a>	4	3,760	1,616	6.5	FCBGA1493	Mobile/Embedded
<a href="#">Intel Core i5-3335S @ 2.70GHz</a>	4	3,754	1,738	65	LGA1155	Desktop
<a href="#">AMD PRO A10-8850B</a>	2	3,752	1,611	95	FM2+	Desktop

<a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	3,752	931	85	LGA2011-v3	Server
<a href="#">Intel Core i5-7300U @ 2.60GHz</a>	2	3,751	1,968	15	FCBGA1356	Laptop
<a href="#">Intel Pentium Gold G6405T @ 3.50GHz</a>	2	3,746	2,206	35	FCLGA1200	Desktop
<a href="#">Qualcomm Technologies, Inc SM8150_Plus</a>	8	3,730	1,633	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-1607 @ 3.00GHz</a>	4	3,730	1,439	130	LGA2011	Server
<a href="#">AMD Phenom II X6 1100T</a>	6	3,729	1,502	125	AM3	Desktop
<a href="#">Intel Core i7-2670QM @ 2.20GHz</a>	4	3,726	1,324	45	PGA988B	Laptop
<a href="#">Intel Xeon E5630 @ 2.53GHz</a>	4	3,726	1,176	80	LGA1366	Server
<a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>	2	3,723	2,224	54	FCLGA1151-2	Desktop
<a href="#">AMD Opteron 3280</a>	8	3,720	1,043	65	AM3+	Server
<a href="#">AMD Opteron 6174</a>	12	3,697	488	115	Socket G34	Server
<a href="#">Intel Core i3-4360 @ 3.70GHz</a>	2	3,688	2,067	54	FCLGA1150	Desktop
<a href="#">AMD Ryzen 3 2200U</a>	2	3,687	1,683	15	FP5	Laptop
<a href="#">AMD FX-6100 Six-Core</a>	3	3,679	1,320	95	AM3+	Desktop
<a href="#">AMD Athlon X4 880K</a>	2	3,676	1,628	95	FM2+	Desktop
<a href="#">Intel Core i7-7600U @ 2.80GHz</a>	2	3,670	1,993	15	FCBGA1356	Laptop
<a href="#">AMD A9-9820</a>	8	3,662	798	NA	Unknown	Unknown
<a href="#">Intel Core i7-7500U @ 2.70GHz</a>	2	3,657	1,948	15	FCBGA1356	Laptop
<a href="#">Snapdragon 8cx @ 2.84 GHz</a>	8	3,655	1,757	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X6 1090T</a>	6	3,655	1,456	125	AM3	Desktop
<a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>	2	3,648	2,289	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8130U @ 2.20GHz</a>	2	3,648	1,942	15	FCBGA1356	Laptop
<a href="#">AMD PRO A10-9700</a>	2	3,644	1,655	65	AM4	Desktop
<a href="#">Intel Core i5-2320 @ 3.00GHz</a>	4	3,632	1,512	95	LGA1155	Desktop
<a href="#">Intel Xeon E5620 @ 2.40GHz</a>	4	3,630	1,127	80	LGA1366	Server
<a href="#">DG1301SML87HY</a>	8	3,624	727	NA	Unknown	Unknown
<a href="#">Intel Core i3-6100T @ 3.20GHz</a>	2	3,617	1,891	35	LGA 1151	Desktop
<a href="#">Intel Core i5-2310 @ 2.90GHz</a>	4	3,613	1,497	95	LGA1155	Desktop
<a href="#">AMD Athlon X4 950</a>	4	3,611	1,663	65	AM4	Desktop
<a href="#">Intel Pentium Gold G6400T @ 3.40GHz</a>	2	3,610	2,140	35	FCLGA1200	Desktop
<a href="#">Intel Pentium G4600 @ 3.60GHz</a>	2	3,605	2,186	51	FCLGA1151	Desktop
<a href="#">Intel Pentium Gold G5600T @ 3.30GHz</a>	2	3,601	2,025	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-4460T @ 1.90GHz</a>	4	3,595	1,481	35	LGA1150	Desktop
<a href="#">Intel Core i7-6650U @ 2.20GHz</a>	2	3,589	1,813	15	FCBGA1356	Laptop
<a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>	4	3,589	1,451	45	LGA1155	Server
<a href="#">MT6853V/ZA</a>	8	3,577	1,279	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4170 @ 3.70GHz</a>	2	3,571	2,070	54	LGA1150	Desktop
<a href="#">AMD A8-7680</a>	4	3,571	1,638	45	FM2+	Laptop
<a href="#">AMD Opteron 6176 SE</a>	12	3,564	507	140	G34	Server
<a href="#">Intel Core i7-2630QM @ 2.00GHz</a>	4	3,552	1,220	45	PGA988B	Laptop
<a href="#">AMD A10-9700</a>	4	3,546	1,615	65	AM4	Desktop
<a href="#">Intel Core i3-4330 @ 3.50GHz</a>	2	3,541	1,984	54	LGA1150	Desktop

<a href="#">AMD A10-8850</a>	2	3,525	1,624	NA	Unknown	Desktop
<a href="#">Samsung Exynos 9820</a>	8	3,519	1,666	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a>	4	3,518	1,417	NA	FCBGA1090	Desktop
<a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>	4	3,518	977	50	LGA 1356	Server
<a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	3,516	1,371	80	LGA 2011	Server
<a href="#">Intel Pentium G4560 @ 3.50GHz</a>	2	3,513	2,103	54	FCLGA1151	Desktop
<a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a>	2	3,508	1,978	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-4340 @ 3.60GHz</a>	2	3,506	2,027	54	LGA1150	Desktop
<a href="#">Intel Core i7-6600U @ 2.60GHz</a>	2	3,506	1,850	15	FCBGA1356	Laptop
<a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	3,504	1,068	80	FCLGA1356	Server
<a href="#">Intel Core i3-4160 @ 3.60GHz</a>	2	3,495	2,014	54	FCLGA1150	Desktop
<a href="#">Intel Xeon W3580 @ 3.33GHz</a>	4	3,495	1,553	130	LGA1366	Server
<a href="#">Intel Core i5-4340M @ 2.90GHz</a>	2	3,491	2,032	37	Unknown	Laptop
<a href="#">AMD A10-7870K</a>	2	3,485	1,510	95	FM2+	Desktop
<a href="#">AMD Opteron 4365 EE</a>	4	3,485	958	40	Socket C32	Server
<a href="#">Intel Core i5-6267U @ 2.90GHz</a>	2	3,478	1,860	28	FCBGA1356	Laptop
<a href="#">AMD Opteron 6164 HE</a>	12	3,478	399	85	Socket G34	Server
<a href="#">AMD A10-7890K</a>	2	3,477	1,566	95	FM2+	Desktop
<a href="#">Intel Core i7-2635QM @ 2.00GHz</a>	4	3,466	1,235	45	BGA1224	Laptop
<a href="#">Samsung Exynos 9825</a>	8	3,460	1,625	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4350 @ 3.60GHz</a>	2	3,459	1,902	54	LGA1150	Desktop
<a href="#">Intel Core i5-2500S @ 2.70GHz</a>	4	3,459	1,677	65	LGA1155	Desktop
<a href="#">AMD A10 PRO-7850B APU</a>	2	3,458	1,587	95	FM2+	Desktop
<a href="#">Qualcomm Technologies, Inc KHAJE</a>	8	3,458	1,169	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>	4	3,448	1,337	130	LGA2011	Server
<a href="#">Intel Xeon X5698 @ 4.40GHz</a>	2	3,447	1,922	130	LGA1366	Server
<a href="#">AMD A12-9800</a>	2	3,447	1,607	65	AM4	Desktop
<a href="#">AMD A12-9800E</a>	4	3,447	1,604	35	AM4	Desktop
<a href="#">Intel Celeron G6900</a>	2	3,446	2,587	46	LGA1700,BGA1700	Desktop
<a href="#">AMD Athlon X4 860K</a>	2	3,436	1,531	95	FM2+	Desktop
<a href="#">AMD PRO A10-8770</a>	4	3,434	1,522	65	AM4	Desktop
<a href="#">MT6833V/ZA</a>	8	3,434	1,416	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-7100H @ 3.00GHz</a>	2	3,430	1,668	35	FCBGA1440	Laptop
<a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded
<a href="#">MT6833</a>	8	3,425	1,384	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-1110G4 @ 1.80GHz</a>	2	3,421	1,986	NA	FCBGA1598	Mobile/Embedded
<a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>	5	3,421	1,606	7	FC-CSP1016	Laptop
<a href="#">Intel Core i5-7200U @ 2.50GHz</a>	2	3,410	1,778	15	FCBGA1356	Laptop
<a href="#">Intel Pentium Silver N5020 @ 1.10GHz</a>	4	3,404	1,307	6	FCBGA1090	Laptop
<a href="#">Samsung Exynos 9810</a>	8	3,401	1,317	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 4226</a>	3	3,400	1,157	95	Socket C32	Server
<a href="#">Intel Core i7-6560U @ 2.20GHz</a>	2	3,398	1,714	15	Unknown	Laptop
<a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>	4	3,391	953	95	LGA 2011	Server

<a href="#">Intel Xeon W5580 @ 3.20GHz</a>	4	3,386	1,503	130	LGA1366	Server
<a href="#">AMD Athlon X4 870K</a>	2	3,383	1,543	95	FM2+	Desktop
<a href="#">Intel Core i5-2300 @ 2.80GHz</a>	4	3,382	1,430	95	LGA1155	Desktop
<a href="#">AMD Opteron 6136</a>	8	3,381	549	115	Socket G34	Server
<a href="#">AMD Opteron X3421 APU</a>	4	3,375	1,497	35	Unknown	Server
<a href="#">Intel Core i7-975 @ 3.33GHz</a>	4	3,370	1,508	130	LGA1366	Desktop
<a href="#">AMD FX-B4150 Quad-Core</a>	2	3,369	1,425	95	AM3+	Desktop
<a href="#">Intel Core i3-4370T @ 3.30GHz</a>	2	3,368	1,914	35	FCLGA1150	Desktop
<a href="#">AMD A10-7850K APU</a>	2	3,363	1,512	95	FM2+	Desktop
<a href="#">MT6853V/TNZA</a>	8	3,361	1,515	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4150 @ 3.50GHz</a>	2	3,360	1,933	54	FCLGA1150	Desktop
<a href="#">MT6781V/CD</a>	8	3,356	1,437	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon W3570 @ 3.20GHz</a>	4	3,354	1,520	130	LGA1366	Server
<a href="#">MT6785</a>	8	3,354	1,293	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A8-9600</a>	2	3,347	1,468	65	AM4	Desktop
<a href="#">AMD Phenom II X6 1405T</a>	6	3,335	1,247	95	AM2+,AM3	Desktop
<a href="#">AMD A10-7860K</a>	2	3,333	1,538	65	FM2+	Desktop
<a href="#">Intel Xeon W3565 @ 3.20GHz</a>	4	3,331	1,496	130	LGA1366	Server
<a href="#">AMD FX-4150 Quad-Core</a>	4	3,327	1,465	125	AM3+	Desktop
<a href="#">Intel Xeon D-1520 @ 2.20GHz</a>	4	3,324	419	45	BGA 1667	Server
<a href="#">AMD A10-8750</a>	2	3,320	1,554	65	FM2+	Desktop
<a href="#">AMD Phenom II X6 1065T</a>	6	3,320	1,359	95	AM3	Desktop
<a href="#">Intel Core i3-6100E @ 2.70GHz</a>	2	3,315	1,688	35	LGA 1151	Laptop
<a href="#">Intel Core i7-6498DU @ 2.50GHz</a>	2	3,303	1,721	15	BGA1356	Laptop
<a href="#">AMD Embedded R-Series RX-421BD</a>	4	3,302	1,477	35	BGA (FP4)	Laptop, Mobile/Embedded
<a href="#">Intel Xeon L5609 @ 1.87GHz</a>	4	3,298	1,160	40	LGA1366	Server
<a href="#">Intel Core i3-4130 @ 3.40GHz</a>	2	3,291	1,890	54	LGA1150	Desktop
<a href="#">AMD A8-9600</a>	4	3,291	1,486	65	AM4	Desktop
<a href="#">Intel Core i7-965 @ 3.20GHz</a>	4	3,288	1,452	130	LGA1366	Desktop
<a href="#">AMD Athlon X4 840</a>	2	3,287	1,482	65	FM2+	Desktop
<a href="#">MT6833V/PNZA</a>	8	3,286	1,489	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X6 1075T</a>	6	3,284	1,411	125	AM3	Desktop
<a href="#">Intel Core i3-7167U @ 2.80GHz</a>	2	3,280	1,635	28	Unknown	Laptop
<a href="#">Intel Core i3-10110Y @ 1.00GHz</a>	2	3,278	2,093	7	UTFCBGA1377	Laptop
<a href="#">Hisilicon Kirin820</a>	8	3,273	1,681	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-6500U @ 2.50GHz</a>	2	3,272	1,705	15	FCBGA1356	Laptop
<a href="#">MT6833V/NZA</a>	8	3,272	1,419	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM7225</a>	8	3,271	1,753	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5570 @ 2.93GHz</a>	4	3,270	1,410	95	LGA1366	Server
<a href="#">AMD FX-9830P</a>	4	3,268	1,569	35	FP4	Laptop
<a href="#">AMD FX-4350 Quad-Core</a>	2	3,262	1,603	125	AM3+	Desktop
<a href="#">Intel Core i5-6360U @ 2.00GHz</a>	2	3,260	1,803	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6300U @ 2.40GHz</a>	2	3,260	1,692	15	FCBGA1356	Laptop
<a href="#">Intel Xeon X3480 @ 3.07GHz</a>	4	3,254	1,408	95	LGA1156	Server
<a href="#">AMD Ryzen Embedded V1202B</a>	2	3,253	1,424	15	FP5	Laptop, Mobile/Embedded



<a href="#">Intel Core i5-4400E @ 2.70GHz</a>	2	3,251	1,804	37	BGA1364	Desktop
<a href="#">Intel Core i7-960 @ 3.20GHz</a>	4	3,249	1,453	130	LGA1366	Desktop
<a href="#">AMD FX-4330</a>	2	3,248	1,563	95	AM3+	Desktop
<a href="#">Intel Core i3-4570T @ 2.90GHz</a>	2	3,244	1,693	35	FCLGA1150	Desktop
<a href="#">Intel Pentium D1508 @ 2.20GHz</a>	2	3,240	1,760	25	FCBGA1667	Server
<a href="#">Intel Xeon W5590 @ 3.33GHz</a>	4	3,239	1,571	130	LGA1366	Server
<a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a>	2	3,234	1,964	35	FCLGA1151-2	Desktop
<a href="#">Qualcomm Technologies, Inc SM7250</a>	8	3,225	1,563	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon L5638 @ 2.00GHz</a>	6	3,225	727	60	LGA1366	Server
<a href="#">AMD A8-7670K</a>	4	3,224	1,512	95	FM2+	Desktop
<a href="#">Intel Core i7-2715QE @ 2.10GHz</a>	4	3,221	1,287	45	BGA1023	Laptop
<a href="#">AMD A8-7600 APU</a>	2	3,219	1,453	65	FM2+	Desktop
<a href="#">MediaTek MT6853T</a>	8	3,217	1,488	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-5287U @ 2.90GHz</a>	2	3,216	2,029	28	FCBGA1168	Laptop
<a href="#">AMD Ryzen Embedded R1305G</a>	2	3,209	1,667	8	FP5	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-4330M @ 2.80GHz</a>	2	3,208	1,855	37	Unknown	Laptop
<a href="#">Intel Core i5-6260U @ 1.80GHz</a>	2	3,207	1,665	15	FCBGA1356	Laptop
<a href="#">AMD PRO A8-8650B</a>	4	3,203	1,485	65	FM2+	Desktop
<a href="#">Intel Xeon X3470 @ 2.93GHz</a>	4	3,203	1,412	95	LGA1156	Server
<a href="#">Qualcomm Technologies, Inc LAGOON</a>	8	3,202	1,658	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X6 1055T</a>	6	3,197	1,315	125	AM3	Desktop
<a href="#">Qualcomm Technologies, Inc ATOLL-AB</a>	8	3,195	1,587	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon W3550 @ 3.07GHz</a>	4	3,193	1,415	130	LGA1366	Server
<a href="#">Q6/9c</a>	4	3,191	1,439	NA	Unknown	Mobile/Embedded
<a href="#">AMD A10 PRO-7800B APU</a>	2	3,184	1,502	65	FM2+	Desktop
<a href="#">Intel Celeron N5100 @ 1.10GHz</a>	4	3,183	1,382	6	FCBGA1338	Laptop
<a href="#">AMD PRO A12-9800E</a>	4	3,182	1,551	35	AM4	Desktop
<a href="#">Intel Core i7-5557U @ 3.10GHz</a>	2	3,181	1,947	28	FCBGA1168	Laptop
<a href="#">ARM Neoverse-N1 4 Core 0 MHz</a>	4	3,176	1,299	NA	Unknown	Unknown
<a href="#">AMD A12-9730P</a>	4	3,172	1,487	35	FP4	Laptop
<a href="#">Intel Core i5-6198DU @ 2.30GHz</a>	2	3,170	1,659	15	BGA1356	Laptop
<a href="#">MediaTek MT6785V/CD</a>	8	3,165	1,294	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4360T @ 3.20GHz</a>	2	3,164	1,852	35	LGA1150	Desktop
<a href="#">Intel Core i3-4170T @ 3.20GHz</a>	2	3,162	1,813	35	LGA1150	Desktop
<a href="#">AMD A10-6800K APU</a>	2	3,157	1,605	100	FM2	Desktop
<a href="#">Intel Core i5-2400S @ 2.50GHz</a>	4	3,157	1,474	65	LGA1155	Desktop
<a href="#">Intel Core i7-950 @ 3.07GHz</a>	4	3,155	1,394	130	LGA1366	Desktop
<a href="#">Intel Atom C3858 @ 2.00GHz</a>	12	3,154	501	25	FCBGA1310	Server
<a href="#">AMD A10-7700K APU</a>	2	3,153	1,423	95	FM2+	Desktop
<a href="#">Qualcomm Technologies, Inc SDM730G AIE</a>	8	3,148	1,481	NA	Unknown	Mobile/Embedded
<a href="#">AMD A10-7800 APU</a>	2	3,142	1,450	65	FM2+	Desktop
<a href="#">Intel Core i7-4600M @ 2.90GHz</a>	2	3,140	1,832	37	PGA946	Laptop
<a href="#">AMD Opteron X3418 APU</a>	4	3,137	1,450	25	Unknown	Server

<a href="#">Intel Core i5-4570T @ 2.90GHz</a>	2	3,136	1,875	35	LGA1150	Desktop
<a href="#">AMD FX-4200 Quad-Core</a>	4	3,134	1,285	125	AM3+	Desktop
<a href="#">Intel Core i3-4160T @ 3.10GHz</a>	2	3,133	1,771	35	LGA1150	Desktop
<a href="#">MT8786V/CA</a>	8	3,131	1,164	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G4600T @ 3.00GHz</a>	2	3,130	1,843	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-4310M @ 2.70GHz</a>	2	3,119	1,812	37	Unknown	Laptop
<a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a>	2	3,119	1,807	35	FCLGA1151-2	Server
<a href="#">Intel Core i7-875K @ 2.93GHz</a>	4	3,119	1,374	95	LGA1156	Desktop
<a href="#">AMD A10-6790K APU</a>	2	3,117	1,571	100	FM2	Desktop
<a href="#">Intel Core i5-4200H @ 2.80GHz</a>	2	3,113	1,807	47	BGA1364	Desktop
<a href="#">AMD FX-4170 Quad-Core</a>	2	3,109	1,457	125	AM3+	Desktop
<a href="#">Intel Core i5-4570TE @ 2.70GHz</a>	2	3,106	1,631	35	LGA1150	Desktop
<a href="#">AMD PRO A10-8770E</a>	4	3,106	1,445	35	AM4	Desktop
<a href="#">Qualcomm Technologies, Inc LITO</a>	8	3,105	1,560	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 7c Gen 2 @ 2.55</a>	8	3,103	1,507	7	Unknown	Unknown
<a href="#">Intel Xeon X5560 @ 2.80GHz</a>	4	3,100	1,380	95	LGA1366	Server
<a href="#">Qualcomm Technologies, Inc SDM720G</a>	8	3,099	1,609	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4330T @ 3.00GHz</a>	2	3,098	1,717	35	LGA1150	Desktop
<a href="#">AMD FX-870K Quad Core</a>	2	3,094	1,369	NA	Unknown	Unknown
<a href="#">AMD FX-4320</a>	2	3,092	1,552	95	AM3+	Desktop
<a href="#">AMD A10-6700 APU</a>	4	3,090	1,607	65	FM2	Desktop
<a href="#">Intel Core i3-10100Y @ 1.30GHz</a>	2	3,085	1,770	5	BGA 1528	Mobile/Embedded
<a href="#">Intel Core i3-6100TE @ 2.70GHz</a>	2	3,085	1,615	35	LGA 1151	Desktop
<a href="#">AMD PRO A12-8870E</a>	4	3,083	1,520	35	AM4	Desktop
<a href="#">Intel Core i7-870 @ 2.93GHz</a>	4	3,074	1,392	95	LGA1156	Desktop
<a href="#">MT6853V/NZA</a>	8	3,072	1,286	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Silver 3050U</a>	2	3,066	1,715	15	FP5	Laptop
<a href="#">Intel Core i7-940 @ 2.93GHz</a>	4	3,066	1,345	130	LGA1366	Desktop
<a href="#">vendor Kirin710</a>	8	3,066	1,050	NA	Unknown	Mobile/Embedded
<a href="#">ZHAOXIN KaiXian KX-U6580@2.5GHz</a>	8	3,066	745	NA	Unknown	Unknown
<a href="#">Intel Core i5-4308U @ 2.80GHz</a>	2	3,064	1,884	28	FCBGA1364	Laptop
<a href="#">Intel Core i5-24050S @ 2.50GHz</a>	4	3,061	1,397	65	LGA1155, FCLGA11	Desktop
<a href="#">AMD Opteron 2435</a>	6	3,061	593	75	F (1207)	Server
<a href="#">MediaTek MT6785V/CC</a>	8	3,048	1,253	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon W3530 @ 2.80GHz</a>	4	3,045	1,336	130	LGA1366	Server
<a href="#">Intel Core i5-5257U @ 2.70GHz</a>	2	3,044	1,879	23	FCBGA1168	Laptop
<a href="#">Intel Core i3-6100H @ 2.70GHz</a>	2	3,041	1,543	35	LGA 1151	Laptop
<a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a>	4	3,040	1,206	10	FCBGA1090	Desktop
<a href="#">AMD Phenom II X6 1045T</a>	6	3,034	1,287	95	AM3	Desktop
<a href="#">Intel Core i5-6200U @ 2.30GHz</a>	2	3,030	1,589	15	FCBGA1356	Laptop
<a href="#">Qualcomm Technologies, Inc SM7125</a>	8	3,027	1,559	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4578U @ 3.00GHz</a>	2	3,026	1,916	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-4300M @ 2.60GHz</a>	2	3,025	1,761	37	PGA946	Laptop

<a href="#">Intel Pentium GOLD 6500Y @ 1.10GHz</a>	2	3,024	1,832	5	Unknown	Mobile/Embedded
<a href="#">AMD A8-7650K</a>	2	3,012	1,371	65	FM2+	Desktop
<a href="#">Intel Core i5-3380M @ 2.90GHz</a>	2	3,006	1,862	35	FCPGA988, FCBGA1	Laptop
<a href="#">SMDK4x12</a>	8	3,006	1,271	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM7150</a>	8	3,004	1,410	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4610M @ 3.00GHz</a>	2	3,002	1,740	37	FPGA946,FPGA947	Laptop
<a href="#">Intel Core i7-5650U @ 2.20GHz</a>	2	2,998	1,918	15	FCBGA1168	Laptop
<a href="#">Intel Celeron J4125 @ 2.00GHz</a>	4	2,994	1,171	10	FCBGA1090	Desktop
<a href="#">Intel Core m3-8100Y @ 1.10GHz</a>	2	2,991	1,783	5	FCBGA1515	Laptop
<a href="#">Qualcomm Technologies, Inc SDM765G 5G</a>	8	2,990	1,604	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A8-8670E</a>	4	2,989	1,382	35	AM4	Desktop
<a href="#">Intel Core i3-7130U @ 2.70GHz</a>	2	2,988	1,578	15	FCBGA1356	Laptop
<a href="#">Intel Xeon X5550 @ 2.67GHz</a>	4	2,988	1,317	95	LGA1366	Server
<a href="#">Hisilicon Kirin810</a>	8	2,986	1,522	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-5600U @ 2.60GHz</a>	2	2,981	1,758	15	FCBGA1168	Laptop
<a href="#">Qualcomm Technologies, Inc SDMMAGPIEP</a>	8	2,980	1,505	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2405S @ 2.50GHz</a>	4	2,980	1,485	65	LGA1155	Desktop
<a href="#">Intel Xeon E5-2637 @ 3.00GHz</a>	2	2,978	1,526	80	FCLGA2011	Server
<a href="#">AMD A8-6600K APU</a>	2	2,977	1,527	100	FM2	Desktop
<a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a>	4	2,977	1,293	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Core i5-3470T @ 2.90GHz</a>	2	2,958	1,791	35	LGA1155	Desktop
<a href="#">Intel Core i7-4558U @ 2.80GHz</a>	2	2,956	1,824	28	BGA1168	Laptop
<a href="#">Intel Core i7-4560U @ 1.60GHz</a>	2	2,950	1,782	NA	Unknown	Laptop
<a href="#">AMD A10-9700E</a>	4	2,947	1,413	35	AM4	Desktop
<a href="#">AMD Phenom II X6 1035T</a>	6	2,947	1,231	95	AM3	Desktop
<a href="#">Intel Xeon L5630 @ 2.13GHz</a>	4	2,943	1,043	40	LGA1366	Server
<a href="#">Intel Core i5-2500T @ 2.30GHz</a>	4	2,942	1,489	45	LGA1155	Desktop
<a href="#">AMD Athlon X4 760K Quad Core</a>	2	2,941	1,521	100	FM2	Desktop
<a href="#">Intel Celeron G5925 @ 3.60GHz</a>	2	2,939	2,282	58	FCLGA1200	Desktop
<a href="#">AMD FX-4300 Quad-Core</a>	2	2,937	1,489	95	AM3+	Desktop
<a href="#">AMD A10-5800K APU</a>	2	2,936	1,495	100	FM2	Desktop
<a href="#">AMD Opteron 2431</a>	6	2,936	570	75	F (1207)	Server
<a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>	2	2,935	1,697	4.5	FCBGA1515	Laptop
<a href="#">AMD Opteron 6128 HE</a>	8	2,932	823	85	Socket G34	Server
<a href="#">Intel Pentium G4520 @ 3.60GHz</a>	2	2,926	2,200	51	FCLGA1151	Desktop
<a href="#">Intel Core i7-880 @ 3.07GHz</a>	4	2,920	1,386	95	LGA1156	Desktop
<a href="#">Intel Core i5-4210H @ 2.90GHz</a>	2	2,918	1,716	47	FCBGA1364	Laptop
<a href="#">AMD Athlon Silver 3050e</a>	2	2,918	1,453	6	Unknown	Laptop
<a href="#">AMD Ryzen 3 3250C</a>	2	2,917	1,858	15	FP5	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-3540M @ 3.00GHz</a>	2	2,911	1,768	35	rPGA988B	Laptop
<a href="#">Qualcomm Technologies, Inc SDMMAGPIE</a>	8	2,911	1,438	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron J4105 @ 1.50GHz</a>	4	2,911	1,097	10	FCBGA1090	Desktop

<a href="#">Intel Pentium G4560T @ 2.90GHz</a>	2	2,909	1,708	35	FCLGA1151	Desktop
<a href="#">Intel Core i7-5550U @ 2.00GHz</a>	2	2,908	1,781	15	FCBGA1168	Laptop
<a href="#">HiSilicon Kirin 970</a>	8	2,908	1,110	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom x6425RE @ 1.90GHz</a>	4	2,903	1,021	12	FCBGA1493	Mobile/Embedded
<a href="#">AMD Athlon X4 830</a>	2	2,901	1,292	65	FM2+	Desktop
<a href="#">AMD A10-9630P</a>	4	2,899	1,355	35	FP4	Laptop
<a href="#">AMD A8-6500B APU</a>	2	2,898	1,531	65	FM2	Desktop
<a href="#">AMD FX-670K Quad-Core</a>	2	2,897	1,566	65	FM2	Desktop
<a href="#">AMD A10-5800B APU</a>	2	2,897	1,526	100	FM2	Desktop
<a href="#">AMD PRO A10-8750B</a>	2	2,897	1,294	65	FM2+	Desktop
<a href="#">AMD PRO A10-9700E</a>	2	2,896	1,333	35	AM4	Desktop
<a href="#">Intel Core i7-860 @ 2.80GHz</a>	4	2,893	1,320	95	LGA1156	Desktop
<a href="#">Intel Core i5-4210M @ 2.60GHz</a>	2	2,892	1,691	37	FCPGA946	Laptop
<a href="#">Intel Xeon W3540 @ 2.93GHz</a>	4	2,890	1,289	130	LGA1366	Server
<a href="#">Intel Core i3-4350T @ 3.10GHz</a>	2	2,888	1,656	35	LGA1150	Laptop
<a href="#">Intel Core i7-3520M @ 2.90GHz</a>	2	2,879	1,746	35	BGA1023	Laptop
<a href="#">Intel Core i7-930 @ 2.80GHz</a>	4	2,877	1,276	130	LGA1366	Desktop
<a href="#">Intel Core i3-4130T @ 2.90GHz</a>	2	2,874	1,633	35	LGA1150	Desktop
<a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>	4	2,873	991	80	FCLGA1356	Server
<a href="#">AMD Opteron 4184</a>	6	2,872	630	95	C32	Server
<a href="#">Intel Core i3-4150T @ 3.00GHz</a>	2	2,867	1,597	35	FCLGA1150	Desktop
<a href="#">AMD FX-7600P APU</a>	4	2,856	1,436	35	FP3	Laptop
<a href="#">Intel Core i5-3360M @ 2.80GHz</a>	2	2,846	1,755	35	BGA1023	Laptop
<a href="#">AMD Phenom II X4 980</a>	4	2,829	1,521	125	AM3	Unknown
<a href="#">AMD A8-6500 APU</a>	2	2,826	1,497	65	FM2	Desktop
<a href="#">AMD Opteron 6128</a>	8	2,826	447	115	G34	Server
<a href="#">Intel Core i5-8210Y @ 1.60GHz</a>	2	2,825	1,720	7	FCBGA1515	Laptop
<a href="#">AMD Opteron 3350 HE</a>	4	2,825	1,362	45	Unknown	Server
<a href="#">AMD A10-6800B APU</a>	2	2,824	1,513	100	FM2	Desktop
<a href="#">Intel Xeon X3450 @ 2.67GHz</a>	4	2,818	1,236	95	LGA1156	Server
<a href="#">Intel Celeron G5905 @ 3.50GHz</a>	2	2,815	2,189	58	FCLGA1200	Desktop
<a href="#">Intel Core i5-4278U @ 2.60GHz</a>	2	2,815	1,720	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>	2	2,814	1,699	4.5	FCBGA1515	Laptop
<a href="#">Intel Xeon X3460 @ 2.80GHz</a>	4	2,814	1,220	95	LGA1156	Server
<a href="#">AMD A8-5600K APU</a>	4	2,803	1,417	100	FM2	Desktop
<a href="#">Samsung Exynos 8895</a>	8	2,803	985	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 7c @ 2.40 GHz</a>	8	2,800	1,258	9	Unknown	Unknown
<a href="#">AMD A8 PRO-7600B APU</a>	4	2,793	1,332	65	FM2+	Desktop
<a href="#">Intel Celeron G5900 @ 3.40GHz</a>	2	2,790	2,150	58	FCLGA1200	Desktop
<a href="#">Intel Core i3-6157U @ 2.40GHz</a>	2	2,790	1,442	28	BGA1356	Laptop
<a href="#">AMD Opteron 6172</a>	12	2,789	432	115	G34	Server
<a href="#">AMD FX-8800P</a>	2	2,788	1,360	35	FP4	Laptop
<a href="#">AMD Athlon X4 750K Quad Core</a>	2	2,787	1,446	100	FM2	Unknown
<a href="#">Intel Xeon W3520 @ 2.67GHz</a>	4	2,787	1,245	130	LGA1366	Server
<a href="#">Intel Core i7-870S @ 2.67GHz</a>	4	2,786	1,270	82	LGA1156	Desktop
<a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a>	4	2,780	1,451	150	LGA771	Desktop

<a href="#">Intel Core i5-4200M @ 2.50GHz</a>	2	2,776	1,624	37	PGA946	Laptop
<a href="#">Intel Atom C2750 @ 2.40GHz</a>	8	2,775	658	20	FCBGA1283	Server
<a href="#">AMD A8-8650</a>	4	2,774	1,408	65	FM2+	Desktop
<a href="#">Rockchip RK3399</a>	8	2,770	1,140	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core 860 @ 2.80GHz</a>	4	2,754	1,142	NA	Unknown	Unknown
<a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	2,751	977	80	LGA 2011	Server
<a href="#">Intel Core i7-920 @ 2.67GHz</a>	4	2,745	1,220	130	LGA1366	Desktop
<a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>	2	2,741	1,571	4.5	FCBGA1515	Laptop
<a href="#">Intel Core i5-5300U @ 2.30GHz</a>	2	2,740	1,647	15	FCBGA1168	Laptop
<a href="#">MediaTek MT6779V/CE</a>	8	2,740	1,224	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5540 @ 2.53GHz</a>	4	2,738	1,200	80	LGA1366	Server
<a href="#">AMD A10-5700 APU</a>	2	2,735	1,441	65	FM2	Desktop
<a href="#">Intel Pentium G4500 @ 3.50GHz</a>	2	2,734	2,135	51	FCLGA1151	Desktop
<a href="#">AMD FX-4130 Quad-Core</a>	2	2,730	1,356	125	AM3+	Desktop
<a href="#">AMD PRO A12-9800B</a>	4	2,729	1,387	15	FP4	Laptop
<a href="#">AMD RX-427BB</a>	4	2,729	1,297	35	FP3	Laptop
<a href="#">AMD RX-425BB</a>	4	2,724	1,282	35	FP3	Mobile/Embedded
<a href="#">Intel Core i3-7100U @ 2.40GHz</a>	2	2,722	1,391	15	FCBGA1356	Laptop
<a href="#">AMD 3015e</a>	2	2,720	1,391	6	Unknown	Laptop
<a href="#">Intel Core i7-5500U @ 2.40GHz</a>	2	2,719	1,631	15	FCBGA1168	Laptop
<a href="#">AMD A6-9400</a>	2	2,717	1,664	10	FT4	Laptop
<a href="#">Intel Celeron G4950 @ 3.30GHz</a>	2	2,714	2,041	54	FCLGA1151	Desktop
<a href="#">Intel Xeon X5470 @ 3.33GHz</a>	4	2,709	1,454	120	LGA771	Server
<a href="#">Intel Celeron J4115 @ 1.80GHz</a>	4	2,709	1,070	NA	Unknown	Desktop
<a href="#">AMD A8-5500B APU</a>	2	2,707	1,393	65	FM2	Desktop
<a href="#">Intel Xeon X5492 @ 3.40GHz</a>	4	2,705	1,446	150	LGA771	Server
<a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>	4	2,698	900	80	LGA 1356	Server
<a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a>	4	2,697	1,302	6	FCBGA1090	Laptop
<a href="#">Intel Xeon E5607 @ 2.27GHz</a>	4	2,686	1,002	80	LGA1366	Server
<a href="#">Intel Core i7-4600U @ 2.10GHz</a>	2	2,685	1,673	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4402E @ 1.60GHz</a>	2	2,681	1,510	25	FCBGA1364	Laptop
<a href="#">Intel Xeon X3440 @ 2.53GHz</a>	4	2,680	1,149	95	LGA1156	Server
<a href="#">Intel Core i3-4110M @ 2.60GHz</a>	2	2,678	1,389	37	FCPGA946	Laptop
<a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>	2	2,666	1,604	4.5	FCBGA1515	Desktop, Laptop
<a href="#">AArch64 rev 0 (aarch64)</a>	8	2,656	1,073	NA	Unknown	Unknown
<a href="#">AMD Athlon X4 740 Quad Core</a>	2	2,655	1,356	65	FM2	Desktop
<a href="#">Intel Core i7-3687U @ 2.10GHz</a>	2	2,653	1,603	17	BGA1023	Laptop
<a href="#">Intel Core i3-3250T @ 3.00GHz</a>	2	2,650	1,684	35	FCLGA1155	Desktop
<a href="#">Intel Celeron G5900T @ 3.20GHz</a>	2	2,648	2,041	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-3320M @ 2.60GHz</a>	2	2,648	1,613	35	BGA1023	Laptop
<a href="#">AMD Phenom II X4 970</a>	4	2,644	1,412	125	AM3	Unknown
<a href="#">Intel Core i3-6100U @ 2.30GHz</a>	2	2,643	1,348	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-3340M @ 2.70GHz</a>	2	2,638	1,627	35	BGA1023	Laptop
<a href="#">Qualcomm Technologies, Inc SM6150</a>	8	2,638	1,279	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5482 @ 3.20GHz</a>	4	2,636	1,394	150	LGA771	Server

<a href="#">AMD FirePro A320 APU</a>	4	2,634	1,482	100	FM2	Desktop
<a href="#">ARM D2000/8 8 Core 2300 MHz</a>	8	2,633	585	NA	Unknown	Unknown
<a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a>	4	2,632	1,398	136	LGA775	Desktop
<a href="#">Intel Xeon E5-2609 @ 2.40GHz</a>	4	2,623	1,081	80	LGA2011	Server
<a href="#">AMD PRO A12-8800B</a>	2	2,622	1,357	15	FP4	Laptop
<a href="#">Intel Core i5-5350U @ 1.80GHz</a>	2	2,619	1,694	15	FCBGA1168	Laptop
<a href="#">Intel Xeon E5530 @ 2.40GHz</a>	4	2,614	1,156	80	LGA1366	Server
<a href="#">Intel Core i5-4288U @ 2.60GHz</a>	2	2,612	1,620	28	FCBGA1168	Laptop
<a href="#">AMD A12-9720P</a>	4	2,607	1,323	15	FP4	Laptop
<a href="#">Intel Core i5-680 @ 3.60GHz</a>	2	2,603	1,550	73	LGA1156	Desktop
<a href="#">AMD Athlon II X4 559</a>	4	2,602	1,399	NA	Unknown	Unknown
<a href="#">AMD PRO A10-9700B</a>	4	2,602	1,311	15	FP4	Laptop
<a href="#">Intel Pentium G4400 @ 3.30GHz</a>	2	2,599	2,024	54	FCLGA1151	Desktop
<a href="#">Intel Core i5-760 @ 2.80GHz</a>	4	2,599	1,309	95	LGA1156	Desktop
<a href="#">-1-Unisoc</a>	8	2,596	1,083	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-4510U @ 2.00GHz</a>	2	2,594	1,549	15	FCBGA1168	Laptop
<a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a>	4	2,593	1,143	6	FCBGA1090	Laptop
<a href="#">Intel Xeon L3426 @ 1.87GHz</a>	4	2,590	1,167	45	LGA1156	Server
<a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>	2	2,589	1,386	4.5	FCBGA1515	Laptop
<a href="#">Intel Core i3-5157U @ 2.50GHz</a>	2	2,588	1,325	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-8500Y @ 1.50GHz</a>	2	2,587	1,477	5	FCBGA1515	Laptop
<a href="#">Intel Xeon X5460 @ 3.16GHz</a>	4	2,586	1,378	120	LGA771	Server
<a href="#">AMD A8-5500 APU</a>	2	2,583	1,336	65	FM2	Desktop
<a href="#">Hisilicon Kirin970</a>	8	2,580	921	NA	Unknown	Mobile/Embedded
<a href="#">AMD FX-770K Quad-Core</a>	2	2,578	1,413	65	FM2+	Desktop
<a href="#">AMD Phenom II X4 B65</a>	4	2,576	1,357	NA	AM2+/AM3	Desktop
<a href="#">MT6768G</a>	8	2,572	1,142	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G4930 @ 3.20GHz</a>	2	2,571	1,999	54	FCLGA1151-2	Desktop
<a href="#">AMD Athlon II X4 557</a>	4	2,567	1,345	160	AM3	Desktop
<a href="#">Intel Core i3-7020U @ 2.30GHz</a>	2	2,565	1,325	15	FCBGA1356	Laptop
<a href="#">AMD FX-4100 Quad-Core</a>	2	2,565	1,279	95	AM3+	Desktop
<a href="#">Intel Core i5-3610ME @ 2.70GHz</a>	2	2,553	1,574	35	BGA1023	Laptop
<a href="#">AMD Phenom II X4 965</a>	4	2,546	1,356	125	AM3	Desktop
<a href="#">AMD Phenom II X4 975</a>	4	2,544	1,417	125	AM3	Unknown
<a href="#">Qualcomm Technologies, Inc SM4350</a>	8	2,543	1,321	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8998</a>	8	2,543	1,033	NA	Unknown	Mobile/Embedded
<a href="#">Apple A9X</a>	2	2,537	1,519	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 B99</a>	4	2,536	1,377	95	Unknown	Unknown
<a href="#">Intel Core i7-4500U @ 1.80GHz</a>	2	2,530	1,547	15	BGA1168	Laptop
<a href="#">Intel Core i5-4258U @ 2.40GHz</a>	2	2,526	1,523	28	FCBGA1168	Laptop
<a href="#">Intel Xeon L5530 @ 2.40GHz</a>	4	2,522	1,169	60	LGA1366	Server
<a href="#">Intel Core i3-7102E @ 2.10GHz</a>	2	2,521	1,292	25	FCBGA1440	Laptop
<a href="#">Intel Pentium G4500T @ 3.00GHz</a>	2	2,518	1,845	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-3230M @ 2.60GHz</a>	2	2,514	1,557	35	PGA988	Laptop

<a href="#">Intel Core i5-4300U @ 1.90GHz</a>	2	2,513	1,498	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-670 @ 3.47GHz</a>	2	2,511	1,542	73	LGA1156	Desktop
<a href="#">AMD A10-9620P</a>	4	2,509	1,272	15	Unknown	Laptop
<a href="#">Intel Celeron N4120 @ 1.10GHz</a>	4	2,507	1,103	6	FCBGA1090	Laptop
<a href="#">Intel Core i5-5250U @ 1.60GHz</a>	2	2,504	1,569	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-5200U @ 2.20GHz</a>	2	2,502	1,512	15	FCBGA1168	Laptop
<a href="#">AMD Phenom II X4 B97</a>	4	2,498	1,326	95	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 850</a>	4	2,496	1,350	95	AM2+/AM3	Unknown
<a href="#">Intel Core i5-750 @ 2.67GHz</a>	4	2,495	1,242	95	LGA1156	Desktop
<a href="#">Intel Xeon L7455 @ 2.13GHz</a>	6	2,494	601	65	PGA604	Server
<a href="#">AMD 3020e</a>	2	2,492	1,429	6	Unknown	Laptop
<a href="#">Intel Core i5-4310U @ 2.00GHz</a>	2	2,490	1,490	15	FCBGA1168	Laptop
<a href="#">Intel Xeon E5472 @ 3.00GHz</a>	4	2,490	1,302	80	LGA771	Server
<a href="#">Intel Xeon E5450 @ 3.00GHz</a>	4	2,486	1,294	80	LGA771	Server
<a href="#">Intel Celeron G5920 @ 3.50GHz</a>	2	2,482	2,151	58	FCLGA1200	Desktop
<a href="#">AMD FX-7600P</a>	4	2,481	1,208	35	FP3	Laptop
<a href="#">Intel Core i3-3245 @ 3.40GHz</a>	2	2,480	1,835	55	LGA1155	Desktop
<a href="#">Intel Xeon E5520 @ 2.27GHz</a>	4	2,479	1,056	80	LGA1366	Server
<a href="#">AMD Opteron 8439 SE</a>	6	2,479	590	105	F (1207)	Server
<a href="#">AMD Phenom II X4 B55</a>	4	2,465	1,319	NA	AM2+/AM3	Desktop
<a href="#">Unisoc T610</a>	8	2,464	1,071	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-661 @ 3.33GHz</a>	2	2,462	1,455	87	LGA1156	Desktop
<a href="#">Intel Xeon D-1602 @ 2.50GHz</a>	2	2,459	1,435	27	FCBGA1667	Server
<a href="#">Intel Core2 Extreme X9650 @ 3.00GHz</a>	4	2,455	1,288	130	LGA775	Desktop
<a href="#">MT6769H</a>	8	2,453	1,059	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3210M @ 2.50GHz</a>	2	2,452	1,535	35	PGA988B	Laptop
<a href="#">Intel Celeron N4100 @ 1.10GHz</a>	4	2,451	1,009	6	FCBGA1090	Laptop
<a href="#">AMD Phenom II X4 B60</a>	4	2,449	1,318	NA	Unknown	Unknown
<a href="#">Intel Celeron G4900 @ 3.10GHz</a>	2	2,448	1,914	54	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-4100M @ 2.50GHz</a>	2	2,447	1,366	37	FCPGA946	Laptop
<a href="#">Intel Core i7-4610Y @ 1.70GHz</a>	2	2,446	1,583	11.5	BGA1168	Desktop
<a href="#">Intel Xeon X3370 @ 3.00GHz</a>	4	2,446	1,311	95	LGA775	Server
<a href="#">AMD Athlon II X4 650</a>	4	2,440	1,329	95	Unknown	Unknown
<a href="#">Intel Core i7-2640M @ 2.80GHz</a>	2	2,439	1,490	35	BGA1023	Laptop
<a href="#">Snapdragon 850 @ 2.96 GHz</a>	8	2,437	1,382	5	Unknown	Unknown
<a href="#">AMD Phenom II X4 955</a>	4	2,434	1,304	125	AM3	Desktop
<a href="#">Intel Core i7-3667U @ 2.00GHz</a>	2	2,429	1,526	17	BGA1023	Laptop
<a href="#">MediaTek MT6779V/CU</a>	8	2,429	1,159	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G3470 @ 3.60GHz</a>	2	2,428	2,089	53	LGA1150	Desktop
<a href="#">Intel Core i7-2620M @ 2.70GHz</a>	2	2,427	1,470	35	BGA1023	Laptop
<a href="#">Intel Core i7-860S @ 2.53GHz</a>	4	2,424	1,314	82	LGA1156	Desktop
<a href="#">AMD A12-9700P</a>	4	2,422	1,188	15	FP4	Laptop
<a href="#">Intel Core i7-4650U @ 1.70GHz</a>	2	2,421	1,550	15	BGA1168	Laptop
<a href="#">AMD Athlon II X4 553</a>	4	2,418	1,204	NA	Unknown	Unknown
<a href="#">MediaTek MT6771V/CT</a>	8	2,418	930	NA	Unknown	Mobile/Embedded



<a href="#">Qualcomm Technologies, Inc SM6115</a>	8	2,416	920	NA	Unknown	Mobile/Embedded
<a href="#">AArch64 rev 1 (aarch64)</a>	8	2,413	1,046	NA	Unknown	Unknown
<a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a>	4	2,411	1,292	95	LGA775	Desktop
<a href="#">MT6771V/WL</a>	8	2,411	898	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5450 @ 3.00GHz</a>	4	2,410	1,269	120	LGA771	Server
<a href="#">Intel Celeron G4920 @ 3.20GHz</a>	2	2,406	1,965	54	FCLGA1151-2	Desktop
<a href="#">Intel Atom C3558 @ 2.20GHz</a>	4	2,405	849	16	FCBGA1310	Server
<a href="#">Intel Celeron G4900T @ 2.90GHz</a>	2	2,403	1,789	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-3537U @ 2.00GHz</a>	2	2,402	1,498	17	BGA1023	Laptop
<a href="#">Intel Core i3-3250 @ 3.50GHz</a>	2	2,401	1,830	55	LGA1155	Desktop
<a href="#">HiSilicon Kirin 960</a>	8	2,401	1,069	NA	Unknown	Mobile/Embedded
<a href="#">T610-Unisoc</a>	8	2,400	1,066	NA	Unknown	Mobile/Embedded
<a href="#">T618</a>	8	2,393	1,162	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A12-8830B</a>	4	2,392	1,192	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A8-9600B</a>	4	2,388	1,310	15	FP4	Laptop
<a href="#">AMD PRO A10-8730B</a>	4	2,388	1,226	15	FP4	Laptop
<a href="#">Unisoc ums512</a>	8	2,384	1,111	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 4170 HE</a>	6	2,382	476	65	C32	Server
<a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>	2	2,380	1,433	7	FCBGA1515	Laptop
<a href="#">AMD Phenom II X4 977</a>	4	2,377	1,368	95	Unknown	Unknown
<a href="#">Intel Core m5-6Y57 @ 1.10GHz</a>	2	2,374	1,367	7	FCBGA1515	Laptop
<a href="#">MediaTek MT6779V/CV</a>	8	2,372	1,040	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G3950 @ 3.00GHz</a>	2	2,369	1,811	51	FCLGA1151	Desktop
<a href="#">Intel Celeron N4505 @ 2.00GHz</a>	2	2,367	1,537	10	FCBGA1338	Mobile/Embedded
<a href="#">MT6769V/CT</a>	8	2,367	1,071	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium J4205 @ 1.50GHz</a>	4	2,367	911	10	FCBGA1296	Desktop
<a href="#">Apple A8X</a>	3	2,366	936	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-2390T @ 2.70GHz</a>	2	2,364	1,394	35	LGA1155	Desktop
<a href="#">Intel Pentium 6405U @ 2.40GHz</a>	2	2,363	1,417	15	FCBGA1528	Laptop
<a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>	4	2,363	829	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>	4	2,362	868	80	LGA 2011	Server
<a href="#">AMD Phenom II X4 840</a>	4	2,355	1,309	95	AM2+/AM3	Desktop
<a href="#">Intel Core i7-4550U @ 1.50GHz</a>	2	2,354	1,289	15	BGA1168	Laptop
<a href="#">Intel Core i5-660 @ 3.33GHz</a>	2	2,352	1,435	73	LGA1156	Desktop
<a href="#">Intel Core i3-6102E @ 1.90GHz</a>	2	2,349	1,068	25	FCBGA1440	Laptop
<a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a>	4	2,348	1,352	NA	Unknown	Unknown
<a href="#">AMD Opteron 4130</a>	4	2,347	1,149	95	F (1207)	Server
<a href="#">MediaTek MT6771V/C</a>	8	2,345	876	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 B35</a>	4	2,341	1,215	NA	AM2+/AM3	Desktop
<a href="#">Intel Xeon E5440 @ 2.83GHz</a>	4	2,340	1,240	80	LGA771	Server
<a href="#">AMD Athlon II X4 651 Quad-Core</a>	4	2,338	1,296	100	FM1	Unknown
<a href="#">AMD A8-3870K APU</a>	4	2,336	1,236	100	FM1	Desktop
<a href="#">Intel Core i5-4260U @ 1.40GHz</a>	2	2,332	1,478	15	FCBGA1168	Laptop
<a href="#">Intel Xeon X5365 @ 3.00GHz</a>	4	2,331	1,223	150	LGA771	Server

<a href="#">AMD Phenom II X4 B95</a>	4	2,329	1,238	95	AM3	Desktop
<a href="#">Intel Xeon E5606 @ 2.13GHz</a>	4	2,326	941	80	LGA1366	Server
<a href="#">Intel Xeon X3360 @ 2.83GHz</a>	4	2,325	1,241	95	LGA775	Server
<a href="#">Qualcomm Technologies, Inc SDM710</a>	8	2,323	1,172	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin710</a>	8	2,323	947	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA660</a>	8	2,323	897	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 8890</a>	8	2,315	926	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G4400T @ 2.90GHz</a>	2	2,312	1,723	35	FCLGA1151	Desktop
<a href="#">AMD A10-6700T APU</a>	2	2,311	1,310	45	FM2	Desktop
<a href="#">Intel Celeron G5905T @ 3.30GHz</a>	2	2,310	1,996	35	FCLGA1200	Desktop
<a href="#">Intel Celeron G3920 @ 2.90GHz</a>	2	2,310	1,740	51	FCLGA1151	Desktop
<a href="#">AMD Athlon II X4 555</a>	4	2,310	1,242	NA	Unknown	Unknown
<a href="#">Intel Xeon X3380 @ 3.16GHz</a>	4	2,308	1,335	95	LGA775	Server
<a href="#">Intel Core i3-2140 @ 3.50GHz</a>	2	2,307	1,535	65	Unknown	Unknown
<a href="#">Intel Core i5-4350U @ 1.40GHz</a>	2	2,305	1,499	15	BGA1168	Laptop
<a href="#">AMD Phenom II X4 B70</a>	4	2,303	1,209	65	AM2+ (938-pin)	Desktop
<a href="#">AMD FX-9800P</a>	4	2,302	1,150	15	Unknown	Laptop
<a href="#">Intel Core i5-4210U @ 1.70GHz</a>	2	2,300	1,379	15	FCBGA1168	Laptop
<a href="#">AMD Athlon II X4 645</a>	4	2,298	1,264	95	AM3	Desktop
<a href="#">Intel Core i5-2540M @ 2.60GHz</a>	2	2,297	1,380	35	BGA1023	Laptop
<a href="#">MediaTek MT6769V/CB</a>	8	2,296	1,112	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3437U @ 1.90GHz</a>	2	2,293	1,399	17	BGA1023	Laptop
<a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a>	4	2,291	1,223	95	LGA775	Desktop
<a href="#">MediaTek MT6769T</a>	8	2,291	1,092	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-3240 @ 3.40GHz</a>	2	2,287	1,805	55	LGA1155	Desktop
<a href="#">Intel Pentium 5405U @ 2.30GHz</a>	2	2,286	1,340	15	FCBGA1528	Laptop
<a href="#">MediaTek MT6769Z</a>	8	2,285	1,089	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>	2	2,284	1,391	80	Unknown	Server
<a href="#">Intel Xeon X3363 @ 2.83GHz</a>	4	2,283	1,240	80	LGA771	Server
<a href="#">AMD Opteron 3260 HE</a>	2	2,283	900	45	AM3+	Server
<a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a>	2	2,278	1,344	17	LGA1155	Server
<a href="#">Intel Pentium 4417U @ 2.30GHz</a>	2	2,276	1,327	15	FCBGA1356	Laptop
<a href="#">Qualcomm Technologies, Inc SDM712</a>	8	2,275	1,233	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-6006U @ 2.00GHz</a>	2	2,274	1,164	15	FCBGA1356	Laptop
<a href="#">AArch64 rev 2 (aarch64)</a>	8	2,274	958	NA	Unknown	Unknown
<a href="#">Intel Xeon L3360 @ 2.83GHz</a>	4	2,273	1,226	65	LGA775	Server
<a href="#">Intel Celeron G3930 @ 2.90GHz</a>	2	2,270	1,794	51	FCLGA1151	Desktop
<a href="#">Intel Core i5-3427U @ 1.80GHz</a>	2	2,269	1,369	17	BGA1023	Laptop
<a href="#">AMD Phenom II X4 840T</a>	4	2,269	1,274	95	AM2+/AM3	Unknown
<a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a>	4	2,268	1,230	130	LGA775	Desktop
<a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a>	4	2,267	1,202	75	LGA775	Desktop
<a href="#">MediaTek MT6771V/WT</a>	8	2,266	914	NA	Unknown	Mobile/Embedded

<a href="#">AMD Phenom II X4 945</a>	4	2,265	1,227	125	AM3	Desktop
<a href="#">AMD PRO A10-8700B</a>	2	2,262	1,140	15	BGA (FP4)	Laptop
<a href="#">Intel Xeon L5430 @ 2.66GHz</a>	4	2,260	1,154	50	LGA771	Server
<a href="#">Intel Core i3-4330TE @ 2.40GHz</a>	2	2,255	1,397	35	LGA1150	Desktop
<a href="#">Intel Xeon X3430 @ 2.40GHz</a>	4	2,253	991	95	LGA1156	Server
<a href="#">Intel Core i5-2520M @ 2.50GHz</a>	2	2,252	1,375	35	PGA988B	Laptop
<a href="#">Intel Core i7-940XM @ 2.13GHz</a>	4	2,252	1,223	55	PGA988	Laptop
<a href="#">Intel Celeron G4930T @ 3.00GHz</a>	2	2,250	1,746	35	FCLGA1151	Desktop
<a href="#">AMD A10-8700P</a>	2	2,246	1,141	35	FP4	Laptop
<a href="#">Qualcomm Technologies, Inc BENGAL</a>	8	2,246	885	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-3850 APU</a>	4	2,244	1,207	100	FM1	Desktop
<a href="#">Qualcomm Technologies, Inc BENGALP</a>	8	2,241	950	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-8600P</a>	2	2,240	1,103	15	FP4	Laptop
<a href="#">Qualcomm Technologies, Inc TRINKET</a>	8	2,240	898	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 B40</a>	4	2,238	1,231	NA	Unknown	Desktop
<a href="#">AMD Phenom II X4 B50</a>	4	2,237	1,268	NA	AM2+/AM3	Desktop
<a href="#">Intel Celeron J3455 @ 1.50GHz</a>	4	2,235	806	10	FCBGA1296	Desktop
<a href="#">Qualcomm Technologies, Inc SDM670</a>	8	2,232	1,085	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X3353 @ 2.66GHz</a>	4	2,229	1,173	80	LGA775	Server
<a href="#">AMD Phenom II X4 940</a>	4	2,228	1,210	125	AM2+	Desktop
<a href="#">MT6969T</a>	8	2,228	1,125	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-5020U @ 2.20GHz</a>	2	2,226	1,279	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-3225 @ 3.30GHz</a>	2	2,222	1,688	55	LGA1155	Desktop
<a href="#">Intel Celeron G3930TE @ 2.70GHz</a>	2	2,218	1,706	35	FCLGA1151	Desktop
<a href="#">Intel Xeon X5472 @ 3.00GHz</a>	4	2,218	1,259	120	LGA771	Server
<a href="#">AMD A10-9600P</a>	4	2,218	1,064	15	FP4	Laptop
<a href="#">MediaTek MT6769V/CU</a>	8	2,216	1,080	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-650 @ 3.20GHz</a>	2	2,215	1,386	73	LGA1156	Desktop
<a href="#">Intel Celeron G3900 @ 2.80GHz</a>	2	2,212	1,718	51	FCLGA1151	Desktop
<a href="#">Intel Core i5-4200U @ 1.60GHz</a>	2	2,211	1,329	15	BGA1168	Laptop
<a href="#">Intel Xeon E5430 @ 2.66GHz</a>	4	2,210	1,156	80	LGA771	Server
<a href="#">Intel Celeron N6211 @ 1.20GHz</a>	2	2,207	1,582	6.5	FCBGA1493	Mobile/Embedded
<a href="#">AMD Phenom II X4 973</a>	4	2,204	1,180	NA	Unknown	Unknown
<a href="#">Intel Pentium 4415U @ 2.30GHz</a>	2	2,203	1,270	15	BGA1356	Laptop
<a href="#">Unisoc T700</a>	8	2,203	1,042	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-3220 @ 3.30GHz</a>	2	2,202	1,725	55	LGA1155	Desktop
<a href="#">Intel Core i5-4250U @ 1.30GHz</a>	2	2,196	1,359	15	BGA1168	Laptop
<a href="#">AMD Phenom II X4 960T</a>	4	2,196	1,290	95	AM3	Desktop
<a href="#">Intel Celeron 6305 @ 1.80GHz</a>	2	2,194	1,227	NA	FCBGA1449	Laptop
<a href="#">Intel Core i3-21050 @ 3.10GHz</a>	2	2,193	1,429	NA	Unknown	Unknown
<a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a>	4	2,192	1,217	95	LGA775	Desktop
<a href="#">MediaTek MT6769V/WB</a>	8	2,192	1,118	NA	Unknown	Mobile/Embedded

<a href="#">Intel Core M-5Y51 @ 1.10GHz</a>	2	2,191	1,407	4.5	FCBGA1234	Laptop
<a href="#">Intel Pentium G4400TE @ 2.40GHz</a>	2	2,190	1,481	35	FCLGA1151	Laptop
<a href="#">MT6765H</a>	8	2,188	635	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T618</a>	8	2,184	1,146	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 638 Quad-Core</a>	4	2,183	1,165	65	FM1	Desktop
<a href="#">MT6769V/CZ</a>	8	2,177	1,041	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM665</a>	8	2,177	895	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom C2750 @ 2.41GHz</a>	8	2,174	291	20	BGA 1283	Server
<a href="#">AMD Phenom II X4 925</a>	4	2,173	1,156	95	AM3	Desktop
<a href="#">AMD Phenom II X4 B45</a>	4	2,171	1,226	NA	Unknown	Unknown
<a href="#">AMD Athlon II X4 640</a>	4	2,171	1,203	95	AM3	Desktop
<a href="#">Intel Core i5-8200Y @ 1.30GHz</a>	2	2,169	1,582	5	FCBGA1515	Laptop
<a href="#">Intel Core i3-5010U @ 2.10GHz</a>	2	2,166	1,241	15	FCBGA1168	Laptop
<a href="#">Intel Pentium G3460 @ 3.50GHz</a>	2	2,165	1,954	53	LGA1150	Desktop
<a href="#">AMD A8-3820 APU</a>	4	2,165	1,144	65	FM1	Desktop
<a href="#">Intel Xeon L5520 @ 2.27GHz</a>	4	2,163	969	60	LGA1366	Server
<a href="#">Unisoc ums9230</a>	8	2,161	908	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A8-8600B</a>	4	2,160	1,096	15	BGA (FP4)	Laptop
<a href="#">MediaTek MT6771V/W</a>	8	2,160	869	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>	2	2,159	1,220	7	FCBGA1515	Laptop
<a href="#">Intel Xeon X3350 @ 2.66GHz</a>	4	2,158	1,156	95	LGA775	Server
<a href="#">Qualcomm Technologies, Inc SDM660</a>	8	2,157	957	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6768V/CA</a>	8	2,154	1,034	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 641 Quad-Core</a>	4	2,143	1,192	100	FM1	Desktop
<a href="#">Intel Core i7-3517UE @ 1.70GHz</a>	2	2,141	1,205	17	BGA1023	Laptop
<a href="#">AMD A10-7400P</a>	4	2,140	1,070	35	FP3	Laptop
<a href="#">Intel Pentium N4200 @ 1.10GHz</a>	4	2,140	857	6	FCBGA1296	Laptop
<a href="#">Intel Celeron J3455E @ 1.50GHz</a>	4	2,139	837	10	FCBGA1296	Desktop
<a href="#">Virtual</a>	4	2,137	1,224	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-7200P</a>	4	2,135	1,092	35	FP3	Laptop
<a href="#">Intel Core i5-2560M @ 2.70GHz</a>	2	2,131	1,259	NA	Unknown	Unknown
<a href="#">Intel Pentium G3440 @ 3.30GHz</a>	2	2,129	1,895	53	LGA1150	Desktop
<a href="#">MediaTek MT6763V/CE</a>	8	2,129	1,106	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G3430 @ 3.30GHz</a>	2	2,125	1,915	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-3210 @ 3.20GHz</a>	2	2,117	1,697	55	LGA1155	Desktop
<a href="#">AMD Athlon X4 640</a>	4	2,115	1,224	95	Unknown	Unknown
<a href="#">Hardkernel ODROID-N2Plus</a>	6	2,115	888	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G3930T @ 2.70GHz</a>	2	2,109	1,650	35	FCLGA1151	Desktop
<a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a>	4	2,109	1,126	95	LGA775	Desktop
<a href="#">AMD Athlon II X4 635</a>	4	2,108	1,141	95	AM3	Desktop
<a href="#">AMD Phenom II X4 B25</a>	4	2,108	1,040	NA	AM2+/AM3	Desktop
<a href="#">Intel Pentium G3440T @ 2.80GHz</a>	2	2,107	1,615	35	LGA1150	Desktop
<a href="#">AMD 3015Ce</a>	2	2,105	1,343	6	FT5	Mobile/Embedded
<a href="#">AMD Phenom II X4 B93</a>	4	2,104	1,141	95	AM3	Desktop

<a href="#">MediaTek MT6797X</a>	10	2,104	582	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X4 820</a>	4	2,103	1,138	95	AM3	Desktop
<a href="#">Intel Atom E3950 @ 1.60GHz</a>	4	2,101	740	12	BGA1296	Laptop
<a href="#">Intel Core M-5Y31 @ 0.90GHz</a>	2	2,095	1,345	4.5	FCBGA1234	Laptop
<a href="#">Qualcomm Technologies, Inc SM6125</a>	8	2,094	860	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-2125 @ 3.30GHz</a>	2	2,093	1,550	65	LGA1155	Desktop
<a href="#">Intel Core i5-2415M @ 2.30GHz</a>	2	2,093	1,273	35	BGA1023	Desktop
<a href="#">AMD Athlon II X4 630</a>	4	2,093	1,138	95	AM3	Desktop
<a href="#">Qualcomm Technologies, Inc SM6225</a>	8	2,093	977	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G2140 @ 3.30GHz</a>	2	2,092	1,842	55	LGA1155	Desktop
<a href="#">Intel Pentium G3258 @ 3.20GHz</a>	2	2,091	1,863	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3450 @ 3.40GHz</a>	2	2,091	1,836	53	FCLGA1150	Desktop
<a href="#">Intel Core i7-3517U @ 1.90GHz</a>	2	2,089	1,299	17	BGA1023	Laptop
<a href="#">T700-Unisoc</a>	8	2,088	1,011	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G3900T @ 2.60GHz</a>	2	2,085	1,549	35	Unknown	Desktop
<a href="#">Intel Core i5-2435M @ 2.40GHz</a>	2	2,085	1,300	35	BGA1023	Laptop
<a href="#">Intel Pentium 4405U @ 2.10GHz</a>	2	2,085	1,211	15	FCBGA1356	Laptop
<a href="#">AMD Athlon II X4 631 Quad-Core</a>	4	2,085	1,118	100	FM1	Desktop
<a href="#">AMD Opteron 1389</a>	4	2,079	1,102	75	AM2	Server
<a href="#">AMD Athlon II X4 655</a>	4	2,078	1,473	95	AM2+ (940-pin)	Unknown
<a href="#">AMD Opteron 2384</a>	4	2,074	1,074	75	F (1207)	Server
<a href="#">Intel Core M-5Y71 @ 1.20GHz</a>	2	2,069	1,334	4.5	FCBGA1234	Laptop
<a href="#">Intel Core i5-3337U @ 1.80GHz</a>	2	2,068	1,282	17	BGA1023	Laptop
<a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a>	4	2,068	1,141	95	LGA775	Desktop
<a href="#">Intel Xeon E5462 @ 2.80GHz</a>	4	2,067	1,130	80	LGA771	Server
<a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>	4	2,062	1,077	105	LGA775	Desktop
<a href="#">Intel Core i5-2450M @ 2.50GHz</a>	2	2,061	1,276	35	BGA1023	Laptop
<a href="#">AMD Opteron 3250 HE</a>	2	2,061	1,003	45	AM3+	Server
<a href="#">AMD Opteron 4162 EE</a>	6	2,058	382	35	F (1207)	Server
<a href="#">MediaTek MT6771V/WM</a>	8	2,057	793	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom C2758 @ 2.40GHz</a>	8	2,056	333	20	BGA 1283	Laptop, Mobile/Embedded
<a href="#">AMD A6-3670 APU</a>	4	2,055	1,129	100	FM1	Desktop
<a href="#">Intel Xeon X3230 @ 2.66GHz</a>	4	2,052	1,091	95	LGA775	Server
<a href="#">Apple A9</a>	2	2,051	1,183	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon L5420 @ 2.50GHz</a>	4	2,051	1,103	50	LGA771	Server
<a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>	2	2,050	1,421	20	LGA1155	Server
<a href="#">Intel Pentium G3260 @ 3.30GHz</a>	2	2,049	1,867	53	LGA1150	Desktop
<a href="#">AMD Phenom II X4 910e</a>	4	2,044	1,076	65	AM3	Desktop
<a href="#">Intel Core i7-640M @ 2.80GHz</a>	2	2,042	1,385	35	BGA1288	Laptop
<a href="#">Intel Core m3-6Y30 @ 0.90GHz</a>	2	2,041	1,229	4.5	FCBGA1515	Laptop
<a href="#">AMD A6-3650 APU</a>	4	2,037	1,096	100	FM1	Desktop
<a href="#">Intel Core2 Quad Q8400 @ 2.66GHz</a>	4	2,036	1,154	95	LGA775	Desktop
<a href="#">Intel Celeron G3900E @ 2.40GHz</a>	2	2,034	1,499	35	FCBGA1440	Laptop

<a href="#">Intel Atom T5700 @ 1.70GHz</a>	4	2,030	816	NA	Unknown	Laptop
<a href="#">Intel Core i3-2102 @ 3.10GHz</a>	2	2,029	1,400	65	FCLGA1155	Desktop
<a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>	4	2,027	559	105	LGA1567	Server
<a href="#">AMD Phenom II X4 830</a>	4	2,022	1,083	95	AM2+/AM3	Unknown
<a href="#">Intel Core i7-920XM @ 2.00GHz</a>	4	2,021	1,016	55	PGA988B	Laptop
<a href="#">Intel Core2 Quad Q9505 @ 2.83GHz</a>	4	2,020	1,190	95	LGA775	Desktop
<a href="#">Intel Core i3-5005U @ 2.00GHz</a>	2	2,019	1,151	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-655K @ 3.20GHz</a>	2	2,017	1,446	73	LGA1156	Desktop
<a href="#">Intel Pentium G3450T @ 2.90GHz</a>	2	2,016	1,135	35	LGA1150	Desktop
<a href="#">Intel Core i3-3240T @ 2.90GHz</a>	2	2,013	1,540	35	LGA1155	Desktop
<a href="#">Intel Core i5-2430M @ 2.40GHz</a>	2	2,011	1,247	35	PGA988B	Laptop
<a href="#">Intel Core2 Extreme Q9200 @ 2.40GHz</a>	4	2,011	1,080	NA	Unknown	Desktop
<a href="#">Intel Core i7-620M @ 2.67GHz</a>	2	1,999	1,285	35	BGA1288	Laptop
<a href="#">Intel Core i7-2655LE @ 2.20GHz</a>	2	1,999	1,231	25	BGA1023	Desktop
<a href="#">AMD Opteron 2427</a>	6	1,995	386	75	F (1207)	Server
<a href="#">Intel Core i7-2677M @ 1.80GHz</a>	2	1,993	1,240	17	BGA1023	Laptop
<a href="#">HiSilicon Kirin 950</a>	8	1,991	717	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G3420 @ 3.20GHz</a>	2	1,990	1,805	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-2130 @ 3.40GHz</a>	2	1,986	1,557	65	LGA1155	Desktop
<a href="#">AMD Athlon X4 750 Quad Core</a>	4	1,986	1,338	65	FM2	Desktop
<a href="#">Intel Xeon X3320 @ 2.50GHz</a>	4	1,986	1,097	95	LGA775	Server
<a href="#">AMD A10-5757M APU</a>	4	1,985	1,107	35	FP2	Laptop
<a href="#">Qualcomm Technologies, Inc SDM662</a>	8	1,980	919	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5355 @ 2.66GHz</a>	4	1,979	1,060	120	LGA771	Server
<a href="#">Qualcomm Technologies, Inc 450</a>	8	1,978	459	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4025U @ 1.90GHz</a>	2	1,974	1,100	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-3317U @ 1.70GHz</a>	2	1,972	1,235	17	BGA1023	Laptop
<a href="#">Intel Core i7-3689Y @ 1.50GHz</a>	2	1,967	1,209	13	FCBGA1023	Laptop
<a href="#">AMD Athlon II X4 615e</a>	4	1,967	1,037	45	AM3	Desktop
<a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a>	4	1,966	1,087	95	LGA775	Desktop
<a href="#">MT8788</a>	8	1,961	893	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom E3940 @ 1.60GHz</a>	4	1,960	676	9.5	Unknown	Laptop
<a href="#">AMD Athlon II X4 605e</a>	4	1,957	1,005	45	AM3	Desktop
<a href="#">Intel Core i5-2410M @ 2.30GHz</a>	2	1,956	1,226	35	FCBGA1023, PPG	Laptop
<a href="#">Samsung Exynos 9610</a>	8	1,955	942	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom E3900 @ 1.60GHz</a>	4	1,953	675	NA	Unknown	Laptop
<a href="#">Qualcomm Technologies, Inc SDM636</a>	8	1,952	809	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-3220T @ 2.80GHz</a>	2	1,949	1,506	35	LGA1155	Desktop
<a href="#">Intel Core i3-4120U @ 2.00GHz</a>	2	1,948	1,177	15	FCBGA1168	Laptop
<a href="#">AMD Phenom 9850B Quad-Core</a>	4	1,946	992	95	Unknown	Unknown
<a href="#">Intel Xeon E5506 @ 2.13GHz</a>	4	1,946	941	80	LGA1366	Server
<a href="#">Intel Core i3-5015U @ 2.10GHz</a>	2	1,939	1,071	15	FCBGA1168	Laptop
<a href="#">AMD A8-3800 APU</a>	4	1,939	1,064	65	FM1	Desktop

<a href="#">Intel Core i7-840QM @ 1.87GHz</a>	4	1,938	1,108	45	PGA988A	Laptop
<a href="#">Intel Celeron N3450 @ 1.10GHz</a>	4	1,938	763	6	FCBGA1296	Laptop
<a href="#">AMD Athlon X4 730</a>	2	1,936	562	65	FM2	Desktop
<a href="#">Intel Xeon X6550 @ 2.00GHz</a>	4	1,936	390	130	LGA1567	Server
<a href="#">Intel Xeon E5603 @ 1.60GHz</a>	4	1,935	712	80	LGA1366	Server
<a href="#">AMD Athlon II X4 620</a>	4	1,934	1,054	95	AM3	Desktop
<a href="#">Intel Pentium G3250 @ 3.20GHz</a>	2	1,933	1,812	53	LGA1150	Desktop
<a href="#">AMD A6-7480</a>	2	1,931	1,638	65	FM2+	Desktop
<a href="#">Intel Xeon E5420 @ 2.50GHz</a>	4	1,931	1,048	80	LGA771	Server
<a href="#">Intel Xeon X3330 @ 2.66GHz</a>	4	1,928	1,160	95	LGA775	Server
<a href="#">Intel Xeon E5507 @ 2.27GHz</a>	4	1,928	997	80	LGA1366	Server
<a href="#">Intel Core i3-2120 @ 3.30GHz</a>	2	1,927	1,518	65	LGA1155	Desktop
<a href="#">Intel Celeron G1850 @ 2.90GHz</a>	2	1,926	1,695	54	FCLGA1150	Desktop
<a href="#">AMD Athlon II X3 460</a>	3	1,924	1,390	95	AM3	Desktop
<a href="#">Intel Xeon E5410 @ 2.33GHz</a>	4	1,923	1,024	80	LGA771	Server
<a href="#">AMD Athlon 5370 APU</a>	4	1,923	755	25	AM1,FS1B	Desktop
<a href="#">Intel Xeon L5410 @ 2.33GHz</a>	4	1,921	1,029	50	LGA771	Server
<a href="#">Qualcomm Technologies, Inc SM4250</a>	8	1,920	718	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G3240 @ 3.10GHz</a>	2	1,919	1,749	53	FCLGA1150	Desktop
<a href="#">AMD Opteron 3320 EE</a>	2	1,918	838	25	AM3+	Server
<a href="#">Intel Core i5-580M @ 2.67GHz</a>	2	1,914	1,266	35	BGA1288	Laptop
<a href="#">AMD A10-5750M APU</a>	4	1,913	1,102	35	FS1r2	Laptop
<a href="#">Intel Pentium G3420T @ 2.70GHz</a>	2	1,912	1,570	35	LGA1150	Desktop
<a href="#">AMD A10-4600M APU</a>	2	1,912	1,062	35	FS1r2	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8976SG</a>	8	1,912	736	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron X2170 APU</a>	4	1,911	832	25	FT3	Server
<a href="#">AMD A10 PRO-7350B APU</a>	4	1,910	911	19	FP3	Laptop
<a href="#">Samsung Exynos 9611</a>	8	1,908	1,007	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-3439Y @ 1.50GHz</a>	2	1,907	1,197	13	BGA1023	Desktop
<a href="#">Intel Core i5-4422E @ 1.80GHz</a>	2	1,907	1,048	25	FCBGA1364	Laptop
<a href="#">AMD Phenom II X4 B05e</a>	4	1,906	974	NA	Unknown	Unknown
<a href="#">Intel Core M-5Y10a @ 0.80GHz</a>	2	1,905	993	4.5	FCBGA1234	Laptop
<a href="#">Intel Celeron N4500 @ 1.10GHz</a>	2	1,904	1,282	6	FCBGA1338	Mobile/Embedded
<a href="#">AMD Opteron 2419 EE</a>	6	1,902	396	60	F (1207)	Server
<a href="#">AMD Phenom II X4 920</a>	4	1,899	1,068	125	AM2+	Desktop
<a href="#">AMD Opteron 1385</a>	4	1,898	1,035	115	AM2+,AM3	Server
<a href="#">Intel Pentium G2130 @ 3.20GHz</a>	2	1,895	1,745	55	FCLGA1155	Desktop
<a href="#">AMD Phenom II X4 905e</a>	4	1,895	1,029	65	AM3	Desktop
<a href="#">AMD Phenom 9950 Quad-Core</a>	4	1,892	1,041	125	AM2+	Desktop
<a href="#">AMD PRO A6-8570</a>	2	1,889	1,638	65	AM4	Desktop
<a href="#">Intel Core i5-2510E @ 2.50GHz</a>	2	1,889	1,183	35	PGA988B	Laptop
<a href="#">AMD PRO A6-8550B</a>	1	1,885	1,623	65	FM2+	Desktop
<a href="#">Intel Core M-5Y10 @ 0.80GHz</a>	2	1,885	1,117	4.5	Unknown	Laptop
<a href="#">Intel Core i5-2515E @ 2.50GHz</a>	2	1,882	1,189	35	BGA1023	Desktop



<a href="#">Intel Core i7-3555LE @ 2.50GHz</a>	2	1,880	980	25	BGA1023	Laptop
<a href="#">Intel Celeron 4305UE @ 2.00GHz</a>	2	1,876	1,213	15	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">AMD PRO A6-9500</a>	2	1,875	1,618	65	AM4	Desktop
<a href="#">Intel Core i3-2105 @ 3.10GHz</a>	2	1,871	1,387	65	LGA1155	Desktop
<a href="#">AMD Athlon II X4 610e</a>	4	1,871	999	45	AM3	Desktop
<a href="#">Intel Pentium G2120 @ 3.10GHz</a>	2	1,870	1,708	55	FCLGA1155	Desktop
<a href="#">Intel Core i3-4030U @ 1.90GHz</a>	2	1,869	1,021	15	FCBGA1168	Laptop
<a href="#">AMD A6-9500</a>	2	1,864	1,618	65	AM4	Desktop
<a href="#">AMD Opteron 2378</a>	4	1,864	936	75	F (1207)	Server
<a href="#">Qualcomm Technologies, Inc SDM460</a>	8	1,861	750	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-5550M APU</a>	4	1,855	1,035	35	FS1r2	Laptop
<a href="#">Intel Core i5-4230U @ 1.90GHz</a>	2	1,853	1,620	15	FCBGA1364	Laptop
<a href="#">Intel Core i3-4110U @ 1.90GHz</a>	2	1,853	1,119	NA	Unknown	Laptop
<a href="#">Intel Pentium G3220 @ 3.00GHz</a>	2	1,851	1,696	54	FCLGA1150	Desktop
<a href="#">Intel Pentium 1403 @ 2.60GHz</a>	2	1,851	990	80	LGA1356	Server
<a href="#">ARM Cortex-A53 6 Core 1896 MHz</a>	6	1,851	751	NA	Unknown	Unknown
<a href="#">Intel Celeron G3900TE @ 2.30GHz</a>	2	1,850	1,402	35	FCLGA1151	Laptop
<a href="#">AMD Phenom II X4 810</a>	4	1,849	1,018	95	AM3	Desktop
<a href="#">Intel Core i3-4100E @ 2.40GHz</a>	2	1,848	1,390	37	FCBGA1364	Mobile/Embedded
<a href="#">MediaTek MT8183</a>	8	1,847	857	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Extreme Q9300 @ 2.53GHz</a>	4	1,845	1,046	45	PGA478	Desktop
<a href="#">Intel Core i3-2310E @ 2.10GHz</a>	2	1,845	733	35	FCBGA1023	Laptop
<a href="#">AMD Phenom II X3 B77</a>	3	1,844	1,310	95	AM2+/AM3	Unknown
<a href="#">AMD Phenom II X4 805</a>	4	1,844	999	95	AM3	Desktop
<a href="#">SAMSUNG Exynos7420</a>	8	1,843	717	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-9500E</a>	2	1,841	1,478	35	AM4	Desktop
<a href="#">UIS7862A</a>	8	1,839	951	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X3323 @ 2.50GHz</a>	4	1,837	1,059	80	LGA775	Server
<a href="#">AMD FX-7500 APU</a>	4	1,835	907	19	FP3	Laptop
<a href="#">AMD Athlon II X3 455</a>	3	1,832	1,343	95	AM3	Desktop
<a href="#">Intel Core i5-560M @ 2.67GHz</a>	2	1,832	1,238	35	BGA1288	Laptop
<a href="#">AMD A6-3620 APU</a>	4	1,830	987	65	FM1	Desktop
<a href="#">AMD Phenom II X4 B15e</a>	4	1,825	1,069	NA	AM2+/AM3	Desktop
<a href="#">Intel Core i3-3130M @ 2.60GHz</a>	2	1,824	1,067	35	BGA1023	Laptop
<a href="#">Intel Core i3-2330E @ 2.20GHz</a>	2	1,823	1,063	35	rPGA988	Desktop
<a href="#">Intel Core i3-2100 @ 3.10GHz</a>	2	1,819	1,426	65	LGA1155	Desktop
<a href="#">Intel Xeon X3220 @ 2.40GHz</a>	4	1,819	942	105	LGA775	Server
<a href="#">Intel Core i7-610E @ 2.53GHz</a>	2	1,818	1,400	35	BGA1288	Laptop
<a href="#">Intel Core i5-4302Y @ 1.60GHz</a>	2	1,817	1,084	11.5	FCBGA1168	Desktop
<a href="#">Intel Core M-5Y10c @ 0.80GHz</a>	2	1,816	1,074	4.5	FCBGA1234	Laptop
<a href="#">AMD A8-6500T APU</a>	2	1,816	1,048	45	FM2	Desktop
<a href="#">Intel Core2 Quad Q8300 @ 2.50GHz</a>	4	1,814	1,059	95	LGA775	Desktop
<a href="#">Intel Xeon E5345 @ 2.33GHz</a>	4	1,814	947	80	LGA771	Server
<a href="#">Intel Core i7-2637M @ 1.70GHz</a>	2	1,811	1,130	17	BGA1023	Laptop

<a href="#">AMD Athlon II X3 445</a>	3	1,810	1,282	95	AM3	Desktop
<a href="#">AMD Athlon X4 620</a>	4	1,810	1,033	95	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc SDM632</a>	8	1,809	745	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core M-5Y70 @ 1.10GHz</a>	2	1,807	1,049	4.5	BGA1234	Laptop
<a href="#">AMD Phenom 9750 Quad-Core</a>	4	1,804	942	125	AM2+	Desktop
<a href="#">AMD A8-7410 APU</a>	4	1,804	800	25	Unknown	Laptop
<a href="#">AMD A6-7470K</a>	1	1,799	1,576	65	FM2+	Desktop
<a href="#">Intel Core2 Quad Q8200 @ 2.33GHz</a>	4	1,797	1,014	95	LGA775	Desktop
<a href="#">AMD Opteron 1381</a>	4	1,797	1,011	75	AM3	Server
<a href="#">AMD Phenom II X940 Quad-Core</a>	4	1,797	785	45	S1	Laptop
<a href="#">AMD GX-420MC SOC</a>	4	1,796	695	17.5	FTB3b	Laptop
<a href="#">AMD Athlon X4 530</a>	4	1,786	690	25	AM1	Desktop
<a href="#">MT6765</a>	8	1,785	631	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 835</a>	8	1,784	1,016	9	Unknown	Unknown
<a href="#">AMD Phenom X4 Quad-Core GP- 9730</a>	4	1,784	957	NA	AM2+ (940-pin)	Desktop
<a href="#">AMD Athlon X3 455</a>	3	1,783	1,227	95	AM2+/AM3	Unknown
<a href="#">Intel Core i7-740QM @ 1.73GHz</a>	4	1,782	1,009	45	PGA988A	Laptop
<a href="#">AMD Athlon X3 435</a>	3	1,781	1,192	95	Unknown	Unknown
<a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>	4	1,778	958	105	LGA775	Desktop
<a href="#">AMD Phenom II X4 910</a>	4	1,776	988	95	AM3	Desktop
<a href="#">AMD A8-5557M APU</a>	4	1,774	1,084	35	FP2	Laptop
<a href="#">Qualcomm Technologies, Inc SDM630</a>	8	1,774	612	NA	Unknown	Mobile/Embedded
<a href="#">AMD R-464L APU</a>	4	1,773	1,123	35	FS1r2	Unknown
<a href="#">AMD A8-6410 APU</a>	4	1,771	786	15	BGA769 (FT3b)	Laptop
<a href="#">Intel Core i5-2557M @ 1.70GHz</a>	2	1,768	1,072	17	BGA1023	Laptop
<a href="#">Intel Core i7-820QM @ 1.73GHz</a>	4	1,768	1,029	45	PGA988A	Laptop
<a href="#">AMD Phenom II N830 3+1</a>	4	1,768	935	35	S1	Laptop
<a href="#">AMD GX-420CA SOC</a>	4	1,767	669	25	FT3 (769-BGA)	Laptop
<a href="#">Intel Core2 Quad Q9100 @ 2.26GHz</a>	4	1,764	930	45	PGA478	Laptop
<a href="#">AMD Athlon II X3 450</a>	3	1,763	1,292	95	AM3	Desktop
<a href="#">Intel Celeron G1840 @ 2.80GHz</a>	2	1,761	1,612	53	FCLGA1150	Desktop
<a href="#">Intel Xeon L5408 @ 2.13GHz</a>	4	1,761	935	40	LGA771	Server
<a href="#">AMD A10-4657M APU</a>	4	1,759	940	35	FP2	Laptop
<a href="#">Intel Atom C3538 @ 2.10GHz</a>	4	1,756	669	15	FCBGA1310	Server
<a href="#">Intel Pentium G3260T @ 2.90GHz</a>	2	1,755	1,568	35	LGA1150	Desktop
<a href="#">Intel Pentium G3240T @ 2.70GHz</a>	2	1,755	1,558	35	LGA1150	Desktop
<a href="#">Intel Core i5-540M @ 2.53GHz</a>	2	1,752	1,133	35	BGA1288	Laptop
<a href="#">Intel Core i3-4000M @ 2.40GHz</a>	2	1,751	1,262	37	FCPGA946	Laptop
<a href="#">AMD GX-424CC SOC</a>	4	1,749	801	25	FT3b	Laptop
<a href="#">MediaTek MT8768WT</a>	8	1,748	609	NA	Unknown	Mobile/Embedded
<a href="#">MT6797M</a>	10	1,745	854	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 5350 APU</a>	4	1,743	699	25	AM1,FS1B	Desktop

<a href="#">HP Hexa-Core 2.0GHz</a>	4	1,741	804	NA	Unknown	Unknown
<a href="#">AArch64 rev 4 (aarch64)</a>	8	1,741	648	NA	Unknown	Unknown
<a href="#">AMD A10-5745M APU</a>	4	1,738	975	25	FP2	Laptop
<a href="#">AMD Phenom 9600B Quad-Core</a>	4	1,736	937	95	AM2+	Desktop
<a href="#">AMD A6-7310 APU</a>	4	1,736	787	25	Unknown	Laptop
<a href="#">AMD Opteron 2356</a>	4	1,733	849	75	F (1207)	Server
<a href="#">MT6752</a>	8	1,728	486	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G3250T @ 2.80GHz</a>	2	1,726	1,568	35	LGA1150	Desktop
<a href="#">MediaTek MT8768CT</a>	8	1,724	615	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6797T</a>	10	1,723	533	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X2 Dual-Core GE-6060</a>	2	1,722	1,160	NA	Unknown	Unknown
<a href="#">AMD Athlon II X3 440</a>	3	1,718	1,220	95	AM3	Desktop
<a href="#">Intel Core i3-4158U @ 2.00GHz</a>	2	1,718	1,005	28	FCBGA1168	Laptop
<a href="#">AMD A10-7300 APU</a>	4	1,715	847	19	FP3	Laptop
<a href="#">Intel Pentium G2030 @ 3.00GHz</a>	2	1,713	1,600	55	FCLGA1155	Desktop
<a href="#">Qualcomm Technologies, Inc APQ8053</a>	8	1,712	557	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X4 600e</a>	4	1,711	913	45	AM3	Desktop
<a href="#">Intel Celeron G1630 @ 2.80GHz</a>	2	1,707	1,553	55	FCLGA1155	Desktop
<a href="#">AMD PRO A6-8500B</a>	2	1,704	1,365	15	FP4	Laptop
<a href="#">AMD Opteron 1356</a>	4	1,703	918	75	AM2	Server
<a href="#">HiSilicon Kirin 659</a>	8	1,703	665	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A4-3350B APU</a>	4	1,702	779	15	FT3b	Laptop
<a href="#">AMD Phenom 9650 Quad-Core</a>	4	1,699	924	95	AM2+	Desktop
<a href="#">AMD Phenom FX-5200 Quad-Core</a>	4	1,699	919	65	AM3	Unknown
<a href="#">Intel Pentium 4425Y @ 1.70GHz</a>	2	1,697	967	6	FCBGA1515	Laptop
<a href="#">Intel Core i3-560 @ 3.33GHz</a>	2	1,696	1,379	73	LGA1156	Desktop
<a href="#">Intel Atom x6211E @ 1.20GHz</a>	2	1,695	1,304	6	FCBGA1493	Mobile/Embedded
<a href="#">Intel Celeron 4305U @ 2.20GHz</a>	2	1,694	1,378	15	FCBGA1528	Mobile/Embedded
<a href="#">Intel Celeron 3965U @ 2.20GHz</a>	2	1,692	1,356	15	FCBGA1356	Laptop
<a href="#">Intel Pentium G2100T @ 2.60GHz</a>	2	1,691	1,460	35	LGA1155	Desktop
<a href="#">Intel Core i5-520M @ 2.40GHz</a>	2	1,690	1,087	35	BGA1288	Laptop
<a href="#">Intel Celeron J4025 @ 2.00GHz</a>	2	1,688	1,234	10	FCBGA1090	Desktop
<a href="#">MT6765V/WB</a>	8	1,688	596	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-2617M @ 1.50GHz</a>	2	1,687	1,092	17	BGA1023	Laptop
<a href="#">AMD A4-6250J APU</a>	4	1,685	700	25	Unknown	Unknown
<a href="#">Intel Pentium G2020 @ 2.90GHz</a>	2	1,684	1,566	55	FCLGA1155	Desktop
<a href="#">AMD Phenom 9850 Quad-Core</a>	4	1,680	925	125	AM2+	Desktop
<a href="#">AMD PRO A6-7350B</a>	2	1,679	1,535	15	FMA4	Laptop
<a href="#">Intel Xeon L5335 @ 2.00GHz</a>	4	1,678	827	50	LGA771	Server
<a href="#">AMD A9-9430</a>	2	1,676	1,441	NA	Unknown	Desktop
<a href="#">Intel Celeron 6305E @ 1.80GHz</a>	2	1,675	1,083	15	FCBGA1449	Mobile/Embedded
<a href="#">MediaTek MT6765V/CB</a>	8	1,673	590	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G1820 @ 2.70GHz</a>	2	1,670	1,520	53	FCLGA1150	Desktop
<a href="#">AMD Athlon II X3 435</a>	3	1,670	1,188	95	AM3	Desktop
<a href="#">AMD Phenom II X920 Quad-Core</a>	4	1,669	944	45	S1	Laptop

<a href="#">AMD A6-6310 APU</a>	4	1,666	750	15	FT3	Laptop
<a href="#">HiSilicon Kirin 650</a>	8	1,665	628	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5405 @ 2.00GHz</a>	4	1,664	877	80	LGA771	Server
<a href="#">Samsung Exynos 7880</a>	8	1,664	466	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7885</a>	8	1,663	854	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-7210 APU</a>	4	1,663	725	25	BGA	Laptop
<a href="#">MediaTek MT6765V/CA</a>	8	1,663	612	NA	Unknown	Mobile/Embedded
<a href="#">AMD PRO A6-9500E</a>	2	1,662	1,493	35	AM4	Desktop
<a href="#">Intel Core i7-720QM @ 1.60GHz</a>	4	1,662	966	45	PGA988A	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8953</a>	8	1,662	519	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7904</a>	8	1,659	743	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4030Y @ 1.60GHz</a>	2	1,654	901	11.5	FCBGA1168	Laptop
<a href="#">Intel Core i3-2100T @ 2.50GHz</a>	2	1,652	1,212	35	LGA1155	Desktop
<a href="#">AMD A4 PRO-3340B</a>	4	1,652	657	25	BGA769 (FT3)	Laptop
<a href="#">AMD Phenom X4 Quad-Core GP-9600</a>	4	1,649	764	95	AM2+	Desktop
<a href="#">AMD A6-5200 APU</a>	4	1,649	659	25	FT3	Laptop
<a href="#">Intel Core i3-4010U @ 1.70GHz</a>	2	1,648	905	15	BGA1168	Laptop
<a href="#">MT6757W</a>	8	1,648	592	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II N970 Quad-Core</a>	4	1,647	902	35	S1	Laptop
<a href="#">AMD A8-7100 APU</a>	4	1,644	847	19	FP3	Laptop
<a href="#">AMD A6 PRO-7400B</a>	1	1,641	1,494	65	FM2+	Desktop
<a href="#">Intel Core i3-3120M @ 2.50GHz</a>	2	1,641	1,270	35	PGA988	Laptop
<a href="#">Rockchip RK</a>	8	1,641	783	NA	Unknown	Mobile/Embedded
<a href="#">AMD A10-4655M APU</a>	2	1,637	902	25	FP2	Laptop
<a href="#">AMD Phenom 9550 Quad-Core</a>	4	1,636	873	95	AM2+	Desktop
<a href="#">AMD Opteron 2373 EE</a>	4	1,635	814	60	F (1207)	Server
<a href="#">Nvidia Tegra T210</a>	4	1,635	722	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-4005U @ 1.70GHz</a>	2	1,634	902	15	FCBGA1168	Laptop
<a href="#">AMD A6-3600 APU</a>	4	1,633	901	65	FM1	Desktop
<a href="#">Snapdragon 888</a>	4	1,630	1,190	NA	Unknown	Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-216GD</a>	2	1,628	1,313	15	BGA (FP4)	Laptop, Mobile/Embedded
<a href="#">AMD A8-4500M APU</a>	2	1,624	887	35	FS1r2	Laptop
<a href="#">Intel Pentium G3320TE @ 2.30GHz</a>	2	1,623	1,314	35	FCLGA1150	Desktop
<a href="#">AMD Opteron 1354</a>	4	1,620	864	75	AM2	Server
<a href="#">Intel Core i5 E 520 @ 2.40GHz</a>	2	1,619	1,032	35	BGA1288	Desktop
<a href="#">AMD Phenom 9600 Quad-Core</a>	4	1,619	904	95	AM2+	Desktop
<a href="#">AMD A6-6400B APU</a>	1	1,616	1,608	65	FM2	Desktop
<a href="#">MediaTek MT6797</a>	10	1,616	666	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G1820T @ 2.40GHz</a>	2	1,614	1,396	35	LGA1150	Desktop
<a href="#">Intel Pentium G2120T @ 2.70GHz</a>	2	1,613	1,493	35	FCLGA1155	Desktop
<a href="#">Samsung Exynos 7420</a>	8	1,612	812	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6757CD</a>	8	1,612	624	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N4000C @ 1.10GHz</a>	2	1,611	1,150	6	FCBGA1090	Laptop
<a href="#">AMD A8-5545M APU</a>	4	1,611	880	19	FP2	Laptop

<a href="#">Intel Core i3-3110M @ 2.40GHz</a>	2	1,609	1,256	35	BGA1023	Laptop
<a href="#">Intel Celeron 2000E @ 2.20GHz</a>	2	1,607	1,282	37	FCBGA1364	Laptop
<a href="#">Unisoc T310</a>	4	1,606	1,154	NA	Unknown	Mobile/Embedded
<a href="#">MT6765V/WA</a>	8	1,606	617	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-8550</a>	2	1,604	1,474	65	FM2+	Desktop
<a href="#">MT6757WD</a>	8	1,602	620	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 4415Y @ 1.60GHz</a>	2	1,600	899	6	FCBGA1515	Laptop
<a href="#">Intel Xeon X3210 @ 2.13GHz</a>	4	1,599	875	105	LGA775	Server
<a href="#">AMD Phenom FX-5000 Quad-Core</a>	4	1,599	826	65	AM2+	Unknown
<a href="#">MT6755V/W</a>	8	1,596	553	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-4220Y @ 1.60GHz</a>	2	1,591	952	11.5	FCBGA1364	Laptop
<a href="#">Qualcomm MSM8953</a>	8	1,589	486	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-550 @ 3.20GHz</a>	2	1,588	1,342	73	LGA1156	Desktop
<a href="#">AMD A6-7400K APU</a>	2	1,587	1,422	65	FM2+	Desktop
<a href="#">ARM Neoverse-N1 2 Core 0 MHz</a>	2	1,583	1,357	NA	Unknown	Unknown
<a href="#">Intel Celeron J4005 @ 2.00GHz</a>	2	1,581	1,119	10	FCBGA1090	Desktop
<a href="#">AMD A8-3550MX APU</a>	4	1,579	938	45	FS1	Laptop
<a href="#">ARM phyrium FT1500a 4 Core 2000 MHz</a>	4	1,579	716	NA	Unknown	Unknown
<a href="#">Intel Celeron G1840T @ 2.50GHz</a>	2	1,576	1,431	35	LGA1150	Desktop
<a href="#">AMD Athlon II X3 425</a>	3	1,576	1,105	95	AM3	Desktop
<a href="#">Intel Celeron N4020 @ 1.10GHz</a>	2	1,571	1,171	6	FCBGA1090	Laptop
<a href="#">AMD A8-3530MX APU</a>	4	1,570	933	45	FS1	Laptop
<a href="#">Intel Core i5-3339Y @ 1.50GHz</a>	2	1,569	898	13	BGA1023	Desktop
<a href="#">AMD Phenom X2 Dual-Core GE-5060</a>	2	1,566	1,053	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian KX-6640MA@2.2+GHz</a>	4	1,566	722	70	Unknown	Unknown
<a href="#">Intel Pentium G3220T @ 2.60GHz</a>	2	1,564	1,447	35	LGA1150	Desktop
<a href="#">AMD A4-6320 APU</a>	1	1,563	1,550	65	FM2	Desktop
<a href="#">Intel Pentium G2010 @ 2.80GHz</a>	2	1,561	1,482	55	FCLGA1155	Desktop
<a href="#">AMD Embedded G-Series GX-420GI Radeon R7E</a>	4	1,561	854	16.1	FP4	Laptop, Mobile/Embedded
<a href="#">Intel Celeron G1830 @ 2.80GHz</a>	2	1,560	1,513	53	LGA1150	Desktop
<a href="#">AMD Phenom II X3 B75</a>	3	1,560	1,161	95	AM3	Desktop
<a href="#">Intel Core i5-4200Y @ 1.40GHz</a>	2	1,558	944	11.5	BGA1168	Desktop
<a href="#">AMD Phenom II N930 Quad-Core</a>	4	1,558	825	35	S1	Laptop
<a href="#">AMD Athlon II X3 420e</a>	3	1,557	1,058	45	AM3	Desktop
<a href="#">AMD A8 PRO-7150B APU</a>	4	1,557	789	19	FP3	Laptop
<a href="#">AMD Phenom II X3 710</a>	3	1,554	1,069	95	AM3	Desktop
<a href="#">Intel Pentium 3560M @ 2.40GHz</a>	2	1,552	1,421	37	FCPGA946	Laptop
<a href="#">AMD PRO A4-8350B</a>	1	1,552	1,365	65	FM2+	Desktop
<a href="#">AMD A6-6420B APU</a>	1	1,550	1,629	65	FM2	Desktop
<a href="#">Intel Xeon E5335 @ 2.00GHz</a>	4	1,549	817	80	LGA771	Server
<a href="#">Intel Core i5-4210Y @ 1.50GHz</a>	2	1,548	997	11	BGA1168	Desktop
<a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>	4	1,547	556	NA	Unknown	Unknown
<a href="#">AMD A4 PRO-7350B</a>	1	1,544	1,438	65	FM2+	Desktop

<a href="#">AMD A6-6420K APU</a>	2	1,538	1,557	65	FM2	Desktop
<a href="#">AMD Phenom II X3 B73</a>	3	1,538	1,056	95	AM3	Desktop
<a href="#">Intel Pentium G2030T @ 2.60GHz</a>	2	1,535	1,441	35	LGA1155	Desktop
<a href="#">Apple A8</a>	2	1,531	914	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8996PRO-AB</a>	4	1,530	944	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8096</a>	4	1,529	1,104	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5504 @ 2.00GHz</a>	4	1,529	838	80	LGA1366	Server
<a href="#">AMD E2-7110 APU</a>	4	1,529	615	15	FP4 BGA	Laptop
<a href="#">AMD Opteron X3216 APU</a>	2	1,525	1,294	15	Unknown	Server
<a href="#">Qualcomm Technologies, Inc MSM8976</a>	8	1,525	696	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon X5270 @ 3.50GHz</a>	2	1,524	1,485	80	LGA771	Server
<a href="#">AMD A9-9425</a>	2	1,524	1,342	15	BGA (FT4)	Laptop
<a href="#">AMD Phenom 9750B Quad-Core</a>	4	1,520	913	95	AM2+	Desktop
<a href="#">Intel Core i3-540 @ 3.07GHz</a>	2	1,518	1,265	73	LGA1156	Desktop
<a href="#">Intel Pentium 4405Y @ 1.50GHz</a>	2	1,518	868	6	FCBGA1515	Laptop
<a href="#">AMD Athlon X3 425</a>	3	1,516	845	95	Unknown	Unknown
<a href="#">AMD A9-9420</a>	2	1,515	1,318	15	Unknown	Laptop
<a href="#">AMD Phenom 9500 Quad-Core</a>	4	1,512	849	95	AM2+	Desktop
<a href="#">AMD Opteron 2354</a>	4	1,509	857	115	F (1207)	Server
<a href="#">Intel Celeron G1620T @ 2.40GHz</a>	2	1,507	1,321	35	LGA1155	Desktop
<a href="#">AMD Phenom II X4 900e</a>	4	1,505	917	65	AM3	Desktop
<a href="#">AMD Athlon X2 370K Dual Core</a>	1	1,504	1,514	65	Unknown	Unknown
<a href="#">AMD A9-9410</a>	2	1,504	1,317	25	FP4	Laptop
<a href="#">Intel Celeron 2970M @ 2.20GHz</a>	2	1,501	1,245	37	FCPGA946	Laptop
<a href="#">AMD Phenom 9350e Quad-Core</a>	4	1,501	792	65	AM2+	Desktop
<a href="#">AMD PRO A6-8530B</a>	2	1,498	1,271	15	FP4	Laptop
<a href="#">Intel Pentium G870 @ 3.10GHz</a>	2	1,495	1,464	65	FCLGA1155	Desktop
<a href="#">MT6763V/B</a>	8	1,495	552	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-7300 APU</a>	1	1,492	1,484	65	FM2	Desktop
<a href="#">Intel Celeron 3955U @ 2.00GHz</a>	2	1,490	1,202	15	FCBGA1356	Laptop
<a href="#">AMD PRO A6-8570E</a>	2	1,489	1,216	35	Unknown	Desktop
<a href="#">Intel Celeron 3867U @ 1.80GHz</a>	2	1,488	1,097	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-2120T @ 2.60GHz</a>	2	1,486	1,144	35	LGA1155	Desktop
<a href="#">MediaTek MT8768WA</a>	8	1,482	538	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4 PRO-7300B APU</a>	1	1,481	1,522	65	Unknown	Desktop
<a href="#">AMD Phenom II X3 720</a>	3	1,480	1,086	95	AM3	Desktop
<a href="#">Intel Core2 Quad Q9000 @ 2.00GHz</a>	4	1,480	879	45	PGA478	Laptop
<a href="#">Intel Core i5-4300Y @ 1.60GHz</a>	2	1,479	965	11.5	BGA1168	Desktop
<a href="#">MediaTek MT6757V</a>	8	1,479	583	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G1610 @ 2.60GHz</a>	2	1,478	1,359	55	FCLGA1155	Desktop
<a href="#">Intel Core m5-7Y54 @ 1.20GHz</a>	2	1,475	746	NA	Unknown	Unknown
<a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>	2	1,472	1,542	NA	Unknown	Unknown
<a href="#">AMD A4-6210 APU</a>	4	1,471	607	15	FT3b	Laptop
<a href="#">Intel Core i7-640LM @ 2.13GHz</a>	2	1,469	1,013	25	BGA1288	Laptop

<a href="#">Intel Xeon E7320 @ 2.13GHz</a>	4	1,469	776	80	604	Server
<a href="#">Intel Celeron G1620 @ 2.70GHz</a>	2	1,466	1,407	55	FCLGA1155	Desktop
<a href="#">AMD A6-8500P</a>	2	1,466	1,272	15	BGA (FP4)	Laptop
<a href="#">Intel Pentium J3710 @ 1.60GHz</a>	4	1,465	715	6.5	Unknown	Desktop
<a href="#">AMD Opteron 1352</a>	4	1,464	849	75	AM2	Server
<a href="#">AMD Phenom II N950 Quad-Core</a>	4	1,460	847	35	S1	Laptop
<a href="#">AMD A8-3510MX APU</a>	4	1,457	826	45	FS1	Laptop
<a href="#">MT6763V/CT</a>	8	1,457	415	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom 9450e Quad-Core</a>	4	1,455	841	65	AM2+	Desktop
<a href="#">MediaTek MT6763V/V</a>	8	1,454	548	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-6400K APU</a>	1	1,453	1,429	65	FM2	Desktop
<a href="#">AMD PRO A6-9500B</a>	2	1,453	1,300	15	FP4	Laptop
<a href="#">Intel Xeon X5272 @ 3.40GHz</a>	2	1,451	1,411	80	LGA771	Server
<a href="#">Intel Xeon E5320 @ 1.86GHz</a>	4	1,451	768	80	LGA771	Server
<a href="#">Intel Core i3-530 @ 2.93GHz</a>	2	1,449	1,176	73	LGA1156	Desktop
<a href="#">Intel Xeon E5240 @ 3.00GHz</a>	2	1,448	1,312	65	LGA771	Server
<a href="#">AMD A6-3430MX APU</a>	4	1,448	822	45	FS1	Laptop
<a href="#">Intel Core i3-4020Y @ 1.50GHz</a>	2	1,447	796	11.5	BGA1168	Desktop
<a href="#">Qualcomm Technologies, Inc MSM8996pro</a>	4	1,446	838	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 4410Y @ 1.50GHz</a>	2	1,444	777	6	FCBGA1515	Laptop
<a href="#">Intel Core i5-2467M @ 1.60GHz</a>	2	1,443	846	17	BGA1023	Laptop
<a href="#">AMD Athlon II X3 415e</a>	3	1,441	1,028	45	AM3	Desktop
<a href="#">AMD Athlon X3 440</a>	3	1,438	1,129	95	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc APQ8076</a>	8	1,438	561	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WR</a>	8	1,438	523	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G860 @ 3.00GHz</a>	2	1,437	1,389	65	FCLGA1155	Desktop
<a href="#">AMD A4-6300 APU</a>	1	1,431	1,419	65	FM2	Desktop
<a href="#">AMD Phenom II X3 700e</a>	3	1,430	969	65	AM3	Desktop
<a href="#">MediaTek MT6762V/WD</a>	8	1,430	481	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E3113 @ 3.00GHz</a>	2	1,429	1,282	65	LGA775	Server
<a href="#">AMD A6-5400B APU</a>	1	1,428	1,380	65	FM2	Desktop
<a href="#">AMD Phenom II X2 560</a>	2	1,426	1,450	80	AM2+/AM3	Unknown
<a href="#">Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP</a>	8	1,426	404	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X3 740</a>	3	1,424	982	95	Unknown	Unknown
<a href="#">ASUS Tinker Board 2/2S</a>	6	1,423	890	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i7-620LM @ 2.00GHz</a>	2	1,422	1,074	25	rPGA988A	Laptop
<a href="#">Intel Atom C2550 @ 2.40GHz</a>	4	1,422	554	14	FCBGA1283	Server
<a href="#">MediaTek MT6765G</a>	8	1,419	505	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin 930</a>	8	1,415	430	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 5205U @ 1.90GHz</a>	2	1,414	1,094	15	FCBGA1528	Laptop
<a href="#">AMD Phenom 9150e Quad-Core</a>	4	1,414	721	65	AM2+	Desktop
<a href="#">AMD Phenom II P960 Quad-Core</a>	4	1,412	740	35	S1	Laptop
<a href="#">Intel Atom C2558 @ 2.40GHz</a>	4	1,410	358	15	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-2610UE @ 1.50GHz</a>	2	1,409	972	17	BGA1023	Laptop



<a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a>	2	1,408	1,302	65	LGA775	Unknown
<a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a>	2	1,407	777	13	LGA1150	Server
<a href="#">AMD GX-415GA SOC</a>	4	1,407	521	15	FT3 (769-BGA)	Laptop
<a href="#">Intel Celeron 1020E @ 2.20GHz</a>	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
<a href="#">AMD Phenom II X2 565</a>	2	1,405	1,413	80	AM2+/AM3	Desktop
<a href="#">MT6755V/B</a>	8	1,404	551	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G6951 @ 2.80GHz</a>	2	1,401	1,137	73	LGA1156	Desktop
<a href="#">Intel Celeron N4000 @ 1.10GHz</a>	2	1,400	1,022	6	FCBGA1090	Laptop
<a href="#">AMD Phenom II X2 B59</a>	2	1,392	1,384	80	AM2+/AM3	Unknown
<a href="#">AMD A8-3520M APU</a>	4	1,392	834	35	FS1	Laptop
<a href="#">AMD A9-9400</a>	2	1,390	1,246	10	FP4	Laptop
<a href="#">AMD Phenom 8600B Triple-Core</a>	3	1,390	957	95	AM2+	Desktop
<a href="#">AMD Athlon 5150 APU</a>	4	1,389	550	25	AM1,FS1b	Desktop
<a href="#">MT6755V/WS</a>	8	1,389	538	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA450</a>	8	1,388	458	NA	Unknown	Mobile/Embedded
<a href="#">AMD E1-6050J APU</a>	2	1,385	787	10	Unknown	Unknown
<a href="#">Intel Xeon L5310 @ 1.60GHz</a>	4	1,385	662	50	LGA771	Server
<a href="#">AMD A6-3500 APU</a>	3	1,382	958	65	FM1	Desktop
<a href="#">MT8176</a>	6	1,380	1,027	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G850 @ 2.90GHz</a>	2	1,373	1,339	65	FCLGA1155	Desktop
<a href="#">Intel Pentium 2020M @ 2.40GHz</a>	2	1,373	1,270	35	FCPGA988	Laptop
<a href="#">Intel Pentium N3710 @ 1.60GHz</a>	4	1,366	686	6	FCBGA1170	Laptop
<a href="#">MediaTek MT6762V/CB</a>	8	1,366	500	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>	2	1,362	1,413	65	LGA775	Desktop
<a href="#">Intel Core i3-3217UE @ 1.60GHz</a>	2	1,362	711	17	BGA1023	Laptop
<a href="#">MediaTek MT6762V/WA</a>	8	1,362	463	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II X2 570</a>	2	1,360	1,408	80	AM3	Desktop
<a href="#">AMD Athlon II X2 280</a>	2	1,355	1,462	65	AM3	Unknown
<a href="#">Intel Pentium G645 @ 2.90GHz</a>	2	1,353	1,303	65	LGA1155	Desktop
<a href="#">Intel Pentium 2030M @ 2.50GHz</a>	2	1,353	1,157	35	FCPGA988	Laptop
<a href="#">Intel Core i3-2332M @ 2.20GHz</a>	2	1,353	936	35	rPGA988B	Laptop
<a href="#">Intel Core i3-4010Y @ 1.30GHz</a>	2	1,350	744	11.5	BGA1168	Desktop
<a href="#">AMD A4-5300 APU</a>	2	1,349	1,348	65	FM2	Desktop
<a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a>	4	1,349	701	4	UTFCBGA1380	Laptop
<a href="#">AMD A4-5100 APU</a>	4	1,346	540	15	FT3	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8956</a>	6	1,345	746	NA	Unknown	Mobile/Embedded
<a href="#">AMD A10 Micro-6700T APU</a>	4	1,345	700	5	FT3b	Laptop
<a href="#">AMD Phenom 8750 Triple-Core</a>	3	1,343	974	95	AM2+	Desktop
<a href="#">Intel Celeron 4205U @ 1.80GHz</a>	2	1,341	1,057	15	FCBGA1528	Laptop
<a href="#">Intel Pentium 3825U @ 1.90GHz</a>	2	1,340	1,108	15	FCBGA1168	Laptop
<a href="#">Intel Xeon L3110 @ 3.00GHz</a>	2	1,338	1,279	45	LGA775	Server
<a href="#">Intel Xeon L5240 @ 3.00GHz</a>	2	1,337	1,299	40	LGA771	Server
<a href="#">Intel Pentium G2020T @ 2.50GHz</a>	2	1,337	1,252	35	FCLGA1155	Desktop
<a href="#">AMD A6-9225</a>	2	1,337	1,179	15	BGA (FT4)	Laptop
<a href="#">Intel Core i3-2370M @ 2.40GHz</a>	2	1,336	1,059	35	PGA988B	Laptop

<a href="#">Intel Celeron G1610T @ 2.30GHz</a>	2	1,334	1,211	35	LGA1155	Desktop
<a href="#">AMD Athlon II X3 405e</a>	3	1,331	973	45	AM3	Desktop
<a href="#">Intel Xeon E3120 @ 3.16GHz</a>	2	1,330	1,364	65	LGA775	Server
<a href="#">AMD A4-6300B APU</a>	1	1,328	1,373	65	Unknown	Desktop
<a href="#">AMD A4-5050 APU</a>	4	1,328	538	13.5	FT3	Laptop
<a href="#">AMD Athlon X2 280</a>	2	1,327	1,258	65	AM3	Unknown
<a href="#">Intel Core i5 750S @ 2.40GHz</a>	4	1,326	1,039	82	LGA1156	Desktop
<a href="#">Intel Xeon @ 2.20GHz</a>	1	1,324	1,383	61	PPGA603	Server
<a href="#">VIA QuadCore C4650@2.0GHz</a>	4	1,323	557	NA	Unknown	Unknown
<a href="#">AMD Athlon II X3 400e</a>	3	1,320	908	45	AM3	Desktop
<a href="#">Samsung Exynos 7884</a>	8	1,320	629	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II P940 Quad-Core</a>	4	1,319	679	35	S1	Laptop
<a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a>	4	1,318	646	4	BGA1380	Laptop
<a href="#">MT6750V/C</a>	8	1,318	413	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 2393 SE</a>	2	1,317	1,237	105	F (1207)	Server
<a href="#">AMD Athlon X2 340 Dual Core</a>	2	1,315	1,301	65	Unknown	Unknown
<a href="#">MT6763V/WT</a>	8	1,313	621	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-480M @ 2.67GHz</a>	2	1,312	1,167	35	BGA1288	Laptop
<a href="#">Unisoc SC9863a</a>	8	1,312	475	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM439</a>	8	1,311	491	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A73 6 Core 1992 MHz</a>	6	1,311	454	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 4 Core 2091 MHz</a>	4	1,311	449	NA	Unknown	Unknown
<a href="#">Intel Pentium 3550M @ 2.30GHz</a>	2	1,309	1,183	37	FCPGA946	Laptop
<a href="#">Intel Core i5-4202Y @ 1.60GHz</a>	2	1,309	851	11.5	FCBGA1168	Desktop
<a href="#">AMD Phenom II X2 555</a>	2	1,308	1,315	80	AM2+/AM3	Desktop
<a href="#">Qualcomm Technologies, Inc MSM8996</a>	4	1,308	873	NA	Unknown	Mobile/Embedded
<a href="#">AMD A8-3500M APU</a>	4	1,308	781	35	FS1	Laptop
<a href="#">AMD A8-4555M APU</a>	2	1,307	788	19	FP2	Laptop
<a href="#">Qualcomm MSM8996</a>	4	1,307	719	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon E5310 @ 1.60GHz</a>	4	1,306	640	80	LGA771	Server
<a href="#">MediaTek MT6762V/WB</a>	8	1,300	470	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X4 Quad-Core GP-9500</a>	4	1,297	711	95	AM2+	Desktop
<a href="#">Intel Pentium G6960 @ 2.93GHz</a>	2	1,293	1,264	73	LGA1156	Desktop
<a href="#">Hisilicon Kirin 935</a>	8	1,291	328	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-5000 APU</a>	4	1,289	510	15	FT3	Laptop
<a href="#">Intel Pentium N3700 @ 1.60GHz</a>	4	1,288	636	6	FCBGA1170	Laptop
<a href="#">AMD A6-9220</a>	2	1,287	1,140	15	Unknown	Laptop
<a href="#">AMD Phenom 8850B Triple-Core</a>	3	1,281	972	95	Unknown	Desktop
<a href="#">AMD Phenom II X2 521</a>	2	1,279	1,366	65	AM2+/AM3	Unknown
<a href="#">AMD A6-5400K APU</a>	1	1,279	1,271	65	FM2	Desktop
<a href="#">AMD A6-9230</a>	2	1,279	1,158	15	Unknown	Desktop
<a href="#">Intel Core i5-460M @ 2.53GHz</a>	2	1,279	1,137	35	BGA1288	Laptop
<a href="#">AMD Phenom 9100e Quad-Core</a>	4	1,279	734	65	AM2+	Desktop
<a href="#">Unisoc UIS8581E</a>	8	1,279	498	NA	Unknown	Mobile/Embedded

<a href="#">AMD Sempron 240</a>	2	1,278	1,300	65	FM2	Desktop
<a href="#">MT6755</a>	8	1,278	536	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium G630 @ 2.70GHz</a>	2	1,277	1,225	65	LGA1155	Desktop
<a href="#">Intel Celeron 1020M @ 2.10GHz</a>	2	1,275	1,176	35	FCPGA988	Laptop
<a href="#">Intel Core i7-660UM @ 1.33GHz</a>	2	1,272	927	18	BGA1288	Laptop
<a href="#">AMD Embedded G-Series GX-224IU Radeon R4E</a>	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
<a href="#">Intel Pentium G640 @ 2.80GHz</a>	2	1,270	1,290	65	LGA1155	Desktop
<a href="#">Intel Celeron G555 @ 2.70GHz</a>	2	1,268	1,275	65	LGA1155	Desktop
<a href="#">Intel Celeron 3865U @ 1.80GHz</a>	2	1,266	1,047	15	BGA1356	Laptop
<a href="#">Intel Pentium A1020 @ 2.41GHz</a>	4	1,265	705	10	FCBGA1170	Laptop
<a href="#">Intel Core i3-2350M @ 2.30GHz</a>	2	1,263	1,004	35	PGA988B	Laptop
<a href="#">AMD Phenom II X620 Dual-Core</a>	2	1,262	1,339	45	S1	Laptop
<a href="#">AMD A6-3420M APU</a>	4	1,262	788	35	FS1	Laptop
<a href="#">AMD A6-5357M APU</a>	2	1,260	1,268	35	FP2	Laptop
<a href="#">AMD A6-9210</a>	2	1,260	1,101	15	FP4	Laptop
<a href="#">Intel Core i3-330E @ 2.13GHz</a>	2	1,260	934	35	BGA1288	Laptop
<a href="#">Intel Core i3-2348M @ 2.30GHz</a>	2	1,259	1,038	35	rPGA988B	Laptop
<a href="#">AMD Phenom II N850 Triple-Core</a>	3	1,253	882	35	S1	Laptop
<a href="#">Intel Celeron 3765U @ 1.90GHz</a>	2	1,252	1,171	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-3227U @ 1.90GHz</a>	2	1,248	939	17	BGA1023	Laptop
<a href="#">Intel Pentium J2900 @ 2.41GHz</a>	4	1,246	731	10	FCBGA1170	Desktop
<a href="#">Intel Atom C3338 @ 1.50GHz</a>	2	1,245	874	8.5	FCBGA1310	Server, Mobile/Embedded
<a href="#">Intel Xeon E3110 @ 3.00GHz</a>	2	1,242	1,331	65	LGA775	Server
<a href="#">Intel Xeon X5260 @ 3.33GHz</a>	2	1,238	1,406	80	LGA771	Server
<a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>	2	1,238	1,324	65	LGA775	Desktop
<a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a>	4	1,238	628	4	UTFCBGA1380	Laptop
<a href="#">Intel Celeron 2950M @ 2.00GHz</a>	2	1,237	1,150	37	FCPGA946	Laptop
<a href="#">Intel Celeron 3855U @ 1.60GHz</a>	2	1,237	944	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-2330M @ 2.20GHz</a>	2	1,236	984	35	BGA1023	Laptop
<a href="#">AMD Athlon II X2 270</a>	2	1,234	1,353	65	AM3	Desktop
<a href="#">Snapdragon 898</a>	4	1,234	1,138	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X2 265</a>	2	1,233	1,344	65	AM3	Desktop
<a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>	2	1,232	1,210	35	BGA479,PGA478	Laptop
<a href="#">BCM2835</a>	4	1,231	696	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-9120</a>	2	1,230	1,061	15	BGA	Laptop
<a href="#">Intel Core i3-4012Y @ 1.50GHz</a>	2	1,229	698	11.5	FCBGA1168	Laptop
<a href="#">MT6755M</a>	8	1,229	501	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom X4 Quad-Core GP-9530</a>	4	1,228	417	NA	AM2+ (940-pin)	Desktop
<a href="#">Intel Celeron J3160 @ 1.60GHz</a>	4	1,227	596	6	BGA1170	Desktop
<a href="#">AMD A6-3400M APU</a>	4	1,226	717	35	FS1	Laptop
<a href="#">AMD A4-4020 APU</a>	2	1,225	1,238	65	FM2	Desktop
<a href="#">AMD Athlon II X2 B26</a>	2	1,224	1,291	65	Unknown	Unknown
<a href="#">AMD Phenom II X3 705e</a>	3	1,222	962	65	AM3	Desktop
<a href="#">Intel Core i3-2328M @ 2.20GHz</a>	2	1,221	986	35	PGA988	Laptop
<a href="#">AMD A4-5300B APU</a>	2	1,220	1,254	65	FM2	Desktop

<a href="#">MT6755V/BM</a>	8	1,219	520	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium N3540 @ 2.16GHz</a>	4	1,216	714	7.5	FCBGA1170	Laptop
<a href="#">AMD R-272F APU</a>	2	1,215	1,087	35	FS1	Desktop, Laptop
<a href="#">Qualcomm MSM8992</a>	6	1,215	439	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom II P860 Triple-Core</a>	3	1,214	831	35	S1	Laptop
<a href="#">AMD Phenom 8450 Triple-Core</a>	3	1,214	829	95	AM2+	Desktop
<a href="#">AMD A4-9125</a>	2	1,212	1,041	15	BGA (FT4)	Laptop
<a href="#">Intel Core i5-430M @ 2.27GHz</a>	2	1,211	997	35	BGA1288	Laptop
<a href="#">AMD Phenom 8600 Triple-Core</a>	3	1,210	898	95	AM2+	Desktop
<a href="#">Intel Core i5-450M @ 2.40GHz</a>	2	1,208	1,035	35	PGA988A	Laptop
<a href="#">Intel Pentium G620 @ 2.60GHz</a>	2	1,207	1,203	65	LGA1155	Desktop
<a href="#">AMD Phenom 8650 Triple-Core</a>	3	1,205	854	95	AM2+	Desktop
<a href="#">Qualcomm Technologies, Inc SDM450</a>	8	1,205	403	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G550 @ 2.60GHz</a>	2	1,200	1,192	65	LGA1155	Desktop
<a href="#">AMD A6-3410MX APU</a>	4	1,199	722	45	FS1	Laptop
<a href="#">AMD Opteron 2222</a>	2	1,198	618	95	F (1207)	Server
<a href="#">Intel Pentium N3530 @ 2.16GHz</a>	4	1,197	705	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N3150 @ 1.60GHz</a>	4	1,197	573	6	FCBGA1170	Laptop
<a href="#">ROC-RK3568-PC HDMI (Android)</a>	4	1,197	551	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron J3355 @ 2.00GHz</a>	2	1,195	806	10	FCBGA1296	Desktop, Laptop
<a href="#">Intel Core i3-2310M @ 2.10GHz</a>	2	1,193	943	35	BGA1023	Laptop
<a href="#">ARM Cortex-A72 6 Core 1512 MHz</a>	6	1,192	522	NA	Unknown	Unknown
<a href="#">Intel Core i3-3217U @ 1.80GHz</a>	2	1,190	908	17	BGA1023	Laptop
<a href="#">AMD Phenom II N830 Triple-Core</a>	3	1,190	816	35	S1	Laptop
<a href="#">Rockchip RK3568 EVB1 DDR4 V10 Board</a>	4	1,189	556	NA	Unknown	Mobile/Embedded
<a href="#">AMD Phenom 8750B Triple-Core</a>	3	1,188	901	95	AM2+	Desktop
<a href="#">Intel Core2 Duo E8335 @ 2.93GHz</a>	2	1,187	1,206	NA	Socket P	Laptop
<a href="#">AMD A4-4000 APU</a>	1	1,184	1,189	65	FM2	Desktop
<a href="#">AMD R-460L APU</a>	4	1,183	776	25	BGA827 (FP2)	Laptop
<a href="#">Intel Celeron 3755U @ 1.70GHz</a>	2	1,182	1,022	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3965Y @ 1.50GHz</a>	2	1,179	889	6	FCBGA1515	Laptop
<a href="#">Intel Core i3-390M @ 2.67GHz</a>	2	1,178	1,096	35	BGA1288	Laptop
<a href="#">AMD Athlon II X2 B28</a>	2	1,177	1,347	65	AM3	Desktop
<a href="#">Intel Pentium G840 @ 2.80GHz</a>	2	1,175	1,252	65	FCLGA1155	Desktop
<a href="#">Intel Celeron G540T @ 2.10GHz</a>	2	1,174	972	35	LGA1155	Desktop
<a href="#">Intel Xeon Gold 6133 @ 2.50GHz</a>	1	1,172	1,429	150	FCLGA3647	Server
<a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>	2	1,172	1,126	NA	Socket P	Laptop
<a href="#">ARM Cortex-A57 4 Core 1734 MHz</a>	4	1,172	387	NA	Unknown	Unknown
<a href="#">MT6755V/CM</a>	8	1,172	334	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom x5-Z8550 @ 1.44GHz</a>	4	1,171	688	4	UTFCBGA1380	Laptop, Mobile/Embedded
<a href="#">Intel Pentium E5800 @ 3.20GHz</a>	2	1,169	1,316	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8400 @ 3.00GHz</a>	2	1,169	1,242	65	LGA775	Desktop
<a href="#">AMD Phenom II X2 550</a>	2	1,169	1,240	80	AM2+/AM3	Desktop
<a href="#">Intel Pentium E6800 @ 3.33GHz</a>	2	1,166	1,358	65	LGA775	Desktop
<a href="#">Intel Atom Z3795 @ 1.60GHz</a>	4	1,166	654	4	UTFCBGA1380	Laptop

<a href="#">AMD Phenom II X640 Dual-Core</a>	2	1,165	1,142	45	S1	Unknown
<a href="#">Intel Core i3-380M @ 2.53GHz</a>	2	1,165	1,018	35	PGA988A	Laptop
<a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>	2	1,164	1,281	65	LGA775	Desktop
<a href="#">Intel Pentium G645T @ 2.50GHz</a>	2	1,164	1,100	35	LGA1155	Desktop
<a href="#">AMD Phenom II X2 511</a>	2	1,163	1,253	65	AM2+/AM3	Unknown
<a href="#">AMD Athlon II X2 255</a>	2	1,163	1,249	65	AM3	Desktop
<a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>	2	1,163	1,220	35	BGA479	Laptop
<a href="#">MT6757WH</a>	8	1,161	419	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-5350M APU</a>	2	1,160	1,213	35	FS1r2	Laptop
<a href="#">AMD Phenom II P920 Quad-Core</a>	4	1,160	598	25	S1	Laptop
<a href="#">AMD A6-9220C</a>	2	1,159	1,018	6	FT4	Laptop
<a href="#">MTK6757</a>	8	1,158	709	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>	2	1,157	1,257	NA	Socket P	Laptop
<a href="#">AMD Athlon II X2 250e</a>	2	1,155	1,201	45	AM3	Desktop
<a href="#">AMD QC-4000</a>	4	1,155	449	15	FT3	Laptop
<a href="#">Intel Celeron N3160 @ 1.60GHz</a>	4	1,154	567	6	FCBGA1170	Laptop
<a href="#">AMD Sempron 3850 APU</a>	4	1,153	448	25	AM1,FS1b	Desktop
<a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>	4	1,153	428	NA	Unknown	Unknown
<a href="#">Intel Pentium E6700 @ 3.20GHz</a>	2	1,152	1,314	65	LGA775	Desktop
<a href="#">AMD Phenom II X2 B55</a>	2	1,151	1,244	80	AM3	Desktop
<a href="#">Intel Core i5-2537M @ 1.40GHz</a>	2	1,150	906	17	BGA1023	Laptop
<a href="#">MediaTek MT6753T</a>	8	1,149	416	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 3805U @ 1.90GHz</a>	2	1,148	1,079	15	FCBGA1168	Laptop
<a href="#">AMD A6 Micro-6500T APU</a>	4	1,146	630	NA	Unknown	Laptop
<a href="#">Intel Celeron 3215U @ 1.70GHz</a>	2	1,144	1,060	15	FCBGA1168	Laptop
<a href="#">Intel Xeon W3505 @ 2.53GHz</a>	2	1,142	1,104	130	LGA1366	Server
<a href="#">AMD Phenom 8850 Triple-Core</a>	3	1,142	982	95	AM2+	Desktop
<a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a>	2	1,140	1,196	65	LGA775	Desktop
<a href="#">Intel Core2 Extreme X9100 @ 3.06GHz</a>	2	1,139	1,175	44	PGA478	Laptop
<a href="#">Intel Pentium G640T @ 2.40GHz</a>	2	1,139	1,102	35	LGA1155	Desktop
<a href="#">AMD Phenom II N870 Triple-Core</a>	3	1,139	858	35	S1	Laptop
<a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a>	2	1,138	1,077	44	PGA478	Laptop
<a href="#">Intel Core i3-2312M @ 2.10GHz</a>	2	1,138	927	35	PGA988B	Laptop
<a href="#">Intel Celeron J1900 @ 1.99GHz</a>	4	1,137	650	10	FCBGA1170	Desktop
<a href="#">AMD E2-6110 APU</a>	4	1,136	469	15	AM1,FT3b	Laptop
<a href="#">Intel Core2 Extreme X9000 @ 2.80GHz</a>	2	1,135	1,103	44	PGA478	Laptop
<a href="#">AMD A9-9420e</a>	2	1,135	996	NA	Unknown	Laptop
<a href="#">AMD Phenom 8450e Triple-Core</a>	3	1,134	781	65	AM2+	Desktop
<a href="#">Intel Pentium N3520 @ 2.16GHz</a>	4	1,134	664	7.5	FCBGA1170	Laptop
<a href="#">AMD A8-7050</a>	2	1,129	890	15	Unknown	Laptop
<a href="#">Intel Core i3-370M @ 2.40GHz</a>	2	1,127	977	35	PGA988A	Laptop
<a href="#">AMD Phenom II X2 B53</a>	2	1,126	1,164	80	AM3	Desktop
<a href="#">Intel Celeron N3350 @ 1.10GHz</a>	2	1,126	809	6	FCBGA1296	Laptop
<a href="#">AMD E2-3800 APU</a>	4	1,124	447	15	FT3	Laptop

<a href="#">MediaTek MT6750T</a>	8	1,123	473	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762G</a>	8	1,123	451	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-5345M APU</a>	2	1,122	1,094	17	FP2	Laptop
<a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a>	2	1,119	1,140	NA	Socket P	Laptop
<a href="#">Intel Xeon L5320 @ 1.86GHz</a>	4	1,118	281	50	LGA771	Server
<a href="#">Intel Pentium A1018 @ 2.10GHz</a>	2	1,117	1,020	35	FCPGA988	Laptop
<a href="#">AMD A6-1450 APU</a>	4	1,117	468	8	FT3	Laptop
<a href="#">AMD Phenom II P840 Triple-Core</a>	3	1,116	790	35	S1	Laptop
<a href="#">Intel Celeron G1820TE @ 2.20GHz</a>	2	1,115	728	35	LGA1150	Desktop
<a href="#">AMD Phenom 8250 Triple-Core</a>	3	1,114	752	65	Unknown	Desktop
<a href="#">Intel Celeron G540 @ 2.50GHz</a>	2	1,110	1,131	65	LGA1155	Desktop
<a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>	2	1,109	1,151	28	PGA478	Laptop
<a href="#">AMD Phenom II X2 545</a>	2	1,107	1,083	80	AM2+/AM3	Desktop
<a href="#">AMD Opteron 2220</a>	2	1,106	553	95	F (1207)	Server
<a href="#">AMD Athlon II X2 210e</a>	2	1,105	1,105	45	AM3	Desktop
<a href="#">AMD Athlon II X2 260</a>	2	1,103	1,231	65	AM3	Desktop
<a href="#">Intel Celeron G530 @ 2.40GHz</a>	2	1,103	1,082	65	LGA1155	Desktop
<a href="#">Intel Celeron G550T @ 2.20GHz</a>	2	1,102	1,026	35	LGA1155	Desktop
<a href="#">ARM Cortex-A72 6 Core 1416 MHz</a>	6	1,101	482	NA	Unknown	Unknown
<a href="#">AMD Phenom II X2 B57</a>	2	1,099	1,231	80	Unknown	Unknown
<a href="#">Intel Xeon 3075 @ 2.66GHz</a>	2	1,096	1,096	NA	Unknown	Server
<a href="#">AMD A4-3420 APU</a>	2	1,094	1,150	65	FM1	Desktop
<a href="#">Intel Core2 Extreme X7900 @ 2.80GHz</a>	2	1,093	1,087	44	PGA478	Laptop
<a href="#">AMD PRO A4-4350B</a>	2	1,093	988	15	FT4	Laptop
<a href="#">Intel Pentium B970 @ 2.30GHz</a>	2	1,091	1,055	35	PGA988	Laptop
<a href="#">Intel Celeron 2002E @ 1.50GHz</a>	2	1,091	871	25	FCBGA1364	Laptop
<a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>	2	1,090	1,199	65	LGA775	Desktop
<a href="#">Intel Core i7-640UM @ 1.20GHz</a>	2	1,090	817	18	BGA1288	Laptop
<a href="#">AMD Opteron 1222</a>	2	1,089	1,128	103	AM2	Server
<a href="#">MT6795</a>	8	1,088	436	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G1101 @ 2.27GHz</a>	2	1,086	929	73	FCLGA1156	Desktop
<a href="#">15/70</a>	2	1,085	878	NA	Unknown	Unknown
<a href="#">Qualcomm MSM 8939 HUAWEI TEXAS-A1</a>	8	1,085	383	NA	Unknown	Mobile/Embedded
<a href="#">AMD A6-9200</a>	2	1,084	932	10	BGA	Laptop
<a href="#">AMD Phenom 8250e Triple-Core</a>	3	1,084	729	65	940	Desktop
<a href="#">AMD Athlon II X2 250</a>	2	1,083	1,155	65	AM3	Desktop
<a href="#">AMD Phenom 8400 Triple-Core</a>	3	1,079	786	95	AM2+	Desktop
<a href="#">MT8173</a>	4	1,077	848	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X2 245e</a>	2	1,075	1,145	45	AM3	Desktop
<a href="#">ARM Cortex-A72 4 Core 2300 MHz</a>	4	1,075	726	NA	Unknown	Unknown
<a href="#">Intel Celeron 1005M @ 1.90GHz</a>	2	1,074	1,017	35	FCPGA988	Laptop
<a href="#">Intel Pentium E6500 @ 2.93GHz</a>	2	1,073	1,210	65	LGA775	Desktop
<a href="#">AMD Athlon II X2 B24</a>	2	1,073	1,206	65	AM3	Desktop
<a href="#">Intel Pentium E6600 @ 3.06GHz</a>	2	1,072	1,156	65	LGA775	Desktop
<a href="#">Samsung EXYNOS5433</a>	8	1,072	468	NA	Unknown	Mobile/Embedded

<a href="#">Intel Xeon 3085 @ 3.00GHz</a>	2	1,070	1,124	65	LGA775	Server
<a href="#">MT6755BM</a>	8	1,070	520	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>	2	1,069	1,111	25	PGA478	Laptop
<a href="#">AMD Phenom II P820 Triple-Core</a>	3	1,068	717	25	S1	Laptop
<a href="#">MediaTek MT6750V/WT</a>	8	1,068	403	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-3400 APU</a>	2	1,066	1,075	65	FM1	Desktop
<a href="#">AMD GX-412HC</a>	4	1,065	412	7	FT3b	Laptop
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L24</a>	8	1,065	344	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>	2	1,064	1,126	65	LGA775	Desktop
<a href="#">Intel Pentium B980 @ 2.40GHz</a>	2	1,064	1,050	35	FCPGA988	Laptop
<a href="#">AMD Phenom X4 Quad-Core GS- 6560</a>	4	1,063	282	NA	Unknown	Unknown
<a href="#">Intel Core i3-350M @ 2.27GHz</a>	2	1,062	879	35	BGA1288	Laptop
<a href="#">Intel Pentium G6950 @ 2.80GHz</a>	2	1,061	1,035	73	LGA1156	Desktop
<a href="#">AMD Athlon II X2 4400e</a>	2	1,059	1,121	37	Unknown	Unknown
<a href="#">Rockchip RK3566 BOX DEMO V10 ANDROID Board</a>	4	1,058	516	NA	Unknown	Mobile/Embedded
<a href="#">AMD Embedded G-Series GX- 215JJ Radeon R2E</a>	2	1,057	869	10	FP4	Laptop, Mobile/Embedded
<a href="#">Intel Celeron G530T @ 2.00GHz</a>	2	1,056	962	35	LGA1155	Desktop
<a href="#">Intel Celeron 2980U @ 1.60GHz</a>	2	1,056	929	15	FCBGA1168	Laptop
<a href="#">MT6592T</a>	8	1,056	354	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon W3503 @ 2.40GHz</a>	2	1,052	1,015	130	LGA1366	Server
<a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>	2	1,051	1,121	35	BGA479	Laptop
<a href="#">AMD Athlon II X2 235e</a>	2	1,049	1,107	45	AM3	Desktop
<a href="#">Intel Core i7-680UM @ 1.47GHz</a>	2	1,046	773	18	BGA1288	Laptop
<a href="#">MT8783</a>	8	1,039	353	NA	Unknown	Mobile/Embedded
<a href="#">AMD GX-222GC SOC</a>	2	1,038	819	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
<a href="#">Intel Atom E3845 @ 1.91GHz</a>	4	1,038	536	10	FCBGA1170	Desktop
<a href="#">AMD Athlon 7850 Dual-Core</a>	2	1,037	1,110	95	AM2+	Desktop
<a href="#">AMD Athlon II X2 B22</a>	2	1,036	1,124	65	AM3	Desktop
<a href="#">AMD Opteron 1220</a>	2	1,036	1,077	103	AM2	Server
<a href="#">AMD Opteron 2218</a>	2	1,036	491	95	F (1207)	Server
<a href="#">Intel Celeron N2940 @ 1.83GHz</a>	4	1,035	612	7.5	FCBGA1170	Laptop
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>	8	1,035	348	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a>	2	1,034	1,169	65	LGA775	Desktop
<a href="#">Intel Pentium G630T @ 2.30GHz</a>	2	1,029	1,040	35	LGA1155	Desktop
<a href="#">Intel Celeron U1900 @ 1.99GHz</a>	4	1,028	527	NA	Unknown	Unknown
<a href="#">Intel Celeron 1000M @ 1.80GHz</a>	2	1,027	969	35	FCPGA988	Laptop
<a href="#">AMD A6 PRO-7050B APU</a>	2	1,027	905	17	FP3	Laptop
<a href="#">Intel Xeon 3070 @ 2.66GHz</a>	2	1,025	1,024	65	LGA775	Server
<a href="#">AMD Athlon II X2 220</a>	2	1,024	1,105	65	AM3	Desktop
<a href="#">AMD Phenom II N660 Dual-Core</a>	2	1,024	1,070	35	S1	Laptop
<a href="#">AMD Athlon II X2 245</a>	2	1,022	1,113	65	AM2+/AM3	Desktop
<a href="#">ARM Cortex-A57 8 Core 1500 MHz</a>	8	1,022	346	NA	Unknown	Unknown
<a href="#">Intel Pentium 2127U @ 1.90GHz</a>	2	1,018	941	17	FCBGA1023	Laptop



<a href="#">Intel Pentium E5700 @ 3.00GHz</a>	2	1,017	1,169	65	LGA775	Desktop
<a href="#">AMD A6-4400M APU</a>	1	1,017	1,036	35	FS1r2	Laptop
<a href="#">Intel Pentium 3556U @ 1.70GHz</a>	2	1,017	937	15	BGA1168	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8937</a>	8	1,017	374	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>	2	1,016	1,090	35	BGA479	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M640</a>	2	1,016	1,063	35	S1	Laptop
<a href="#">Intel Pentium J2850 @ 2.41GHz</a>	4	1,016	646	10	FCBGA1170	Desktop
<a href="#">AMD Athlon X2 240e</a>	2	1,015	1,092	45	Unknown	Unknown
<a href="#">Intel Core i5-560UM @ 1.33GHz</a>	2	1,015	898	18	BGA1288	Laptop
<a href="#">AMD Phenom II N620 Dual-Core</a>	2	1,014	1,088	35	S1	Laptop
<a href="#">Qualcomm MSM8939</a>	8	1,013	461	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>	2	1,012	1,075	25	PGA478	Laptop
<a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a>	2	1,012	1,055	65	LGA775	Desktop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M660</a>	2	1,011	1,103	35	S1	Laptop
<a href="#">AMD Phenom X2 Dual-Core GE-7060</a>	2	1,010	1,332	NA	Unknown	Unknown
<a href="#">Intel Pentium E5500 @ 2.80GHz</a>	2	1,010	1,140	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>	2	1,010	1,050	65	LGA775	Desktop
<a href="#">AMD A6-7000</a>	2	1,010	857	17	FP3	Laptop
<a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>	2	1,008	947	NA	Unknown	Unknown
<a href="#">MT8168B</a>	4	1,008	552	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CA</a>	8	1,006	398	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 3558U @ 1.70GHz</a>	2	1,004	929	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-3229Y @ 1.40GHz</a>	2	1,004	678	13	BGA1023	Desktop
<a href="#">AMD A4 Micro-6400T APU</a>	4	1,004	530	4.5	FT3b	Laptop
<a href="#">Intel Celeron N2930 @ 1.83GHz</a>	4	1,003	582	7.5	FCBGA1170	Laptop
<a href="#">Intel Core i5-540UM @ 1.20GHz</a>	2	1,002	818	18	BGA1288	Laptop
<a href="#">Intel Pentium E6300 @ 2.80GHz</a>	2	1,000	1,129	65	LGA775	Desktop
<a href="#">Intel Pentium 2117U @ 1.80GHz</a>	2	998	925	17	FCBGA1023	Laptop
<a href="#">Intel Core i3-330M @ 2.13GHz</a>	2	997	809	35	BGA1288	Laptop
<a href="#">AMD Athlon X2 215</a>	2	996	1,107	65	Unknown	Unknown
<a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>	2	995	1,113	NA	Socket P	Laptop
<a href="#">AMD Athlon X2 250</a>	2	993	1,132	65	Unknown	Unknown
<a href="#">AMD E2-9010</a>	2	991	871	15	FP4	Laptop
<a href="#">Intel Celeron 2981U @ 1.60GHz</a>	2	991	871	15	BGA1168	Laptop
<a href="#">AMD Athlon II X2 4300e</a>	2	990	1,074	13	Unknown	Unknown
<a href="#">Nvidia Tegra T132</a>	2	990	1,056	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a>	2	987	818	130	PLGA775	Desktop
<a href="#">Intel Atom x5-E8000 @ 1.04GHz</a>	4	985	509	5	FCBGA1170	Laptop
<a href="#">Intel Pentium B950 @ 2.10GHz</a>	2	984	934	35	PGA988	Laptop
<a href="#">ARM ARMv7 rev 3 (v7I) 4 Core 2065 MHz</a>	4	984	593	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a>	2	982	1,105	65	LGA775	Desktop

<a href="#">MT6755V/WM</a>	8	981	383	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II X2 240e</a>	2	980	1,092	45	AM3	Desktop
<a href="#">AMD Opteron 1218 HE</a>	2	979	940	65	AM2	Server
<a href="#">tn8</a>	4	979	613	NA	Unknown	Mobile/Embedded
<a href="#">MT8768WD</a>	8	979	404	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>	2	976	1,034	35	BGA479	Laptop
<a href="#">AMD Phenom X3 8550</a>	3	976	810	95	AM2/AM2+	Desktop
<a href="#">Intel Core i3-2340UE @ 1.30GHz</a>	2	976	620	17	BGA-1023	Laptop
<a href="#">MediaTek MT6750</a>	8	975	355	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>	2	973	1,028	NA	Unknown	Unknown
<a href="#">Qualcomm MSM8937</a>	8	973	345	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6753</a>	8	973	339	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 FX-74</a>	2	972	617	125	F (1207)	Desktop
<a href="#">AMD A4-3300 APU</a>	2	971	1,026	65	FM1	Desktop
<a href="#">AMD A4-4300M APU</a>	1	971	976	35	FS1	Laptop
<a href="#">Intel Celeron 1037U @ 1.80GHz</a>	2	969	914	17	FCBGA1023	Laptop
<a href="#">MT6795M</a>	8	968	377	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core 6400+</a>	2	967	1,142	125	AM2	Desktop
<a href="#">AMD Phenom II N640 Dual-Core</a>	2	965	1,039	35	S1	Laptop
<a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>	2	964	1,097	65	LGA775	Desktop
<a href="#">Intel Core i7-620UM @ 1.07GHz</a>	2	964	777	18	BGA1288	Laptop
<a href="#">Intel Xeon 5160 @ 3.00GHz</a>	2	963	1,134	80	LGA771	Server
<a href="#">Intel Atom C2538 @ 2.40GHz</a>	4	960	491	15	FCBGA1283	Laptop
<a href="#">Intel Core2 Duo P9500 @ 2.53GHz</a>	2	959	1,056	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>	2	959	1,046	25	BGA479	Laptop
<a href="#">AMD Athlon II X2 215</a>	2	959	1,041	65	AM3	Desktop
<a href="#">Unisoc ums312</a>	4	958	1,054	NA	Unknown	Mobile/Embedded
<a href="#">AMD E2-9000</a>	2	958	801	10	Unknown	Laptop
<a href="#">AMD A6-9220e</a>	2	956	832	NA	Unknown	Laptop
<a href="#">AMD Opteron 285</a>	2	956	509	95	940	Server
<a href="#">MT6750V/CS</a>	8	955	384	NA	Unknown	Mobile/Embedded
<a href="#">AMD R-260H APU</a>	2	954	902	17	BGA827 (FP2)	Laptop
<a href="#">AMD E2-3200 APU</a>	2	953	964	65	FM1	Desktop
<a href="#">AMD Opteron 290</a>	2	952	570	95	940	Server
<a href="#">AMD Athlon 7750 Dual-Core</a>	2	951	1,034	95	AM2+	Desktop
<a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>	4	950	396	NA	Unknown	Unknown
<a href="#">Samsung J7 Max LTE SWA board based on MT6757V/WL</a>	8	950	286	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo SP9400 @ 2.40GHz</a>	2	948	930	25	BGA956	Laptop
<a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a>	2	947	1,068	65	LGA775	Desktop
<a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>	2	944	1,021	35	BGA479	Laptop
<a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>	4	944	476	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 FX-62 Dual Core</a>	2	943	1,000	125	AM2	Desktop
<a href="#">Intel Celeron J1850 @ 1.99GHz</a>	4	942	455	10	FCBGA1170	Desktop
<a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>	2	941	1,016	35	BGA479	Laptop

<a href="#">Intel Core2 Duo P8800 @ 2.66GHz</a>	2	940	1,087	25	BGA479	Laptop
<a href="#">Octa Core</a>	8	940	400	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon 3060 @ 2.40GHz</a>	2	939	942	65	LGA775	Server
<a href="#">AMD Athlon X2 255</a>	2	938	1,095	65	AM2+/AM3	Unknown
<a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>	2	937	1,035	35	BGA479	Laptop
<a href="#">Intel Pentium E5400 @ 2.70GHz</a>	2	936	1,074	65	LGA775	Desktop
<a href="#">Intel Celeron E3500 @ 2.70GHz</a>	2	935	1,154	65	LGA775	Desktop
<a href="#">AMD Athlon II X2 240</a>	2	935	1,027	65	AM3	Desktop
<a href="#">AMD Phenom II P650 Dual-Core</a>	2	933	985	35	S1	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8994</a>	8	932	535	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron X2 198 Dual-Core</a>	2	930	1,070	65	FM1	Desktop
<a href="#">Intel Celeron B840 @ 1.90GHz</a>	2	930	901	35	PGA988B	Laptop
<a href="#">Intel Xeon L3406 @ 2.27GHz</a>	2	928	647	30	LGA1156	Server
<a href="#">AMD Athlon 64 X2 Dual Core 5600+</a>	2	923	1,027	89	AM2	Desktop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a>	2	923	982	35	S1	Laptop
<a href="#">AMD E2-9030</a>	2	922	906	NA	BGA (FT4)	Desktop
<a href="#">AMD Athlon X2 240</a>	2	921	1,017	65	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>	2	919	1,022	89	AM2	Desktop
<a href="#">Intel Celeron 3205U @ 1.50GHz</a>	2	918	879	15	FCBGA1168	Laptop
<a href="#">Intel Celeron N2920 @ 1.86GHz</a>	4	918	549	7.5	FCBGA1170	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M540</a>	2	912	967	35	S1	Laptop
<a href="#">Intel Xeon 5148 @ 2.33GHz</a>	2	912	868	40	LGA771	Server
<a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>	2	910	1,010	65	AM2	Desktop
<a href="#">AMD Opteron 1218</a>	2	910	962	103	AM2	Server
<a href="#">Intel Pentium B960 @ 2.20GHz</a>	2	910	941	35	PGA988	Laptop
<a href="#">Qualcomm Technologies, Inc SDM429</a>	4	910	561	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a>	4	910	482	4	UTFCBGA592	Laptop
<a href="#">Intel Core2 Duo P9300 @ 2.26GHz</a>	2	909	855	NA	Unknown	Laptop
<a href="#">AMD Opteron 2220 SE</a>	2	909	519	119	F (1207)	Server
<a href="#">Rockchip RK3566 RK817 TABLET LP4X Board</a>	4	909	488	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8166B</a>	4	907	521	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium E5300 @ 2.60GHz</a>	2	906	1,032	65	LGA775	Desktop
<a href="#">Intel Core2 Duo T8300 @ 2.40GHz</a>	2	906	996	35	BGA479	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8940</a>	8	905	320	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i5-520UM @ 1.07GHz</a>	2	902	759	18	BGA1288	Laptop
<a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>	2	901	953	65	PLGA775	Desktop
<a href="#">Intel Xeon 3.73GHz</a>	2	901	734	NA	Unknown	Server
<a href="#">AMD Athlon II N370 Dual-Core</a>	2	899	913	35	S1g4	Unknown
<a href="#">AMD A4-9120e</a>	2	899	783	NA	FT4	Laptop
<a href="#">Intel Pentium G620T @ 2.20GHz</a>	2	896	961	35	LGA1155	Desktop

<a href="#">Samsung Exynos 7870</a>	8	896	292	NA	Unknown	Mobile/Embedded
<a href="#">AMD A4-9120C</a>	2	894	953	6	FT4	Laptop
<a href="#">Intel Core i3-2375M @ 1.50GHz</a>	2	894	684	17	BGA1023	Laptop
<a href="#">UGOOS UT8 Board</a>	4	894	543	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>	2	892	914	17	BGA956	Laptop
<a href="#">Intel Celeron 1017U @ 1.60GHz</a>	2	888	821	17	FCBGA1023	Laptop
<a href="#">Intel Xeon 5133 @ 2.20GHz</a>	2	887	838	40	LGA771	Server
<a href="#">AMD Phenom X2 Dual-Core GP-7730</a>	2	884	1,047	NA	Unknown	Unknown
<a href="#">AMD Turion II P540 Dual-Core</a>	2	884	843	35	S1	Laptop
<a href="#">ARM FT-2000/4 4 Core 2200 MHz</a>	4	881	565	NA	Unknown	Unknown
<a href="#">AMD Sempron X2 190</a>	2	879	977	45	AM2+/AM3	Unknown
<a href="#">Intel Atom x5-E3930 @ 1.30GHz</a>	2	878	617	6.5	BGA1296	Laptop
<a href="#">Intel Pentium N3510 @ 1.99GHz</a>	4	878	534	7.5	FCBGA1170	Laptop
<a href="#">Samsung Exynos 7580</a>	8	878	308	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion II N550 Dual-Core</a>	2	877	891	35	S1	Laptop
<a href="#">Athlon 64 Dual Core 5600+</a>	2	875	993	65	AM2	Desktop
<a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a>	2	875	911	65	LGA775	Desktop
<a href="#">AMD Athlon 5200 Dual-Core</a>	2	869	915	75	AM2	Desktop
<a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>	2	868	917	25	PGA478	Laptop
<a href="#">AMD Athlon II X2 4450e</a>	2	867	1,066	45	AM2	Desktop
<a href="#">Intel Pentium E5200 @ 2.50GHz</a>	2	867	1,006	65	LGA775	Desktop
<a href="#">Intel Xeon 3065 @ 2.33GHz</a>	2	867	836	65	LGA775	Server
<a href="#">Intel Celeron P4600 @ 2.00GHz</a>	2	862	812	35	PGA988A	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-68</a>	2	861	887	35	S1	Laptop
<a href="#">Intel Celeron E3200 @ 2.40GHz</a>	2	860	992	65	LGA775	Desktop
<a href="#">AMD Athlon 7550 Dual-Core</a>	2	859	919	95	AM2+	Desktop
<a href="#">Intel Xeon 5140 @ 2.33GHz</a>	2	857	870	65	LGA771	Server
<a href="#">MT8161AA</a>	4	857	419	NA	Unknown	Mobile/Embedded
<a href="#">MT6762V/CR</a>	8	857	359	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion II N530 Dual-Core</a>	2	855	968	35	S1	Laptop
<a href="#">Intel Core2 Duo P8600 @ 2.40GHz</a>	2	853	936	25	BGA479	Laptop
<a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>	4	853	569	NA	Unknown	Unknown
<a href="#">SAMSUNG Exynos7580</a>	8	851	254	NA	Unknown	Mobile/Embedded
<a href="#">Athlon 64 Dual Core 5000+</a>	2	850	924	89	Unknown	Desktop
<a href="#">Intel Pentium P6100 @ 2.00GHz</a>	2	850	831	35	PGA988	Laptop
<a href="#">Intel Pentium 3560Y @ 1.20GHz</a>	2	849	700	11.5	BGA1168	Laptop
<a href="#">Intel Pentium P6200 @ 2.13GHz</a>	2	847	840	35	PGA988	Laptop
<a href="#">MT6761V/CBB</a>	4	846	536	NA	Unknown	Mobile/Embedded
<a href="#">MT9950</a>	4	845	653	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core i3-2377M @ 1.50GHz</a>	2	845	640	17	BGA1023	Laptop
<a href="#">Rockchip RK3566 EVB2 LP4X V10 Board</a>	4	843	517	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 2957U @ 1.40GHz</a>	2	841	782	15	FCBGA1168	Laptop
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>	2	841	686	35	S1	Laptop
<a href="#">Intel Xeon 3050 @ 2.13GHz</a>	2	841	672	65	LGA775	Server

<a href="#">Intel Xeon 5150 @ 2.66GHz</a>	2	840	999	65	LGA771	Server
<a href="#">AMD Opteron 275</a>	2	839	445	95	940	Server
<a href="#">Intel Xeon E5205 @ 1.86GHz</a>	2	838	788	65	LGA771	Server
<a href="#">Intel Celeron E3300 @ 2.50GHz</a>	2	837	1,042	65	LGA775	Desktop
<a href="#">Intel Xeon E5502 @ 1.87GHz</a>	2	837	799	80	LGA1366	Server
<a href="#">Intel Atom Z3580 @ 1.33GHz</a>	4	837	574	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a>	2	836	928	65	LGA775	Desktop
<a href="#">Intel Core i5-430UM @ 1.20GHz</a>	2	836	630	18	BGA1288	Laptop
<a href="#">AMD Athlon Dual Core 5000B</a>	2	835	935	65	AM2	Desktop
<a href="#">AMD Athlon 5000 Dual-Core</a>	2	835	892	65	AM2,AM2+	Desktop
<a href="#">Intel Celeron 2955U @ 1.40GHz</a>	2	835	765	15	FCBGA1168	Laptop
<a href="#">Intel Pentium P6300 @ 2.27GHz</a>	2	834	772	35	PGA988	Laptop
<a href="#">BCM2711</a>	4	834	597	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium B940 @ 2.00GHz</a>	2	832	861	35	PGA988	Laptop
<a href="#">Intel Core i3-2367M @ 1.40GHz</a>	2	832	617	17	BGA1023	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M520</a>	2	830	927	35	S1	Laptop
<a href="#">Intel Celeron E3400 @ 2.60GHz</a>	2	829	1,007	65	LGA775	Desktop
<a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>	2	827	921	25	BGA479	Laptop
<a href="#">AMD E2-9000e</a>	2	827	718	6	Unknown	Laptop
<a href="#">AMD Athlon Dual Core 5400B</a>	2	826	969	65	AM2	Desktop
<a href="#">AMD Sempron X2 180</a>	2	826	865	45	Unknown	Unknown
<a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>	2	825	899	35	BGA479	Laptop
<a href="#">Intel Core i3-2357M @ 1.30GHz</a>	2	824	591	17	Unknown	Laptop
<a href="#">Intel Core2 Extreme X6800 @ 2.93GHz</a>	2	823	973	75	PLGA775	Desktop
<a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>	2	823	878	35	BGA479	Laptop
<a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a>	4	820	466	4	Unknown	Laptop
<a href="#">DO-Regular</a>	1	819	1,055	NA	Unknown	Unknown
<a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a>	4	819	463	4	UTFCBGA592	Laptop, Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8939</a>	8	819	332	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion II P560 Dual-Core</a>	2	818	931	25	S1	Laptop
<a href="#">AMD A4-4355M APU</a>	2	818	828	17	FP2	Laptop
<a href="#">Intel Celeron P4500 @ 1.87GHz</a>	2	816	707	35	PGA988A	Laptop
<a href="#">Intel Core i3-2365M @ 1.40GHz</a>	2	815	611	17	BGA1023	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M620</a>	2	814	945	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>	2	812	915	65	AM2	Desktop
<a href="#">Intel Celeron B830 @ 1.80GHz</a>	2	812	841	35	rPGA988B	Laptop
<a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a>	2	811	998	65	LGA775	Desktop
<a href="#">MT8165</a>	4	810	483	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo E6540 @ 2.33GHz</a>	2	808	969	65	LGA775	Desktop
<a href="#">MT8766B</a>	4	808	513	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 1214 HE</a>	2	806	811	65	AM2	Server
<a href="#">Intel Atom Z3735G @ 1.33GHz</a>	4	806	487	4.4	Unknown	Laptop
<a href="#">Qualcomm MSM8994</a>	8	805	440	NA	Unknown	Mobile/Embedded

<a href="#">Intel Xeon E5503 @ 2.00GHz</a>	2	804	845	80	LGA1366	Server
<a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>	4	804	612	NA	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc MSM8952</a>	8	804	356	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon64 X2 Dual Core 4600+</a>	2	803	755	110	AM2	Desktop
<a href="#">MT8161A</a>	4	800	374	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 1007U @ 1.50GHz</a>	2	798	760	17	FCBGA1023	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>	2	797	1,008	89	Unknown	Desktop
<a href="#">AMD Athlon Dual Core 5200B</a>	2	796	953	65	AM2	Desktop
<a href="#">hi6210sft</a>	8	796	269	NA	Unknown	Mobile/Embedded
<a href="#">Intel Xeon 5130 @ 2.00GHz</a>	2	795	796	65	LGA771	Server
<a href="#">AMD A6-4455M APU</a>	1	795	788	17	FP2	Laptop
<a href="#">Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</a>	4	795	508	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3775D @ 1.49GHz</a>	4	794	646	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Pentium T4500 @ 2.30GHz</a>	2	793	911	35	PGA478	Laptop
<a href="#">Intel Pentium E2220 @ 2.40GHz</a>	2	793	892	65	LGA775	Desktop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a>	2	793	778	35	S1	Laptop
<a href="#">ARM Neoverse-N1 1 Core 0 MHz</a>	1	791	1,197	NA	Unknown	Unknown
<a href="#">AMD Turion II P520 Dual-Core</a>	2	790	892	25	S1	Laptop
<a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>	2	790	793	25	PGA478	Laptop
<a href="#">AMD Athlon 7450 Dual-Core</a>	2	789	853	95	AM2+	Desktop
<a href="#">Intel Celeron B820 @ 1.70GHz</a>	2	789	745	35	PGA988B	Laptop
<a href="#">Intel Pentium 997 @ 1.60GHz</a>	2	789	729	17	BGA-1023	Unknown
<a href="#">Intel Xeon 3040 @ 1.86GHz</a>	2	789	474	65	LGA775	Server
<a href="#">MT6761V/CD</a>	4	784	488	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8992</a>	6	782	558	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 1216</a>	2	781	810	103	AM2	Server
<a href="#">MT6750V/W</a>	8	779	334	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron B810 @ 1.60GHz</a>	2	775	754	35	PGA988B	Laptop
<a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>	4	773	355	27.5	Unknown	Laptop
<a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a>	2	772	844	65	LGA775	Desktop
<a href="#">AMD Opteron 1212 HE</a>	2	771	731	65	AM2	Server
<a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>	2	770	904	25	PGA478	Laptop
<a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>	2	770	848	34	PBGA479, PPGA478	Laptop
<a href="#">Athlon Dual Core 4850e</a>	2	769	861	45	AM2	Desktop
<a href="#">AMD A4-3310MX APU</a>	2	769	822	45	FS1	Laptop
<a href="#">MT6761V/WAB</a>	4	769	472	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II N350 Dual-Core</a>	2	767	945	35	Unknown	Unknown
<a href="#">Intel Pentium P6000 @ 1.87GHz</a>	2	765	713	35	PGA988	Laptop
<a href="#">AMD Opteron 280</a>	2	765	430	95	940	Server
<a href="#">Intel Pentium T4300 @ 2.10GHz</a>	2	763	830	35	PGA478	Laptop
<a href="#">Intel Xeon 5120 @ 1.86GHz</a>	2	763	748	65	LGA771	Server
<a href="#">Intel Pentium T4400 @ 2.20GHz</a>	2	762	862	35	PGA478	Laptop
<a href="#">AMD GX-217GA SOC</a>	2	762	558	15	FT3 (769-BGA)	Laptop

<a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>	2	761	851	35	PGA478	Laptop
<a href="#">Intel Atom Z3735D @ 1.33GHz</a>	4	761	591	4.4	Unknown	Laptop
<a href="#">AMD Opteron 270</a>	2	761	411	95	940	Server
<a href="#">rockchip,rk3328</a>	4	761	356	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core 5000+</a>	2	760	882	65	AM2	Desktop
<a href="#">AMD Turion II Dual-Core Mobile M500</a>	2	760	866	35	S1	Laptop
<a href="#">MT6797D</a>	10	758	326	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>	2	756	855	35	PGA478	Laptop
<a href="#">Intel Core i5-470UM @ 1.33GHz</a>	2	755	539	18	BGA1288	Laptop
<a href="#">AMD GX-218GL SOC</a>	2	754	627	15	BGA769 (FT3b)	Laptop
<a href="#">Intel Atom Z3775 @ 1.46GHz</a>	4	754	538	4	UTFCBGA1380	Laptop
<a href="#">AMD A4-5150M APU</a>	2	753	700	35	FS1r2	Laptop
<a href="#">AMD A4-3330MX APU</a>	2	752	910	45	FS1 uPGA	Laptop
<a href="#">Intel Pentium E2200 @ 2.20GHz</a>	2	752	841	65	LGA775	Desktop
<a href="#">Rockchip RK3566 EVB1 DDR4 V10 Board</a>	4	751	466	NA	Unknown	Mobile/Embedded
<a href="#">Dual-Core AMD Opteron 1220 SE</a>	2	748	900	103	AM2	Server
<a href="#">AMD Athlon Dual Core 5050e</a>	2	748	875	45	AM2	Desktop
<a href="#">Intel Celeron 1047UE @ 1.40GHz</a>	2	748	526	17	FCBGA1023	Desktop
<a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>	2	747	861	35	PGA478	Laptop
<a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>	2	747	821	25	PGA478	Laptop
<a href="#">AMD Opteron 180</a>	2	746	874	110	939	Server
<a href="#">Intel Pentium D 960 @ 3.60GHz</a>	2	743	775	130	PLGA775	Desktop
<a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a>	2	743	767	17	BGA956	Laptop
<a href="#">Intel Celeron N2910 @ 1.60GHz</a>	4	742	446	7.5	FCBGA1170	Laptop
<a href="#">ARM Cortex-A55 4 Core 2124 MHz</a>	4	742	336	NA	Unknown	Unknown
<a href="#">AMD Turion II Neo N54L Dual-Core</a>	2	741	840	25	BGA812	Laptop
<a href="#">ARM Cortex-A55 4 Core 1992 MHz</a>	4	741	328	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a>	2	739	836	35	BGA479	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-62</a>	2	738	758	35	S1	Laptop
<a href="#">Intel Atom Z3770 @ 1.46GHz</a>	4	738	542	4	UTFCBGA1380	Laptop
<a href="#">AMD Athlon Dual Core 5600B</a>	2	737	1,003	65	AM2+	Desktop
<a href="#">Athlon 64 Dual Core 3800+</a>	2	736	653	35	Unknown	Unknown
<a href="#">MT8696</a>	4	736	533	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Dual Core 4850e</a>	2	735	879	45	AM2	Desktop
<a href="#">AC8257V/WAB</a>	8	735	447	NA	Unknown	Unknown
<a href="#">Spreadtrum SC9853I-IA</a>	8	734	465	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>	4	734	396	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron 2961Y @ 1.10GHz</a>	2	732	641	11.5	Unknown	Laptop
<a href="#">Rockchip RK3368</a>	8	731	357	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a>	2	730	828	35	S1	Laptop
<a href="#">AMD Athlon Dual Core 4850B</a>	2	727	887	45	AM2+	Desktop



<a href="#">AMD Opteron 1216 HE</a>	2	727	847	65	AM2	Server
<a href="#">AMD A4-3305M APU</a>	2	727	819	35	FS1	Laptop
<a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>	2	727	787	25	BGA479	Laptop
<a href="#">Intel Celeron 887 @ 1.50GHz</a>	2	727	694	17	BGA1023	Laptop
<a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>	4	726	555	NA	Unknown	Unknown
<a href="#">AMD E2-3000 APU</a>	2	726	547	15	FT3	Laptop
<a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>	2	723	756	34	PBGA479, PPGA478	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>	2	722	885	65	AM2	Desktop
<a href="#">ARM Cortex-A55 4 Core 2100 MHz</a>	4	719	328	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>	2	718	824	35	PGA478	Laptop
<a href="#">Intel Core2 Duo E4500 @ 2.20GHz</a>	2	718	820	65	LGA775	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>	2	716	839	65	AM2	Desktop
<a href="#">Intel Pentium T4200 @ 2.00GHz</a>	2	715	788	35	PGA478	Laptop
<a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a>	2	714	783	65	PLGA775	Desktop
<a href="#">MediaTek MT6761V/WE</a>	4	714	445	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron E1600 @ 2.40GHz</a>	2	712	877	65	LGA775	Desktop
<a href="#">Intel Celeron B815 @ 1.60GHz</a>	2	712	687	35	PGA988B	Laptop
<a href="#">AMD Athlon II P360 Dual-Core</a>	2	711	879	25	S1g4	Unknown
<a href="#">Intel Atom Z3560 @ 1.00GHz</a>	4	710	495	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 FX-60 Dual Core</a>	2	709	912	110	939	Desktop
<a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>	2	708	794	35	PGA478	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>	2	708	770	35	S1	Laptop
<a href="#">Rockchip RK3288</a>	4	708	766	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T5870 @ 2.00GHz</a>	2	705	751	35	PPGA478, Socket	Laptop
<a href="#">Intel Atom E3840 @ 1.91GHz</a>	4	704	477	NA	Unknown	Unknown
<a href="#">MT8735T</a>	4	704	356	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium E2210 @ 2.20GHz</a>	2	702	946	65	LGA775	Desktop
<a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>	2	702	774	34	BGA479	Laptop
<a href="#">MT5893</a>	4	702	641	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>	2	700	837	35	PGA478	Laptop
<a href="#">Intel Core i3-380UM @ 1.33GHz</a>	2	699	562	18	BGA1288	Laptop
<a href="#">AMD Athlon Dual Core 4450e</a>	2	698	812	45	AM2	Desktop
<a href="#">AMD Athlon II Dual-Core M320</a>	2	696	831	35	Unknown	Unknown
<a href="#">AMD Opteron 1214</a>	2	696	830	103	AM2	Server
<a href="#">AMD Opteron 185</a>	2	695	884	110	939	Server
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a>	2	695	820	35	S1	Laptop
<a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>	2	693	772	35	BGA479	Laptop
<a href="#">MT6738</a>	8	692	430	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G470 @ 2.00GHz</a>	1	691	937	35	LGA1155	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>	2	691	787	65	AM2	Desktop
<a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>	2	691	729	35	S1	Laptop
<a href="#">Intel Atom Z3560 @ 1.83GHz</a>	4	690	476	NA	Unknown	Mobile/Embedded

<a href="#">Intel Celeron P4505 @ 1.87GHz</a>	2	689	820	35	BGA1288	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a>	2	689	758	35	S1	Laptop
<a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>	2	688	771	35	BGA479	Laptop
<a href="#">AMD Athlon X2 Dual Core BE-2400</a>	2	688	693	18	FT1	Desktop
<a href="#">AMD Athlon Dual Core 4450B</a>	2	684	780	45	AM2+	Desktop
<a href="#">AMD Turion II Neo K685 Dual-Core</a>	2	684	729	15	BGA812	Laptop
<a href="#">AMD A4-3300M APU</a>	2	683	766	65	FM1	Laptop
<a href="#">AMD Opteron 175</a>	2	682	773	110	939	Server
<a href="#">Athlon Dual Core 4450e</a>	2	681	792	45	AM2	Desktop
<a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>	2	680	622	NA	Unknown	Unknown
<a href="#">AMD Athlon II P320 Dual-Core</a>	2	679	812	25	Unknown	Unknown
<a href="#">Intel Pentium D 950 @ 3.40GHz</a>	2	679	695	130	PLGA775	Desktop
<a href="#">AMD Athlon II Dual-Core M340</a>	2	676	774	35	Unknown	Unknown
<a href="#">AMD Athlon II X2 270u</a>	2	675	791	25	AM3	Desktop
<a href="#">AMD Turion 64 X2 Mobile TL-64</a>	2	675	702	35	S1	Laptop
<a href="#">AMD Athlon II P340 Dual-Core</a>	2	673	827	25	S1g4	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>	2	672	786	89	AM2	Desktop
<a href="#">Intel Pentium E2180 @ 2.00GHz</a>	2	671	748	65	LGA775	Desktop
<a href="#">Intel Celeron E1400 @ 2.00GHz</a>	2	671	746	65	LGA775	Desktop
<a href="#">Athlon Dual Core 4050e</a>	2	670	744	45	AM2	Desktop
<a href="#">Intel Celeron J3060 @ 1.60GHz</a>	2	668	627	6	BGA1170	Desktop
<a href="#">Intel Core2 Duo T5750 @ 2.00GHz</a>	2	667	735	35	Socket P	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>	2	666	751	35	S1	Laptop
<a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>	2	666	659	17	BGA956	Laptop
<a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>	4	666	296	27.5	Unknown	Desktop
<a href="#">AMD Athlon II N330 Dual-Core</a>	2	665	813	35	Unknown	Unknown
<a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>	2	665	748	35	PGA478	Laptop
<a href="#">AMD E2-3000M APU</a>	2	665	735	35	FS1	Laptop
<a href="#">Intel Celeron N3060 @ 1.60GHz</a>	2	664	629	6	Unknown	Laptop
<a href="#">AMD Athlon II X2 260u</a>	2	663	703	25	AM3	Desktop
<a href="#">ARM Cortex-A17 4 Core 1800 MHz</a>	4	662	458	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>	2	661	730	65	AM2	Desktop
<a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>	4	661	459	NA	Unknown	Unknown
<a href="#">AMD Turion Dual-Core RM-75</a>	2	659	444	35	S1	Laptop
<a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>	2	657	769	NA	Socket P	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a>	2	654	789	35	S1	Laptop
<a href="#">ARM Cortex-A72 4 Core 2100 MHz</a>	4	653	543	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo T5900 @ 2.20GHz</a>	2	652	768	NA	Socket P	Laptop
<a href="#">Intel Atom Z3740 @ 1.33GHz</a>	4	651	423	4	UTFCBGA1380	Laptop
<a href="#">Intel Celeron E1500 @ 2.20GHz</a>	2	649	785	65	LGA775	Desktop
<a href="#">AMD Turion Dual-Core RM-72</a>	2	649	725	35	S1	Laptop
<a href="#">Intel Celeron B800 @ 1.50GHz</a>	2	649	645	35	PGA988B	Laptop

<a href="#">AMD Opteron 170</a>	2	648	715	110	939	Server
<a href="#">M7221</a>	4	646	661	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium T3400 @ 2.16GHz</a>	2	645	722	35	PPGA478	Laptop
<a href="#">Intel Core2 Duo T5600 @ 1.83GHz</a>	2	645	696	34	PGA478	Laptop
<a href="#">Intel Pentium T3200 @ 2.00GHz</a>	2	644	717	35	PPGA478	Laptop
<a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>	2	643	714	35	BGA479	Laptop
<a href="#">Intel Pentium 987 @ 1.50GHz</a>	2	642	641	17	FCBGA1023	Laptop
<a href="#">Samsung EXYNOS5420</a>	4	642	435	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974</a>	4	642	382	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 QL-66</a>	2	641	751	35	S1	Laptop
<a href="#">AMD A4-3320M APU</a>	2	640	656	35	FS1	Laptop
<a href="#">Intel Core2 Duo T5800 @ 2.00GHz</a>	2	638	738	35	PGA478	Laptop
<a href="#">Intel Pentium E2160 @ 1.80GHz</a>	2	636	683	65	LGA775	Desktop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>	2	635	753	35	S1	Laptop
<a href="#">Intel Pentium 2129Y @ 1.10GHz</a>	2	635	587	10	FCBGA1023	Laptop
<a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>	2	635	423	34	PGA478	Laptop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a>	2	634	675	31	Unknown	Unknown
<a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a>	2	632	753	65	LGA775	Desktop
<a href="#">AMD Athlon II Dual-Core M300</a>	2	631	747	35	Unknown	Unknown
<a href="#">AMD Turion 64 X2 Mobile TL-66</a>	2	627	816	35	S1	Laptop
<a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>	2	627	692	35	µFCPGA-478	Laptop
<a href="#">Intel Pentium 967 @ 1.30GHz</a>	2	626	620	17	FCBGA1023	Laptop
<a href="#">ARM Cortex-A72 2 Core 0 MHz</a>	2	625	534	NA	Unknown	Unknown
<a href="#">Qualcomm MSM8974PRO-AB</a>	4	625	349	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom C2358 @ 1.74GHz</a>	2	625	291	7	FCBGA1283	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>	2	624	663	31	S1	Laptop
<a href="#">Intel Pentium U5600 @ 1.33GHz</a>	2	624	588	18	BGA1288	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>	2	623	730	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-64</a>	2	622	732	35	S1	Laptop
<a href="#">Intel Pentium 957 @ 1.20GHz</a>	2	622	574	17	FCBGA1023	Laptop
<a href="#">Intel Atom Z3745 @ 1.33GHz</a>	4	621	435	4	UTFCBGA1380	Laptop
<a href="#">AMD GX-212JC SOC</a>	2	619	453	6	FT3b	Laptop
<a href="#">MT6795MM</a>	8	618	567	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Dual Core 4050e</a>	2	616	732	45	AM2	Desktop
<a href="#">Intel Celeron 877 @ 1.40GHz</a>	2	615	597	17	BGA1023	Laptop
<a href="#">Intel Atom Z3740D @ 1.33GHz</a>	4	614	459	4.4	UTFCBGA1380	Laptop
<a href="#">MediaTek MT6761V/WBB</a>	4	613	420	NA	Unknown	Mobile/Embedded
<a href="#">Generic DT based system</a>	4	612	453	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>	2	611	719	89	AM2	Desktop
<a href="#">Qualcomm MSM8974PRO-AC</a>	4	611	380	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 QL-65</a>	2	609	653	35	S1	Laptop
<a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>	2	607	748	17	Unknown	Laptop
	2	604	632	25	AM3	Desktop

<a href="#">AMD Athlon II X2 250u</a>						
<a href="#">Intel Celeron N3000 @ 1.04GHz</a>	2	604	562	4	FCBGA1170	Laptop
<a href="#">AMD Turion X2 Dual Core L510</a>	2	603	593	20	ASB1	Laptop
<a href="#">Intel Xeon 5110 @ 1.60GHz</a>	2	600	606	65	LGA771	Server
<a href="#">AMD E1 Micro-6200T APU</a>	2	600	498	3.95	FT3b	Laptop
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-87</a>	2	599	770	35	S1	Mobile/Embedded
<a href="#">Intel Pentium T2410 @ 2.00GHz</a>	2	598	726	NA	Unknown	Unknown
<a href="#">Rockchip (Device Tree)</a>	4	598	424	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a>	2	597	642	65	PLGA775	Desktop
<a href="#">AMD E1-2500 APU</a>	2	597	467	15	FT3	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>	2	596	686	65	AM2	Desktop
<a href="#">Intel Core2 Duo T5550 @ 1.83GHz</a>	2	596	664	35	PGA478	Laptop
<a href="#">Intel Atom S1260 @ 2.00GHz</a>	2	596	224	8.5	FCBGA1283	Server
<a href="#">Intel Celeron J1750 @ 2.41GHz</a>	2	595	659	10	FCBGA1170	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a>	2	594	624	45	AM2	Desktop
<a href="#">AMD Opteron 1212</a>	2	593	729	103	AM2	Server
<a href="#">Intel Core2 Duo E6300 @ 1.86GHz</a>	2	592	693	65	LGA775, PLGA775	Desktop
<a href="#">Intel Celeron N3050 @ 1.60GHz</a>	2	592	564	6	FCBGA1170	Laptop
<a href="#">AMD Athlon X2 Dual Core BE-2350</a>	2	591	705	45	AM2	Desktop
<a href="#">AMD Turion 64 X2 Mobile TL-60</a>	2	591	688	31	S1	Laptop
<a href="#">AMD Turion II Neo N40L Dual-Core</a>	2	589	609	15	BGA812	Laptop
<a href="#">AMD Turion Dual-Core RM-74</a>	2	588	595	35	S1	Laptop
<a href="#">Qualcomm MSM8974PRO-AA</a>	4	587	352	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3745D @ 1.33GHz</a>	4	585	437	4.4	Unknown	Laptop
<a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>	2	584	657	10	BGA956	Laptop
<a href="#">Intel Celeron 847E @ 1.10GHz</a>	2	584	520	17	FCBGA1023	Laptop
<a href="#">Intel Atom C2338 @ 1.74GHz</a>	2	584	233	7	FCBGA1283	Laptop
<a href="#">Intel Celeron J1800 @ 2.41GHz</a>	2	583	664	10	FCBGA1170	Desktop
<a href="#">AMD Athlon 64 X2 QL-67</a>	2	582	515	35	S1	Laptop
<a href="#">AMD E1-7010 APU</a>	2	582	492	10	BGA769 (FT3b)	Laptop
<a href="#">Intel Xeon MV 3.20GHz</a>	2	582	378	90	mPGA604	Server
<a href="#">Qualcomm MSM8917</a>	4	582	373	NA	Unknown	Mobile/Embedded
<a href="#">MT8766A</a>	4	581	380	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N2840 @ 2.16GHz</a>	2	580	667	7	FCBGA1170	Laptop
<a href="#">MT8167D</a>	4	580	327	NA	Unknown	Mobile/Embedded
<a href="#">Pentium Dual-Core T4200 @ 2.00GHz</a>	2	578	783	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>	2	577	537	20	Unknown	Unknown
<a href="#">Intel Celeron 1019Y @ 1.00GHz</a>	2	576	521	10	FCBGA1023	Desktop
<a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>	2	575	600	17	BGA479	Laptop
<a href="#">MT6761V/CAB</a>	4	575	372	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>	2	573	674	45	AM2	Desktop
<a href="#">MediaTek MT8168A</a>	4	571	396	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon X2 Dual Core BE-2300</a>	2	570	644	45	AM2	Desktop

<a href="#">Intel Celeron 857 @ 1.20GHz</a>	2	569	476	17	BGA1023	Laptop
<a href="#">MediaTek MT6737T</a>	4	568	397	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 3800+</a>	2	566	745	89	939	Desktop
<a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tree)</a>	4	566	219	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion II Neo K625 Dual-Core</a>	2	565	596	15	S1	Laptop
<a href="#">AMD Athlon X2 Dual Core 6850e</a>	2	564	623	22	Unknown	Unknown
<a href="#">AMD Sempron Dual Core 2200</a>	2	563	649	65	Unknown	Unknown
<a href="#">Intel Celeron 867 @ 1.30GHz</a>	2	562	584	17	BGA1023	Laptop
<a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a>	2	561	665	65	LGA775	Desktop
<a href="#">AMD Turion Dual-Core RM-70</a>	2	561	548	31	S1	Laptop
<a href="#">AMD Sempron 2650 APU</a>	2	561	475	25	AM1,FSB1	Desktop
<a href="#">Intel Celeron U3600 @ 1.20GHz</a>	2	560	520	18	BGA1288	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8929</a>	8	560	252	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1800 MHz</a>	4	558	246	NA	Unknown	Unknown
<a href="#">Intel Atom Z3735E @ 1.33GHz</a>	4	557	478	4.4	UTFCBGA1380	Laptop
<a href="#">AMD Sempron Dual Core 2300</a>	2	555	697	65	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 QL-62</a>	2	553	685	35	S1	Laptop
<a href="#">AMD E1-6015 APU</a>	2	551	443	NA	BGA769 (FT3b)	Laptop
<a href="#">Intel Pentium E2140 @ 1.60GHz</a>	2	549	605	65	LGA775, PLGA775	Desktop
<a href="#">Intel T1500 @ 1.86GHz</a>	2	548	661	NA	Unknown	Unknown
<a href="#">Intel Celeron @ 1.30GHz</a>	1	548	611	NA	Unknown	Unknown
<a href="#">Intel Pentium T2390 @ 1.86GHz</a>	2	547	641	35	PPGA478	Laptop
<a href="#">MediaTek MT6762V/CN</a>	4	546	391	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8163</a>	4	545	334	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3735F @ 1.33GHz</a>	4	544	390	4.4	UTFCBGA592	Laptop
<a href="#">Qualcomm APQ8084</a>	4	544	317	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>	2	543	581	35	PGA478	Laptop
<a href="#">MT6761V/WD</a>	4	543	408	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N2830 @ 2.16GHz</a>	2	542	630	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium U5400 @ 1.20GHz</a>	2	538	503	18	BGA1288	Laptop
<a href="#">mt6762m</a>	4	538	350	NA	Unknown	Mobile/Embedded
<a href="#">Amlogic</a>	4	537	376	NA	Unknown	Unknown
<a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>	2	536	674	31	S1	Laptop
<a href="#">Intel Pentium T2330 @ 1.60GHz</a>	2	536	572	35	PPGA478	Laptop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>	2	535	600	31	Unknown	Unknown
<a href="#">AMD Sempron Dual Core 2100</a>	2	533	596	65	Unknown	Unknown
<a href="#">Intel Celeron N2808 @ 1.58GHz</a>	2	532	596	4.5	FCBGA1170	Laptop
<a href="#">Intel Atom C2350 @ 1.74GHz</a>	2	532	496	6	FCBGA1283	Server
<a href="#">AMD Opteron 165</a>	2	531	638	110	939	Server
<a href="#">Intel Core2 Duo T5470 @ 1.60GHz</a>	2	531	606	35	PGA478	Laptop
<a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>	2	531	505	89	754	Desktop
<a href="#">Intel Core2 Duo T5670 @ 1.80GHz</a>	2	530	635	35	Socket P	Laptop
<a href="#">MT6739CH</a>	4	530	370	NA	Unknown	Mobile/Embedded

<a href="#">AMD Athlon Neo X2 Dual Core L335</a>	2	529	570	18	Unknown	Unknown
<a href="#">AMD Athlon II Neo K345 Dual-Core</a>	2	527	552	12	Unknown	Laptop
<a href="#">MT8735A</a>	4	527	343	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>	2	525	613	35	Unknown	Unknown
<a href="#">AMD E1-6010 APU</a>	2	522	419	10	FT3b	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a>	2	521	628	32	S1	Laptop
<a href="#">MT6592</a>	8	521	211	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron T1600 @ 1.66GHz</a>	2	519	628	35	Unknown	Laptop
<a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>	2	519	566	35	BGA479	Laptop
<a href="#">AMD Athlon 64 FX-57</a>	1	517	552	104	939	Desktop
<a href="#">Intel T2050 @ 2.00GHz</a>	2	516	611	31	PPGA478	Unknown
<a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>	2	516	555	17	BGA479	Laptop
<a href="#">Intel Pentium T2310 @ 1.46GHz</a>	2	515	557	35	PPGA478	Laptop
<a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>	2	513	590	34	PGA478	Laptop
<a href="#">Intel Atom D2701 @ 2.13GHz</a>	2	511	384	10	BGA559	Laptop
<a href="#">Intel Core2 Duo SU9400 @ 1.40GHz</a>	2	509	588	10	BGA956	Laptop
<a href="#">Rockchip RK3288 (Flattened Device Tree)</a>	4	508	403	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 145</a>	1	505	989	45	AM3	Desktop
<a href="#">Intel Atom Z3736F @ 1.33GHz</a>	4	502	419	4.4	UTFCBGA592	Laptop
<a href="#">AMD Sempron 130</a>	1	501	1,064	45	AM2+/AM3	Unknown
<a href="#">AMD E2-2000 APU</a>	2	501	555	18	BGA413,FT1	Laptop
<a href="#">Intel Core2 Duo U7300 @ 1.30GHz</a>	2	501	533	10	BGA956	Laptop
<a href="#">Intel Pentium T2370 @ 1.73GHz</a>	2	500	546	35	PPGA478	Laptop
<a href="#">AMD Sempron 150</a>	1	498	1,079	45	AM3	Desktop
<a href="#">Intel Core Duo T2700 @ 2.33GHz</a>	2	498	652	31	BGA479	Laptop
<a href="#">Intel Pentium D 940 @ 3.20GHz</a>	2	498	574	130	PLGA775	Desktop
<a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>	2	497	504	31	S1	Laptop
<a href="#">MediaTek MT6735</a>	4	497	299	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>	2	496	586	35	PGA478	Laptop
<a href="#">MT8735</a>	4	495	299	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron G460 @ 1.80GHz</a>	1	494	720	35	LGA1155	Desktop
<a href="#">Intel Pentium D 830 @ 3.00GHz</a>	2	494	550	95	PLGA775	Desktop
<a href="#">Intel Celeron E1200 @ 1.60GHz</a>	2	492	628	65	LGA775	Desktop
<a href="#">Intel Atom D2700 @ 2.13GHz</a>	2	492	387	10	BGA559	Desktop
<a href="#">Intel Core2 Duo L7300 @ 1.40GHz</a>	2	489	529	17	BGA479	Laptop
<a href="#">rockchip_rk3368</a>	8	489	230	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3770D @ 1.49GHz</a>	4	488	361	4.4	BGA1380	Laptop
<a href="#">Intel Celeron N2815 @ 1.86GHz</a>	2	486	564	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N3010 @ 1.04GHz</a>	2	486	560	4	FCBGA1170	Laptop
<a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>	2	485	542	10	BGA956	Laptop
<a href="#">AMD Athlon 64 3100+</a>	1	484	600	89	754	Desktop
<a href="#">Intel Core i3-330UM @ 1.20GHz</a>	2	484	339	18	BGA1288	Laptop

<a href="#">Intel Core2 Duo T5250 @ 1.50GHz</a>	2	483	542	35	PGA478	Laptop
<a href="#">Intel Celeron G465 @ 1.90GHz</a>	1	480	739	35	LGA1155	Desktop
<a href="#">Intel Celeron N2806 @ 1.60GHz</a>	2	479	524	4.5	FCBGA1170	Laptop
<a href="#">Intel Xeon 3.20GHz</a>	1	478	696	103	PPGA604	Server
<a href="#">AMD Turion 64 X2 Mobile TL-58</a>	2	478	552	31	S1	Laptop
<a href="#">AMD Athlon II Neo N36L Dual-Core</a>	2	478	521	12	Unknown	Laptop
<a href="#">AMD E-350D APU</a>	2	478	521	18	Unknown	Unknown
<a href="#">MT8167A</a>	4	478	285	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Neo X2 Dual Core L325</a>	2	476	527	18	Unknown	Unknown
<a href="#">Intel Pentium SU4100 @ 1.30GHz</a>	2	476	515	10	BGA956	Laptop
<a href="#">Intel T1400 @ 1.73GHz</a>	2	475	671	NA	Unknown	Unknown
<a href="#">AMD E1-2200 APU</a>	2	474	368	9	FT3	Laptop
<a href="#">Intel Celeron 847 @ 1.10GHz</a>	2	473	485	17	BGA1023	Laptop
<a href="#">Intel Celeron U3400 @ 1.07GHz</a>	2	473	441	18	BGA1288	Laptop
<a href="#">AMD Sempron 140</a>	1	471	1,044	45	AM3	Desktop
<a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>	2	471	392	35	S1	Laptop
<a href="#">AMD G-T56N</a>	2	470	520	18	FT1	Laptop
<a href="#">Intel Celeron N2820 @ 2.13GHz</a>	2	469	583	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium Extreme Edition 955 @ 3.46GHz</a>	2	469	515	130	PLGA775	Desktop
<a href="#">Intel Core2 Duo L7100 @ 1.20GHz</a>	2	467	484	NA	BGA956	Laptop
<a href="#">AMD Athlon 64 FX-59</a>	1	465	575	NA	939	Desktop
<a href="#">AMD Athlon 64 X2 QL-60</a>	2	465	557	35	S1	Laptop
<a href="#">Intel Atom E3827 @ 1.74GHz</a>	2	460	455	8	FCBGA1170	Laptop
<a href="#">ARM Cortex-A53 4 Core 1392 MHz</a>	4	459	191	NA	Unknown	Unknown
<a href="#">AMD Opteron 154</a>	1	457	534	104	939	Server
<a href="#">Unisoc SC9832e</a>	4	457	280	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>	2	456	566	22	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc MSM8917</a>	4	456	286	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QM215</a>	4	455	291	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 X2 Mobile TL-56</a>	2	453	579	31	S1	Laptop
<a href="#">QCT APQ8064 DEB</a>	4	453	278	NA	Unknown	Mobile/Embedded
<a href="#">AMD Opteron 254</a>	1	451	578	68	940	Server
<a href="#">Intel Core Duo T2600 @ 2.16GHz</a>	2	450	667	31	BGA479	Laptop
<a href="#">Intel Celeron N2807 @ 1.58GHz</a>	2	450	540	4.3	FCBGA1170	Laptop
<a href="#">QCT APQ8064 FLO</a>	4	449	282	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A53 4 Core 1512 MHz</a>	4	448	229	NA	Unknown	Unknown
<a href="#">Intel Celeron 450 @ 2.20GHz</a>	1	445	613	35	LGA775	Desktop
<a href="#">Intel Celeron SU2300 @ 1.20GHz</a>	2	445	500	10	BGA956	Laptop
<a href="#">Intel Celeron 925 @ 2.30GHz</a>	1	444	846	35	Unknown	Laptop
<a href="#">SAMSUNG JF</a>	4	443	293	NA	Unknown	Mobile/Embedded
<a href="#">AMD E2-1800 APU</a>	2	442	528	18	FT1	Desktop
<a href="#">AMD G-T56E</a>	2	442	522	18	FT1	Laptop



<a href="#">Intel Core2 Duo T5200 @ 1.60GHz</a>	2	438	575	34	Socket M	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-50</a>	2	436	525	31	S1	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8920</a>	4	436	272	NA	Unknown	Mobile/Embedded
<a href="#">MT8161P</a>	4	434	259	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom D2560 @ 2.00GHz</a>	2	433	353	10	Unknown	Desktop
<a href="#">AMD A4-1250 APU</a>	2	432	338	8	FT3	Laptop
<a href="#">MediaTek MT6737</a>	4	432	258	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion Neo X2 Dual Core L625</a>	2	431	530	18	ASB1	Laptop
<a href="#">AMD Athlon LE-1640</a>	1	430	489	45	AM2	Desktop
<a href="#">Intel Atom N2800 @ 1.86GHz</a>	2	429	319	6.5	BGA559	Laptop
<a href="#">AMD Opteron 152</a>	1	428	487	104	939	Server
<a href="#">Sony Mobile fusion3</a>	4	428	234	NA	Unknown	Unknown
<a href="#">Intel Celeron G440 @ 1.60GHz</a>	1	426	739	35	LGA1155	Desktop
<a href="#">Intel Xeon 3.00GHz</a>	1	425	607	103	PPGA604	Server
<a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>	4	425	184	NA	Unknown	Unknown
<a href="#">Qualcomm MSM8916</a>	4	424	314	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium D 915 @ 2.80GHz</a>	2	423	508	95	PLGA775	Desktop
<a href="#">Intel Atom D2550 @ 1.86GHz</a>	2	423	318	10	BGA559	Desktop
<a href="#">AMD E-450 APU</a>	2	422	498	18	FT1	Laptop
<a href="#">AMD Athlon LE-1620</a>	1	421	475	45	AM2	Desktop
<a href="#">Intel Celeron N2810 @ 2.00GHz</a>	2	420	512	7.5	FCBGA1170	Laptop
<a href="#">AMD G-T48E</a>	2	416	454	18	FT1	Laptop
<a href="#">AMD Athlon LE-1660</a>	1	416	428	45	AM2	Desktop
<a href="#">Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</a>	4	415	179	NA	Unknown	Mobile/Embedded
<a href="#">AMD E-350</a>	2	414	486	18	FT1	Desktop, Laptop
<a href="#">AMD Athlon 1640B</a>	1	412	462	45	AM2	Desktop
<a href="#">AMD Athlon LE-1600</a>	1	412	430	45	AM2	Desktop
<a href="#">Intel Celeron 900 @ 2.20GHz</a>	1	409	851	34.8	PGA478	Laptop
<a href="#">MediaTek MT6739WW</a>	4	409	277	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core Duo T2500 @ 2.00GHz</a>	2	408	613	31	BGA479	Laptop
<a href="#">AMD E1-2100 APU</a>	2	407	328	9	FT3	Laptop
<a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>	2	405	425	10	BGA479	Laptop
<a href="#">MT8735P</a>	4	405	191	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core Duo T2450 @ 2.00GHz</a>	2	404	603	31	PGA478	Laptop
<a href="#">Intel Core Duo L2500 @ 1.83GHz</a>	2	404	578	15	BGA479	Laptop
<a href="#">AMD Athlon 64 FX-55</a>	1	404	505	104	939	Desktop
<a href="#">Intel Atom D510 @ 1.66GHz</a>	2	404	292	13	BGA559	Desktop
<a href="#">Intel Xeon 3.60GHz</a>	1	403	643	110	PPGA604	Server
<a href="#">AMD E-350 APU</a>	2	401	482	18	FT1 BGA	Desktop, Laptop
<a href="#">AMD Geode NX 2400+</a>	1	400	634	NA	Unknown	Unknown
<a href="#">AMD Turion 64 Mobile ML-42</a>	1	400	455	35	754	Laptop
<a href="#">AMD Sempron LE-1300</a>	1	400	389	45	AM2	Desktop
<a href="#">Intel Core i7-2630UM @ 1.60GHz</a>	2	400	221	NA	Unknown	Laptop
<a href="#">ARM Cortex-A53 4 Core 1600 MHz</a>	4	400	163	NA	Unknown	Unknown

<a href="#">Intel Atom D525 @ 1.80GHz</a>	2	399	310	13	BGA559	Desktop
<a href="#">ARM ARMv7 rev 4 (v7I) 4 Core 1400 MHz</a>	4	399	273	NA	Unknown	Unknown
<a href="#">QCT APQ8064 MAKO</a>	4	399	254	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 3500+</a>	1	396	568	45	AM2	Unknown
<a href="#">ARM ARMv7 rev 4 (v7I) 4 Core 1200 MHz</a>	4	396	272	NA	Unknown	Unknown
<a href="#">Samsung Exynos 7570</a>	4	396	264	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 64 3700+</a>	1	394	435	89	939	Desktop
<a href="#">Intel Xeon 3.80GHz</a>	1	393	594	110	PPGA604	Server
<a href="#">AMD Opteron 150</a>	1	393	471	85.3	939	Server
<a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>	2	393	213	NA	BGA400	Laptop
<a href="#">Intel Celeron 807 @ 1.50GHz</a>	1	392	608	17	BGA-1023	Laptop
<a href="#">AMD Opteron 148</a>	1	392	443	85.3	939	Server
<a href="#">AMD A4-1200 APU</a>	2	391	295	3.9	FT3	Laptop
<a href="#">AMD E1-1500 APU</a>	2	390	458	18	FT1	Laptop
<a href="#">AMD Athlon II Neo K325 Dual-Core</a>	2	387	472	12	Unknown	Laptop
<a href="#">Intel Core Duo L2300 @ 1.50GHz</a>	2	387	442	15	BGA479	Desktop
<a href="#">Intel Pentium 4 3.73GHz</a>	1	385	572	115	Unknown	Desktop
<a href="#">Intel Atom E3825 @ 1.33GHz</a>	2	385	370	6	FCBGA1170	Desktop
<a href="#">Intel Core Duo T2350 @ 1.86GHz</a>	2	384	572	31	PGA478	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-52</a>	2	384	497	31	S1	Laptop
<a href="#">AMD Turion 64 Mobile ML-44</a>	1	384	469	35	754	Laptop
<a href="#">Intel Pentium T2130 @ 1.86GHz</a>	2	382	583	31	PGA478	Laptop
<a href="#">QCT APQ8064 AWIFI</a>	4	382	276	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8916</a>	4	382	238	NA	Unknown	Mobile/Embedded
<a href="#">AMD V140</a>	1	379	869	25	S1	Laptop
<a href="#">AMD Athlon X2 Dual Core L310</a>	2	379	434	13	S1	Laptop
<a href="#">Intel Xeon 3.40GHz</a>	1	375	519	103	PPGA604	Server
<a href="#">AMD Athlon 64 3300+</a>	1	375	477	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 3400+</a>	1	375	429	89	754	Unknown
<a href="#">Intel Pentium D 805 @ 2.66GHz</a>	2	374	497	95	PLGA775	Desktop
<a href="#">ARM Cortex-A53 4 Core 0 MHz</a>	4	374	165	NA	Unknown	Unknown
<a href="#">Intel Celeron D 360 @ 3.46GHz</a>	1	372	712	65	PLGA775	Desktop
<a href="#">AMD E1-1200 APU</a>	2	372	425	18	FT1	Laptop
<a href="#">Intel Celeron 827E @ 1.40GHz</a>	1	371	674	17	FCBGA1023	Laptop
<a href="#">Intel Atom 330 @ 1.60GHz</a>	2	371	168	8	BGA437	Desktop
<a href="#">Intel Celeron 440 @ 2.00GHz</a>	1	368	444	35	LGA775	Desktop
<a href="#">Intel Celeron 560 @ 2.13GHz</a>	1	365	498	31	PGA478	Laptop
<a href="#">Qualcomm Technologies, Inc APQ8017</a>	4	365	281	NA	Unknown	Mobile/Embedded
<a href="#">AMD Sempron 3600+</a>	1	364	377	62	AM2	Desktop
<a href="#">AMD V120</a>	1	362	812	25	S1	Laptop
<a href="#">AMD Turion 64 Mobile MK-38</a>	1	362	801	31	S1	Laptop
<a href="#">AMD Sempron 3800+</a>	1	360	422	62	AM2	Desktop
<a href="#">MediaTek MT6739WA</a>	4	360	245	NA	Unknown	Mobile/Embedded

<a href="#">AMD E-300 APU</a>	2	359	402	18	FT1	Laptop
<a href="#">AMD Athlon II 160u</a>	1	358	717	20	Unknown	Desktop
<a href="#">AMD Athlon II 170u</a>	1	357	728	20	AM2+,AM3	Desktop
<a href="#">AMD Athlon X2 Dual Core 3250e</a>	2	357	458	22	Unknown	Unknown
<a href="#">Mobile AMD Athlon 64 3700+</a>	1	356	485	81.5	Unknown	Laptop
<a href="#">Manta</a>	2	356	426	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QCM2150</a>	4	356	244	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core Duo T2400 @ 1.83GHz</a>	2	355	519	31	BGA479	Laptop
<a href="#">MediaTek MT6737M</a>	4	355	196	NA	Unknown	Mobile/Embedded
<a href="#">ARM Cortex-A7 4 Core 1300 MHz</a>	4	354	253	NA	Unknown	Unknown
<a href="#">AMD Sempron LE-1200</a>	1	349	551	45	AM2	Desktop
<a href="#">Intel Pentium T2080 @ 1.73GHz</a>	2	348	530	31	PGA478	Laptop
<a href="#">Intel Core Duo L2400 @ 1.66GHz</a>	2	348	501	15	BGA479	Laptop
<a href="#">Intel Core Duo T2250 @ 1.73GHz</a>	2	347	529	31	PGA478	Laptop
<a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>	4	347	155	NA	Unknown	Unknown
<a href="#">AMD Opteron 146</a>	1	346	400	67	939	Server
<a href="#">ARM Cortex-A7 4 Core 1368 MHz</a>	4	346	265	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>	2	345	345	10	Unknown	Laptop
<a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>	4	345	230	NA	Unknown	Unknown
<a href="#">Mobile Intel Pentium 4 3.33GHz</a>	1	344	552	NA	Unknown	Laptop
<a href="#">Intel Celeron 570 @ 2.26GHz</a>	1	344	431	31	PGA478	Laptop
<a href="#">Qualcomm Technologies, Inc APQ8016</a>	4	343	220	NA	Unknown	Mobile/Embedded
<a href="#">Intel 2.80GHz</a>	2	341	456	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 3200+</a>	1	340	568	62	AM2	Unknown
<a href="#">AMD Athlon 64 4000+</a>	1	340	565	62	AM2	Unknown
<a href="#">AMD Sempron M100</a>	1	338	587	NA	Unknown	Unknown
<a href="#">AMD Athlon TF-36</a>	1	338	349	25	Unknown	Unknown
<a href="#">AMD V160</a>	1	337	838	25	S1	Laptop
<a href="#">Qualcomm MSM8928</a>	4	337	206	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 Mobile ML-40</a>	1	336	662	35	754	Laptop
<a href="#">Mobile AMD Sempron 3800+</a>	1	335	735	NA	Unknown	Laptop
<a href="#">ARM Cortex-A72 4 Core 1750 MHz</a>	4	335	463	NA	Unknown	Unknown
<a href="#">Intel Celeron N2805 @ 1.46GHz</a>	2	335	394	4.3	FCBGA1170	Laptop
<a href="#">Intel Atom N570 @ 1.66GHz</a>	2	335	282	8.5	BGA559	Laptop
<a href="#">AMD Turion 64 Mobile MK-36</a>	1	334	735	31	S1	Laptop
<a href="#">AMD Turion 64 Mobile ML-37</a>	1	334	510	35	754	Laptop
<a href="#">ARM Cortex-A35 4 Core 1296 MHz</a>	4	334	166	NA	Unknown	Unknown
<a href="#">Mobile AMD Athlon 64 3400+</a>	1	333	432	81.5	Unknown	Laptop
<a href="#">AMD Athlon 2850e</a>	1	333	337	22	AM2	Desktop
<a href="#">MediaTek MT8167B</a>	4	333	247	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8228</a>	4	332	214	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core Duo T2300 @ 1.66GHz</a>	2	330	519	31	BGA479	Laptop
<a href="#">Intel Pentium T2060 @ 1.60GHz</a>	2	330	490	31	PGA478	Laptop
<a href="#">MT8765WB</a>	4	328	207	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 4 3.20GHz</a>	1	326	561	82	PGA478	Desktop

<a href="#">Mobile AMD Athlon 64 3200+</a>	1	326	400	81.5	Unknown	Laptop
<a href="#">MT6735P</a>	4	326	218	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC7731e</a>	4	324	224	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom N2600 @ 1.60GHz</a>	2	323	292	3.5	BGA559	Laptop
<a href="#">Mobile AMD Sempron 3400+</a>	1	321	455	25	Socket S1 (S1g1)	Laptop
<a href="#">Intel Core Duo T2050 @ 1.60GHz</a>	2	320	493	31	PGA478	Desktop
<a href="#">Rockchip RK3328</a>	4	319	204	NA	Unknown	Mobile/Embedded
<a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>	2	316	427	10	BGA479	Laptop
<a href="#">AMD Opteron 144</a>	1	316	376	67	939	Server
<a href="#">AMD Sempron LE-1100</a>	1	315	509	45	AM2	Desktop
<a href="#">Intel Pentium 4 3.60GHz</a>	1	315	447	115	Unknown	Desktop
<a href="#">AMD Sempron 3300+</a>	1	315	394	62	754	Desktop
<a href="#">AMD Turion 64 Mobile MT-37</a>	1	315	379	25	754	Laptop
<a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>	2	315	281	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 3.80GHz</a>	1	313	596	65	Unknown	Desktop
<a href="#">Intel Pentium 4 3.00GHz</a>	1	313	549	81.9	PGA478	Desktop
<a href="#">Intel Celeron D 420 @ 1.60GHz</a>	1	313	388	35	LGA775	Desktop
<a href="#">Mobile AMD Athlon 64 4000+</a>	1	313	338	62	Unknown	Laptop
<a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a>	4	312	213	NA	Unknown	Mobile/Embedded
<a href="#">MT6739WM</a>	4	310	223	NA	Unknown	Mobile/Embedded
<a href="#">AMD C-60 APU</a>	2	309	359	9	Unknown	Unknown
<a href="#">AMD Z-01</a>	2	308	290	NA	Unknown	Unknown
<a href="#">MT6735M</a>	4	308	190	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron M 530 @ 1.73GHz</a>	1	307	553	30	PBGA479, PPGA478	Laptop
<a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>	4	306	229	NA	Unknown	Unknown
<a href="#">Intel Atom E3826 @ 1.46GHz</a>	2	304	395	7	FCBGA1170	Laptop
<a href="#">AMD Athlon 64 3000+</a>	1	303	506	89	Socket 754	Desktop
<a href="#">Mobile AMD Sempron 3600+</a>	1	302	724	25	S1	Laptop
<a href="#">AMD Athlon II Neo K125</a>	1	302	613	12	S1	Laptop
<a href="#">Intel Celeron 550 @ 2.00GHz</a>	1	301	613	31	BGA479	Laptop
<a href="#">AMD Sempron LE-1250</a>	1	301	508	45	AM2	Desktop
<a href="#">AMD C-70 APU</a>	2	300	354	9	Unknown	Unknown
<a href="#">Qualcomm MSM8926</a>	4	300	190	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon II Neo K145</a>	1	298	592	12	S1	Laptop
<a href="#">AMD Sempron 3100+</a>	1	298	383	62	754	Desktop
<a href="#">Intel Atom Z2760 @ 1.80GHz</a>	2	298	206	NA	FC-MB4760	Laptop
<a href="#">Intel Pentium 4 3.46GHz</a>	1	295	512	110.7	Unknown	Desktop
<a href="#">AMD Athlon 64 2800+</a>	1	295	375	89	754	Unknown
<a href="#">Mobile AMD Sempron 3300+</a>	1	294	391	NA	Unknown	Laptop
<a href="#">UNIVERSAL3475</a>	4	294	192	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8626</a>	4	294	185	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8735B</a>	4	294	181	NA	Unknown	Mobile/Embedded
<a href="#">Intel Pentium 4 3.40GHz</a>	1	293	667	89	PGA478	Desktop
<a href="#">Intel Celeron 430 @ 1.80GHz</a>	1	293	630	35	LGA775	Desktop
<a href="#">AMD Athlon 64 3800+</a>	1	292	461	45	AM2	Unknown
<a href="#">Intel Pentium M 2.10GHz</a>	1	292	353	21	H-PBGA479, PPGA4	Laptop

<a href="#">AMD Sempron 3400+</a>	1	292	346	62	AM2	Desktop
<a href="#">AMD G-T40N</a>	2	292	321	9	FT1	Laptop
<a href="#">Qualcomm Technologies, Inc MSM8216</a>	4	292	155	NA	Unknown	Mobile/Embedded
<a href="#">AMD Athlon 2800+</a>	1	291	439	89	754	Unknown
<a href="#">Qualcomm APQ8026</a>	4	291	180	NA	Unknown	Mobile/Embedded
<a href="#">Mobile AMD Sempron 3500+</a>	1	290	654	NA	Unknown	Laptop
<a href="#">AMD C-60</a>	2	290	354	9	Unknown	Unknown
<a href="#">AMD G-T40E</a>	2	289	313	6.4	FT1	Laptop
<a href="#">AMD Sempron SI-40</a>	1	288	631	25	S1	Laptop
<a href="#">AMD Sempron 3200+</a>	1	288	356	62	AM2	Desktop
<a href="#">AMD Turion 64 Mobile MT-32</a>	1	286	367	24	754	Laptop
<a href="#">Qualcomm Technologies, Inc APQ8009</a>	4	286	182	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 Mobile ML-32</a>	1	285	321	35	754	Laptop
<a href="#">Intel Celeron D 352 @ 3.20GHz</a>	1	283	674	86	PLGA775	Desktop
<a href="#">Intel Celeron 540 @ 1.86GHz</a>	1	283	496	30	PGA478	Laptop
<a href="#">AMD Athlon Neo MV-40</a>	1	282	442	15	Unknown	Unknown
<a href="#">AMD Athlon XP 3100+</a>	1	282	431	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 3200+</a>	1	281	430	62	AM2	Unknown
<a href="#">Intel Pentium M 1.80GHz</a>	1	280	389	21	H-PBGA479, PPGA4	Laptop
<a href="#">AMD Turion 64 Mobile MT-34</a>	1	279	328	24	754	Laptop
<a href="#">VIA Nano L2100@1800MHz</a>	1	279	182	25	BGA400	Laptop
<a href="#">Mobile AMD Sempron 3100+</a>	1	277	359	NA	Unknown	Laptop
<a href="#">AMD Turion 64 Mobile ML-34</a>	1	277	329	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-30</a>	1	277	314	35	754	Laptop
<a href="#">Rockchip RK3326</a>	4	277	207	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum SC7731e</a>	4	277	183	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 2900+</a>	1	276	410	NA	Unknown	Unknown
<a href="#">Intel Atom D2500 @ 1.86GHz</a>	2	275	346	10	BGA559	Desktop
<a href="#">AMD Athlon 2650e</a>	1	274	304	15	AM2	Desktop
<a href="#">AMD Athlon TF-20</a>	1	272	420	15	Unknown	Unknown
<a href="#">Intel Pentium M 2.13GHz</a>	1	271	354	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.00GHz</a>	1	270	363	21	H-PBGA479, PPGA4	Laptop
<a href="#">VIA Nano U2250 (1.6GHz Capable)</a>	1	270	259	8	BGA400	Laptop
<a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>	4	270	208	NA	Unknown	Unknown
<a href="#">Mobile AMD Sempron 3000+</a>	1	269	350	NA	Unknown	Laptop
<a href="#">Intel Celeron 743 @ 1.30GHz</a>	1	268	529	10	BGA956	Laptop
<a href="#">Intel Celeron 530 @ 1.73GHz</a>	1	268	468	27	PGA478	Laptop
<a href="#">AMD Sempron 3000+</a>	1	268	333	62	AM2	Desktop
<a href="#">Intel Celeron 3.20GHz</a>	1	267	599	NA	Unknown	Unknown
<a href="#">Intel Celeron M 723 @ 1.20GHz</a>	1	267	507	10	BGA956	Laptop
<a href="#">AMD Sempron 210U</a>	1	267	299	15	Unknown	Unknown
<a href="#">Qualcomm Technologies, Inc MSM8909</a>	4	267	172	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom N550 @ 1.50GHz</a>	2	265	243	8.5	BGA559	Laptop
<a href="#">Qualcomm MSM8226</a>	4	265	176	NA	Unknown	Mobile/Embedded

<a href="#">Intel Celeron 3.33GHz</a>	1	263	528	NA	Unknown	Unknown
<a href="#">VIA Eden C1050@1.06GHz</a>	1	263	283	NA	Unknown	Unknown
<a href="#">AMD Athlon XP 3000+</a>	1	262	396	62	Socket A	Desktop
<a href="#">AMD Z-60 APU</a>	2	262	318	4.5	FT1	Laptop
<a href="#">AMD Sempron SI-42</a>	1	261	650	25	S1	Laptop
<a href="#">AMD Athlon XP 2800+</a>	1	260	408	89	754	Unknown
<a href="#">Intel Xeon 2.80GHz</a>	1	260	384	103	PPGA604	Server
<a href="#">AMD C-50</a>	2	260	315	9	FT1	Laptop
<a href="#">AMD Athlon XP 2700+</a>	1	256	398	NA	Unknown	Unknown
<a href="#">Mobile AMD Sempron 2600+</a>	1	256	316	NA	Unknown	Laptop
<a href="#">Intel Core Duo U2400 @ 1.06GHz</a>	2	255	342	9	BGA479	Laptop
<a href="#">AMD Turion 64 Mobile ML-28</a>	1	254	314	25	754	Laptop
<a href="#">VIA Nano L2007@1600MHz</a>	1	254	242	25	BGA400	Laptop
<a href="#">Intel Core Solo T1400 @ 1.83GHz</a>	1	253	525	27	PGA478	Laptop
<a href="#">AMD Sempron 2600+</a>	1	253	325	NA	Socket A	Desktop
<a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a>	1	252	546	5.5	BGA956	Laptop
<a href="#">Intel Celeron M 1.70GHz</a>	1	252	370	NA	Unknown	Laptop
<a href="#">msm8960dt</a>	2	252	279	NA	Unknown	Mobile/Embedded
<a href="#">Intel Celeron D 356 @ 3.33GHz</a>	1	251	619	86	PLGA775	Desktop
<a href="#">AMD Sempron LE-1150</a>	1	251	477	45	AM2	Desktop
<a href="#">Intel Pentium 4 3.06GHz</a>	1	249	551	81.8	PGA478	Desktop
<a href="#">AMD GX-210JA SOC</a>	2	248	231	6	FT3 (769-BGA)	Laptop
<a href="#">AMD Sempron M120</a>	1	247	559	25	S1	Laptop
<a href="#">SAMSUNG SERRANO</a>	2	247	327	NA	Unknown	Mobile/Embedded
<a href="#">AMD Turion 64 Mobile MT-30</a>	1	246	294	25	754	Laptop
<a href="#">Mobile AMD Sempron 3200+</a>	1	245	525	NA	Unknown	Laptop
<a href="#">ARM Cortex-A7 4 Core 900 MHz</a>	4	244	171	NA	Unknown	Unknown
<a href="#">AMD Sempron 2800+</a>	1	243	408	62	AM2	Desktop
<a href="#">AMD Athlon XP2400+</a>	1	243	390	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 2600+</a>	1	243	292	15	Unknown	Unknown
<a href="#">AMD Athlon XP 2600+</a>	1	242	380	NA	Unknown	Unknown
<a href="#">Intel Celeron 807UE @ 1.00GHz</a>	1	241	421	10	BGA-1023	Laptop
<a href="#">Mobile AMD Athlon XP-M 2600+</a>	1	241	375	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon 2500+</a>	1	241	365	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1.50GHz</a>	1	240	323	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium SU2700 @ 1.30GHz</a>	1	239	432	10	Unknown	Laptop
<a href="#">Intel Pentium M 1.70GHz</a>	1	239	318	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.86GHz</a>	1	238	460	27	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile AMD Athlon XP-M 2800+</a>	1	238	385	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 3000+</a>	1	238	365	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2200+</a>	1	237	363	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1700MHz</a>	1	237	361	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile AMD Sempron 2800+</a>	1	237	299	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 2.80GHz</a>	1	236	506	69.7	PGA478	Desktop
<a href="#">Intel Celeron 420 @ 1.60GHz</a>	1	235	471	35	LGA775	Desktop
<a href="#">Intel Celeron 3.06GHz</a>	1	234	514	NA	Unknown	Unknown

<a href="#">AMD Athlon XP 2400+</a>	1	234	375	NA	Unknown	Unknown
<a href="#">Rockchip RK3229</a>	4	234	141	NA	Unknown	Mobile/Embedded
<a href="#">Mobile AMD Athlon 4 2400+</a>	1	233	358	NA	Unknown	Laptop
<a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a>	1	233	258	5.5	Unknown	Laptop
<a href="#">Intel Celeron D 347 @ 3.06GHz</a>	1	232	565	86	PLGA775	Desktop
<a href="#">Mobile Intel Pentium 4 3.20GHz</a>	1	232	468	82	PGA478	Desktop
<a href="#">AMD Sempron 3500+</a>	1	232	264	62	AM2	Desktop
<a href="#">AMD Athlon XP 2500+</a>	1	231	353	NA	Unknown	Unknown
<a href="#">Intel Celeron M 450 @ 2.00GHz</a>	1	230	598	27	PPGA478	Laptop
<a href="#">Intel Celeron 2.93GHz</a>	1	230	396	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1.60GHz</a>	1	229	307	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 2.26GHz</a>	1	227	508	27	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile AMD Athlon XP-M 2500+</a>	1	226	355	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2400+</a>	1	225	355	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1.40GHz</a>	1	225	264	22	H-PBGA479, PPG	Laptop
<a href="#">Intel Atom N470 @ 1.83GHz</a>	1	224	308	6.5	BGA559	Laptop
<a href="#">Intel Atom D425 @ 1.80GHz</a>	1	222	320	10	BGA559	Desktop
<a href="#">Intel Celeron M 360 1.40GHz</a>	1	221	305	21	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile Intel Pentium 4 3.06GHz</a>	1	220	423	81.8	PGA478	Desktop
<a href="#">Intel Core Duo U2500 @ 1.20GHz</a>	2	220	362	9	BGA479	Laptop
<a href="#">Intel Celeron M 1500MHz</a>	1	217	297	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.50GHz</a>	1	216	280	21	PPGA478, H-PBGA4	Laptop
<a href="#">Intel Celeron M 520 @ 1.60GHz</a>	1	215	522	30	PPGA478	Laptop
<a href="#">Intel Pentium 4 2.60GHz</a>	1	215	494	69	PGA478	Desktop
<a href="#">AMD Athlon XP 2200+</a>	1	214	335	NA	Unknown	Unknown
<a href="#">Intel Celeron 723 @ 1.20GHz</a>	1	213	460	10	BGA956	Laptop
<a href="#">Intel Core Solo T1300 @ 1.66GHz</a>	1	210	518	27	PGA478	Laptop
<a href="#">AMD Athlon XP 2100+</a>	1	210	327	NA	Unknown	Unknown
<a href="#">Intel Atom 230 @ 1.60GHz</a>	1	210	167	4	BGA437	Desktop
<a href="#">Intel Celeron 220 @ 1.20GHz</a>	1	209	255	19	BGA479	Desktop
<a href="#">Intel Celeron 2.53GHz</a>	1	208	370	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1400MHz</a>	1	208	282	22	H-PBGA479, PPGA4	Laptop
<a href="#">AMD Sempron 2500+</a>	1	207	405	NA	Socket A	Desktop
<a href="#">AMD Sempron 2300+</a>	1	207	314	NA	Socket A	Desktop
<a href="#">Intel Pentium M 1.73GHz</a>	1	205	494	27	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile Intel Pentium 4 2.80GHz</a>	1	205	397	69.7	PGA478	Desktop
<a href="#">AMD Sempron 2400+</a>	1	205	321	NA	Socket A	Desktop
<a href="#">Intel Celeron M 1.30GHz</a>	1	205	284	NA	Unknown	Laptop
<a href="#">AMD Athlon XP 1900+</a>	1	203	312	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1536 MHz</a>	4	202	192	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1850 MHz</a>	4	199	343	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1.20GHz</a>	1	199	262	NA	Unknown	Unknown
<a href="#">VIA Nano U2500@1200MHz</a>	1	199	184	7	BGA400	Laptop
<a href="#">Intel Celeron M 1300MHz</a>	1	197	274	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1300MHz</a>	1	197	271	22	H-PBGA479, PPGA4	Laptop
<a href="#">AMD Athlon L110</a>	1	197	223	13	Unknown	Unknown



<a href="#">Mobile AMD Athlon XP-M 2000+</a>	1	196	301	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1.30GHz</a>	1	196	250	22	H-PBGA479, PPG	Laptop
<a href="#">AMD Athlon XP 2000+</a>	1	195	311	70	Socket A	Desktop
<a href="#">AMD Athlon XP 1800+</a>	1	195	301	66	Socket A	Desktop
<a href="#">Intel Core Solo T1350 @ 1.86GHz</a>	1	194	413	31	Unknown	Laptop
<a href="#">Intel Pentium III 1400S @ 1400MHz</a>	1	194	278	32.2	Socket 370	Desktop
<a href="#">Intel Pentium M 1600MHz</a>	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Mobile AMD Athlon XP-M 1800+</a>	1	193	291	45	Socket A	Laptop
<a href="#">Intel Pentium III 1400 @ 1400MHz</a>	1	193	272	31.2	Socket 370	Desktop
<a href="#">Mobile AMD Athlon MP-M 2400+</a>	1	192	314	NA	Unknown	Laptop
<a href="#">AMD Athlon 1500+</a>	1	191	275	NA	Unknown	Unknown
<a href="#">Intel Celeron M 1.60GHz</a>	1	190	433	NA	Unknown	Laptop
<a href="#">Intel Celeron 2.80GHz</a>	1	190	425	68.4	PPGA478	Desktop
<a href="#">Intel Atom N2100 @ 1.60GHz</a>	1	188	310	NA	BGA559	Laptop
<a href="#">Intel Pentium M 1500MHz</a>	1	188	251	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">AMD V105</a>	1	184	452	9	BGA812	Laptop
<a href="#">VIA Nano U3500@1000MHz</a>	1	184	286	5	BGA400	Laptop
<a href="#">AMD Sempron 2200+</a>	1	184	279	NA	Socket A	Desktop
<a href="#">Intel Pentium M 1.10GHz</a>	1	184	218	NA	Unknown	Unknown
<a href="#">AMD Athlon XP1600+</a>	1	183	272	NA	Unknown	Unknown
<a href="#">Mobile Intel Celeron 1333MHz</a>	1	183	248	NA	Unknown	Laptop
<a href="#">Intel Atom Z530 @ 1.60GHz</a>	1	183	161	2	BGA441	Laptop
<a href="#">Mobile Intel Pentium 4 2.66GHz</a>	1	182	425	66.1	PGA478	Desktop
<a href="#">AMD E-240</a>	1	182	385	18	FT1	Laptop
<a href="#">Intel Celeron 2.26GHz</a>	1	182	382	NA	Unknown	Unknown
<a href="#">Intel Xeon 2.40GHz</a>	1	180	387	NA	Unknown	Server
<a href="#">Intel Atom N475 @ 1.83GHz</a>	1	179	281	6.5	BGA559	Laptop
<a href="#">Intel Atom N455 @ 1.66GHz</a>	1	179	257	6.5	BGA559	Laptop
<a href="#">VIA Nano U2250@1300+MHz</a>	1	179	156	10	BGA400	Laptop
<a href="#">AMD C-30</a>	1	178	375	9	FT1	Laptop
<a href="#">AMD G-T52R</a>	1	177	381	18	FT1	Laptop
<a href="#">Intel Atom N450 @ 1.66GHz</a>	1	177	270	5.5	BGA559	Laptop
<a href="#">Intel Atom D410 @ 1.66GHz</a>	1	177	254	10	BGA559	Desktop
<a href="#">AMD Athlon XP 1700+</a>	1	176	272	64	Socket A (462)	Desktop
<a href="#">Intel Atom N280 @ 1.66GHz</a>	1	175	226	2.5	BGA437	Laptop
<a href="#">Intel Atom N270 @ 1.60GHz</a>	1	175	164	2.5	BGA437	Laptop
<a href="#">Intel Celeron 215 @ 1.33GHz</a>	1	174	440	27	BGA479	Laptop
<a href="#">AMD Athlon XP 1600+</a>	1	174	265	NA	Unknown	Unknown
<a href="#">Mobile AMD Athlon MP-M 1800+</a>	1	173	262	35	Unknown	Laptop
<a href="#">Intel Celeron M 440 @ 1.86GHz</a>	1	169	485	27	PBGA479, PPGA478	Laptop
<a href="#">Intel Celeron M 430 @ 1.73GHz</a>	1	169	466	27	PPGA478	Laptop
<a href="#">Mobile AMD Athlon XP-M 1600+</a>	1	169	274	NA	Unknown	Laptop
<a href="#">AMD Athlon XP 1500+</a>	1	167	251	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.13GHz</a>	1	166	361	NA	Unknown	Unknown
<a href="#">VIA Nano L2207@1600MHz</a>	1	165	191	17	BGA400	Laptop
<a href="#">Intel Celeron 2.50GHz</a>	1	164	431	NA	Unknown	Unknown

<a href="#">Intel Core Solo U1500 @ 1.33GHz</a>	1	164	375	5.5	Unknown	Laptop
<a href="#">Intel XEON 2.20GHz</a>	1	164	351	NA	Unknown	Server
<a href="#">Intel Pentium III Mobile 1133MHz</a>	1	164	218	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 2100+</a>	1	164	203	8	S1	Laptop, Mobile/Embedded
<a href="#">Intel Pentium 4 2.53GHz</a>	1	162	442	61.5	PGA478	Desktop
<a href="#">Intel Pentium 4 2.50GHz</a>	1	160	385	61	PGA478	Desktop
<a href="#">Intel Pentium III Mobile 1066MHz</a>	1	160	210	NA	Unknown	Laptop
<a href="#">Intel Celeron 2.70GHz</a>	1	159	386	NA	Unknown	Unknown
<a href="#">Intel Atom E3815 @ 1.46GHz</a>	1	159	238	5	FCBGA1170	Desktop
<a href="#">Intel Celeron 1200MHz</a>	1	159	212	NA	Unknown	Unknown
<a href="#">Intel Atom Z670 @ 1.50GHz</a>	1	158	95	3	BGA518	Laptop
<a href="#">Intel Pentium 4 2.66GHz</a>	1	157	431	66.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.20GHz</a>	1	157	379	57.1	PGA478	Desktop
<a href="#">Intel Pentium M 1000MHz</a>	1	156	222	7	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 1200MHz</a>	1	156	216	NA	Unknown	Laptop
<a href="#">Intel Pentium M 1200MHz</a>	1	155	166	12	Unknown	Laptop
<a href="#">Intel Celeron 2.66GHz</a>	1	154	417	NA	Unknown	Unknown
<a href="#">Mobile Intel Celeron 2.40GHz</a>	1	154	376	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 3.83GHz</a>	1	154	237	NA	Unknown	Desktop
<a href="#">AMD Athlon 64 2000+</a>	1	154	173	8	Unknown	Unknown
<a href="#">Intel Atom N435 @ 1.33GHz</a>	1	153	220	NA	Unknown	Unknown
<a href="#">Intel Xeon 2.00GHz</a>	1	152	259	NA	Unknown	Server
<a href="#">Intel Pentium 4 2.26GHz</a>	1	151	409	58	PGA478	Desktop
<a href="#">Intel Pentium 4 2.93GHz</a>	1	150	269	NA	Unknown	Desktop
<a href="#">VIA C7-D 1800MHz</a>	1	150	147	20	BGA400	Desktop
<a href="#">Intel Celeron M 1.00GHz</a>	1	149	197	NA	Unknown	Laptop
<a href="#">Intel Celeron 2.30GHz</a>	1	148	364	NA	Unknown	Unknown
<a href="#">Mobile Intel Celeron 2.20GHz</a>	1	147	355	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium III - M 1200MHz</a>	1	146	185	22	BGA2, microPGA2	Laptop
<a href="#">VIA C7-M 6300MHz</a>	1	145	121	NA	Unknown	Unknown
<a href="#">Intel Celeron 2.40GHz</a>	1	143	397	NA	Unknown	Unknown
<a href="#">Mobile Intel Pentium 4 - M 2.20GHz</a>	1	143	388	NA	Unknown	Laptop
<a href="#">Intel Celeron 2.60GHz</a>	1	143	353	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 2 Core 1080 MHz</a>	2	142	200	NA	Unknown	Unknown
<a href="#">Intel Pentium M 900MHz</a>	1	141	200	7	Unknown	Laptop
<a href="#">Intel Celeron M 420 @ 1.60GHz</a>	1	139	391	27	PPGA478	Laptop
<a href="#">Intel Celeron 2.20GHz</a>	1	139	349	NA	Unknown	Unknown
<a href="#">Mobile Intel Pentium 4 - M 2.40GHz</a>	1	139	317	NA	Unknown	Laptop
<a href="#">Intel Celeron 1000MHz</a>	1	139	174	NA	Unknown	Unknown
<a href="#">Mobile Intel Pentium 4 - M 2.00GHz</a>	1	138	345	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.90GHz</a>	1	136	282	NA	Unknown	Laptop
<a href="#">VIA Esther 1500MHz</a>	1	135	112	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 2.00GHz</a>	1	133	349	54.3	PGA478	Desktop
<a href="#">Mobile Intel Celeron 2.00GHz</a>	1	133	290	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 2.00GHz</a>	1	132	310	NA	Unknown	Laptop

<a href="#">Intel Pentium 4 2.40GHz</a>	1	131	360	59.8	PGA478	Desktop
<a href="#">Intel Core Solo U1400 @ 1.20GHz</a>	1	130	365	5.5	PBGA479	Laptop
<a href="#">AMD G-T44R</a>	1	130	328	9	FT1	Laptop
<a href="#">Mobile Intel Pentium III - M 933MHz</a>	1	130	177	20.1	BGA2, microPGA2	Laptop
<a href="#">Intel Core Solo U1300 @ 1.06GHz</a>	1	127	340	6	PBGA479	Laptop
<a href="#">Intel Celeron 2.00GHz</a>	1	125	338	52.8	PPGA478	Desktop
<a href="#">Intel Celeron M 443 @ 1.20GHz</a>	1	125	288	5.5	PBGA479	Laptop
<a href="#">Intel Celeron M 410 @ 1.46GHz</a>	1	123	301	27	PPGA478	Laptop
<a href="#">Intel Celeron M 900MHz</a>	1	123	155	NA	Unknown	Laptop
<a href="#">Intel Atom Z520 @ 1.33GHz</a>	1	122	151	2	BGA441	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>	1	121	297	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 1.80GHz</a>	1	121	280	66.1	PPGA478	Laptop
<a href="#">AMD G-T40R</a>	1	120	327	5.5	FT1	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>	1	119	297	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 800MHz</a>	1	119	155	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 1.70GHz</a>	1	118	254	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.60GHz</a>	1	116	254	NA	Unknown	Laptop
<a href="#">VIA C7-M 1600MHz</a>	1	116	124	15	BGA400	Laptop
<a href="#">Intel Pentium 4 1.80GHz</a>	1	115	318	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 1800MHz</a>	1	114	317	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 Mobile 1.80GHz</a>	1	114	195	NA	Unknown	Laptop
<a href="#">Intel Celeron 1100MHz</a>	1	113	183	NA	Unknown	Unknown
<a href="#">VIA C7-M 1200MHz</a>	1	112	93	NA	Unknown	Unknown
<a href="#">Intel Celeron B710 @ 1.60GHz</a>	1	106	101	35	rPGA988B	Laptop
<a href="#">Intel Pentium 4 1.90GHz</a>	1	104	292	69.2	PGA423	Desktop
<a href="#">Intel Celeron 1.70GHz</a>	1	101	190	NA	Unknown	Unknown
<a href="#">VIA Nehemiah</a>	1	101	75	NA	Unknown	Unknown
<a href="#">Intel Pentium 4 1700MHz</a>	1	100	266	64	PGA423	Desktop
<a href="#">Intel Pentium III Mobile 866MHz</a>	1	99	132	NA	Unknown	Laptop
<a href="#">Intel Celeron 1.80GHz</a>	1	96	307	66.1	PPGA478	Desktop
<a href="#">VIA Esther 1000MHz</a>	1	95	82	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 2 Core 960 MHz</a>	2	93	140	NA	Unknown	Unknown
<a href="#">VIA Eden 1200MHz</a>	1	93	97	7	NanoBGA2	Laptop
<a href="#">Intel Pentium 4 1.70GHz</a>	1	86	254	64	PGA423	Desktop
<a href="#">Intel Pentium 4 1.50GHz</a>	1	86	228	57.8	PGA423	Desktop
<a href="#">Intel Pentium 4 1.60GHz</a>	1	84	225	38	PGA478	Desktop
<a href="#">Intel Pentium 4 1400MHz</a>	1	83	180	54.7	PGA423	Desktop
<a href="#">Intel Pentium 4 1500MHz</a>	1	81	223	57.8	PGA423	Desktop
<a href="#">VIA Eden 1000MHz</a>	1	80	83	5	NanoBGA2	Laptop
<a href="#">Intel Pentium 4 1300MHz</a>	1	77	203	51.6	PGA423	Desktop

Showing 1 to 3,829 of 3,829 entries

[Previous](#) **1** [Next](#)**Notes:**<sup>1</sup> Price is obtained from our affiliates. '\*' after the price denotes the last seen price for products that are no longer available.<sup>2</sup> CPU Value is calculated by taking CPU Mark / Price.

<sup>3</sup> Single Thread Value is calculated by taking Single Thread CPU Mark / Price.

<sup>4</sup> Power Performance is calculated by taking CPU Mark / TDP.

<sup>5</sup> Test Date is the date of our first benchmark submission.

## Software

[BurnInTest](#)

[PerformanceTest](#)

[QSForensics](#)

[MemTest86](#)

[WirelessMon](#)

[Zoom Search  
Engine](#)

[Free Software](#)

## Hardware

[USB3.0](#)

[Loopback  
Plugs](#)

[USB2.0](#)

[Loopback  
Plugs](#)

[PCIe Test  
Cards](#)

[USB Power  
Delivery  
Tester](#)

[Serial and  
Parallel  
Loopback  
Plugs](#)

[USB Short  
Circuit  
Testers](#)

## Benchmarks

[CPU  
Benchmarks](#)

[Video Card  
Benchmarks](#)

[Hard Drive  
Benchmarks](#)

[RAM  
Benchmarks](#)

[PC Systems  
Benchmarks](#)

[Android  
Benchmarks](#)

[iOS /  
iPhone  
Benchmarks](#)

[Software  
Marketshare](#)

[Internet  
Bandwidth](#)

## About Us

[Company](#)

[Contact Us](#)

[The Press  
Room](#)

## Services

[Store](#)

[Support](#)

[Forums](#)

## International

[Disclaimer](#)

[Refunds](#)

[Privacy](#)

[Social](#)



