

Adres	Grupa czynn.	Pow.		St. trud	So,Md	Sw	Jd,Dg	RAZEM igl	Db Js Kl	Bk Wz Jw	Gb	Brz	Ol	OsTpWb Li in	RAZEM liść	OGÓLEM	Drobnica	
		Manip	Odn														igl.	liść.
2-09- - -	PTP	.00	.00	3	180	290	-	470	-	-	-	-	-	-	-	470	-	-
2-09- - -	PTW	.00	.00	4	70	-	-	70	-	-	-	-	-	-	-	70	-	-
2-09- - -	PR	.00	.00	3	60	80	-	140	-	-	-	-	-	-	-	140	-	-
2-09-4 -a -00	TPP	4.76	4.76	3	92	-	-	92	-	-	-	-	-	-	-	92	2	-
2-09-5 -b -00	IB	.33	.33	3	17	-	-	17	1	-	-	-	-	-	1	18	-	-
2-09-5 -b -00	TPP	.55	.55	3	2	-	-	2	-	-	-	-	-	-	-	2	-	-
2-09-5 -c -00	IB	.51	.51	2	88	-	-	88	4	-	-	-	-	4	8	96	2	-
2-09-5 -c -00	TPP	1.18	1.18	3	3	-	-	3	-	-	-	-	-	-	-	3	-	-
2-09-5 -f -00	TPN	4.08	4.08	3	7	-	-	7	-	-	-	-	-	-	-	7	-	-
2-09-5 -f -00	IB	.09	.09	1	-	-	-	-	2	-	-	-	21	1	24	24	-	-
2-09-5 -g -00	IB	.98	.98	2	212	4	-	216	8	1	1	-	2	-	12	228	4	-
2-09-8 -k -00	TPP	2.90	2.90	3	65	5	-	70	-	-	-	-	-	-	-	70	-	-
2-09-8 -l -00	TPP	3.37	3.37	3	48	4	-	52	-	-	-	-	-	-	-	52	3	-
2-09-8A -j -00	TPP	4.99	4.99	3	41	6	-	47	1	-	-	1	1	-	3	50	-	-
2-09-13 -b -00	TPP	1.52	1.52	3	43	-	-	43	-	-	-	-	-	-	-	43	-	-
2-09-13 -f -00	TWP	1.39	1.39	4	12	-	-	12	1	-	-	2	3	-	6	18	1	-
2-09-22A -a -00	CP-P	2.20	2.20	4	2	-	-	2	-	-	-	2	-	-	2	4	-	-
2-09-30 --a -00	UPRZPOZ	.00	.00	2	2	-	-	3	-	-	-	-	-	1	1	4	-	-
2-09-31 -a -00	IIIA	5.63	1.69	2	326	68	-	394	8	-	16	7	7	-	38	432	17	1
2-09-31 -a -00	TPP	4.58	4.58	3	6	-	-	6	-	-	-	-	-	-	-	6	-	-
2-09-33 -d -00	IIIA	1.56	.47	2	-	4	-	4	-	-	1	36	38	10	85	89	-	2
2-09-40 -g -00	IB	2.35	2.35	2	19	46	-	65	4	-	-	162	-	-	166	231	-	3
2-09-43 -i -00	TPP	1.24	1.24	3	28	-	-	28	-	-	-	-	-	-	-	28	-	-
2-09-43 -j -00	TPP	2.67	2.67	3	61	2	-	63	-	-	-	-	-	-	-	63	-	-
2-09-47 -i -00	TWP	.46	.46	4	-	-	-	-	-	-	-	2	3	-	5	5	-	-
2-09-48 -a -00	IB	2.06	2.06	2	446	172	-	618	3	-	-	-	-	-	3	631	9	-
2-09-48 -b -00	TWP	6.38	6.38	4	180	17	-	197	-	-	-	3	-	-	3	200	-	-
2-09-48 -c -00	TPP	1.98	1.98	3	20	7	-	27	-	-	-	-	-	-	-	27	-	-
2-09-48 -g -00	TPP	.79	.79	3	7	5	-	12	-	-	-	-	-	-	-	12	-	-
2-09-49 -c -00	TPP	5.90	5.90	3	98	12	-	110	-	-	-	-	-	-	-	110	-	-
2-09-49 -f -00	TWP	2.94	2.94	3	-	34	-	34	13	-	-	-	-	-	13	47	-	-
2-09-49 -g -00	TPP	2.19	2.19	3	43	9	-	52	-	-	-	3	-	-	3	55	-	-
2-09-49 -h -00	TWP	.41	.41	4	-	5	-	5	-	-	-	-	-	-	-	5	-	-
2-09-51 -b -00	TPP	3.09	3.09	3	23	-	-	23	-	-	-	-	-	-	-	23	-	-
2-09-51 -d -00	TPP	4.20	4.20	3	12	9	-	21	-	-	-	-	-	-	-	21	2	-
2-09-52 -a -00	TPP	.97	.97	3	9	4	-	13	-	-	-	-	-	-	-	13	-	-
2-09-226 -d -00	TWP	.74	.74	4	4	3	-	7	-	-	-	-	-	-	-	7	-	-
2-09-226 -f -00	CP-P	.40	.40	4	-	-	-	-	-	-	-	-	2	-	2	2	-	-
2-09-227 -d -00	TWP	2.39	2.39	4	9	8	-	17	-	-	-	-	-	-	-	17	-	-
2-09-227 -f -00	TWP	3.60	3.60	3	12	2	-	14	-	-	-	-	-	-	-	14	2	-
2-09-227 -g -00	TWP	1.96	1.96	4	5	3	-	8	1	-	-	-	-	-	1	9	-	-
2-09-227 -j -00	TWP	.49	.49	4	4	-	-	4	-	-	-	-	-	-	-	4	-	-
2-10- - -	PTW	.00	.00	4	60	80	-	140	-	-	-	-	-	-	-	140	-	-
2-10- - -	PTP	.00	.00	3	350	240	-	590	40	-	-	40	20	20	120	720	-	-
2-10- - -	PR	.00	.00	3	160	130	-	290	10	-	-	45	15	-	70	360	-	-
2-10-231 -a -00	IIIB	5.67	1.70	3	77	102	-	179	3	-	42	154	-	45	244	423	8	26
2-10-231 -d -00	IIIB	.66	.20	3	56	25	-	81	1	-	5	1	-	-	7	88	-	1
2-10-234 -a -00	TPP	1.03	1.03	3	15	-	-	15	-	-	-	8	-	-	8	23	-	-
2-10-235 -c -00	TPP	8.72	8.72	3	55	-	-	55	-	-	-	43	-	-	43	98	-	-
2-10-236 -a -00	TPP	7.16	7.16	3	80	25	-	105	-	-	-	5	-	-	5	110	-	-
2-10-236 -c -00	TPP	1.16	1.16	3	15	-	-	15	-	-	-	-	-	-	-	15	2	-
2-10-237 -i -00	TPP	2.00	2.00	3	-	14	-	14	16	-	-	18	-	1	35	49	-	2
2-10-237 -j -00	TPP	.58	.58	3	5	6	-	11	-	-	-	5	-	-	5	16	-	-
2-10-237 -l -00	TPP	1.15	1.15	3	-	7	-	7	15	-	-	5	-	-	20	27	-	1
2-10-238 -a -00	TPP	1.79	1.79	3	-	15	-	15	-	-	-	15	-	-	15	30	-	-
2-10-238 -b -00	TPP	3.18	3.18	3	55	25	-	80	3	-	-	-	-	-	3	83	1	-
2-10-242 -o -00	IIIB	2.31	.69	3	156	10	-	166	29	-	-	9	-	2	40	206	16	6
2-10-247 -a -00	IIIB	4.29	1.29	3	-	46	-	46	11	-	74	39	53	15	192	238	-	26
2-10-248 -c -00	TPP	9.65	9.65	3	110	25	-	135	-	-	-	-	-	-	-	135	-	-
2-10-248 -i -00	TPP	.16	.16	3	2	-	-	2	-	-	-	-	-	-	-	2	-	-
2-10-253 -f -00	IIIA	1.51	.45	2	81	43	-	124	9	-	-	21	-	3	33	157	8	4
2-10-257 -g -00	TWP	.74	.74	3	1	5	-	6	-	-	-	-	5	-	5	11	-	-
2-10-257 -k -00	TPP	.86	.86	3	12	-	-	12	-	-	-	-	-	-	-	12	-	-
2-10-257 -l -00	TPP	.59	.59	3	20	-	-	20	-	-	-	-	-	-	-	20	-	-
2-11- - -	PR	.00	.00	3	185	445	-	630	34	-	-	-	-	-	34	674	10	5
2-11- - -	PTP	.00	.00	3	220	480	-	700	35	-	-	-	-	-	35	735	10	10
2-11- - -	PTW	.00	.00	4	90	90	-	180	-	-	-	-	-	-	-	180	10	-
2-11-61 -h -00	TPP	2.36	2.36	3	47	10	-	57	3	-	-	-	-	2	5	62	3	-
2-11-61 -i -00	TPP	1.22	1.22	3	33	2	-	35	-	-	-	2	-	-	2	37	2	-
2-11-62 -g -00	TPP	1.61	1.61	3	17	-	-	17	3	-	-	-	-	-	3	20	1	-
2-11-62 -m -00	TWP	1.13	1.13	4	7	5	-	12	-	-	-	-	-	-	-	12	1	-
2-11-62 -s -00	TPP	.50	.50	3	8	-	-	8	-	-	-	-	-	1	1	9	1	-
2-11-62 -x -00	TPP	.59	.59	3	6	2	-	8	-	-	-	5	-	4	9	17	1	1
2-11-63 -j -00	TPP	.55	.55	3	10	-	-	10	-	-	-	-	-	-	-	10	1	-
2-11-65 -c -00	IB	2.39	2.39	1	1019	1	-	1020	28	-	13	-	-	43	84	1114	31	2
2-11-65 -f -00	IB	3.03	3.03	1	645	61	-	706	52	-	2	41	-	48	143	859	17	4
2-11-66 -f -00	TPP	3.28	3.28	3	45	10	-	55	5	-	-	10	-	-	15	70	3	-
2-11-69 -a -00	TPP	5.78	5.78	3	88	20	-	108	12	-	-	-	-	-	12	120	2	-
2-11-69 -d -00	TWP	4.09	4.09	3	50	15	-	65	3	-	-	12	-	-	15	80	3	-
2-11-69 -f -00	TPP	1.59	1.59	3	15	15	-	30	5	-	-	-	-	-	5	35	2	-
2-11-70 -b -00	TPP	2.00	2.00	3	30	-	-	30	-	-	-	-	-	-	-	30	2	-
2-11-70 -f -00	TPP	4.37	4.37	3	80	5	-	85	-	-	-	-	-	-	8	93	4	-
2-11-70 -g -00	TPP	5.05	5.05	3	75	20	-	95	10	-	-	5	-	-	15	110	3	1
2-11-71 -b -00	TPP	.49	.49	3	12	-	-	12	-	-	-	3	-	-	3	15	1	-
2-11-71 -c -00	TPP	3.34	3.34	3	70	-	-	70	-	-	-	-	-	-	-	70	3	-
2-11-71 -f -00	TPP	4.93	4.93	3	90	-	-	90	-	-	-	10	-	-	10	100	4	-
2-11-73 -b -00	CP-P	.90	.90	4	10	-	-	10	-	-	-	2	-	-	2	12	2	1
2-11-73 -d -00	TPP	3.93	3.93	3	60	-	-	60	-	-	-	3	-	-	3	63	3	-
2-11-76 -f -00	TPP	2.56	2.56	3	-	15	-	15	-	-	10	15	-	-	25	40	-	2
2-11-76 -g -00	TPP	3.28	3.28	3	25	19	-	44	5	-	-	6	-	-	11	55	4	-
2-11-91 -a -00	IIIAU	4.27	2.80	2	1254	334	-	1588	2	-	10	4	-	-	16	1614	36	1
2-11-106 -d -01	IIIAU	2.22	1.70	2	288	-	-	288	5	-	112	-	-	-	117	405	9	

2-12-113	-d	-00	TWP	7.26	7.26	4	170	30	-	200	-	-	-	-	5	-	-	5	205	4	-
2-12-114	-b	-00	TPP	1.29	1.29	3	26	6	-	32	-	-	-	-	-	-	-	-	32	-	-
2-12-114	-d	-00	TPP	4.90	4.90	3	131	15	-	146	-	-	-	-	-	-	-	-	146	-	-
2-12-117	-j	-00	TWP	1.51	1.51	3	-	13	-	13	-	-	-	-	14	8	-	22	35	-	1
2-12-128	-k	-00	TWP	.94	.94	4	22	6	-	28	-	-	-	-	3	-	-	3	31	-	-
2-12-131	-c	-00	TPP	15.50	15.50	3	170	30	-	200	-	-	-	-	-	-	-	-	200	6	-
2-12-144	-b	-00	TWP	1.23	1.23	4	30	6	-	36	-	-	-	-	-	-	-	-	36	-	-
2-12-144	-c	-00	TWP	4.37	4.37	4	57	46	-	103	-	-	-	-	5	-	-	5	108	-	-
2-13-	-	-	PTP	.00	.00	3	160	215	-	375	46	-	-	-	55	-	-	101	476	10	10
2-13-	-	-	PTW	.00	.00	4	25	25	-	50	-	-	-	-	5	-	-	5	55	-	-
2-13-	-	-	PR	.00	.00	3	80	110	-	190	15	-	-	-	27	-	-	42	232	5	-
2-13-150	-a	-00	TPP	4.50	4.50	3	46	20	-	66	-	-	-	-	33	-	-	33	99	-	-
2-13-151	-a	-00	TPP	5.54	5.54	3	75	12	-	87	-	-	-	-	18	-	-	18	105	-	-
2-13-153	-c	-00	TPP	5.26	5.26	3	60	10	-	70	8	-	-	-	7	-	-	15	85	-	-
2-13-154	-c	-00	TWP	1.26	1.26	4	12	6	-	18	-	-	-	-	4	3	-	7	25	-	-
2-13-159	-a	-00	TPN	12.26	12.26	3	215	32	-	247	-	-	-	-	21	-	-	21	268	-	-
2-13-160	-d	-00	IIIA	5.66	1.70	2	564	39	-	603	1	-	-	-	-	-	-	4	617	28	-
2-13-166	-i	-00	TPP	1.08	1.08	3	15	2	-	17	-	-	-	-	5	-	-	5	22	-	-
2-13-166	-p	-00	TPP	.40	.40	4	6	-	-	6	-	-	-	-	-	-	-	-	6	-	-
2-13-166A	-h	-00	TPP	.16	.16	3	-	-	-	-	1	-	-	-	2	-	-	4	7	-	-
2-13-168	-a	-00	TPP	6.24	6.24	3	60	30	-	90	6	-	-	-	55	-	-	5	66	156	-
2-13-171	-d	-00	TWP	1.20	1.20	4	10	4	-	14	5	-	-	-	8	-	-	13	27	-	-
2-13-171	--c	-00	DRZEW	.00	.00	3	4	-	-	4	-	-	-	-	-	-	-	-	4	-	-
2-13-174	-h	-00	TPP	12.67	12.67	3	120	30	-	150	20	-	-	5	45	-	-	70	220	-	-
2-13-177	-h	-00	IB	3.44	3.44	1	683	45	-	728	71	-	-	2	7	-	-	3	83	821	34
2-13-178	-b	-00	IB	2.63	2.63	1	673	100	-	773	12	-	-	1	7	-	-	20	793	34	1
2-13-200	-b	-00	TPP	9.31	9.31	3	118	30	-	148	15	-	-	-	51	-	-	66	214	-	-
2-14-	-	-	PTP	.00	.00	3	170	280	-	450	65	-	-	-	25	-	-	90	540	-	-
2-14-	-	-	PR	.00	.00	3	100	255	-	355	55	-	-	-	-	-	-	55	410	-	-
2-14-	-	-	PTW	.00	.00	4	60	120	-	180	-	-	-	-	-	-	-	-	180	-	-
2-14-206	-g	-00	TWP	1.33	1.33	4	6	10	-	16	-	-	-	3	-	-	6	9	25	-	-
2-14-218	-a	-00	IIIB	6.37	1.91	3	496	49	-	545	114	-	-	3	-	-	20	137	682	10	2
2-14-219	-f	-00	IVD	2.46	.74	2	221	20	-	241	16	-	-	4	6	-	38	64	305	4	-
2-14-304	-c	-01	CP-P	4.67	4.67	4	-	-	-	-	19	-	-	2	-	-	-	25	25	-	-
2-14-304	-c	-99	CP-P	5.42	5.42	4	-	-	-	-	35	-	-	4	-	-	2	41	41	-	-
2-14-307	-a	-00	IIIB	2.68	.80	2	248	3	-	251	37	-	-	31	2	-	46	116	367	-	1
2-14-307	-b	-00	IIIB	6.16	1.85	3	419	15	-	434	233	-	-	186	-	-	19	440	884	8	4
Ogółem																			26567		