

# CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

## CPU Mega List

Below is a list of all single socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

### Single CPU Systems *Last Updated: 23rd of March 2022*

Columns

Show All ▼ entries

| CPU Name<br><input type="text" value="Search..."/> | Cores | CPU Mark         |   | Thread Mark      |   | TDP (W)          |   | Socket  | Category        |
|--|-------|------------------|---|------------------|---|------------------|---|---------|-----------------|
|  |       | Min...<br>Max... | - | Min...<br>Max... | - | Min...<br>Max... | - |         |                 |
| <a href="#">06/8c</a>                              | 8     | 5,040            |   | 2,680            |   | NA               |   | Unknown | Mobile/Embedded |
| <a href="#">06/8e</a>                              | 8     | 3,848            |   | 2,388            |   | NA               |   | Unknown | Mobile/Embedded |
| <a href="#">06/9c</a>                              | 4     | 3,191            |   | 1,439            |   | NA               |   | Unknown | Mobile/Embedded |
| <a href="#">15/70</a>                              | 2     | 1,085            |   | 878              |   | NA               |   | Unknown | Unknown         |
| <a href="#">AArch64 rev 0 (aarch64)</a>            | 8     | 2,672            |   | 1,082            |   | NA               |   | Unknown | Unknown         |
| <a href="#">AArch64 rev 1 (aarch64)</a>            | 8     | 2,385            |   | 1,045            |   | NA               |   | Unknown | Unknown         |
| <a href="#">AArch64 rev 2 (aarch64)</a>            | 8     | 2,226            |   | 948              |   | NA               |   | Unknown | Unknown         |
| <a href="#">AArch64 rev 4 (aarch64)</a>            | 8     | 1,684            |   | 642              |   | NA               |   | Unknown | Unknown         |
| <a href="#">AC8257V/WAB</a>                        | 8     | 707              |   | 443              |   | NA               |   | Unknown | Unknown         |
| <a href="#">AMD 3015Ce</a>                         | 2     | 2,096            |   | 1,342            |   | 6                |   | FT5     | Mobile/Embedded |
| <a href="#">AMD 3015e</a>                          | 2     | 2,703            |   | 1,391            |   | 6                |   | Unknown | Laptop          |
| <a href="#">AMD 3020e</a>                          | 2     | 2,492            |   | 1,428            |   | 6                |   | Unknown | Laptop          |
| <a href="#">AMD 4700S</a>                          | 8     | 18,225           |   | 2,402            |   | NA               |   | Unknown | Desktop         |
| <a href="#">AMD A10 Micro-6700T APU</a>            | 4     | 1,345            |   | 700              |   | 5                |   | FT3b    | Laptop          |
| <a href="#">AMD A10 PRO-7350B APU</a>              | 4     | 1,910            |   | 911              |   | 19               |   | FP3     | Laptop          |
| <a href="#">AMD A10 PRO-7800B APU</a>              | 2     | 3,184            |   | 1,502            |   | 65               |   | FM2+    | Desktop         |
| <a href="#">AMD A10 PRO-7850B APU</a>              | 2     | 3,458            |   | 1,587            |   | 95               |   | FM2+    | Desktop         |
| <a href="#">AMD A10-4600M APU</a>                  | 2     | 1,918            |   | 1,065            |   | 35               |   | FS1r2   | Laptop          |
| <a href="#">AMD A10-4655M APU</a>                  | 2     | 1,637            |   | 909              |   | 25               |   | FP2     | Laptop          |
| <a href="#">AMD A10-4657M APU</a>                  | 4     | 1,759            |   | 940              |   | 35               |   | FP2     | Laptop          |
| <a href="#">AMD A10-5700 APU</a>                   | 2     | 2,731            |   | 1,438            |   | 65               |   | FM2     | Desktop         |
| <a href="#">AMD A10-5745M APU</a>                  | 4     | 1,750            |   | 991              |   | 25               |   | FP2     | Laptop          |
| <a href="#">AMD A10-5750M APU</a>                  | 4     | 1,902            |   | 1,090            |   | 35               |   | FS1r2   | Laptop          |
| <a href="#">AMD A10-5757M APU</a>                  | 4     | 1,997            |   | 1,195            |   | 35               |   | FP2     | Laptop          |
| <a href="#">AMD A10-5800B APU</a>                  | 2     | 2,897            |   | 1,526            |   | 100              |   | FM2     | Desktop         |

| CPU Name                               | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket       | Category |
|--|-------|----------------------|-------------------------|---------------------|--------------|----------|
| <a href="#">AMD A10-5800K APU</a>      | 2     | 3,124                | 1,569                   | 100                 | FM2          | Desktop  |
| <a href="#">AMD A10-6790K APU</a>      | 2     | 2,824                | 1,513                   | 100                 | FM2          | Desktop  |
| <a href="#">AMD A10-6800B APU</a>      | 2     | 3,143                | 1,605                   | 100                 | FM2          | Desktop  |
| <a href="#">AMD A10-6800K APU</a>      | 2     | 3,143                | 1,605                   | 100                 | FM2          | Desktop  |
| <a href="#">AMD A10-7300 APU</a>       | 4     | 1,708                | 842                     | 19                  | FP3          | Laptop   |
| <a href="#">AMD A10-7400P</a>          | 4     | 2,093                | 1,060                   | 35                  | FP3          | Laptop   |
| <a href="#">AMD A10-7700K APU</a>      | 2     | 3,151                | 1,422                   | 95                  | FM2+         | Desktop  |
| <a href="#">AMD A10-7800 APU</a>       | 2     | 3,136                | 1,449                   | 65                  | FM2+         | Desktop  |
| <a href="#">AMD A10-7850K APU</a>      | 2     | 3,381                | 1,515                   | 95                  | FM2+         | Desktop  |
| <a href="#">AMD A10-7860K</a>          | 2     | 3,326                | 1,536                   | 65                  | FM2+         | Desktop  |
| <a href="#">AMD A10-7870K</a>          | 2     | 3,471                | 1,499                   | 95                  | FM2+         | Desktop  |
| <a href="#">AMD A10-7890K</a>          | 2     | 3,512                | 1,589                   | 95                  | FM2+         | Desktop  |
| <a href="#">AMD A10-8700P</a>          | 2     | 2,259                | 1,150                   | 35                  | FP4          | Laptop   |
| <a href="#">AMD A10-8750</a>           | 2     | 3,320                | 1,554                   | 65                  | FM2+         | Desktop  |
| <a href="#">AMD A10-8850</a>           | 2     | 3,525                | 1,624                   | NA                  | Unknown      | Desktop  |
| <a href="#">AMD A10-9600P</a>          | 4     | 2,221                | 1,069                   | 15                  | FP4          | Laptop   |
| <a href="#">AMD A10-9620P</a>          | 4     | 2,512                | 1,282                   | 15                  | Unknown      | Laptop   |
| <a href="#">AMD A10-9630P</a>          | 4     | 2,899                | 1,355                   | 35                  | FP4          | Laptop   |
| <a href="#">AMD A10-9700</a>           | 4     | 3,541                | 1,616                   | 65                  | AM4          | Desktop  |
| <a href="#">AMD A10-9700E</a>          | 4     | 2,947                | 1,413                   | 35                  | AM4          | Desktop  |
| <a href="#">AMD A12-9700P</a>          | 4     | 2,422                | 1,188                   | 15                  | FP4          | Laptop   |
| <a href="#">AMD A12-9720P</a>          | 4     | 2,604                | 1,329                   | 15                  | FP4          | Laptop   |
| <a href="#">AMD A12-9730P</a>          | 4     | 3,172                | 1,487                   | 35                  | FP4          | Laptop   |
| <a href="#">AMD A12-9800</a>           | 2     | 3,428                | 1,601                   | 65                  | AM4          | Desktop  |
| <a href="#">AMD A12-9800E</a>          | 4     | 3,447                | 1,604                   | 35                  | AM4          | Desktop  |
| <a href="#">AMD A4 Micro-6400T APU</a> | 4     | 1,004                | 530                     | 4.5                 | FT3b         | Laptop   |
| <a href="#">AMD A4 PRO-3340B</a>       | 4     | 1,652                | 657                     | 25                  | BGA769 (FT3) | Laptop   |
| <a href="#">AMD A4 PRO-7300B APU</a>   | 1     | 1,481                | 1,522                   | 65                  | Unknown      | Desktop  |
| <a href="#">AMD A4 PRO-7350B</a>       | 1     | 1,024                | 1,174                   | 65                  | FM2+         | Desktop  |
| <a href="#">AMD A4-1200 APU</a>        | 2     | 445                  | 327                     | 3.9                 | FT3          | Laptop   |
| <a href="#">AMD A4-1250 APU</a>        | 2     | 432                  | 338                     | 8                   | FT3          | Laptop   |
| <a href="#">AMD A4-3300 APU</a>        | 2     | 971                  | 1,026                   | 65                  | FM1          | Desktop  |
| <a href="#">AMD A4-3300M APU</a>       | 2     | 683                  | 766                     | 65                  | FM1          | Laptop   |
| <a href="#">AMD A4-3305M APU</a>       | 2     | 713                  | 813                     | 35                  | FS1          | Laptop   |
| <a href="#">AMD A4-3310MX APU</a>      | 2     | 821                  | 878                     | 45                  | FS1          | Laptop   |
| <a href="#">AMD A4-3320M APU</a>       | 2     | 640                  | 656                     | 35                  | FS1          | Laptop   |
| <a href="#">AMD A4-3330MX APU</a>      | 2     | 765                  | 938                     | 45                  | FS1 uPGA     | Laptop   |
| <a href="#">AMD A4-3400 APU</a>        | 2     | 1,051                | 1,065                   | 65                  | FM1          | Desktop  |
| <a href="#">AMD A4-3420 APU</a>        | 2     | 1,099                | 1,154                   | 65                  | FM1          | Desktop  |
| <a href="#">AMD A4-4000 APU</a>        | 1     | 1,184                | 1,191                   | 65                  | FM2          | Desktop  |
| <a href="#">AMD A4-4020 APU</a>        | 2     | 1,225                | 1,238                   | 65                  | FM2          | Desktop  |
| <a href="#">AMD A4-4300M APU</a>       | 1     | 971                  | 976                     | 35                  | FS1          | Laptop   |
| <a href="#">AMD A4-4355M APU</a>       | 2     | 818                  | 828                     | 17                  | FP2          | Laptop   |
| <a href="#">AMD A4-5000 APU</a>        | 4     | 1,273                | 508                     | 15                  | FT3          | Laptop   |
| <a href="#">AMD A4-5050 APU</a>        | 4     | 1,328                | 538                     | 13.5                | FT3          | Laptop   |
| <a href="#">AMD A4-5100 APU</a>        | 4     | 1,346                | 540                     | 15                  | FT3          | Laptop   |
| <a href="#">AMD A4-5150M APU</a>       | 2     | 1,129                | 1,109                   | 35                  | FS1r2        | Laptop   |
| <a href="#">AMD A4-5300 APU</a>        | 2     | 1,349                | 1,348                   | 65                  | FM2          | Desktop  |
| <a href="#">AMD A4-5300B APU</a>       | 2     | 1,220                | 1,254                   | 65                  | FM2          | Desktop  |

| CPU Name                                     | Cores | CPU Mark                            | Thread Mark                         | TDP (W)                             | Socket | Category |
|--|-------|-------------------------------------|-------------------------------------|-------------------------------------|--------|----------|
| <input type="text" value="AMD A4-6210 APU"/> |       | <input type="text" value="Min..."/> | <input type="text" value="Min..."/> | <input type="text" value="Min..."/> |        |          |

## CPU Benchmarks ▼

|  |   |       |       |     |           |         |
|--|---|-------|-------|-----|-----------|---------|
| <a href="#">AMD A4-6300B APU</a>       | 1 | 1,328 | 1,373 | 65  | Unknown   | Desktop |
| <a href="#">AMD A4-6320 APU</a>        | 1 | 1,563 | 1,550 | 65  | FM2       | Desktop |
| <a href="#">AMD A4-7210 APU</a>        | 4 | 1,674 | 727   | 25  | BGA       | Laptop  |
| <a href="#">AMD A4-7300 APU</a>        | 1 | 1,492 | 1,484 | 65  | FM2       | Desktop |
| <a href="#">AMD A4-9120</a>            | 2 | 1,229 | 1,059 | 15  | BGA       | Laptop  |
| <a href="#">AMD A4-9120C</a>           | 2 | 894   | 953   | 6   | FT4       | Laptop  |
| <a href="#">AMD A4-9120e</a>           | 2 | 899   | 783   | NA  | FT4       | Laptop  |
| <a href="#">AMD A4-9125</a>            | 2 | 1,217 | 1,040 | 15  | BGA (FT4) | Laptop  |
| <a href="#">AMD A6 Micro-6500T APU</a> | 4 | 1,146 | 630   | NA  | Unknown   | Laptop  |
| <a href="#">AMD A6 PRO-7050B APU</a>   | 2 | 1,015 | 884   | 17  | FP3       | Laptop  |
| <a href="#">AMD A6 PRO-7400B</a>       | 1 | 1,641 | 1,494 | 65  | FM2+      | Desktop |
| <a href="#">AMD A6-1450 APU</a>        | 4 | 1,117 | 468   | 8   | FT3       | Laptop  |
| <a href="#">AMD A6-3400M APU</a>       | 4 | 1,221 | 716   | 35  | FS1       | Laptop  |
| <a href="#">AMD A6-3410MX APU</a>      | 4 | 1,152 | 699   | 45  | FS1       | Laptop  |
| <a href="#">AMD A6-3420M APU</a>       | 4 | 1,262 | 786   | 35  | FS1       | Laptop  |
| <a href="#">AMD A6-3430MX APU</a>      | 4 | 1,448 | 822   | 45  | FS1       | Laptop  |
| <a href="#">AMD A6-3500 APU</a>        | 3 | 1,382 | 958   | 65  | FM1       | Desktop |
| <a href="#">AMD A6-3600 APU</a>        | 4 | 1,649 | 896   | 65  | FM1       | Desktop |
| <a href="#">AMD A6-3620 APU</a>        | 4 | 1,830 | 987   | 65  | FM1       | Desktop |
| <a href="#">AMD A6-3650 APU</a>        | 4 | 2,037 | 1,096 | 100 | FM1       | Desktop |
| <a href="#">AMD A6-3670 APU</a>        | 4 | 2,040 | 1,128 | 100 | FM1       | Desktop |
| <a href="#">AMD A6-4400M APU</a>       | 1 | 1,026 | 1,043 | 35  | FS1r2     | Laptop  |
| <a href="#">AMD A6-4455M APU</a>       | 1 | 795   | 788   | 17  | FP2       | Laptop  |
| <a href="#">AMD A6-5200 APU</a>        | 4 | 1,646 | 657   | 25  | FT3       | Laptop  |
| <a href="#">AMD A6-5345M APU</a>       | 2 | 1,122 | 1,094 | 17  | FP2       | Laptop  |
| <a href="#">AMD A6-5350M APU</a>       | 2 | 1,142 | 1,197 | 35  | FS1r2     | Laptop  |
| <a href="#">AMD A6-5357M APU</a>       | 2 | 1,260 | 1,268 | 35  | FP2       | Laptop  |
| <a href="#">AMD A6-5400B APU</a>       | 1 | 1,428 | 1,380 | 65  | FM2       | Desktop |
| <a href="#">AMD A6-5400K APU</a>       | 1 | 1,264 | 1,263 | 65  | FM2       | Desktop |
| <a href="#">AMD A6-6310 APU</a>        | 4 | 1,681 | 753   | 15  | FT3       | Laptop  |
| <a href="#">AMD A6-6400B APU</a>       | 1 | 1,616 | 1,608 | 65  | FM2       | Desktop |
| <a href="#">AMD A6-6400K APU</a>       | 1 | 1,450 | 1,427 | 65  | FM2       | Desktop |
| <a href="#">AMD A6-6420B APU</a>       | 1 | 1,550 | 1,629 | 65  | FM2       | Desktop |
| <a href="#">AMD A6-6420K APU</a>       | 2 | 1,538 | 1,557 | 65  | FM2       | Desktop |
| <a href="#">AMD A6-7000</a>            | 2 | 1,010 | 857   | 17  | FP3       | Laptop  |
| <a href="#">AMD A6-7310 APU</a>        | 4 | 1,751 | 790   | 25  | Unknown   | Laptop  |
| <a href="#">AMD A6-7400K APU</a>       | 2 | 1,598 | 1,426 | 65  | FM2+      | Desktop |
| <a href="#">AMD A6-7470K</a>           | 1 | 1,799 | 1,576 | 65  | FM2+      | Desktop |
| <a href="#">AMD A6-7480</a>            | 2 | 1,931 | 1,638 | 65  | FM2+      | Desktop |
| <a href="#">AMD A6-8500P</a>           | 2 | 1,466 | 1,272 | 15  | BGA (FP4) | Laptop  |
| <a href="#">AMD A6-8550</a>            | 2 | 1,604 | 1,474 | 65  | FM2+      | Desktop |
| <a href="#">AMD A6-9200</a>            | 2 | 1,062 | 925   | 10  | BGA       | Laptop  |
| <a href="#">AMD A6-9210</a>            | 2 | 1,260 | 1,101 | 15  | FP4       | Laptop  |
| <a href="#">AMD A6-9220</a>            | 2 | 1,285 | 1,139 | 15  | Unknown   | Laptop  |
| <a href="#">AMD A6-9220C</a>           | 2 | 1,175 | 1,031 | 6   | FT4       | Laptop  |
| <a href="#">AMD A6-9220e</a>           | 2 | 937   | 819   | NA  | Unknown   | Laptop  |
| <a href="#">AMD A6-9225</a>            | 2 | 1,332 | 1,178 | 15  | BGA (FT4) | Laptop  |
| <a href="#">AMD A6-9230</a>            | 2 | 1,279 | 1,158 | 15  | Unknown   | Desktop |

| CPU Name                             | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket        | Category |
|--------------------------------------|-------|----------------------|-------------------------|---------------------|---------------|----------|
| <a href="#">AMD A8 PRO-7150B APU</a> | 4     | 1,557                | 789                     | 19                  | FP3           | Laptop   |
| <a href="#">AMD A8 PRO-7600B APU</a> | 4     | 2,776                | 1,325                   | 65                  | FM2+          | Desktop  |
| <a href="#">AMD A8-3500M APU</a>     | 4     | 1,308                | 781                     | 35                  | FS1           | Laptop   |
| <a href="#">AMD A8-3510MX APU</a>    | 4     | 1,457                | 826                     | 45                  | FS1           | Laptop   |
| <a href="#">AMD A8-3520M APU</a>     | 4     | 1,395                | 841                     | 35                  | FS1           | Laptop   |
| <a href="#">AMD A8-3530MX APU</a>    | 4     | 1,570                | 933                     | 45                  | FS1           | Laptop   |
| <a href="#">AMD A8-3550MX APU</a>    | 4     | 1,579                | 938                     | 45                  | FS1           | Laptop   |
| <a href="#">AMD A8-3800 APU</a>      | 4     | 1,939                | 1,064                   | 65                  | FM1           | Desktop  |
| <a href="#">AMD A8-3820 APU</a>      | 4     | 2,094                | 1,126                   | 65                  | FM1           | Desktop  |
| <a href="#">AMD A8-3850 APU</a>      | 4     | 2,236                | 1,205                   | 100                 | FM1           | Desktop  |
| <a href="#">AMD A8-3870K APU</a>     | 4     | 2,336                | 1,236                   | 100                 | FM1           | Desktop  |
| <a href="#">AMD A8-4500M APU</a>     | 2     | 1,622                | 887                     | 35                  | FS1r2         | Laptop   |
| <a href="#">AMD A8-4555M APU</a>     | 2     | 1,307                | 788                     | 19                  | FP2           | Laptop   |
| <a href="#">AMD A8-5500 APU</a>      | 2     | 2,573                | 1,332                   | 65                  | FM2           | Desktop  |
| <a href="#">AMD A8-5500B APU</a>     | 2     | 2,703                | 1,389                   | 65                  | FM2           | Desktop  |
| <a href="#">AMD A8-5545M APU</a>     | 4     | 1,604                | 885                     | 19                  | FP2           | Laptop   |
| <a href="#">AMD A8-5550M APU</a>     | 4     | 1,853                | 1,046                   | 35                  | FS1r2         | Laptop   |
| <a href="#">AMD A8-5557M APU</a>     | 4     | 1,774                | 1,084                   | 35                  | FP2           | Laptop   |
| <a href="#">AMD A8-5600K APU</a>     | 2     | 2,795                | 1,414                   | 100                 | FM2           | Desktop  |
| <a href="#">AMD A8-6410 APU</a>      | 4     | 1,773                | 787                     | 15                  | BGA769 (FT3b) | Laptop   |
| <a href="#">AMD A8-6500 APU</a>      | 2     | 2,818                | 1,496                   | 65                  | FM2           | Desktop  |
| <a href="#">AMD A8-6500B APU</a>     | 2     | 2,898                | 1,531                   | 65                  | FM2           | Desktop  |
| <a href="#">AMD A8-6500T APU</a>     | 2     | 1,816                | 1,048                   | 45                  | FM2           | Desktop  |
| <a href="#">AMD A8-6600K APU</a>     | 2     | 2,977                | 1,528                   | 100                 | FM2           | Desktop  |
| <a href="#">AMD A8-7050</a>          | 2     | 1,129                | 890                     | 15                  | Unknown       | Laptop   |
| <a href="#">AMD A8-7100 APU</a>      | 4     | 1,644                | 847                     | 19                  | FP3           | Laptop   |
| <a href="#">AMD A8-7200P</a>         | 4     | 2,135                | 1,092                   | 35                  | FP3           | Laptop   |
| <a href="#">AMD A8-7410 APU</a>      | 4     | 1,801                | 799                     | 25                  | Unknown       | Laptop   |
| <a href="#">AMD A8-7500</a>          | 2     | 3,878                | 1,509                   | 65                  | FM2+          | Desktop  |
| <a href="#">AMD A8-7600 APU</a>      | 2     | 3,207                | 1,450                   | 65                  | FM2+          | Desktop  |
| <a href="#">AMD A8-7650K</a>         | 2     | 3,013                | 1,372                   | 65                  | FM2+          | Desktop  |
| <a href="#">AMD A8-7670K</a>         | 4     | 3,210                | 1,514                   | 95                  | FM2+          | Desktop  |
| <a href="#">AMD A8-7680</a>          | 4     | 3,565                | 1,635                   | 45                  | FM2+          | Laptop   |
| <a href="#">AMD A8-8600P</a>         | 2     | 2,240                | 1,103                   | 15                  | FP4           | Laptop   |
| <a href="#">AMD A8-8650</a>          | 4     | 2,774                | 1,408                   | 65                  | FM2+          | Desktop  |
| <a href="#">AMD A8-9600</a>          | 4     | 3,282                | 1,483                   | 65                  | AM4           | Desktop  |
| <a href="#">AMD A9-9400</a>          | 2     | 1,390                | 1,246                   | 10                  | FP4           | Laptop   |
| <a href="#">AMD A9-9410</a>          | 2     | 1,504                | 1,317                   | 25                  | FP4           | Laptop   |
| <a href="#">AMD A9-9420</a>          | 2     | 1,518                | 1,325                   | 15                  | Unknown       | Laptop   |
| <a href="#">AMD A9-9420e</a>         | 2     | 1,139                | 999                     | NA                  | Unknown       | Laptop   |
| <a href="#">AMD A9-9425</a>          | 2     | 1,535                | 1,344                   | 15                  | BGA (FT4)     | Laptop   |
| <a href="#">AMD A9-9430</a>          | 2     | 1,676                | 1,441                   | NA                  | Unknown       | Desktop  |
| <a href="#">AMD A9-9820</a>          | 8     | 3,662                | 798                     | NA                  | Unknown       | Unknown  |
| <a href="#">AMD Athlon 1500+</a>     | 1     | 191                  | 275                     | NA                  | Unknown       | Unknown  |
| <a href="#">AMD Athlon 1640B</a>     | 1     | 412                  | 462                     | 45                  | AM2           | Desktop  |
| <a href="#">AMD Athlon 200GE</a>     | 2     | 4,132                | 1,816                   | 35                  | AM4           | Desktop  |
| <a href="#">AMD Athlon 220GE</a>     | 2     | 4,471                | 1,986                   | 35                  | AM4           | Laptop   |
| <a href="#">AMD Athlon 240GE</a>     | 2     | 4,551                | 1,986                   | 35                  | AM4           | Desktop  |

| CPU Name   | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket     | Category |
|--|-------|----------------------|-------------------------|---------------------|------------|----------|
| <a href="#">AMD Athlon 2650e</a>                   | 2     | 4,482                | 1,999                   | 35                  | AM4        | Desktop  |
| <a href="#">AMD Athlon 300GE</a>                   | 2     | 4,383                | 1,872                   | 35                  | AM4        | Desktop  |
| <a href="#">AMD Athlon 300U</a>                    | 2     | 4,005                | 1,845                   | 15                  | FP5        | Laptop   |
| <a href="#">AMD Athlon 320GE</a>                   | 2     | 4,237                | 1,810                   | 35                  | AM4        | Desktop  |
| <a href="#">AMD Athlon 5000 Dual-Core</a>          | 2     | 835                  | 892                     | 65                  | AM2,AM2+   | Desktop  |
| <a href="#">AMD Athlon 5150 APU</a>                | 4     | 1,389                | 550                     | 25                  | AM1,FS1b   | Desktop  |
| <a href="#">AMD Athlon 5200 Dual-Core</a>          | 2     | 869                  | 915                     | 75                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 5350 APU</a>                | 4     | 1,738                | 698                     | 25                  | AM1,FS1B   | Desktop  |
| <a href="#">AMD Athlon 5370 APU</a>                | 4     | 1,923                | 755                     | 25                  | AM1,FS1B   | Desktop  |
| <a href="#">AMD Athlon 64 2000+</a>                | 1     | 154                  | 173                     | 8                   | Unknown    | Unknown  |
| <a href="#">AMD Athlon 64 2600+</a>                | 1     | 243                  | 292                     | 15                  | Unknown    | Unknown  |
| <a href="#">AMD Athlon 64 2800+</a>                | 1     | 295                  | 375                     | 89                  | 754        | Unknown  |
| <a href="#">AMD Athlon 64 3000+</a>                | 1     | 303                  | 506                     | 89                  | Socket 754 | Desktop  |
| <a href="#">AMD Athlon 64 3100+</a>                | 1     | 484                  | 600                     | 89                  | 754        | Desktop  |
| <a href="#">AMD Athlon 64 3200+</a>                | 1     | 340                  | 568                     | 62                  | AM2        | Unknown  |
| <a href="#">AMD Athlon 64 3300+</a>                | 1     | 375                  | 477                     | NA                  | Unknown    | Unknown  |
| <a href="#">AMD Athlon 64 3400+</a>                | 1     | 375                  | 429                     | 89                  | 754        | Unknown  |
| <a href="#">AMD Athlon 64 3500+</a>                | 1     | 396                  | 568                     | 45                  | AM2        | Unknown  |
| <a href="#">AMD Athlon 64 3700+</a>                | 1     | 394                  | 435                     | 89                  | 939        | Desktop  |
| <a href="#">AMD Athlon 64 3800+</a>                | 1     | 292                  | 461                     | 45                  | AM2        | Unknown  |
| <a href="#">AMD Athlon 64 4000+</a>                | 1     | 340                  | 565                     | 62                  | AM2        | Unknown  |
| <a href="#">AMD Athlon 64 FX-55</a>                | 1     | 404                  | 505                     | 104                 | 939        | Desktop  |
| <a href="#">AMD Athlon 64 FX-57</a>                | 1     | 517                  | 552                     | 104                 | 939        | Desktop  |
| <a href="#">AMD Athlon 64 FX-59</a>                | 1     | 465                  | 575                     | NA                  | 939        | Desktop  |
| <a href="#">AMD Athlon 64 FX-60 Dual Core</a>      | 2     | 709                  | 912                     | 110                 | 939        | Desktop  |
| <a href="#">AMD Athlon 64 FX-62 Dual Core</a>      | 2     | 943                  | 1,000                   | 125                 | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 FX-74</a>                | 2     | 972                  | 617                     | 125                 | F (1207)   | Desktop  |
| <a href="#">AMD Athlon 64 X2 3800+</a>             | 2     | 566                  | 745                     | 89                  | 939        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>   | 2     | 531                  | 505                     | 89                  | 754        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>   | 2     | 596                  | 686                     | 65                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>   | 2     | 611                  | 723                     | 89                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>   | 2     | 647                  | 724                     | 65                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>   | 2     | 662                  | 781                     | 89                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>   | 2     | 674                  | 779                     | 65                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>   | 2     | 716                  | 839                     | 65                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>   | 2     | 722                  | 885                     | 65                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 5000+</a>   | 2     | 760                  | 882                     | 65                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>   | 2     | 813                  | 914                     | 65                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>   | 2     | 876                  | 995                     | 65                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 5600+</a>   | 2     | 911                  | 1,021                   | 89                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>   | 2     | 797                  | 1,008                   | 89                  | Unknown    | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>   | 2     | 919                  | 1,021                   | 89                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core 6400+</a>   | 2     | 967                  | 1,142                   | 125                 | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a> | 2     | 594                  | 624                     | 45                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a> | 2     | 573                  | 674                     | 45                  | AM2        | Desktop  |
| <a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>   | 2     | 577                  | 537                     | 20                  | Unknown    | Unknown  |
| <a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>   | 2     | 535                  | 600                     | 31                  | Unknown    | Unknown  |
| <a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>   | 2     | 525                  | 613                     | 35                  | Unknown    | Unknown  |



| CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks

|  |   |       |       |    |          |         |
|--|---|-------|-------|----|----------|---------|
| <a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a> | 2 | 622   | 732   | 35 | S1       | Laptop  |
| <a href="#">AMD Athlon 64 X2 QL-64</a>           | 2 | 609   | 653   | 35 | S1       | Laptop  |
| <a href="#">AMD Athlon 64 X2 QL-65</a>           | 2 | 641   | 751   | 35 | S1       | Laptop  |
| <a href="#">AMD Athlon 64 X2 QL-66</a>           | 2 | 582   | 515   | 35 | S1       | Laptop  |
| <a href="#">AMD Athlon 64 X2 QL-67</a>           | 2 | 789   | 853   | 95 | AM2+     | Desktop |
| <a href="#">AMD Athlon 7450 Dual-Core</a>        | 2 | 859   | 919   | 95 | AM2+     | Desktop |
| <a href="#">AMD Athlon 7550 Dual-Core</a>        | 2 | 950   | 1,032 | 95 | AM2+     | Desktop |
| <a href="#">AMD Athlon 7750 Dual-Core</a>        | 2 | 1,037 | 1,110 | 95 | AM2+     | Desktop |
| <a href="#">AMD Athlon Dual Core 4050e</a>       | 2 | 616   | 732   | 45 | AM2      | Desktop |
| <a href="#">AMD Athlon Dual Core 4450B</a>       | 2 | 684   | 780   | 45 | AM2+     | Desktop |
| <a href="#">AMD Athlon Dual Core 4450e</a>       | 2 | 698   | 812   | 45 | AM2      | Desktop |
| <a href="#">AMD Athlon Dual Core 4850B</a>       | 2 | 727   | 887   | 45 | AM2+     | Desktop |
| <a href="#">AMD Athlon Dual Core 4850e</a>       | 2 | 735   | 879   | 45 | AM2      | Desktop |
| <a href="#">AMD Athlon Dual Core 5000B</a>       | 2 | 835   | 935   | 65 | AM2      | Desktop |
| <a href="#">AMD Athlon Dual Core 5050e</a>       | 2 | 748   | 875   | 45 | AM2      | Desktop |
| <a href="#">AMD Athlon Dual Core 5200B</a>       | 2 | 796   | 953   | 65 | AM2      | Desktop |
| <a href="#">AMD Athlon Dual Core 5400B</a>       | 2 | 826   | 969   | 65 | AM2      | Desktop |
| <a href="#">AMD Athlon Dual Core 5600B</a>       | 2 | 737   | 1,003 | 65 | AM2+     | Desktop |
| <a href="#">AMD Athlon Gold 3150G</a>            | 4 | 7,002 | 2,308 | 65 | AM4      | Desktop |
| <a href="#">AMD Athlon Gold 3150U</a>            | 2 | 4,042 | 1,785 | 15 | FP5      | Laptop  |
| <a href="#">AMD Athlon Gold PRO 3150G</a>        | 4 | 7,702 | 2,321 | 65 | AM4      | Desktop |
| <a href="#">AMD Athlon Gold PRO 3150GE</a>       | 4 | 7,093 | 2,164 | 35 | AM4      | Desktop |
| <a href="#">AMD Athlon II 160u</a>               | 1 | 358   | 717   | 20 | Unknown  | Desktop |
| <a href="#">AMD Athlon II 170u</a>               | 1 | 357   | 728   | 20 | AM2+,AM3 | Desktop |
| <a href="#">AMD Athlon II Dual-Core M300</a>     | 2 | 631   | 747   | 35 | Unknown  | Unknown |
| <a href="#">AMD Athlon II Dual-Core M320</a>     | 2 | 679   | 827   | 35 | Unknown  | Unknown |
| <a href="#">AMD Athlon II Dual-Core M340</a>     | 2 | 676   | 774   | 35 | Unknown  | Unknown |
| <a href="#">AMD Athlon II N330 Dual-Core</a>     | 2 | 665   | 813   | 35 | Unknown  | Unknown |
| <a href="#">AMD Athlon II N350 Dual-Core</a>     | 2 | 767   | 945   | 35 | Unknown  | Unknown |
| <a href="#">AMD Athlon II N370 Dual-Core</a>     | 2 | 899   | 913   | 35 | S1g4     | Unknown |
| <a href="#">AMD Athlon II Neo K125</a>           | 1 | 302   | 613   | 12 | S1       | Laptop  |
| <a href="#">AMD Athlon II Neo K145</a>           | 1 | 298   | 592   | 12 | S1       | Laptop  |
| <a href="#">AMD Athlon II Neo K325 Dual-Core</a> | 2 | 387   | 472   | 12 | Unknown  | Laptop  |
| <a href="#">AMD Athlon II Neo K345 Dual-Core</a> | 2 | 527   | 552   | 12 | Unknown  | Laptop  |
| <a href="#">AMD Athlon II Neo N36L Dual-Core</a> | 2 | 478   | 521   | 12 | Unknown  | Laptop  |
| <a href="#">AMD Athlon II P320 Dual-Core</a>     | 2 | 675   | 813   | 25 | Unknown  | Unknown |
| <a href="#">AMD Athlon II P340 Dual-Core</a>     | 2 | 699   | 845   | 25 | S1g4     | Unknown |
| <a href="#">AMD Athlon II P360 Dual-Core</a>     | 2 | 711   | 879   | 25 | S1g4     | Unknown |
| <a href="#">AMD Athlon II X2 210e</a>            | 2 | 1,105 | 1,105 | 45 | AM3      | Desktop |
| <a href="#">AMD Athlon II X2 215</a>             | 2 | 957   | 1,040 | 65 | AM3      | Desktop |
| <a href="#">AMD Athlon II X2 220</a>             | 2 | 1,018 | 1,103 | 65 | AM3      | Desktop |
| <a href="#">AMD Athlon II X2 235e</a>            | 2 | 1,049 | 1,107 | 45 | AM3      | Desktop |
| <a href="#">AMD Athlon II X2 240</a>             | 2 | 941   | 1,030 | 65 | AM3      | Desktop |
| <a href="#">AMD Athlon II X2 240e</a>            | 2 | 980   | 1,092 | 45 | AM3      | Desktop |
| <a href="#">AMD Athlon II X2 245</a>             | 2 | 1,010 | 1,107 | 65 | AM2+/AM3 | Desktop |
| <a href="#">AMD Athlon II X2 245e</a>            | 2 | 1,075 | 1,145 | 45 | AM3      | Desktop |
| <a href="#">AMD Athlon II X2 250</a>             | 2 | 1,082 | 1,154 | 65 | AM3      | Desktop |
| <a href="#">AMD Athlon II X2 250e</a>            | 2 | 1,155 | 1,201 | 45 | AM3      | Desktop |

| CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks

|  |   |       |       |     |                |         |
|--|---|-------|-------|-----|----------------|---------|
| <a href="#">AMD Athlon II X2 250u</a>          | 2 | 663   | 703   | 25  | AM3            | Desktop |
| <a href="#">AMD Athlon II X2 265</a>           | 2 | 1,233 | 1,344 | 65  | AM3            | Desktop |
| <a href="#">AMD Athlon II X2 270</a>           | 2 | 1,234 | 1,353 | 65  | AM3            | Desktop |
| <a href="#">AMD Athlon II X2 270u</a>          | 2 | 675   | 791   | 25  | AM3            | Desktop |
| <a href="#">AMD Athlon II X2 280</a>           | 2 | 1,355 | 1,462 | 65  | AM3            | Unknown |
| <a href="#">AMD Athlon II X2 4300e</a>         | 2 | 990   | 1,074 | 13  | Unknown        | Unknown |
| <a href="#">AMD Athlon II X2 4400e</a>         | 2 | 1,059 | 1,121 | 37  | Unknown        | Unknown |
| <a href="#">AMD Athlon II X2 4450e</a>         | 2 | 867   | 1,066 | 45  | AM2            | Desktop |
| <a href="#">AMD Athlon II X2 B22</a>           | 2 | 1,036 | 1,124 | 65  | AM3            | Desktop |
| <a href="#">AMD Athlon II X2 B24</a>           | 2 | 1,073 | 1,206 | 65  | AM3            | Desktop |
| <a href="#">AMD Athlon II X2 B26</a>           | 2 | 1,224 | 1,291 | 65  | Unknown        | Unknown |
| <a href="#">AMD Athlon II X2 B28</a>           | 2 | 1,177 | 1,347 | 65  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 400e</a>          | 3 | 1,320 | 908   | 45  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 405e</a>          | 3 | 1,331 | 973   | 45  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 415e</a>          | 3 | 1,441 | 1,028 | 45  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 420e</a>          | 3 | 1,557 | 1,058 | 45  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 425</a>           | 3 | 1,576 | 1,105 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 435</a>           | 3 | 1,670 | 1,188 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 440</a>           | 3 | 1,693 | 1,210 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 445</a>           | 3 | 1,799 | 1,281 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 450</a>           | 3 | 1,763 | 1,292 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 455</a>           | 3 | 1,832 | 1,343 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X3 460</a>           | 3 | 1,924 | 1,390 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 553</a>           | 4 | 2,418 | 1,204 | NA  | Unknown        | Unknown |
| <a href="#">AMD Athlon II X4 555</a>           | 4 | 2,310 | 1,242 | NA  | Unknown        | Unknown |
| <a href="#">AMD Athlon II X4 557</a>           | 4 | 2,567 | 1,345 | 160 | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 559</a>           | 4 | 2,532 | 1,378 | NA  | Unknown        | Unknown |
| <a href="#">AMD Athlon II X4 600e</a>          | 4 | 1,711 | 913   | 45  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 605e</a>          | 4 | 1,961 | 1,016 | 45  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 610e</a>          | 4 | 1,859 | 1,003 | 45  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 615e</a>          | 4 | 1,967 | 1,037 | 45  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 620</a>           | 4 | 1,914 | 1,052 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 630</a>           | 4 | 2,092 | 1,139 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 631 Quad-Core</a> | 4 | 2,085 | 1,118 | 100 | FM1            | Desktop |
| <a href="#">AMD Athlon II X4 635</a>           | 4 | 2,101 | 1,136 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 638 Quad-Core</a> | 4 | 2,183 | 1,165 | 65  | FM1            | Desktop |
| <a href="#">AMD Athlon II X4 640</a>           | 4 | 2,162 | 1,204 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 641 Quad-Core</a> | 4 | 2,143 | 1,192 | 100 | FM1            | Desktop |
| <a href="#">AMD Athlon II X4 645</a>           | 4 | 2,272 | 1,263 | 95  | AM3            | Desktop |
| <a href="#">AMD Athlon II X4 650</a>           | 4 | 2,440 | 1,329 | 95  | Unknown        | Unknown |
| <a href="#">AMD Athlon II X4 651 Quad-Core</a> | 4 | 2,338 | 1,296 | 100 | FM1            | Unknown |
| <a href="#">AMD Athlon II X4 655</a>           | 4 | 2,078 | 1,473 | 95  | AM2+ (940-pin) | Unknown |
| <a href="#">AMD Athlon L110</a>                | 1 | 197   | 223   | 13  | Unknown        | Unknown |
| <a href="#">AMD Athlon LE-1600</a>             | 1 | 412   | 430   | 45  | AM2            | Desktop |
| <a href="#">AMD Athlon LE-1620</a>             | 1 | 421   | 475   | 45  | AM2            | Desktop |
| <a href="#">AMD Athlon LE-1640</a>             | 1 | 430   | 489   | 45  | AM2            | Desktop |
| <a href="#">AMD Athlon LE-1660</a>             | 1 | 416   | 428   | 45  | AM2            | Desktop |
| <a href="#">AMD Athlon Neo MV-40</a>           | 1 | 282   | 442   | 15  | Unknown        | Unknown |

| CPU Name   | Cores | CPU Mark                            | Thread Mark                         | TDP (W)                             | Socket | Category |
|--|-------|-------------------------------------|-------------------------------------|-------------------------------------|--------|----------|
| <input type="text" value="AMD Athlon Neo X2 Dual Core 6850e"/> |       | <input type="text" value="Min..."/> | <input type="text" value="Min..."/> | <input type="text" value="Min..."/> |        |          |

## CPU Benchmarks ▼

|   |   |       |       |     |                |         |
|---|---|-------|-------|-----|----------------|---------|
| <a href="#">AMD Athlon PRO 200GE</a>            | 2 | 4,139 | 1,821 | 35  | AM4            | Desktop |
| <a href="#">AMD Athlon PRO 300GE</a>            | 2 | 4,475 | 1,917 | 35  | AM4            | Desktop |
| <a href="#">AMD Athlon Silver 3050e</a>         | 2 | 2,930 | 1,460 | 6   | Unknown        | Laptop  |
| <a href="#">AMD Athlon Silver 3050GE</a>        | 2 | 4,545 | 2,016 | 35  | AM4            | Laptop  |
| <a href="#">AMD Athlon Silver 3050U</a>         | 2 | 3,073 | 1,714 | 15  | FP5            | Laptop  |
| <a href="#">AMD Athlon Silver PRO 3125GE</a>    | 2 | 4,633 | 2,074 | 35  | AM4            | Desktop |
|   |   |       |       |     |                |         |
| <a href="#">AMD Athlon TF-20</a>                | 1 | 268   | 269   | 15  | Unknown        | Unknown |
| <a href="#">AMD Athlon TF-36</a>                | 1 | 338   | 349   | 25  | Unknown        | Unknown |
| <a href="#">AMD Athlon X2 215</a>               | 2 | 996   | 1,107 | 65  | Unknown        | Unknown |
| <a href="#">AMD Athlon X2 240</a>               | 2 | 921   | 1,017 | 65  | Unknown        | Unknown |
| <a href="#">AMD Athlon X2 240e</a>              | 2 | 1,015 | 1,092 | 45  | Unknown        | Unknown |
| <a href="#">AMD Athlon X2 250</a>               | 2 | 993   | 1,132 | 65  | Unknown        | Unknown |
| <a href="#">AMD Athlon X2 255</a>               | 2 | 938   | 1,095 | 65  | AM2+/AM3       | Unknown |
| <a href="#">AMD Athlon X2 280</a>               | 2 | 1,327 | 1,258 | 65  | AM3            | Unknown |
| <a href="#">AMD Athlon X2 340 Dual Core</a>     | 2 | 1,315 | 1,301 | 65  | Unknown        | Unknown |
| <a href="#">AMD Athlon X2 370K Dual Core</a>    | 1 | 1,504 | 1,514 | 65  | Unknown        | Unknown |
| <a href="#">AMD Athlon X2 Dual Core 3250e</a>   | 2 | 357   | 458   | 22  | Unknown        | Unknown |
| <a href="#">AMD Athlon X2 Dual Core 6850e</a>   | 2 | 564   | 623   | 22  | Unknown        | Unknown |
| <a href="#">AMD Athlon X2 Dual Core BE-2300</a> | 2 | 570   | 644   | 45  | AM2            | Desktop |
| <a href="#">AMD Athlon X2 Dual Core BE-2350</a> | 2 | 591   | 705   | 45  | AM2            | Desktop |
| <a href="#">AMD Athlon X2 Dual Core BE-2400</a> | 2 | 688   | 693   | 18  | FT1            | Desktop |
| <a href="#">AMD Athlon X2 Dual Core L310</a>    | 2 | 379   | 434   | 13  | S1             | Laptop  |
| <a href="#">AMD Athlon X3 425</a>               | 3 | 1,516 | 845   | 95  | Unknown        | Unknown |
| <a href="#">AMD Athlon X3 435</a>               | 3 | 1,781 | 1,192 | 95  | Unknown        | Unknown |
| <a href="#">AMD Athlon X3 440</a>               | 3 | 1,438 | 1,129 | 95  | Unknown        | Unknown |
| <a href="#">AMD Athlon X3 455</a>               | 3 | 1,783 | 1,227 | 95  | AM2+/AM3       | Unknown |
| <a href="#">AMD Athlon X4 530</a>               | 4 | 1,786 | 690   | 25  | AM1            | Desktop |
| <a href="#">AMD Athlon X4 620</a>               | 4 | 1,810 | 1,033 | 95  | Unknown        | Unknown |
| <a href="#">AMD Athlon X4 640</a>               | 4 | 2,115 | 1,224 | 95  | Unknown        | Unknown |
| <a href="#">AMD Athlon X4 730</a>               | 2 | 1,936 | 562   | 65  | FM2            | Desktop |
| <a href="#">AMD Athlon X4 740 Quad Core</a>     | 2 | 2,655 | 1,356 | 65  | FM2            | Desktop |
| <a href="#">AMD Athlon X4 750 Quad Core</a>     | 4 | 1,986 | 1,338 | 65  | FM2            | Desktop |
| <a href="#">AMD Athlon X4 750K Quad Core</a>    | 2 | 2,769 | 1,443 | 100 | FM2            | Unknown |
| <a href="#">AMD Athlon X4 760K Quad Core</a>    | 2 | 2,941 | 1,521 | 100 | FM2            | Desktop |
| <a href="#">AMD Athlon X4 830</a>               | 2 | 2,901 | 1,292 | 65  | FM2+           | Desktop |
| <a href="#">AMD Athlon X4 840</a>               | 2 | 3,287 | 1,482 | 65  | FM2+           | Desktop |
| <a href="#">AMD Athlon X4 845</a>               | 2 | 3,775 | 1,678 | 65  | FM2+           | Desktop |
| <a href="#">AMD Athlon X4 860K</a>              | 2 | 3,456 | 1,539 | 95  | FM2+           | Desktop |
| <a href="#">AMD Athlon X4 870K</a>              | 2 | 3,384 | 1,545 | 95  | FM2+           | Desktop |
| <a href="#">AMD Athlon X4 880K</a>              | 2 | 3,671 | 1,628 | 95  | FM2+           | Desktop |
| <a href="#">AMD Athlon X4 950</a>               | 4 | 3,559 | 1,652 | 65  | AM4            | Desktop |
| <a href="#">AMD Athlon XP 1500+</a>             | 1 | 167   | 251   | NA  | Unknown        | Unknown |
| <a href="#">AMD Athlon XP 1600+</a>             | 1 | 174   | 265   | NA  | Unknown        | Unknown |
| <a href="#">AMD Athlon XP 1700+</a>             | 1 | 176   | 272   | 64  | Socket A (462) | Desktop |
| <a href="#">AMD Athlon XP 1800+</a>             | 1 | 195   | 301   | 66  | Socket A       | Desktop |
| <a href="#">AMD Athlon XP 1900+</a>             | 1 | 203   | 312   | NA  | Unknown        | Unknown |
| <a href="#">AMD Athlon XP 2000+</a>             | 1 | 195   | 311   | 70  | Socket A       | Desktop |
| <a href="#">AMD Athlon XP 2100+</a>             | 1 | 210   | 327   | NA  | Unknown        | Unknown |



| CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks

|   |   |       |       |      |               |                         |
|---|---|-------|-------|------|---------------|-------------------------|
| <a href="#">AMD Athlon XP 2200+</a>                       | 1 | 242   | 380   | NA   | Unknown       | Unknown                 |
| <a href="#">AMD Athlon XP 2700+</a>                       | 1 | 256   | 398   | NA   | Unknown       | Unknown                 |
| <a href="#">AMD Athlon XP 2800+</a>                       | 1 | 260   | 408   | 89   | 754           | Unknown                 |
| <a href="#">AMD Athlon XP 2900+</a>                       | 1 | 276   | 410   | NA   | Unknown       | Unknown                 |
| <a href="#">AMD Athlon XP 3000+</a>                       | 1 | 262   | 396   | 62   | Socket A      | Desktop                 |
| <a href="#">AMD Athlon XP 3100+</a>                       | 1 | 282   | 431   | NA   | Unknown       | Unknown                 |
| <a href="#">AMD Athlon XP 3200+</a>                       | 1 | 281   | 430   | 62   | AM2           | Unknown                 |
| <a href="#">AMD Athlon XP1600+</a>                        | 1 | 183   | 272   | NA   | Unknown       | Unknown                 |
| <a href="#">AMD Athlon XP2400+</a>                        | 1 | 243   | 390   | NA   | Unknown       | Unknown                 |
| <a href="#">AMD Athlon64 X2 Dual Core 4600+</a>           | 2 | 803   | 755   | 110  | AM2           | Desktop                 |
| <a href="#">AMD C-30</a>                                  | 1 | 178   | 375   | 9    | FT1           | Laptop                  |
| <a href="#">AMD C-50</a>                                  | 2 | 260   | 315   | 9    | FT1           | Laptop                  |
| <a href="#">AMD C-60</a>                                  | 2 | 290   | 354   | 9    | Unknown       | Unknown                 |
| <a href="#">AMD C-60 APU</a>                              | 2 | 309   | 361   | 9    | Unknown       | Unknown                 |
| <a href="#">AMD C-70 APU</a>                              | 2 | 300   | 354   | 9    | Unknown       | Unknown                 |
| <a href="#">AMD E-240</a>                                 | 1 | 182   | 385   | 18   | FT1           | Laptop                  |
| <a href="#">AMD E-300 APU</a>                             | 2 | 356   | 400   | 18   | FT1           | Laptop                  |
| <a href="#">AMD E-350</a>                                 | 2 | 419   | 494   | 18   | FT1           | Desktop, Laptop         |
| <a href="#">AMD E-350 APU</a>                             | 2 | 401   | 482   | 18   | FT1 BGA       | Desktop, Laptop         |
| <a href="#">AMD E-350D APU</a>                            | 2 | 478   | 521   | 18   | Unknown       | Unknown                 |
| <a href="#">AMD E-450 APU</a>                             | 2 | 424   | 501   | 18   | FT1           | Laptop                  |
| <a href="#">AMD E1 Micro-6200T APU</a>                    | 2 | 600   | 498   | 3.95 | FT3b          | Laptop                  |
| <a href="#">AMD E1-1200 APU</a>                           | 2 | 374   | 426   | 18   | FT1           | Laptop                  |
| <a href="#">AMD E1-1500 APU</a>                           | 2 | 390   | 458   | 18   | FT1           | Laptop                  |
| <a href="#">AMD E1-2100 APU</a>                           | 2 | 410   | 329   | 9    | FT3           | Laptop                  |
| <a href="#">AMD E1-2200 APU</a>                           | 2 | 474   | 368   | 9    | FT3           | Laptop                  |
| <a href="#">AMD E1-2500 APU</a>                           | 2 | 596   | 467   | 15   | FT3           | Laptop                  |
| <a href="#">AMD E1-6010 APU</a>                           | 2 | 522   | 419   | 10   | FT3b          | Laptop                  |
| <a href="#">AMD E1-6015 APU</a>                           | 2 | 558   | 440   | NA   | BGA769 (FT3b) | Laptop                  |
| <a href="#">AMD E1-6050J APU</a>                          | 2 | 1,385 | 787   | 10   | Unknown       | Unknown                 |
| <a href="#">AMD E1-7010 APU</a>                           | 2 | 585   | 493   | 10   | BGA769 (FT3b) | Laptop                  |
| <a href="#">AMD E2-1800 APU</a>                           | 2 | 444   | 531   | 18   | FT1           | Desktop                 |
| <a href="#">AMD E2-2000 APU</a>                           | 2 | 501   | 555   | 18   | BGA413,FT1    | Laptop                  |
| <a href="#">AMD E2-3000 APU</a>                           | 2 | 726   | 547   | 15   | FT3           | Laptop                  |
| <a href="#">AMD E2-3000M APU</a>                          | 2 | 665   | 735   | 35   | FS1           | Laptop                  |
| <a href="#">AMD E2-3200 APU</a>                           | 2 | 974   | 954   | 65   | FM1           | Desktop                 |
| <a href="#">AMD E2-3800 APU</a>                           | 4 | 1,124 | 447   | 15   | FT3           | Laptop                  |
| <a href="#">AMD E2-6110 APU</a>                           | 4 | 1,121 | 466   | 15   | AM1,FT3b      | Laptop                  |
| <a href="#">AMD E2-7110 APU</a>                           | 4 | 1,527 | 615   | 15   | FP4 BGA       | Laptop                  |
| <a href="#">AMD E2-9000</a>                               | 2 | 953   | 792   | 10   | Unknown       | Laptop                  |
| <a href="#">AMD E2-9000e</a>                              | 2 | 825   | 727   | 6    | Unknown       | Laptop                  |
| <a href="#">AMD E2-9010</a>                               | 2 | 991   | 871   | 15   | FP4           | Laptop                  |
| <a href="#">AMD E2-9030</a>                               | 2 | 922   | 906   | NA   | BGA (FT4)     | Desktop                 |
| <a href="#">AMD Embedded G-Series GX-215JJ Radeon R2E</a> | 2 | 1,057 | 869   | 10   | FP4           | Laptop, Mobile/Embedded |
| <a href="#">AMD Embedded G-Series GX-224IJ Radeon R4E</a> | 2 | 1,271 | 1,119 | 15   | FP4           | Laptop, Mobile/Embedded |
| <a href="#">AMD Embedded G-Series GX-420GI Radeon R7F</a> | 4 | 1,561 | 854   | 16.1 | FP4           | Laptop, Mobile/Embedded |

| CPU Name | Cores | CPU Mark | Thread Mark | TDP (W) | Socket | Category |
|----------|-------|----------|-------------|---------|--------|----------|
|----------|-------|----------|-------------|---------|--------|----------|

[Home](#) CPU Benchmarks ▼

|  |    |        |       |     |           |                         |
|--|----|--------|-------|-----|-----------|-------------------------|
| <a href="#">AMD Embedded R-Series RX-216GD</a> | 4  | 3,302  | 1,477 | 33  | BGA (FP4) | Laptop, Mobile/Embedded |
| <a href="#">AMD EPYC 3101 4-Core</a>           | 4  | 6,050  | 1,787 | NA  | Unknown   | Unknown                 |
| <a href="#">AMD EPYC 3201</a>                  | 8  | 10,258 | 1,928 | 30  | SP4r2     | Server                  |
| <a href="#">AMD EPYC 3251</a>                  | 8  | 13,965 | 1,872 | 50  | SP4r2     | Server                  |
| <a href="#">AMD EPYC 7232P</a>                 | 8  | 17,017 | 1,549 | 120 | SP3       | Server                  |
| <a href="#">AMD EPYC 7251</a>                  | 8  | 14,935 | 1,671 | 120 | SP3       | Server                  |
| <a href="#">AMD EPYC 7252</a>                  | 8  | 19,550 | 1,992 | 120 | SP3       | Server                  |
| <a href="#">AMD EPYC 7262</a>                  | 8  | 20,875 | 2,015 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7272</a>                  | 12 | 26,446 | 2,013 | 120 | SP3       | Server                  |
| <a href="#">AMD EPYC 7281</a>                  | 16 | 21,230 | 1,613 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7282</a>                  | 16 | 31,631 | 1,987 | 120 | SP3       | Server                  |
| <a href="#">AMD EPYC 7301</a>                  | 16 | 14,991 | 1,363 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7302</a>                  | 16 | 33,015 | 1,978 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7302P</a>                 | 16 | 32,480 | 1,878 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7313</a>                  | 16 | 40,575 | 2,610 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7313P</a>                 | 16 | 40,494 | 2,572 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7343</a>                  | 16 | 45,882 | 2,947 | 190 | SP3       | Server                  |
| <a href="#">AMD EPYC 7351</a>                  | 16 | 23,566 | 1,821 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7351P</a>                 | 16 | 25,484 | 1,809 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7352</a>                  | 24 | 40,472 | 1,995 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7371</a>                  | 16 | 31,094 | 2,377 | NA  | SP3       | Server                  |
| <a href="#">AMD EPYC 73F3</a>                  | 16 | 46,085 | 2,878 | 240 | SP3       | Server                  |
| <a href="#">AMD EPYC 7401P</a>                 | 24 | 31,767 | 1,834 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7402</a>                  | 24 | 51,368 | 2,081 | 180 | SP3       | Server                  |
| <a href="#">AMD EPYC 7402P</a>                 | 24 | 41,741 | 1,970 | 180 | SP3       | Server                  |
| <a href="#">AMD EPYC 7413</a>                  | 24 | 46,295 | 1,983 | 180 | SP3       | Server                  |
| <a href="#">AMD EPYC 7443P</a>                 | 24 | 57,711 | 2,965 | 200 | SP3       | Server                  |
| <a href="#">AMD EPYC 7451</a>                  | 24 | 20,471 | 1,975 | 180 | SP3       | Server                  |
| <a href="#">AMD EPYC 7452</a>                  | 32 | 41,871 | 1,689 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7453</a>                  | 28 | 53,511 | 2,580 | 225 | SP3       | Server                  |
| <a href="#">AMD EPYC 74F3</a>                  | 24 | 60,948 | 2,975 | 240 | SP3       | Server                  |
| <a href="#">AMD EPYC 7501</a>                  | 32 | 24,925 | 1,925 | 155 | SP3       | Server                  |
| <a href="#">AMD EPYC 7502</a>                  | 32 | 49,177 | 1,843 | 180 | SP3       | Server                  |
| <a href="#">AMD EPYC 7502P</a>                 | 32 | 48,571 | 1,887 | 180 | SP3       | Server                  |
| <a href="#">AMD EPYC 7513</a>                  | 32 | 59,732 | 2,447 | 200 | SP3       | Server                  |
| <a href="#">AMD EPYC 7532</a>                  | 32 | 55,358 | 2,137 | 200 | SP3       | Server                  |
| <a href="#">AMD EPYC 7542</a>                  | 32 | 56,728 | 2,207 | 225 | SP3       | Server                  |
| <a href="#">AMD EPYC 7543</a>                  | 32 | 56,359 | 2,749 | 240 | SP3       | Server                  |
| <a href="#">AMD EPYC 7543P</a>                 | 32 | 67,733 | 2,758 | 225 | SP3       | Server                  |
| <a href="#">AMD EPYC 7551</a>                  | 32 | 23,002 | 1,784 | 180 | SP3       | Server                  |
| <a href="#">AMD EPYC 7551P</a>                 | 32 | 23,927 | 1,651 | 180 | SP3       | Server                  |
| <a href="#">AMD EPYC 7571</a>                  | 32 | 27,445 | 1,934 | 120 | SP3       | Server                  |
| <a href="#">AMD EPYC 75F3</a>                  | 32 | 68,505 | 2,775 | 280 | SP3       | Server                  |
| <a href="#">AMD EPYC 7601</a>                  | 32 | 42,244 | 1,941 | 180 | SP3       | Server                  |
| <a href="#">AMD EPYC 7643</a>                  | 48 | 76,455 | 2,695 | 225 | SP3       | Server                  |
| <a href="#">AMD EPYC 7662</a>                  | 64 | 71,576 | 2,054 | 225 | SP3       | Server                  |
| <a href="#">AMD EPYC 7702</a>                  | 64 | 71,646 | 2,097 | 200 | SP3       | Server                  |
| <a href="#">AMD EPYC 7702P</a>                 | 64 | 61,689 | 2,110 | 200 | SP3       | Server                  |

| CPU Name                                | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket  | Category |
|---|-------|----------------------|-------------------------|---------------------|---------|----------|
| <a href="#">AMD EPYC 7713</a>           | 64    | 88,338               | 2,635                   | 280                 | SP3     | Server   |
| <a href="#">AMD EPYC 7B13</a>           | 60    | 77,460               | 2,564                   | NA                  | Unknown | Server   |
| <a href="#">AMD EPYC 7F32</a>           | 8     | 23,026               | 2,423                   | 180                 | SP3     | Server   |
| <a href="#">AMD EPYC 7F52</a>           | 16    | 40,951               | 2,446                   | 240                 | SP3     | Server   |
| <a href="#">AMD EPYC 7J13</a>           | 64    | 86,006               | 2,387                   | NA                  | Unknown | Server   |
| <a href="#">AMD EPYC 7R32</a>           | 48    | 64,727               | 1,922                   | NA                  | Unknown | Server   |
|   |       |                      |                         |                     |         |          |
| <a href="#">AMD FirePro A320 APU</a>    | 4     | 2,634                | 1,482                   | 100                 | FM2     | Desktop  |
| <a href="#">AMD FX-4100 Quad-Core</a>   | 2     | 2,571                | 1,281                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-4130 Quad-Core</a>   | 2     | 2,730                | 1,356                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-4150 Quad-Core</a>   | 4     | 3,327                | 1,465                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-4170 Quad-Core</a>   | 2     | 3,135                | 1,512                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-4200 Quad-Core</a>   | 4     | 3,134                | 1,285                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-4300 Quad-Core</a>   | 2     | 2,938                | 1,490                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-4320</a>             | 2     | 3,073                | 1,545                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-4330</a>             | 2     | 3,248                | 1,563                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-4350 Quad-Core</a>   | 2     | 3,253                | 1,602                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-6100 Six-Core</a>    | 3     | 3,676                | 1,317                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-6120 Six-Core</a>    | 3     | 3,863                | 1,415                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-6130 Six-Core</a>    | 3     | 4,353                | 1,390                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-6200 Six-Core</a>    | 3     | 3,986                | 1,381                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-6300 Six-Core</a>    | 3     | 4,146                | 1,485                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-6330 Six-Core</a>    | 3     | 4,455                | 1,540                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-6350 Six-Core</a>    | 3     | 4,442                | 1,535                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-670K Quad-Core</a>   | 2     | 2,897                | 1,566                   | 65                  | FM2     | Desktop  |
| <a href="#">AMD FX-7500 APU</a>         | 4     | 1,832                | 911                     | 19                  | FP3     | Laptop   |
| <a href="#">AMD FX-7600P</a>            | 4     | 2,481                | 1,208                   | 35                  | FP3     | Laptop   |
| <a href="#">AMD FX-7600P APU</a>        | 4     | 2,856                | 1,436                   | 35                  | FP3     | Laptop   |
| <a href="#">AMD FX-770K Quad-Core</a>   | 2     | 2,578                | 1,413                   | 65                  | FM2+    | Desktop  |
| <a href="#">AMD FX-8100 Eight-Core</a>  | 4     | 3,847                | 1,094                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-8120 Eight-Core</a>  | 4     | 4,565                | 1,325                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-8140 Eight-Core</a>  | 4     | 4,860                | 1,273                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-8150 Eight-Core</a>  | 4     | 5,167                | 1,422                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-8300 Eight-Core</a>  | 4     | 5,256                | 1,489                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-8310 Eight-Core</a>  | 4     | 5,145                | 1,413                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-8320 Eight-Core</a>  | 4     | 5,414                | 1,475                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-8320E Eight-Core</a> | 4     | 4,970                | 1,410                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-8350 Eight-Core</a>  | 4     | 5,969                | 1,576                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-8370 Eight-Core</a>  | 4     | 6,123                | 1,628                   | 125                 | AM3+    | Desktop  |
| <a href="#">AMD FX-8370E Eight-Core</a> | 4     | 5,235                | 1,490                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD FX-870K Quad Core</a>   | 2     | 3,094                | 1,369                   | NA                  | Unknown | Unknown  |
| <a href="#">AMD FX-8800P</a>            | 2     | 2,791                | 1,361                   | 35                  | FP4     | Laptop   |
| <a href="#">AMD FX-9370 Eight-Core</a>  | 4     | 6,031                | 1,681                   | 220                 | AM3+    | Desktop  |
| <a href="#">AMD FX-9590 Eight-Core</a>  | 4     | 6,751                | 1,824                   | 220                 | AM3+    | Desktop  |
| <a href="#">AMD FX-9800P</a>            | 4     | 2,229                | 1,124                   | 15                  | Unknown | Laptop   |
| <a href="#">AMD FX-9830P</a>            | 4     | 3,233                | 1,559                   | 35                  | FP4     | Laptop   |
| <a href="#">AMD FX-B4150 Quad-Core</a>  | 2     | 3,369                | 1,425                   | 95                  | AM3+    | Desktop  |
| <a href="#">AMD G-T40E</a>              | 2     | 289                  | 313                     | 6.4                 | FT1     | Laptop   |
| <a href="#">AMD G-T40N</a>              | 2     | 292                  | 321                     | 9                   | FT1     | Laptop   |

| CPU Name                            | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket        | Category                |
|-------------------------------------|-------|----------------------|-------------------------|---------------------|---------------|-------------------------|
| <a href="#">AMD G-T52R</a>          | 1     | 177                  | 381                     | 18                  | FT1           | Laptop                  |
| <a href="#">AMD G-T56E</a>          | 2     | 442                  | 522                     | 18                  | FT1           | Laptop                  |
| <a href="#">AMD G-T56N</a>          | 2     | 470                  | 520                     | 18                  | FT1           | Laptop                  |
| <a href="#">AMD Geode NX 2400+</a>  | 1     | 400                  | 634                     | NA                  | Unknown       | Unknown                 |
| <a href="#">AMD GX-210JA SOC</a>    | 2     | 248                  | 231                     | 6                   | FT3 (769-BGA) | Laptop                  |
| <a href="#">AMD GX-212JC SOC</a>    | 2     | 619                  | 453                     | 6                   | FT3b          | Laptop                  |
| <a href="#">AMD GX-217GA SOC</a>    | 2     | 762                  | 558                     | 15                  | FT3 (769-BGA) | Laptop                  |
| <a href="#">AMD GX-218GL SOC</a>    | 2     | 754                  | 627                     | 15                  | BGA769 (FT3b) | Laptop                  |
| <a href="#">AMD GX-222GC SOC</a>    | 2     | 1,038                | 819                     | 15                  | BGA769 (FT3b) | Laptop, Mobile/Embedded |
| <a href="#">AMD GX-412HC</a>        | 4     | 1,065                | 412                     | 7                   | FT3b          | Laptop                  |
| <a href="#">AMD GX-415GA SOC</a>    | 4     | 1,386                | 520                     | 15                  | FT3 (769-BGA) | Laptop                  |
| <a href="#">AMD GX-420CA SOC</a>    | 4     | 1,767                | 669                     | 25                  | FT3 (769-BGA) | Laptop                  |
| <a href="#">AMD GX-420MC SOC</a>    | 4     | 1,796                | 695                     | 17.5                | FTB3b         | Laptop                  |
| <a href="#">AMD GX-424CC SOC</a>    | 4     | 1,766                | 799                     | 25                  | FT3b          | Laptop                  |
| <a href="#">AMD Opteron 1212</a>    | 2     | 593                  | 729                     | 103                 | AM2           | Server                  |
| <a href="#">AMD Opteron 1214</a>    | 2     | 696                  | 830                     | 103                 | AM2           | Server                  |
| <a href="#">AMD Opteron 1214 HE</a> | 2     | 806                  | 811                     | 65                  | AM2           | Server                  |
| <a href="#">AMD Opteron 1216</a>    | 2     | 781                  | 810                     | 103                 | AM2           | Server                  |
| <a href="#">AMD Opteron 1216 HE</a> | 2     | 727                  | 847                     | 65                  | AM2           | Server                  |
| <a href="#">AMD Opteron 1218</a>    | 2     | 910                  | 962                     | 103                 | AM2           | Server                  |
| <a href="#">AMD Opteron 1220</a>    | 2     | 1,036                | 1,077                   | 103                 | AM2           | Server                  |
| <a href="#">AMD Opteron 1222</a>    | 2     | 1,089                | 1,128                   | 103                 | AM2           | Server                  |
| <a href="#">AMD Opteron 1352</a>    | 4     | 1,464                | 849                     | 75                  | AM2           | Server                  |
| <a href="#">AMD Opteron 1354</a>    | 4     | 1,620                | 864                     | 75                  | AM2           | Server                  |
| <a href="#">AMD Opteron 1356</a>    | 4     | 1,703                | 918                     | 75                  | AM2           | Server                  |
| <a href="#">AMD Opteron 1381</a>    | 4     | 1,797                | 1,011                   | 75                  | AM3           | Server                  |
| <a href="#">AMD Opteron 1385</a>    | 4     | 1,898                | 1,035                   | 115                 | AM2+,AM3      | Server                  |
| <a href="#">AMD Opteron 1389</a>    | 4     | 2,079                | 1,102                   | 75                  | AM2           | Server                  |
| <a href="#">AMD Opteron 144</a>     | 1     | 316                  | 376                     | 67                  | 939           | Server                  |
| <a href="#">AMD Opteron 146</a>     | 1     | 346                  | 400                     | 67                  | 939           | Server                  |
| <a href="#">AMD Opteron 148</a>     | 1     | 392                  | 443                     | 85.3                | 939           | Server                  |
| <a href="#">AMD Opteron 150</a>     | 1     | 393                  | 471                     | 85.3                | 939           | Server                  |
| <a href="#">AMD Opteron 152</a>     | 1     | 428                  | 487                     | 104                 | 939           | Server                  |
| <a href="#">AMD Opteron 154</a>     | 1     | 457                  | 534                     | 104                 | 939           | Server                  |
| <a href="#">AMD Opteron 165</a>     | 2     | 531                  | 638                     | 110                 | 939           | Server                  |
| <a href="#">AMD Opteron 170</a>     | 2     | 648                  | 715                     | 110                 | 939           | Server                  |
| <a href="#">AMD Opteron 175</a>     | 2     | 682                  | 773                     | 110                 | 939           | Server                  |
| <a href="#">AMD Opteron 180</a>     | 2     | 746                  | 874                     | 110                 | 939           | Server                  |
| <a href="#">AMD Opteron 185</a>     | 2     | 695                  | 884                     | 110                 | 939           | Server                  |
| <a href="#">AMD Opteron 2218</a>    | 2     | 1,036                | 491                     | 95                  | F (1207)      | Server                  |
| <a href="#">AMD Opteron 2220</a>    | 2     | 1,106                | 553                     | 95                  | F (1207)      | Server                  |
| <a href="#">AMD Opteron 2220 SE</a> | 2     | 909                  | 519                     | 119                 | F (1207)      | Server                  |
| <a href="#">AMD Opteron 2222</a>    | 2     | 1,198                | 618                     | 95                  | F (1207)      | Server                  |
| <a href="#">AMD Opteron 2354</a>    | 4     | 1,509                | 857                     | 115                 | F (1207)      | Server                  |
| <a href="#">AMD Opteron 2356</a>    | 4     | 1,733                | 849                     | 75                  | F (1207)      | Server                  |
| <a href="#">AMD Opteron 2373 EE</a> | 4     | 1,635                | 814                     | 60                  | F (1207)      | Server                  |
| <a href="#">AMD Opteron 2378</a>    | 4     | 1,864                | 936                     | 75                  | F (1207)      | Server                  |
| <a href="#">AMD Opteron 2384</a>    | 4     | 2,074                | 1,074                   | 75                  | F (1207)      | Server                  |

| CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks

|                                     |    |       |       |     |            |        |
|-------------------------------------|----|-------|-------|-----|------------|--------|
| <a href="#">AMD Opteron 2431</a>    | 6  | 2,936 | 570   | 75  | F (1207)   | Server |
| <a href="#">AMD Opteron 2435</a>    | 6  | 3,061 | 593   | 75  | F (1207)   | Server |
| <a href="#">AMD Opteron 254</a>     | 1  | 451   | 578   | 68  | 940        | Server |
| <a href="#">AMD Opteron 270</a>     | 2  | 761   | 411   | 95  | 940        | Server |
| <a href="#">AMD Opteron 275</a>     | 2  | 839   | 445   | 95  | 940        | Server |
| <a href="#">AMD Opteron 280</a>     | 2  | 765   | 430   | 95  | 940        | Server |
| <a href="#">AMD Opteron 285</a>     | 2  | 956   | 509   | 95  | 940        | Server |
| <a href="#">AMD Opteron 290</a>     | 2  | 952   | 570   | 95  | 940        | Server |
| <a href="#">AMD Opteron 3250 HE</a> | 2  | 2,061 | 1,003 | 45  | AM3+       | Server |
| <a href="#">AMD Opteron 3260 HE</a> | 2  | 2,283 | 900   | 45  | AM3+       | Server |
| <a href="#">AMD Opteron 3280</a>    | 8  | 3,720 | 1,043 | 65  | AM3+       | Server |
| <a href="#">AMD Opteron 3320 EE</a> | 2  | 1,918 | 838   | 25  | AM3+       | Server |
| <a href="#">AMD Opteron 3350 HE</a> | 4  | 2,825 | 1,362 | 45  | Unknown    | Server |
| <a href="#">AMD Opteron 3365</a>    | 4  | 3,973 | 1,107 | 65  | AM3+       | Server |
| <a href="#">AMD Opteron 3380</a>    | 8  | 4,134 | 1,107 | 65  | Unknown    | Server |
| <a href="#">AMD Opteron 4162 EE</a> | 6  | 2,058 | 382   | 35  | F (1207)   | Server |
| <a href="#">AMD Opteron 4170 HE</a> | 6  | 2,382 | 476   | 65  | C32        | Server |
| <a href="#">AMD Opteron 4184</a>    | 6  | 2,872 | 630   | 95  | C32        | Server |
| <a href="#">AMD Opteron 4274 HE</a> | 4  | 5,776 | 1,060 | 65  | C32        | Server |
| <a href="#">AMD Opteron 4280</a>    | 4  | 4,504 | 1,141 | 95  | Socket C32 | Server |
| <a href="#">AMD Opteron 4284</a>    | 4  | 4,665 | 1,181 | 95  | Socket C32 | Server |
| <a href="#">AMD Opteron 4332 HE</a> | 6  | 3,715 | 1,346 | 65  | Socket C32 | Server |
| <a href="#">AMD Opteron 4334</a>    | 3  | 3,949 | 1,269 | 95  | Socket C32 | Server |
| <a href="#">AMD Opteron 4365 EE</a> | 4  | 3,263 | 933   | 40  | Socket C32 | Server |
| <a href="#">AMD Opteron 4386</a>    | 4  | 4,378 | 1,012 | 95  | C32        | Server |
| <a href="#">AMD Opteron 6128</a>    | 8  | 2,826 | 447   | 115 | G34        | Server |
| <a href="#">AMD Opteron 6128 HE</a> | 8  | 2,932 | 823   | 85  | Socket G34 | Server |
| <a href="#">AMD Opteron 6136</a>    | 8  | 3,381 | 549   | 115 | Socket G34 | Server |
| <a href="#">AMD Opteron 6164 HE</a> | 12 | 3,478 | 399   | 85  | Socket G34 | Server |
| <a href="#">AMD Opteron 6172</a>    | 12 | 2,789 | 432   | 115 | G34        | Server |
| <a href="#">AMD Opteron 6174</a>    | 12 | 3,697 | 488   | 115 | Socket G34 | Server |
| <a href="#">AMD Opteron 6176 SE</a> | 12 | 3,564 | 507   | 140 | G34        | Server |
| <a href="#">AMD Opteron 6212</a>    | 4  | 4,007 | 1,085 | 115 | Socket G34 | Server |
| <a href="#">AMD Opteron 6220</a>    | 4  | 4,753 | 1,203 | 115 | Socket G34 | Server |
| <a href="#">AMD Opteron 6234</a>    | 6  | 4,072 | 547   | 115 | G34        | Server |
| <a href="#">AMD Opteron 6238</a>    | 6  | 5,625 | 1,157 | 115 | Socket G34 | Server |
| <a href="#">AMD Opteron 6272</a>    | 8  | 5,240 | 753   | 115 | G34        | Server |
| <a href="#">AMD Opteron 6274</a>    | 8  | 5,286 | 849   | 115 | G34        | Server |
| <a href="#">AMD Opteron 6276</a>    | 8  | 6,245 | 1,005 | 115 | Socket G34 | Server |
| <a href="#">AMD Opteron 6281</a>    | 8  | 7,279 | 1,129 | NA  | Socket G34 | Server |
| <a href="#">AMD Opteron 6282 SE</a> | 16 | 6,385 | 953   | 140 | Unknown    | Server |
| <a href="#">AMD Opteron 6287 SE</a> | 16 | 6,925 | 1,091 | NA  | G34        | Server |
| <a href="#">AMD Opteron 6328</a>    | 4  | 5,246 | 1,433 | 115 | G34        | Server |
| <a href="#">AMD Opteron 6344</a>    | 6  | 6,069 | 1,231 | 115 | Unknown    | Server |
| <a href="#">AMD Opteron 6348</a>    | 6  | 8,030 | 1,302 | 115 | Unknown    | Server |
| <a href="#">AMD Opteron 6366 HE</a> | 8  | 4,858 | 793   | 85  | Unknown    | Server |
| <a href="#">AMD Opteron 6376</a>    | 8  | 5,572 | 1,165 | 115 | Socket G34 | Server |
| <a href="#">AMD Opteron 6378</a>    | 8  | 5,889 | 1,127 | 115 | G34        | Server |



| CPU Name                         | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|----------------------------------|-------|----------|-------------|----------|--------|----------|
| <a href="#">AMD Opteron 6380</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |     |         |         |
|--|---|-------|-------|-----|---------|---------|
| <a href="#">AMD Opteron X2170 APU</a>          | 4 | 1,911 | 832   | 25  | FT3     | Server  |
| <a href="#">AMD Opteron X3216 APU</a>          | 2 | 1,525 | 1,294 | 15  | Unknown | Server  |
| <a href="#">AMD Opteron X3418 APU</a>          | 4 | 3,137 | 1,450 | 25  | Unknown | Server  |
| <a href="#">AMD Opteron X3421 APU</a>          | 4 | 3,375 | 1,497 | 35  | Unknown | Server  |
| <a href="#">AMD Phenom 8250 Triple-Core</a>    | 3 | 1,114 | 752   | 65  | Unknown | Desktop |
| <a href="#">AMD Phenom 8250e Triple-Core</a>   | 3 | 1,084 | 729   | 65  | 940     | Desktop |
| <a href="#">AMD Phenom 8400 Triple-Core</a>    | 3 | 1,079 | 786   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 8450 Triple-Core</a>    | 3 | 1,214 | 829   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 8450e Triple-Core</a>   | 3 | 1,134 | 781   | 65  | AM2+    | Desktop |
| <a href="#">AMD Phenom 8600 Triple-Core</a>    | 3 | 1,210 | 898   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 8600B Triple-Core</a>   | 3 | 1,390 | 957   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 8650 Triple-Core</a>    | 3 | 1,205 | 854   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 8750 Triple-Core</a>    | 3 | 1,343 | 974   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 8750B Triple-Core</a>   | 3 | 1,188 | 901   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 8850 Triple-Core</a>    | 3 | 1,142 | 982   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 8850B Triple-Core</a>   | 3 | 1,281 | 972   | 95  | Unknown | Desktop |
| <a href="#">AMD Phenom 9100e Quad-Core</a>     | 4 | 1,279 | 734   | 65  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9150e Quad-Core</a>     | 4 | 1,340 | 713   | 65  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9350e Quad-Core</a>     | 4 | 1,501 | 792   | 65  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9450e Quad-Core</a>     | 4 | 1,455 | 841   | 65  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9500 Quad-Core</a>      | 4 | 1,503 | 843   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9550 Quad-Core</a>      | 4 | 1,640 | 872   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9600 Quad-Core</a>      | 4 | 1,619 | 904   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9600B Quad-Core</a>     | 4 | 1,736 | 937   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9650 Quad-Core</a>      | 4 | 1,699 | 924   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9750 Quad-Core</a>      | 4 | 1,804 | 942   | 125 | AM2+    | Desktop |
| <a href="#">AMD Phenom 9750B Quad-Core</a>     | 4 | 1,520 | 913   | 95  | AM2+    | Desktop |
| <a href="#">AMD Phenom 9850 Quad-Core</a>      | 4 | 1,680 | 925   | 125 | AM2+    | Desktop |
| <a href="#">AMD Phenom 9850B Quad-Core</a>     | 4 | 1,946 | 992   | 95  | Unknown | Unknown |
| <a href="#">AMD Phenom 9950 Quad-Core</a>      | 4 | 1,892 | 1,041 | 125 | AM2+    | Desktop |
| <a href="#">AMD Phenom FX-5000 Quad-Core</a>   | 4 | 1,599 | 826   | 65  | AM2+    | Unknown |
| <a href="#">AMD Phenom FX-5200 Quad-Core</a>   | 4 | 1,699 | 919   | 65  | AM3     | Unknown |
| <a href="#">AMD Phenom II N620 Dual-Core</a>   | 2 | 990   | 1,069 | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II N640 Dual-Core</a>   | 2 | 965   | 1,039 | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II N660 Dual-Core</a>   | 2 | 1,065 | 1,167 | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II N830 3+1</a>         | 4 | 1,768 | 935   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II N830 Triple-Core</a> | 3 | 1,137 | 798   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II N850 Triple-Core</a> | 3 | 1,253 | 882   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II N870 Triple-Core</a> | 3 | 1,139 | 858   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II N930 Quad-Core</a>   | 4 | 1,558 | 825   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II N950 Quad-Core</a>   | 4 | 1,538 | 854   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II N970 Quad-Core</a>   | 4 | 1,647 | 902   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II P650 Dual-Core</a>   | 2 | 933   | 985   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II P820 Triple-Core</a> | 3 | 1,068 | 717   | 25  | S1      | Laptop  |
| <a href="#">AMD Phenom II P840 Triple-Core</a> | 3 | 1,116 | 790   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II P860 Triple-Core</a> | 3 | 1,214 | 831   | 35  | S1      | Laptop  |
| <a href="#">AMD Phenom II P920 Quad-Core</a>   | 4 | 1,160 | 598   | 25  | S1      | Laptop  |
| <a href="#">AMD Phenom II P940 Quad-Core</a>   | 4 | 1,319 | 679   | 35  | S1      | Laptop  |

| CPU Name  | Cores | CPU Mark                            | Thread Mark                         | TDP (W)                             | Socket | Category |
|---|-------|-------------------------------------|-------------------------------------|-------------------------------------|--------|----------|
| <input type="text" value="AMD Phenom II P960 Quad-Core"/> |       | <input type="text" value="Min..."/> | <input type="text" value="Min..."/> | <input type="text" value="Min..."/> |        |          |

## CPU Benchmarks

|                                       |   |       |       |     |          |         |
|---------------------------------------|---|-------|-------|-----|----------|---------|
| <a href="#">AMD Phenom II X2 545</a>  | 2 | 1,107 | 1,083 | 80  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X2 550</a>  | 2 | 1,169 | 1,240 | 80  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X2 555</a>  | 2 | 1,308 | 1,315 | 80  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X2 560</a>  | 2 | 1,426 | 1,450 | 80  | AM2+/AM3 | Unknown |
| <a href="#">AMD Phenom II X2 565</a>  | 2 | 1,405 | 1,413 | 80  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X2 570</a>  | 2 | 1,360 | 1,408 | 80  | AM3      | Desktop |
| <a href="#">AMD Phenom II X2 B53</a>  | 2 | 1,126 | 1,164 | 80  | AM3      | Desktop |
| <a href="#">AMD Phenom II X2 B55</a>  | 2 | 1,151 | 1,244 | 80  | AM3      | Desktop |
| <a href="#">AMD Phenom II X2 B57</a>  | 2 | 1,099 | 1,231 | 80  | Unknown  | Unknown |
| <a href="#">AMD Phenom II X2 B59</a>  | 2 | 1,392 | 1,384 | 80  | AM2+/AM3 | Unknown |
| <a href="#">AMD Phenom II X3 700e</a> | 3 | 1,430 | 969   | 65  | AM3      | Desktop |
| <a href="#">AMD Phenom II X3 705e</a> | 3 | 1,222 | 962   | 65  | AM3      | Desktop |
| <a href="#">AMD Phenom II X3 710</a>  | 3 | 1,554 | 1,069 | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X3 720</a>  | 3 | 1,574 | 1,120 | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X3 740</a>  | 3 | 1,424 | 982   | 95  | Unknown  | Unknown |
| <a href="#">AMD Phenom II X3 B73</a>  | 3 | 1,538 | 1,056 | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X3 B75</a>  | 3 | 1,485 | 1,154 | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X3 B77</a>  | 3 | 1,844 | 1,310 | 95  | AM2+/AM3 | Unknown |
| <a href="#">AMD Phenom II X4 805</a>  | 4 | 1,844 | 999   | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 810</a>  | 4 | 1,849 | 1,018 | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 820</a>  | 4 | 2,105 | 1,136 | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 830</a>  | 4 | 2,022 | 1,083 | 95  | AM2+/AM3 | Unknown |
| <a href="#">AMD Phenom II X4 840</a>  | 4 | 2,350 | 1,308 | 95  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X4 840T</a> | 4 | 2,245 | 1,271 | 95  | AM2+/AM3 | Unknown |
| <a href="#">AMD Phenom II X4 850</a>  | 4 | 2,496 | 1,350 | 95  | AM2+/AM3 | Unknown |
| <a href="#">AMD Phenom II X4 900e</a> | 4 | 1,505 | 917   | 65  | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 905e</a> | 4 | 1,895 | 1,029 | 65  | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 910</a>  | 4 | 1,699 | 973   | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 910e</a> | 4 | 2,044 | 1,076 | 65  | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 920</a>  | 4 | 1,899 | 1,068 | 125 | AM2+     | Desktop |
| <a href="#">AMD Phenom II X4 925</a>  | 4 | 2,173 | 1,156 | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 940</a>  | 4 | 2,228 | 1,210 | 125 | AM2+     | Desktop |
| <a href="#">AMD Phenom II X4 945</a>  | 4 | 2,252 | 1,229 | 125 | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 955</a>  | 4 | 2,426 | 1,303 | 125 | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 960T</a> | 4 | 2,196 | 1,290 | 95  | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 965</a>  | 4 | 2,542 | 1,356 | 125 | AM3      | Desktop |
| <a href="#">AMD Phenom II X4 970</a>  | 4 | 2,640 | 1,409 | 125 | AM3      | Unknown |
| <a href="#">AMD Phenom II X4 973</a>  | 4 | 2,204 | 1,180 | NA  | Unknown  | Unknown |
| <a href="#">AMD Phenom II X4 975</a>  | 4 | 2,544 | 1,417 | 125 | AM3      | Unknown |
| <a href="#">AMD Phenom II X4 977</a>  | 4 | 2,377 | 1,368 | 95  | Unknown  | Unknown |
| <a href="#">AMD Phenom II X4 980</a>  | 4 | 2,829 | 1,521 | 125 | AM3      | Unknown |
| <a href="#">AMD Phenom II X4 B05e</a> | 4 | 1,906 | 974   | NA  | Unknown  | Unknown |
| <a href="#">AMD Phenom II X4 B15e</a> | 4 | 1,825 | 1,069 | NA  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X4 B25</a>  | 4 | 2,108 | 1,040 | NA  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X4 B35</a>  | 4 | 2,341 | 1,215 | NA  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X4 B40</a>  | 4 | 2,238 | 1,231 | NA  | Unknown  | Desktop |
| <a href="#">AMD Phenom II X4 B45</a>  | 4 | 2,152 | 1,249 | NA  | Unknown  | Unknown |
| <a href="#">AMD Phenom II X4 B50</a>  | 4 | 2,237 | 1,268 | NA  | AM2+/AM3 | Desktop |

| CPU Name  | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket         | Category |
|---|-------|----------------------|-------------------------|---------------------|----------------|----------|
| <a href="#">AMD Phenom II X4 B55</a>            |       |                      |                         |                     |                |          |
| <a href="#">AMD Phenom II X4 B70</a>            | 4     | 2,303                | 1,209                   | 65                  | AM2+ (938-pin) | Desktop  |
| <a href="#">AMD Phenom II X4 B93</a>            | 4     | 2,104                | 1,141                   | 95                  | AM3            | Desktop  |
| <a href="#">AMD Phenom II X4 B95</a>            | 4     | 2,313                | 1,236                   | 95                  | AM3            | Desktop  |
| <a href="#">AMD Phenom II X4 B97</a>            | 4     | 2,482                | 1,326                   | 95                  | AM2+/AM3       | Desktop  |
| <a href="#">AMD Phenom II X4 B99</a>            | 4     | 2,536                | 1,377                   | 95                  | Unknown        | Unknown  |
| <a href="#">AMD Phenom II X6 1035T</a>          | 6     | 2,947                | 1,231                   | 95                  | AM3            | Desktop  |
| <a href="#">AMD Phenom II X6 1045T</a>          | 6     | 3,029                | 1,287                   | 95                  | AM3            | Desktop  |
| <a href="#">AMD Phenom II X6 1055T</a>          | 6     | 3,189                | 1,315                   | 125                 | AM3            | Desktop  |
| <a href="#">AMD Phenom II X6 1065T</a>          | 6     | 3,268                | 1,349                   | 95                  | AM3            | Desktop  |
| <a href="#">AMD Phenom II X6 1075T</a>          | 6     | 3,231                | 1,395                   | 125                 | AM3            | Desktop  |
| <a href="#">AMD Phenom II X6 1090T</a>          | 6     | 3,645                | 1,457                   | 125                 | AM3            | Desktop  |
| <a href="#">AMD Phenom II X6 1100T</a>          | 6     | 3,722                | 1,501                   | 125                 | AM3            | Desktop  |
| <a href="#">AMD Phenom II X6 1405T</a>          | 6     | 3,335                | 1,247                   | 95                  | AM2+,AM3       | Desktop  |
| <a href="#">AMD Phenom II X620 Dual-Core</a>    | 2     | 1,262                | 1,339                   | 45                  | S1             | Laptop   |
| <a href="#">AMD Phenom II X640 Dual-Core</a>    | 2     | 1,165                | 1,142                   | 45                  | S1             | Unknown  |
| <a href="#">AMD Phenom II X920 Quad-Core</a>    | 4     | 1,669                | 944                     | 45                  | S1             | Laptop   |
| <a href="#">AMD Phenom II X940 Quad-Core</a>    | 4     | 1,797                | 785                     | 45                  | S1             | Laptop   |
| <a href="#">AMD Phenom X2 Dual-Core GE-5060</a> | 2     | 1,566                | 1,053                   | NA                  | Unknown        | Unknown  |
| <a href="#">AMD Phenom X2 Dual-Core GE-6060</a> | 2     | 1,722                | 1,160                   | NA                  | Unknown        | Unknown  |
| <a href="#">AMD Phenom X2 Dual-Core GE-7060</a> | 2     | 1,010                | 1,332                   | NA                  | Unknown        | Unknown  |
| <a href="#">AMD Phenom X2 Dual-Core GP-7730</a> | 2     | 884                  | 1,047                   | NA                  | Unknown        | Unknown  |
| <a href="#">AMD Phenom X3 8550</a>              | 3     | 976                  | 810                     | 95                  | AM2/AM2+       | Desktop  |
| <a href="#">AMD Phenom X4 Quad-Core GP-9500</a> | 4     | 1,297                | 711                     | 95                  | AM2+           | Desktop  |
| <a href="#">AMD Phenom X4 Quad-Core GP-9530</a> | 4     | 1,228                | 417                     | NA                  | AM2+ (940-pin) | Desktop  |
| <a href="#">AMD Phenom X4 Quad-Core GP-9600</a> | 4     | 1,649                | 764                     | 95                  | AM2+           | Desktop  |
| <a href="#">AMD Phenom X4 Quad-Core GP-9730</a> | 4     | 1,784                | 957                     | NA                  | AM2+ (940-pin) | Desktop  |
| <a href="#">AMD Phenom X4 Quad-Core GS-6560</a> | 4     | 1,063                | 282                     | NA                  | Unknown        | Unknown  |
| <a href="#">AMD PRO A10-8700B</a>               | 2     | 2,262                | 1,140                   | 15                  | BGA (FP4)      | Laptop   |
| <a href="#">AMD PRO A10-8730B</a>               | 4     | 2,388                | 1,226                   | 15                  | FP4            | Laptop   |
| <a href="#">AMD PRO A10-8750B</a>               | 2     | 2,824                | 1,248                   | 65                  | FM2+           | Desktop  |
| <a href="#">AMD PRO A10-8770</a>                | 4     | 3,418                | 1,508                   | 65                  | AM4            | Desktop  |
| <a href="#">AMD PRO A10-8770E</a>               | 4     | 3,181                | 1,447                   | 35                  | AM4            | Desktop  |
| <a href="#">AMD PRO A10-8850B</a>               | 2     | 3,752                | 1,611                   | 95                  | FM2+           | Desktop  |
| <a href="#">AMD PRO A10-9700</a>                | 2     | 3,622                | 1,653                   | 65                  | AM4            | Desktop  |
| <a href="#">AMD PRO A10-9700B</a>               | 4     | 2,602                | 1,311                   | 15                  | FP4            | Laptop   |
| <a href="#">AMD PRO A10-9700E</a>               | 2     | 2,896                | 1,333                   | 35                  | AM4            | Desktop  |
| <a href="#">AMD PRO A12-8800B</a>               | 2     | 2,622                | 1,357                   | 15                  | FP4            | Laptop   |
| <a href="#">AMD PRO A12-8830B</a>               | 4     | 2,392                | 1,192                   | 15                  | BGA (FP4)      | Laptop   |
| <a href="#">AMD PRO A12-8870</a>                | 4     | 3,848                | 1,718                   | 65                  | AM4            | Desktop  |
| <a href="#">AMD PRO A12-8870E</a>               | 4     | 3,083                | 1,520                   | 35                  | AM4            | Desktop  |
| <a href="#">AMD PRO A12-9800</a>                | 4     | 3,878                | 1,775                   | 65                  | AM4            | Desktop  |
| <a href="#">AMD PRO A12-9800B</a>               | 4     | 2,729                | 1,387                   | 15                  | FP4            | Laptop   |
| <a href="#">AMD PRO A12-9800E</a>               | 4     | 3,191                | 1,546                   | 35                  | AM4            | Desktop  |
| <a href="#">AMD PRO A4-3350B APU</a>            | 4     | 1,702                | 779                     | 15                  | FT3b           | Laptop   |
| <a href="#">AMD PRO A4-4350B</a>                | 2     | 1,093                | 988                     | 15                  | FT4            | Laptop   |
| <a href="#">AMD PRO A4-8350B</a>                | 1     | 1,552                | 1,365                   | 65                  | FM2+           | Desktop  |
| <a href="#">AMD PRO A6-7350B</a>                | 2     | 1,679                | 1,535                   | 15                  | FMA4           | Laptop   |
| <a href="#">AMD PRO A6-8500B</a>                | 2     | 1,704                | 1,365                   | 15                  | FP4            | Laptop   |

| CPU Name                                      | Cores | CPU Mark                            | Thread Mark                         | TDP (W)                             | Socket | Category |
|---|-------|-------------------------------------|-------------------------------------|-------------------------------------|--------|----------|
| <input type="text" value="AMD PRO A6-8530B"/> |       | <input type="text" value="Min..."/> | <input type="text" value="Min..."/> | <input type="text" value="Min..."/> |        |          |

## CPU Benchmarks

|  |   |        |       |    |              |                         |
|--|---|--------|-------|----|--------------|-------------------------|
| <a href="#">AMD PRO A6-8570E</a>       | 2 | 1,489  | 1,216 | 35 | Unknown      | Desktop                 |
| <a href="#">AMD PRO A6-9500</a>        | 2 | 1,875  | 1,618 | 65 | AM4          | Desktop                 |
| <a href="#">AMD PRO A6-9500B</a>       | 2 | 1,340  | 1,108 | 15 | FP4          | Laptop                  |
| <a href="#">AMD PRO A6-9500E</a>       | 2 | 1,662  | 1,493 | 35 | AM4          | Desktop                 |
| <a href="#">AMD PRO A8-8600B</a>       | 4 | 2,148  | 1,107 | 15 | BGA (FP4)    | Laptop                  |
| <a href="#">AMD PRO A8-8650B</a>       | 4 | 3,192  | 1,485 | 65 | FM2+         | Desktop                 |
| <a href="#">AMD PRO A8-8670E</a>       | 4 | 2,989  | 1,382 | 35 | AM4          | Desktop                 |
| <a href="#">AMD PRO A8-9600</a>        | 2 | 3,347  | 1,468 | 65 | AM4          | Desktop                 |
| <a href="#">AMD PRO A8-9600B</a>       | 4 | 2,388  | 1,310 | 15 | FP4          | Laptop                  |
| <a href="#">AMD QC-4000</a>            | 4 | 1,155  | 449   | 15 | FT3          | Laptop                  |
| <a href="#">AMD R-260H APU</a>         | 2 | 954    | 902   | 17 | BGA827 (FP2) | Laptop                  |
| <a href="#">AMD R-272F APU</a>         | 2 | 1,215  | 1,087 | 35 | FS1          | Desktop, Laptop         |
| <a href="#">AMD R-460L APU</a>         | 4 | 1,183  | 776   | 25 | BGA827 (FP2) | Laptop                  |
| <a href="#">AMD R-464L APU</a>         | 4 | 1,773  | 1,123 | 35 | FS1r2        | Unknown                 |
| <a href="#">AMD RX-425BB</a>           | 4 | 2,724  | 1,282 | 35 | FP3          | Mobile/Embedded         |
| <a href="#">AMD RX-427BB</a>           | 4 | 2,715  | 1,296 | 35 | FP3          | Laptop                  |
| <a href="#">AMD Ryzen 3 1200</a>       | 4 | 6,305  | 1,927 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 1300X</a>      | 4 | 6,910  | 2,088 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 2200G</a>      | 4 | 6,789  | 2,062 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 2200GE</a>     | 4 | 6,537  | 2,049 | 35 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 2200U</a>      | 2 | 3,686  | 1,680 | 15 | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 2300U</a>      | 4 | 5,507  | 1,745 | 15 | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 2300X</a>      | 4 | 7,540  | 2,363 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3100</a>       | 4 | 11,669 | 2,428 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3200G</a>      | 4 | 7,192  | 2,220 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3200GE</a>     | 4 | 7,408  | 2,203 | 35 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3200U</a>      | 2 | 3,903  | 1,830 | 15 | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 3250C</a>      | 2 | 2,332  | 1,644 | 15 | FP5          | Laptop, Mobile/Embedded |
| <a href="#">AMD Ryzen 3 3250U</a>      | 2 | 3,983  | 1,843 | 15 | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 3300U</a>      | 4 | 5,867  | 1,905 | 15 | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 3300X</a>      | 4 | 12,760 | 2,691 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3350U</a>      | 4 | 5,996  | 1,990 | 15 | Unknown      | Laptop                  |
| <a href="#">AMD Ryzen 3 4300G</a>      | 4 | 10,778 | 2,548 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 4300GE</a>     | 4 | 11,351 | 2,560 | 35 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 4300U</a>      | 4 | 7,568  | 2,326 | 15 | FP6          | Laptop                  |
| <a href="#">AMD Ryzen 3 5300G</a>      | 4 | 13,179 | 3,052 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 5300GE</a>     | 4 | 13,843 | 3,104 | 35 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 5300U</a>      | 4 | 10,129 | 2,405 | 15 | FP6          | Laptop                  |
| <a href="#">AMD Ryzen 3 5400U</a>      | 4 | 11,867 | 2,890 | 15 | FP6          | Laptop                  |
| <a href="#">AMD Ryzen 3 5425U</a>      | 4 | 12,269 | 3,056 | 15 | FP6          | Laptop                  |
| <a href="#">AMD Ryzen 3 PRO 1200</a>   | 4 | 6,347  | 1,936 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 1300</a>   | 4 | 7,717  | 2,229 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 2100GE</a> | 2 | 4,187  | 1,855 | 35 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 2200G</a>  | 4 | 6,680  | 2,051 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 2200GE</a> | 4 | 5,897  | 2,000 | 35 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 2300U</a>  | 4 | 6,069  | 1,869 | 15 | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 PRO 3200G</a>  | 4 | 7,030  | 2,216 | 65 | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 3200GE</a> | 4 | 7,071  | 2,189 | 35 | AM4          | Laptop                  |



| CPU Name | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|----------|-------|----------|-------------|----------|--------|----------|
| Search   |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |        |       |    |         |         |
|--|---|--------|-------|----|---------|---------|
| <a href="#">AMD Ryzen 3 PRO 3300U</a>  | 4 | 10,831 | 2,540 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 3 PRO 4350G</a>  | 4 | 11,285 | 2,568 | 35 | AM4     | Desktop |
| <a href="#">AMD Ryzen 3 PRO 4350GE</a> | 4 | 10,139 | 2,364 | 15 | FP6     | Laptop  |
| <a href="#">AMD Ryzen 3 PRO 5350G</a>  | 4 | 14,025 | 3,105 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 3 PRO 5350GE</a> | 4 | 13,707 | 3,106 | 35 | AM4     | Desktop |
| <a href="#">AMD Ryzen 3 PRO 5450U</a>  | 4 | 11,453 | 2,847 | 15 | FP6     | Laptop  |
|  |   |        |       |    |         |         |
| <a href="#">AMD Ryzen 5 1400</a>       | 4 | 7,795  | 1,906 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 1500X</a>      | 4 | 9,082  | 2,110 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 1600</a>       | 6 | 12,322 | 2,075 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 1600X</a>      | 6 | 12,952 | 2,183 | 95 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 2400G</a>      | 4 | 8,729  | 2,159 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 2400GE</a>     | 4 | 8,134  | 2,180 | 35 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 2500U</a>      | 4 | 6,557  | 1,834 | 15 | FP5     | Laptop  |
| <a href="#">AMD Ryzen 5 2500X</a>      | 4 | 9,384  | 2,319 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 2600</a>       | 6 | 13,196 | 2,250 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 2600H</a>      | 4 | 7,836  | 2,136 | 45 | FP5     | Laptop  |
| <a href="#">AMD Ryzen 5 2600X</a>      | 6 | 14,056 | 2,407 | 95 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 3350G</a>      | 4 | 9,061  | 2,286 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 3350GE</a>     | 4 | 9,684  | 2,342 | 35 | Unknown | Desktop |
| <a href="#">AMD Ryzen 5 3400G</a>      | 4 | 9,335  | 2,361 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 3400GE</a>     | 4 | 8,955  | 2,320 | 35 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 3450U</a>      | 4 | 6,805  | 1,947 | 15 | FP5     | Laptop  |
| <a href="#">AMD Ryzen 5 3500</a>       | 6 | 12,836 | 2,516 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 3500C</a>      | 4 | 4,905  | 2,153 | 15 | FP5     | Laptop  |
| <a href="#">AMD Ryzen 5 3500U</a>      | 4 | 7,105  | 1,983 | 15 | FP5     | Laptop  |
| <a href="#">AMD Ryzen 5 3500X</a>      | 6 | 13,346 | 2,530 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 3550H</a>      | 4 | 8,001  | 2,080 | 35 | FP5     | Laptop  |
| <a href="#">AMD Ryzen 5 3550U</a>      | 4 | 7,681  | 2,053 | 15 | Unknown | Unknown |
| <a href="#">AMD Ryzen 5 3580U</a>      | 4 | 7,820  | 2,118 | 15 | FP5     | Laptop  |
| <a href="#">AMD Ryzen 5 3600</a>       | 6 | 17,826 | 2,577 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 3600X</a>      | 6 | 18,293 | 2,671 | 95 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 3600XT</a>     | 6 | 18,795 | 2,795 | 95 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 4500U</a>      | 6 | 11,119 | 2,457 | 15 | FP6     | Laptop  |
| <a href="#">AMD Ryzen 5 4600G</a>      | 6 | 15,564 | 2,658 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 4600GE</a>     | 6 | 15,656 | 2,605 | 35 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 4600H</a>      | 6 | 14,758 | 2,463 | 45 | FP6     | Laptop  |
| <a href="#">AMD Ryzen 5 4600HS</a>     | 6 | 14,735 | 2,468 | 35 | FP6     | Laptop  |
| <a href="#">AMD Ryzen 5 4600U</a>      | 6 | 13,603 | 2,415 | 15 | FP6     | Laptop  |
| <a href="#">AMD Ryzen 5 5500U</a>      | 6 | 13,185 | 2,457 | 15 | FP6     | Laptop  |
| <a href="#">AMD Ryzen 5 5600G</a>      | 6 | 19,847 | 3,192 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 5600GE</a>     | 6 | 18,879 | 3,224 | 35 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 5600H</a>      | 6 | 17,170 | 2,984 | 45 | FP6     | Laptop  |
| <a href="#">AMD Ryzen 5 5600U</a>      | 6 | 15,385 | 2,942 | 15 | FP6     | Laptop  |
| <a href="#">AMD Ryzen 5 5600X</a>      | 6 | 22,110 | 3,379 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 5625U</a>      | 6 | 14,885 | 3,093 | 15 | FP6     | Laptop  |
| <a href="#">AMD Ryzen 5 PRO 1500</a>   | 4 | 9,402  | 2,158 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 PRO 1600</a>   | 6 | 10,401 | 1,685 | 65 | AM4     | Desktop |
| <a href="#">AMD Ryzen 5 PRO 2400G</a>  | 4 | 8,303  | 2,133 | 65 | AM4     | Desktop |



| Search | CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|--------|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|--------|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks

|   |   |        |       |     |         |                 |  |
|---|---|--------|-------|-----|---------|-----------------|--|
| <a href="#">AMD Ryzen 5 PRO 3350G</a>                         | 4 | 9,498  | 2,328 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 5 PRO 3350GE</a>                        | 4 | 9,643  | 2,340 | 35  | Unknown | Desktop         |  |
| <a href="#">AMD Ryzen 5 PRO 3400G</a>                         | 4 | 9,317  | 2,328 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 5 PRO 3400GE</a>                        | 4 | 8,271  | 2,266 | 35  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 5 PRO 3500U</a>                         | 4 | 6,916  | 1,953 | 15  | FP5     | Laptop          |  |
| <a href="#">AMD Ryzen 5 PRO 3600</a>                          | 6 | 17,900 | 2,609 | 65  | AM4     | Desktop         |  |
|   |   |        |       |     |         |                 |  |
| <a href="#">AMD Ryzen 5 PRO 4400G</a>                         | 6 | 16,456 | 2,656 | NA  | Unknown | Desktop         |  |
| <a href="#">AMD Ryzen 5 PRO 4400GE</a>                        | 6 | 14,795 | 2,664 | 35  | Unknown | Laptop          |  |
| <a href="#">AMD Ryzen 5 PRO 4500U</a>                         | 6 | 12,049 | 2,486 | 15  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 5 PRO 4650G</a>                         | 6 | 16,445 | 2,665 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 5 PRO 4650GE</a>                        | 6 | 15,680 | 2,625 | 35  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 5 PRO 4650U</a>                         | 6 | 12,963 | 2,469 | 15  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 5 PRO 5650G</a>                         | 6 | 20,750 | 3,239 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 5 PRO 5650GE</a>                        | 6 | 18,840 | 3,231 | 35  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 5 PRO 5650U</a>                         | 6 | 15,405 | 2,958 | 15  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 1700</a>                              | 8 | 14,666 | 1,991 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 1700X</a>                             | 8 | 15,502 | 2,072 | 95  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 1800X</a>                             | 8 | 16,309 | 2,187 | 95  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 2700</a>                              | 8 | 15,650 | 2,197 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 2700E</a>                             | 8 | 14,657 | 2,410 | 45  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 2700U</a>                             | 4 | 6,861  | 1,798 | 15  | FP5     | Laptop          |  |
| <a href="#">AMD Ryzen 7 2700X</a>                             | 8 | 17,582 | 2,436 | 105 | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 2800H</a>                             | 4 | 7,656  | 2,164 | 45  | FP5     | Laptop          |  |
| <a href="#">AMD Ryzen 7 3700C with Radeon Vega Mobile Gfx</a> | 8 | 7,145  | 2,301 | NA  | Unknown | Mobile/Embedded |  |
| <a href="#">AMD Ryzen 7 3700U</a>                             | 4 | 7,320  | 2,013 | 15  | FP5     | Laptop          |  |
| <a href="#">AMD Ryzen 7 3700X</a>                             | 8 | 22,726 | 2,682 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 3750H</a>                             | 4 | 8,274  | 2,103 | 35  | FP5     | Laptop          |  |
| <a href="#">AMD Ryzen 7 3780U</a>                             | 4 | 7,549  | 2,229 | 15  | FP5     | Laptop          |  |
| <a href="#">AMD Ryzen 7 3800X</a>                             | 8 | 23,284 | 2,736 | 105 | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 3800XT</a>                            | 8 | 23,825 | 2,847 | 105 | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 4700G</a>                             | 8 | 20,138 | 2,758 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 4700GE</a>                            | 8 | 20,414 | 2,728 | 35  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 4700U</a>                             | 8 | 13,653 | 2,554 | 15  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 4800H</a>                             | 8 | 19,067 | 2,640 | 45  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 4800HS</a>                            | 8 | 18,882 | 2,608 | 45  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 4800U</a>                             | 8 | 17,125 | 2,604 | 15  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 4850U Mobile</a>                      | 8 | 15,920 | 2,653 | 15  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 5700G</a>                             | 8 | 24,568 | 3,285 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 5700GE</a>                            | 8 | 22,566 | 3,371 | 35  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 5700U</a>                             | 8 | 16,211 | 2,624 | 15  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 5800</a>                              | 8 | 25,542 | 3,391 | 65  | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 5800H</a>                             | 8 | 21,494 | 3,086 | 45  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 5800HS</a>                            | 8 | 20,735 | 3,067 | 35  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 5800HS Creator Edition</a>            | 8 | 21,026 | 3,146 | NA  | Unknown | Laptop          |  |
| <a href="#">AMD Ryzen 7 5800U</a>                             | 8 | 18,848 | 3,095 | 15  | FP6     | Laptop          |  |
| <a href="#">AMD Ryzen 7 5800X</a>                             | 8 | 28,396 | 3,489 | 105 | AM4     | Desktop         |  |
| <a href="#">AMD Ryzen 7 5825U</a>                             | 8 | 19,012 | 3,291 | 15  | AM4     | Laptop          |  |

| CPU Name  | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket  | Category                 |
|---|-------|----------------------|-------------------------|---------------------|---------|--------------------------|
| <a href="#">AMD Ryzen 7 6800H</a>                             | 8     | 15,330               | 2,231                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 Extreme Edition</a>                   | 8     | 15,097               | 2,166                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 2700</a>                          | 8     | 15,097               | 2,166                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 2700U</a>                         | 4     | 7,250                | 2,036                   | 15                  | FP5     | Laptop                   |
| <a href="#">AMD Ryzen 7 PRO 2700X</a>                         | 8     | 17,221               | 2,395                   | 105                 | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 3700</a>                          | 8     | 22,641               | 2,673                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 3700U</a>                         | 4     | 7,324                | 2,004                   | 15                  | FP5     | Laptop                   |
| <a href="#">AMD Ryzen 7 PRO 4700G</a>                         | 8     | 20,848               | 2,700                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 4750G</a>                         | 8     | 20,604               | 2,710                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 4750GE</a>                        | 8     | 18,531               | 2,709                   | 35                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 4750U</a>                         | 8     | 15,523               | 2,564                   | 15                  | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 7 PRO 5750G</a>                         | 8     | 25,045               | 3,377                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 5750GE</a>                        | 8     | 22,378               | 3,321                   | 35                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 5850U</a>                         | 8     | 17,792               | 3,081                   | 15                  | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 3900</a>                              | 12    | 30,685               | 2,631                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 3900X</a>                             | 12    | 32,767               | 2,726                   | 105                 | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 3900XT</a>                            | 12    | 32,873               | 2,787                   | 105                 | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 3950X</a>                             | 16    | 39,165               | 2,738                   | 105                 | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 4900H</a>                             | 8     | 19,305               | 2,734                   | 45                  | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 4900HS</a>                            | 8     | 19,465               | 2,632                   | 35                  | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 5900</a>                              | 12    | 34,868               | 3,431                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 5900H</a>                             | 8     | 20,960               | 3,312                   | NA                  | AM4     | Laptop                   |
| <a href="#">AMD Ryzen 9 5900HS</a>                            | 8     | 22,265               | 3,206                   | 35                  | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 5900HX</a>                            | 8     | 23,213               | 3,237                   | 45                  | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 5900X</a>                             | 12    | 39,483               | 3,494                   | 105                 | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 5950X</a>                             | 16    | 46,211               | 3,501                   | 105                 | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 5980HS</a>                            | 8     | 21,412               | 3,145                   | 35                  | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 5980HX</a>                            | 8     | 23,402               | 3,341                   | 45                  | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 6900HS</a>                            | 8     | 24,820               | 3,368                   | 35                  | FP7     | Laptop                   |
| <a href="#">AMD Ryzen 9 PRO 3900</a>                          | 12    | 31,372               | 2,623                   | 65                  | AM4     | Desktop                  |
| <a href="#">AMD Ryzen Embedded R1305G</a>                     | 2     | 3,268                | 1,668                   | 8                   | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded R1505G</a>                     | 2     | 3,966                | 1,817                   | 15                  | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded R1606G</a>                     | 2     | 4,260                | 1,919                   | 15                  | FP5     | Desktop, Mobile/Embedded |
| <a href="#">AMD Ryzen Embedded R2314</a>                      | 4     | 6,643                | 1,969                   | NA                  | Unknown | Mobile/Embedded          |
| <a href="#">AMD Ryzen Embedded V1202B</a>                     | 2     | 3,253                | 1,424                   | 15                  | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded V1404I</a>                     | 4     | 5,491                | 1,932                   | 15                  | Unknown | Desktop, Mobile/Embedded |
| <a href="#">AMD Ryzen Embedded V1500B</a>                     | 4     | 4,738                | 1,253                   | 16                  | BGA1140 | Mobile/Embedded          |
| <a href="#">AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</a> | 4     | 5,257                | 1,237                   | NA                  | Unknown | Mobile/Embedded          |
| <a href="#">AMD Ryzen Embedded V1605B</a>                     | 4     | 6,819                | 1,955                   | 15                  | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded V1756B</a>                     | 4     | 8,215                | 2,143                   | 45                  | FP5     | Desktop, Mobile/Embedded |
| <a href="#">AMD Ryzen Embedded V1807B</a>                     | 4     | 8,488                | 2,190                   | 45                  | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded V2718</a>                      | 8     | 17,972               | 2,439                   | 15                  | FP6     | Mobile/Embedded          |
| <a href="#">AMD Ryzen Embedded V2748</a>                      | 8     | 16,186               | 2,646                   | 54                  | FP6     | Mobile/Embedded          |
| <a href="#">AMD Ryzen Threadripper 1900X</a>                  | 8     | 16,909               | 2,342                   | 180                 | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 1920</a>                   | 12    | 22,066               | 2,299                   | 140                 | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 1920X</a>                  | 12    | 23,162               | 2,294                   | 180                 | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 1950X</a>                  | 16    | 28,022               | 2,294                   | 180                 | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 2920X</a>                  | 12    | 25,528               | 2,494                   | 180                 | sTR4    | Desktop                  |

| CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks

|   |    |         |       |     |          |         |
|---|----|---------|-------|-----|----------|---------|
| <a href="#">AMD Ryzen Threadripper 2950X</a>      | 32 | 20,409  | 2,200 | 200 | TR4      | Desktop |
| <a href="#">AMD Ryzen Threadripper 2970WX</a>     | 32 | 20,409  | 2,200 | 200 | TR4      | Desktop |
| <a href="#">AMD Ryzen Threadripper 3960X</a>      | 24 | 54,736  | 2,678 | 280 | sTRX4    | Desktop |
| <a href="#">AMD Ryzen Threadripper 3970X</a>      | 32 | 63,859  | 2,694 | 280 | sTRX4    | Desktop |
| <a href="#">AMD Ryzen Threadripper 3990X</a>      | 64 | 81,299  | 2,568 | 280 | sTRX4    | Desktop |
| <a href="#">AMD Ryzen Threadripper PRO 3945WX</a> | 12 | 33,425  | 2,709 | 280 | sTRX4    | Desktop |
| <a href="#">AMD Ryzen Threadripper PRO 3955WX</a> | 16 | 40,173  | 2,695 | 280 | sTRX4    | Desktop |
| <a href="#">AMD Ryzen Threadripper PRO 3975WX</a> | 32 | 63,107  | 2,665 | 280 | sTRX4    | Desktop |
| <a href="#">AMD Ryzen Threadripper PRO 3995WX</a> | 64 | 85,289  | 2,624 | 280 | sTRX4    | Desktop |
| <a href="#">AMD Ryzen Threadripper PRO 5945WX</a> | 12 | 41,578  | 3,347 | 280 | sWRX8    | Desktop |
| <a href="#">AMD Ryzen Threadripper PRO 5955WX</a> | 16 | 51,656  | 3,346 | 280 | sWRX8    | Desktop |
| <a href="#">AMD Ryzen Threadripper PRO 5965WX</a> | 24 | 68,405  | 3,346 | 280 | sWRX8    | Desktop |
| <a href="#">AMD Ryzen Threadripper PRO 5975WX</a> | 32 | 80,933  | 3,344 | 280 | sWRX8    | Desktop |
| <a href="#">AMD Ryzen Threadripper PRO 5995WX</a> | 64 | 108,822 | 3,330 | 280 | sWRX8    | Desktop |
| <a href="#">AMD Sempron 130</a>                   | 1  | 501     | 1,064 | 45  | AM2+/AM3 | Unknown |
| <a href="#">AMD Sempron 140</a>                   | 1  | 471     | 1,044 | 45  | AM3      | Desktop |
| <a href="#">AMD Sempron 145</a>                   | 1  | 493     | 1,006 | 45  | AM3      | Desktop |
| <a href="#">AMD Sempron 150</a>                   | 1  | 498     | 1,079 | 45  | AM3      | Desktop |
| <a href="#">AMD Sempron 210U</a>                  | 1  | 267     | 299   | 15  | Unknown  | Unknown |
| <a href="#">AMD Sempron 2200+</a>                 | 1  | 184     | 279   | NA  | Socket A | Desktop |
| <a href="#">AMD Sempron 2300+</a>                 | 1  | 207     | 314   | NA  | Socket A | Desktop |
| <a href="#">AMD Sempron 240</a>                   | 2  | 1,278   | 1,300 | 65  | FM2      | Desktop |
| <a href="#">AMD Sempron 2400+</a>                 | 1  | 205     | 321   | NA  | Socket A | Desktop |
| <a href="#">AMD Sempron 2500+</a>                 | 1  | 207     | 405   | NA  | Socket A | Desktop |
| <a href="#">AMD Sempron 2600+</a>                 | 1  | 253     | 325   | NA  | Socket A | Desktop |
| <a href="#">AMD Sempron 2650 APU</a>              | 2  | 561     | 475   | 25  | AM1,FSB1 | Desktop |
| <a href="#">AMD Sempron 2800+</a>                 | 1  | 243     | 408   | 62  | AM2      | Desktop |
| <a href="#">AMD Sempron 3000+</a>                 | 1  | 268     | 333   | 62  | AM2      | Desktop |
| <a href="#">AMD Sempron 3100+</a>                 | 1  | 298     | 383   | 62  | 754      | Desktop |
| <a href="#">AMD Sempron 3200+</a>                 | 1  | 288     | 356   | 62  | AM2      | Desktop |
| <a href="#">AMD Sempron 3300+</a>                 | 1  | 315     | 394   | 62  | 754      | Desktop |
| <a href="#">AMD Sempron 3400+</a>                 | 1  | 292     | 346   | 62  | AM2      | Desktop |
| <a href="#">AMD Sempron 3500+</a>                 | 1  | 232     | 264   | 62  | AM2      | Desktop |
| <a href="#">AMD Sempron 3600+</a>                 | 1  | 364     | 377   | 62  | AM2      | Desktop |
| <a href="#">AMD Sempron 3800+</a>                 | 1  | 360     | 422   | 62  | AM2      | Desktop |
| <a href="#">AMD Sempron 3850 APU</a>              | 4  | 1,153   | 448   | 25  | AM1,FS1b | Desktop |
| <a href="#">AMD Sempron Dual Core 2100</a>        | 2  | 533     | 596   | 65  | Unknown  | Unknown |
| <a href="#">AMD Sempron Dual Core 2200</a>        | 2  | 563     | 649   | 65  | Unknown  | Unknown |
| <a href="#">AMD Sempron Dual Core 2300</a>        | 2  | 555     | 697   | 65  | Unknown  | Unknown |
| <a href="#">AMD Sempron LE-1100</a>               | 1  | 315     | 509   | 45  | AM2      | Desktop |
| <a href="#">AMD Sempron LE-1150</a>               | 1  | 251     | 477   | 45  | AM2      | Desktop |
| <a href="#">AMD Sempron LE-1200</a>               | 1  | 349     | 551   | 45  | AM2      | Desktop |

[AMD Sempron LE-1250](#)

CPU Name

[AMD Sempron LE-1300](#)

Search

Cores

CPU Mark

Min... -

Thread Mark

Min... -

TDP (W)

Min... -

Socket

Category

 CPU Benchmarks 

| CPU Name  | Cores | CPU Mark | Thread Mark | TDP (W) | Socket   | Category |
|---|-------|----------|-------------|---------|----------|----------|
| <a href="#">AMD Sempron SI-40</a>                         | 1     | 257      | 537         | 25      | S1       | Laptop   |
| <a href="#">AMD Sempron SI-42</a>                         | 1     | 261      | 650         | 25      | S1       | Laptop   |
| <a href="#">AMD Sempron X2 180</a>                        | 2     | 826      | 865         | 45      | Unknown  | Unknown  |
| <a href="#">AMD Sempron X2 190</a>                        | 2     | 879      | 977         | 45      | AM2+/AM3 | Unknown  |
| <a href="#">AMD Sempron X2 198 Dual-Core</a>              | 2     | 930      | 1,070       | 65      | FM1      | Desktop  |
|   |       |          |             |         |          |          |
| <a href="#">AMD Turion 64 Mobile MK-36</a>                | 1     | 334      | 735         | 31      | S1       | Laptop   |
| <a href="#">AMD Turion 64 Mobile MK-38</a>                | 1     | 362      | 801         | 31      | S1       | Laptop   |
| <a href="#">AMD Turion 64 Mobile ML-28</a>                | 1     | 254      | 314         | 25      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile ML-30</a>                | 1     | 277      | 314         | 35      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile ML-32</a>                | 1     | 285      | 321         | 35      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile ML-34</a>                | 1     | 277      | 329         | 35      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile ML-37</a>                | 1     | 334      | 510         | 35      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile ML-40</a>                | 1     | 336      | 662         | 35      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile ML-42</a>                | 1     | 400      | 455         | 35      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile ML-44</a>                | 1     | 384      | 469         | 35      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile MT-30</a>                | 1     | 246      | 294         | 25      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile MT-32</a>                | 1     | 286      | 367         | 24      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile MT-34</a>                | 1     | 279      | 328         | 24      | 754      | Laptop   |
| <a href="#">AMD Turion 64 Mobile MT-37</a>                | 1     | 315      | 379         | 25      | 754      | Laptop   |
| <a href="#">AMD Turion 64 X2 Mobile TL-50</a>             | 2     | 436      | 525         | 31      | S1       | Laptop   |
| <a href="#">AMD Turion 64 X2 Mobile TL-52</a>             | 2     | 384      | 497         | 31      | S1       | Laptop   |
| <a href="#">AMD Turion 64 X2 Mobile TL-56</a>             | 2     | 453      | 579         | 31      | S1       | Laptop   |
| <a href="#">AMD Turion 64 X2 Mobile TL-58</a>             | 2     | 478      | 552         | 31      | S1       | Laptop   |
| <a href="#">AMD Turion 64 X2 Mobile TL-60</a>             | 2     | 623      | 702         | 31      | S1       | Laptop   |
| <a href="#">AMD Turion 64 X2 Mobile TL-62</a>             | 2     | 738      | 758         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion 64 X2 Mobile TL-64</a>             | 2     | 675      | 702         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion 64 X2 Mobile TL-66</a>             | 2     | 627      | 816         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion 64 X2 Mobile TL-68</a>             | 2     | 861      | 887         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion Dual-Core RM-70</a>                | 2     | 561      | 548         | 31      | S1       | Laptop   |
| <a href="#">AMD Turion Dual-Core RM-72</a>                | 2     | 649      | 725         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion Dual-Core RM-74</a>                | 2     | 588      | 595         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion Dual-Core RM-75</a>                | 2     | 659      | 444         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion II Dual-Core Mobile M500</a>       | 2     | 760      | 866         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion II Dual-Core Mobile M520</a>       | 2     | 830      | 927         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion II Dual-Core Mobile M540</a>       | 2     | 912      | 967         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion II N530 Dual-Core</a>              | 2     | 855      | 968         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion II N550 Dual-Core</a>              | 2     | 877      | 891         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion II Neo K625 Dual-Core</a>          | 2     | 565      | 596         | 15      | S1       | Laptop   |
| <a href="#">AMD Turion II Neo K685 Dual-Core</a>          | 2     | 684      | 729         | 15      | BGA812   | Laptop   |
| <a href="#">AMD Turion II Neo N40L Dual-Core</a>          | 2     | 589      | 609         | 15      | BGA812   | Laptop   |
| <a href="#">AMD Turion II Neo N54L Dual-Core</a>          | 2     | 741      | 840         | 25      | BGA812   | Laptop   |
| <a href="#">AMD Turion II P520 Dual-Core</a>              | 2     | 790      | 892         | 25      | S1       | Laptop   |
| <a href="#">AMD Turion II P540 Dual-Core</a>              | 2     | 884      | 843         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion II P560 Dual-Core</a>              | 2     | 818      | 931         | 25      | S1       | Laptop   |
| <a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a> | 2     | 923      | 982         | 35      | S1       | Laptop   |
| <a href="#">AMD Turion II Ultra Dual-Core Mobile</a>      | 2     | 814      | 945         | 35      | S1       | Laptop   |

| <a href="#">M620</a> | <b>CPU Name</b>                                      | <b>Cores</b> | <b>CPU Mark</b><br>Min... - | <b>Thread Mark</b><br>Min... - | <b>TDP (W)</b><br>Min... - | <b>Socket</b> | <b>Category</b> |
|----------------------|--|--------------|-----------------------------|--------------------------------|----------------------------|---------------|-----------------|
|                      | <a href="#">AMD Turion II Ultra Dual-Core Mobile</a> |              |                             |                                |                            |               |                 |

CPU Benchmarks

| <a href="#">M1000</a> | <b>CPU Name</b>  | <b>Cores</b> | <b>CPU Mark</b><br>Min... - | <b>Thread Mark</b><br>Min... - | <b>TDP (W)</b><br>Min... - | <b>Socket</b> | <b>Category</b> |
|-----------------------|--|--------------|-----------------------------|--------------------------------|----------------------------|---------------|-----------------|
|                       | <a href="#">AMD Turion Neo X2 Dual Core L625</a>           | 2            | 431                         | 530                            | 18                         | ASB1          | Laptop          |
|                       | <a href="#">AMD Turion X2 Dual Core L510</a>               | 2            | 603                         | 593                            | 20                         | ASB1          | Laptop          |
|                       | <a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>       | 2            | 497                         | 504                            | 31                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>       | 2            | 691                         | 729                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>       | 2            | 624                         | 663                            | 31                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>       | 2            | 666                         | 751                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>       | 2            | 623                         | 730                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>       | 2            | 708                         | 770                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>       | 2            | 635                         | 753                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a> | 2            | 521                         | 628                            | 32                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a> | 2            | 654                         | 789                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a> | 2            | 793                         | 778                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a> | 2            | 730                         | 828                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a> | 2            | 695                         | 820                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a> | 2            | 689                         | 758                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>        | 2            | 536                         | 674                            | 31                         | S1            | Laptop          |
|                       | <a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>        | 2            | 471                         | 392                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>   | 2            | 841                         | 686                            | 35                         | S1            | Laptop          |
|                       | <a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-87</a>   | 2            | 599                         | 770                            | 35                         | S1            | Mobile/Embedded |
|                       | <a href="#">AMD V105</a>                                   | 1            | 184                         | 452                            | 9                          | BGA812        | Laptop          |
|                       | <a href="#">AMD V120</a>                                   | 1            | 362                         | 812                            | 25                         | S1            | Laptop          |
|                       | <a href="#">AMD V140</a>                                   | 1            | 379                         | 869                            | 25                         | S1            | Laptop          |
|                       | <a href="#">AMD V160</a>                                   | 1            | 337                         | 838                            | 25                         | S1            | Laptop          |
|                       | <a href="#">AMD Z-01</a>                                   | 2            | 308                         | 290                            | NA                         | Unknown       | Unknown         |
|                       | <a href="#">AMD Z-60 APU</a>                               | 2            | 262                         | 318                            | 4.5                        | FT1           | Laptop          |
|                       | <a href="#">Amlogic</a>                                    | 4            | 532                         | 371                            | NA                         | Unknown       | Unknown         |
|                       | <a href="#">Apple A11 Bionic</a>                           | 6            | 4,202                       | 1,169                          | NA                         | Unknown       | Mobile/Embedded |
|                       | <a href="#">Apple A12 Bionic</a>                           | 6            | 4,666                       | 1,917                          | NA                         | Unknown       | Mobile/Embedded |
|                       | <a href="#">Apple A12X Bionic</a>                          | 8            | 10,867                      | 2,617                          | NA                         | Unknown       | Mobile/Embedded |
|                       | <a href="#">Apple A13 Bionic</a>                           | 6            | 5,091                       | 2,105                          | NA                         | Unknown       | Mobile/Embedded |
|                       | <a href="#">Apple A14 Bionic</a>                           | 6            | 8,538                       | 3,411                          | NA                         | Unknown       | Mobile/Embedded |
|                       | <a href="#">Apple A8</a>                                   | 2            | 1,532                       | 914                            | NA                         | Unknown       | Mobile/Embedded |
|                       | <a href="#">Apple A8X</a>                                  | 3            | 2,363                       | 936                            | NA                         | Unknown       | Mobile/Embedded |
|                       | <a href="#">Apple A9</a>                                   | 2            | 2,049                       | 1,181                          | NA                         | Unknown       | Mobile/Embedded |
|                       | <a href="#">Apple A9X</a>                                  | 2            | 2,533                       | 1,518                          | NA                         | Unknown       | Mobile/Embedded |
|                       | <a href="#">Apple M1 8 Core 3200 MHz</a>                   | 8            | 14,782                      | 3,764                          | 15.1                       | Unknown       | Desktop, Laptop |



| <a href="#">Apple M1 8 Core 3200 MHz</a>              |       |                      |                         |                     |         |                 |
|---|-------|----------------------|-------------------------|---------------------|---------|-----------------|
| CPU Name  | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket  | Category        |
| <a href="#">Apple M1 Pro 8 Core 3200 MHz</a>          | 8     | 17,593               | 3,801                   | NA                  | Unknown | Desktop, Laptop |
| <a href="#">Apple M1 Ultra 20 Core</a>                | 16    | 41,306               | 3,896                   | 60                  | Unknown | Desktop         |
| <a href="#">ARM ARMv7 rev 3 (v7I) 4 Core 2065 MHz</a> | 4     | 984                  | 593                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM ARMv7 rev 4 (v7I) 4 Core 1200 MHz</a> | 4     | 396                  | 272                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A17 4 Core 1800 MHz</a>        | 4     | 515                  | 398                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A35 4 Core 1296 MHz</a>        | 4     | 334                  | 166                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 0 MHz</a>           | 4     | 374                  | 165                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>        | 4     | 347                  | 155                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>        | 4     | 323                  | 237                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>        | 4     | 425                  | 184                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 1392 MHz</a>        | 4     | 459                  | 191                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>        | 4     | 357                  | 250                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 1512 MHz</a>        | 4     | 448                  | 229                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 1536 MHz</a>        | 4     | 202                  | 192                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 1600 MHz</a>        | 4     | 400                  | 163                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 4 Core 1800 MHz</a>        | 4     | 557                  | 247                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A53 6 Core 1896 MHz</a>        | 6     | 1,851                | 751                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A55 4 Core 1992 MHz</a>        | 4     | 741                  | 328                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A55 4 Core 2100 MHz</a>        | 4     | 719                  | 328                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A55 4 Core 2124 MHz</a>        | 4     | 742                  | 336                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>        | 4     | 955                  | 406                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A57 4 Core 1734 MHz</a>        | 4     | 1,172                | 387                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>        | 4     | 1,153                | 428                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A57 8 Core 1500 MHz</a>        | 8     | 1,022                | 346                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A7 2 Core 1080 MHz</a>         | 2     | 142                  | 200                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A7 2 Core 960 MHz</a>          | 2     | 93                   | 140                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>         | 4     | 270                  | 208                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A7 4 Core 1300 MHz</a>         | 4     | 354                  | 253                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A7 4 Core 1368 MHz</a>         | 4     | 337                  | 264                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A7 4 Core 900 MHz</a>          | 4     | 244                  | 171                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 16 Core 0 MHz</a>          | 16    | 5,435                | 600                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 2 Core 0 MHz</a>           | 2     | 625                  | 534                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 4 Core 0 MHz</a>           | 4     | 4,907                | 2,658                   | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>        | 4     | 660                  | 459                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 4 Core 1750 MHz</a>        | 4     | 335                  | 463                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>        | 4     | 861                  | 572                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 4 Core 1850 MHz</a>        | 4     | 199                  | 343                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>        | 4     | 739                  | 561                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 4 Core 2100 MHz</a>        | 4     | 653                  | 543                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>        | 4     | 800                  | 604                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 4 Core 2300 MHz</a>        | 4     | 1,075                | 726                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 6 Core 1416 MHz</a>        | 6     | 1,101                | 482                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 6 Core 1512 MHz</a>        | 6     | 1,192                | 522                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A72 8 Core 0 MHz</a>           | 8     | 3,906                | 1,531                   | NA                  | Unknown | Unknown         |
| <a href="#">ARM Cortex-A73 6 Core 1992 MHz</a>        | 6     | 1,311                | 454                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM FT-2000/4 4 Core 2200 MHz</a>         | 4     | 881                  | 565                     | NA                  | Unknown | Unknown         |
| <a href="#">ARM Neoverse-N1 1 Core 0 MHz</a>          | 1     | 791                  | 1.197                   | NA                  | Unknown | Unknown         |

| CPU Name                                      | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">ARM Neoverse-N1 16 Core 0 MHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |    |        |       |     |            |                 |
|--|----|--------|-------|-----|------------|-----------------|
| <a href="#">ARM Neoverse-N1 6 Core 0 MHz</a>                     | 6  | 4,756  | 1,299 | NA  | Unknown    | Unknown         |
| <a href="#">ARM Neoverse-N1 64 Core 0 MHz</a>                    | 64 | 28,079 | 1,085 | NA  | Unknown    | Unknown         |
| <a href="#">ARM Neoverse-N1 8 Core 0 MHz</a>                     | 8  | 5,561  | 1,184 | NA  | Unknown    | Unknown         |
| <a href="#">ARM Neoverse-N1 80 Core 0 MHz</a>                    | 80 | 37,809 | 1,311 | NA  | Unknown    | Unknown         |
| <a href="#">ARM Neoverse-N1 80 Core 3000 MHz</a>                 | 80 | 38,122 | 1,329 | NA  | Unknown    | Unknown         |
| <a href="#">ARM phytiium FT1500a 4 Core 2000 MHz</a>             | 4  | 1,579  | 716   | NA  | Unknown    | Unknown         |
| <a href="#">ARM X-Gene 32 Core 3300 MHz</a>                      | 32 | 8,684  | 583   | NA  | Unknown    | Unknown         |
| <a href="#">ASUS Tinker Board 2/2S</a>                           | 6  | 1,423  | 890   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">Athlon 64 Dual Core 3800+</a>                        | 2  | 736    | 653   | 35  | Unknown    | Unknown         |
| <a href="#">Athlon 64 Dual Core 5000+</a>                        | 2  | 850    | 924   | 89  | Unknown    | Desktop         |
| <a href="#">Athlon 64 Dual Core 5600+</a>                        | 2  | 875    | 993   | 65  | AM2        | Desktop         |
| <a href="#">Athlon Dual Core 4050e</a>                           | 2  | 670    | 744   | 45  | AM2        | Desktop         |
| <a href="#">Athlon Dual Core 4450e</a>                           | 2  | 681    | 792   | 45  | AM2        | Desktop         |
| <a href="#">Athlon Dual Core 4850e</a>                           | 2  | 769    | 861   | 45  | AM2        | Desktop         |
| <a href="#">BCM2711</a>  | 4  | 834    | 597   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">BCM2835</a>  | 4  | 1,282  | 673   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>                | 2  | 615    | 728   | 35  | PGA478     | Laptop          |
| <a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>                | 2  | 519    | 566   | 35  | BGA479     | Laptop          |
| <a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>                | 2  | 627    | 692   | 35  | µFCPGA-478 | Laptop          |
| <a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>                | 2  | 768    | 872   | 35  | PGA478     | Laptop          |
| <a href="#">DG1301SML87HY</a>                                    | 8  | 3,624  | 727   | NA  | Unknown    | Unknown         |
| <a href="#">DO-Regular</a>                                       | 1  | 819    | 1,055 | NA  | Unknown    | Unknown         |
| <a href="#">Dual-Core AMD Opteron 1220 SE</a>                    | 2  | 748    | 900   | 103 | AM2        | Server          |
| <a href="#">Generic DT based system</a>                          | 4  | 612    | 453   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a> | 8  | 4,818  | 1,853 | NA  | Unknown    | Mobile/Embedded |
| <a href="#">hi6210sft</a>  | 8  | 796    | 269   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin 650</a>                              | 8  | 1,639  | 628   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin 659</a>                              | 8  | 1,703  | 665   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin 930</a>                              | 8  | 1,337  | 419   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin 950</a>                              | 8  | 1,991  | 717   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin 960</a>                              | 8  | 2,401  | 1,069 | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin 970</a>                              | 8  | 2,908  | 1,110 | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin710</a>                               | 8  | 2,282  | 947   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin810</a>                               | 8  | 2,986  | 1,522 | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin820</a>                               | 8  | 3,273  | 1,681 | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin9000</a>                              | 8  | 5,083  | 2,490 | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin970</a>                               | 8  | 2,508  | 925   | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin980</a>                               | 8  | 4,099  | 1,739 | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin985</a>                               | 8  | 4,162  | 1,823 | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HiSilicon Kirin990</a>                               | 8  | 4,328  | 1,908 | NA  | Unknown    | Mobile/Embedded |
| <a href="#">HP Hexa-Core 2.0GHz</a>                              | 4  | 1,741  | 804   | NA  | Unknown    | Unknown         |
| <a href="#">Hygon C86 7255 16-core</a>                           | 16 | 18,831 | 1,490 | NA  | Unknown    | Unknown         |
| <a href="#">Intel 2.80GHz</a>                                    | 2  | 341    | 456   | NA  | Unknown    | Unknown         |
| <a href="#">Intel Atom 230 @ 1.60GHz</a>                         | 1  | 210    | 167   | 4   | BGA437     | Desktop         |
| <a href="#">Intel Atom 330 @ 1.60GHz</a>                         | 2  | 371    | 168   | 8   | BGA437     | Desktop         |

| CPU Name                                   | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|--|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Atom C2338 @ 1.74GHz</a> |       | Min... - | Min... -    | Min... - |        |          |
| <a href="#">Intel Atom C2350 @ 1.74GHz</a> |       |          |             |          |        |          |

## CPU Benchmarks

|   |    |       |     |     |            |                         |
|---|----|-------|-----|-----|------------|-------------------------|
| <a href="#">Intel Atom C2550 @ 2.40GHz</a>    | 4  | 1,422 | 554 | 14  | FCBGA1283  | Server                  |
| <a href="#">Intel Atom C2558 @ 2.40GHz</a>    | 4  | 1,410 | 358 | 15  | BGA 1283   | Laptop, Mobile/Embedded |
| <a href="#">Intel Atom C2750 @ 2.40GHz</a>    | 8  | 2,775 | 658 | 20  | FCBGA1283  | Server                  |
| <a href="#">Intel Atom C2750 @ 2.41GHz</a>    | 8  | 2,174 | 291 | 20  | BGA 1283   | Server                  |
| <a href="#">Intel Atom C2758 @ 2.40GHz</a>    | 8  | 2,056 | 333 | 20  | BGA 1283   | Laptop, Mobile/Embedded |
| <a href="#">Intel Atom C3338 @ 1.50GHz</a>    | 2  | 1,245 | 874 | 8.5 | FCBGA1310  | Server, Mobile/Embedded |
| <a href="#">Intel Atom C3538 @ 2.10GHz</a>    | 4  | 1,756 | 669 | 15  | FCBGA1310  | Server                  |
| <a href="#">Intel Atom C3558 @ 2.20GHz</a>    | 4  | 2,405 | 849 | 16  | FCBGA1310  | Server                  |
| <a href="#">Intel Atom C3758 @ 2.20GHz</a>    | 8  | 4,675 | 857 | 25  | FCBGA1310  | Server                  |
| <a href="#">Intel Atom C3858 @ 2.00GHz</a>    | 12 | 3,154 | 501 | 25  | FCBGA1310  | Server                  |
| <a href="#">Intel Atom C3958 @ 2.00GHz</a>    | 16 | 4,281 | 514 | 31  | FCBGA1310  | Server                  |
| <a href="#">Intel Atom D2500 @ 1.86GHz</a>    | 2  | 275   | 346 | 10  | BGA559     | Desktop                 |
| <a href="#">Intel Atom D2550 @ 1.86GHz</a>    | 2  | 408   | 311 | 10  | BGA559     | Desktop                 |
| <a href="#">Intel Atom D2560 @ 2.00GHz</a>    | 2  | 433   | 353 | 10  | Unknown    | Desktop                 |
| <a href="#">Intel Atom D2700 @ 2.13GHz</a>    | 2  | 492   | 387 | 10  | BGA559     | Desktop                 |
| <a href="#">Intel Atom D2701 @ 2.13GHz</a>    | 2  | 511   | 384 | 10  | BGA559     | Laptop                  |
| <a href="#">Intel Atom D410 @ 1.66GHz</a>     | 1  | 177   | 254 | 10  | BGA559     | Desktop                 |
| <a href="#">Intel Atom D425 @ 1.80GHz</a>     | 1  | 222   | 320 | 10  | BGA559     | Desktop                 |
| <a href="#">Intel Atom D510 @ 1.66GHz</a>     | 2  | 404   | 292 | 13  | BGA559     | Desktop                 |
| <a href="#">Intel Atom D525 @ 1.80GHz</a>     | 2  | 399   | 310 | 13  | BGA559     | Desktop                 |
| <a href="#">Intel Atom E3815 @ 1.46GHz</a>    | 1  | 159   | 238 | 5   | FCBGA1170  | Desktop                 |
| <a href="#">Intel Atom E3825 @ 1.33GHz</a>    | 2  | 385   | 370 | 6   | FCBGA1170  | Desktop                 |
| <a href="#">Intel Atom E3826 @ 1.46GHz</a>    | 2  | 304   | 395 | 7   | FCBGA1170  | Laptop                  |
| <a href="#">Intel Atom E3827 @ 1.74GHz</a>    | 2  | 460   | 455 | 8   | FCBGA1170  | Laptop                  |
| <a href="#">Intel Atom E3840 @ 1.91GHz</a>    | 4  | 704   | 477 | NA  | Unknown    | Unknown                 |
| <a href="#">Intel Atom E3845 @ 1.91GHz</a>    | 4  | 1,038 | 536 | 10  | FCBGA1170  | Desktop                 |
| <a href="#">Intel Atom E3900 @ 1.60GHz</a>    | 4  | 1,953 | 675 | NA  | Unknown    | Laptop                  |
| <a href="#">Intel Atom E3940 @ 1.60GHz</a>    | 4  | 1,960 | 676 | 9.5 | Unknown    | Laptop                  |
| <a href="#">Intel Atom E3950 @ 1.60GHz</a>    | 4  | 2,092 | 737 | 12  | BGA1296    | Laptop                  |
| <a href="#">Intel Atom N2100 @ 1.60GHz</a>    | 1  | 188   | 310 | NA  | BGA559     | Laptop                  |
| <a href="#">Intel Atom N2600 @ 1.60GHz</a>    | 2  | 323   | 292 | 3.5 | BGA559     | Laptop                  |
| <a href="#">Intel Atom N270 @ 1.60GHz</a>     | 1  | 175   | 164 | 2.5 | BGA437     | Laptop                  |
| <a href="#">Intel Atom N280 @ 1.66GHz</a>     | 1  | 175   | 226 | 2.5 | BGA437     | Laptop                  |
| <a href="#">Intel Atom N2800 @ 1.86GHz</a>    | 2  | 429   | 319 | 6.5 | BGA559     | Laptop                  |
| <a href="#">Intel Atom N435 @ 1.33GHz</a>     | 1  | 153   | 220 | NA  | Unknown    | Unknown                 |
| <a href="#">Intel Atom N450 @ 1.66GHz</a>     | 1  | 177   | 270 | 5.5 | BGA559     | Laptop                  |
| <a href="#">Intel Atom N455 @ 1.66GHz</a>     | 1  | 162   | 258 | 6.5 | BGA559     | Laptop                  |
| <a href="#">Intel Atom N470 @ 1.83GHz</a>     | 1  | 224   | 308 | 6.5 | BGA559     | Laptop                  |
| <a href="#">Intel Atom N475 @ 1.83GHz</a>     | 1  | 179   | 281 | 6.5 | BGA559     | Laptop                  |
| <a href="#">Intel Atom N550 @ 1.50GHz</a>     | 2  | 265   | 243 | 8.5 | BGA559     | Laptop                  |
| <a href="#">Intel Atom N570 @ 1.66GHz</a>     | 2  | 335   | 282 | 8.5 | BGA559     | Laptop                  |
| <a href="#">Intel Atom S1260 @ 2.00GHz</a>    | 2  | 596   | 224 | 8.5 | FCBGA1283  | Server                  |
| <a href="#">Intel Atom T5700 @ 1.70GHz</a>    | 4  | 2,030 | 816 | NA  | Unknown    | Laptop                  |
| <a href="#">Intel Atom x5-E3930 @ 1.30GHz</a> | 2  | 878   | 617 | 6.5 | BGA1296    | Laptop                  |
| <a href="#">Intel Atom x5-E8000 @ 1.04GHz</a> | 4  | 985   | 509 | 5   | FCBGA1170  | Laptop                  |
| <a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a> | 4  | 829   | 465 | 4   | UTFCBGA592 | Laptop, Mobile/Embedded |
| <a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a> | 4  | 818   | 473 | 4   | Unknown    | Laptop                  |
| <a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a> | 4  | 906   | 483 | 4   | UTFCBGA592 | Laptop                  |

| CPU Name           | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|--------------------|-------|----------|-------------|----------|--------|----------|
| x5-Z8500 @ 1.44GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |      |                |                         |
|--|---|-------|-------|------|----------------|-------------------------|
| <a href="#">Intel Atom x6413E @ 1.50GHz</a>    | 4 | 4,070 | 1,608 | 9    | FCBGA1493      | Mobile/Embedded         |
| <a href="#">Intel Atom x6425E @ 2.00GHz</a>    | 4 | 4,153 | 1,602 | 12   | FCBGA1493      | Mobile/Embedded         |
| <a href="#">Intel Atom x6425RE @ 1.90GHz</a>   | 4 | 2,903 | 1,021 | 12   | FCBGA1493      | Mobile/Embedded         |
| <a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a>  | 4 | 1,311 | 642   | 4    | BGA1380        | Laptop                  |
| <a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a>  | 4 | 1,373 | 697   | 4    | UTFCBGA1380    | Laptop                  |
| <a href="#">Intel Atom Z2760 @ 1.80GHz</a>     | 2 | 298   | 206   | NA   | FC-MB4760      | Laptop                  |
| <a href="#">Intel Atom Z3560 @ 1.83GHz</a>     | 4 | 690   | 476   | NA   | Unknown        | Mobile/Embedded         |
| <a href="#">Intel Atom Z3580 @ 1.33GHz</a>     | 4 | 825   | 574   | NA   | Unknown        | Laptop, Mobile/Embedded |
| <a href="#">Intel Atom Z3735D @ 1.33GHz</a>    | 4 | 761   | 591   | 4.4  | Unknown        | Laptop                  |
| <a href="#">Intel Atom Z3735E @ 1.33GHz</a>    | 4 | 557   | 478   | 4.4  | UTFCBGA1380    | Laptop                  |
| <a href="#">Intel Atom Z3735F @ 1.33GHz</a>    | 4 | 551   | 395   | 4.4  | UTFCBGA592     | Laptop                  |
| <a href="#">Intel Atom Z3735G @ 1.33GHz</a>    | 4 | 806   | 487   | 4.4  | Unknown        | Laptop                  |
| <a href="#">Intel Atom Z3736F @ 1.33GHz</a>    | 4 | 494   | 410   | 4.4  | UTFCBGA592     | Laptop                  |
| <a href="#">Intel Atom Z3740 @ 1.33GHz</a>     | 4 | 651   | 423   | 4    | UTFCBGA1380    | Laptop                  |
| <a href="#">Intel Atom Z3740D @ 1.33GHz</a>    | 4 | 614   | 459   | 4.4  | UTFCBGA1380    | Laptop                  |
| <a href="#">Intel Atom Z3745 @ 1.33GHz</a>     | 4 | 621   | 435   | 4    | UTFCBGA1380    | Laptop                  |
| <a href="#">Intel Atom Z3745D @ 1.33GHz</a>    | 4 | 585   | 437   | 4.4  | Unknown        | Laptop                  |
| <a href="#">Intel Atom Z3770 @ 1.46GHz</a>     | 4 | 738   | 542   | 4    | UTFCBGA1380    | Laptop                  |
| <a href="#">Intel Atom Z3770D @ 1.49GHz</a>    | 4 | 488   | 361   | 4.4  | BGA1380        | Laptop                  |
| <a href="#">Intel Atom Z3775 @ 1.46GHz</a>     | 4 | 754   | 538   | 4    | UTFCBGA1380    | Laptop                  |
| <a href="#">Intel Atom Z3775D @ 1.49GHz</a>    | 4 | 794   | 646   | 4.4  | UTFCBGA1380    | Laptop                  |
| <a href="#">Intel Atom Z3795 @ 1.60GHz</a>     | 4 | 1,166 | 654   | 4    | UTFCBGA1380    | Laptop                  |
| <a href="#">Intel Atom Z520 @ 1.33GHz</a>      | 1 | 122   | 151   | 2    | BGA441         | Laptop                  |
| <a href="#">Intel Atom Z530 @ 1.60GHz</a>      | 1 | 183   | 161   | 2    | BGA441         | Laptop                  |
| <a href="#">Intel Atom Z670 @ 1.50GHz</a>      | 1 | 158   | 95    | 3    | BGA518         | Laptop                  |
| <a href="#">Intel Celeron 1.70GHz</a>          | 1 | 101   | 190   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 1.80GHz</a>          | 1 | 96    | 307   | 66.1 | PPGA478        | Desktop                 |
| <a href="#">Intel Celeron 1000M @ 1.80GHz</a>  | 2 | 1,028 | 970   | 35   | FCPGA988       | Laptop                  |
| <a href="#">Intel Celeron 1000MHz</a>          | 1 | 139   | 174   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 1005M @ 1.90GHz</a>  | 2 | 1,068 | 1,015 | 35   | FCPGA988       | Laptop                  |
| <a href="#">Intel Celeron 1007U @ 1.50GHz</a>  | 2 | 801   | 761   | 17   | FCBGA1023      | Laptop                  |
| <a href="#">Intel Celeron 1017U @ 1.60GHz</a>  | 2 | 859   | 807   | 17   | FCBGA1023      | Laptop                  |
| <a href="#">Intel Celeron 1019Y @ 1.00GHz</a>  | 2 | 576   | 521   | 10   | FCBGA1023      | Desktop                 |
| <a href="#">Intel Celeron 1020E @ 2.20GHz</a>  | 2 | 1,406 | 1,224 | 35   | FCBGA1023, FCP | Laptop                  |
| <a href="#">Intel Celeron 1020M @ 2.10GHz</a>  | 2 | 1,275 | 1,176 | 35   | FCPGA988       | Laptop                  |
| <a href="#">Intel Celeron 1037U @ 1.80GHz</a>  | 2 | 975   | 924   | 17   | FCBGA1023      | Laptop                  |
| <a href="#">Intel Celeron 1047UE @ 1.40GHz</a> | 2 | 748   | 526   | 17   | FCBGA1023      | Desktop                 |
| <a href="#">Intel Celeron 1100MHz</a>          | 1 | 113   | 183   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 1200MHz</a>          | 1 | 159   | 212   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 2.00GHz</a>          | 1 | 125   | 338   | 52.8 | PPGA478        | Desktop                 |
| <a href="#">Intel Celeron 2.13GHz</a>          | 1 | 166   | 361   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 2.20GHz</a>          | 1 | 139   | 349   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 2.26GHz</a>          | 1 | 182   | 382   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 2.30GHz</a>          | 1 | 148   | 364   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 2.40GHz</a>          | 1 | 143   | 397   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 2.50GHz</a>          | 1 | 164   | 431   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 2.53GHz</a>          | 1 | 201   | 461   | NA   | Unknown        | Unknown                 |
| <a href="#">Intel Celeron 2.60GHz</a>          | 1 | 143   | 353   | NA   | Unknown        | Unknown                 |



| CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks

|  |   |       |       |      |           |                         |
|--|---|-------|-------|------|-----------|-------------------------|
| <a href="#">Intel Celeron 2.93GHz</a>          | 1 | 230   | 396   | NA   | Unknown   | Unknown                 |
| <a href="#">Intel Celeron 2000E @ 2.20GHz</a>  | 2 | 1,607 | 1,282 | 37   | FCBGA1364 | Laptop                  |
| <a href="#">Intel Celeron 2002E @ 1.50GHz</a>  | 2 | 1,091 | 871   | 25   | FCBGA1364 | Laptop                  |
| <a href="#">Intel Celeron 215 @ 1.33GHz</a>    | 1 | 174   | 440   | 27   | BGA479    | Laptop                  |
| <a href="#">Intel Celeron 220 @ 1.20GHz</a>    | 1 | 209   | 255   | 19   | BGA479    | Desktop                 |
| <a href="#">Intel Celeron 2950M @ 2.00GHz</a>  | 2 | 1,237 | 1,150 | 37   | FCPGA946  | Laptop                  |
| <a href="#">Intel Celeron 2955U @ 1.40GHz</a>  | 2 | 835   | 765   | 15   | FCBGA1168 | Laptop                  |
| <a href="#">Intel Celeron 2957U @ 1.40GHz</a>  | 2 | 839   | 781   | 15   | FCBGA1168 | Laptop                  |
| <a href="#">Intel Celeron 2961Y @ 1.10GHz</a>  | 2 | 732   | 641   | 11.5 | Unknown   | Laptop                  |
| <a href="#">Intel Celeron 2970M @ 2.20GHz</a>  | 2 | 1,501 | 1,245 | 37   | FCPGA946  | Laptop                  |
| <a href="#">Intel Celeron 2980U @ 1.60GHz</a>  | 2 | 1,056 | 929   | 15   | FCBGA1168 | Laptop                  |
| <a href="#">Intel Celeron 2981U @ 1.60GHz</a>  | 2 | 991   | 871   | 15   | BGA1168   | Laptop                  |
| <a href="#">Intel Celeron 3.06GHz</a>          | 1 | 234   | 514   | NA   | Unknown   | Unknown                 |
| <a href="#">Intel Celeron 3.20GHz</a>          | 1 | 267   | 599   | NA   | Unknown   | Unknown                 |
| <a href="#">Intel Celeron 3.33GHz</a>          | 1 | 263   | 528   | NA   | Unknown   | Unknown                 |
| <a href="#">Intel Celeron 3205U @ 1.50GHz</a>  | 2 | 918   | 879   | 15   | FCBGA1168 | Laptop                  |
| <a href="#">Intel Celeron 3215U @ 1.70GHz</a>  | 2 | 1,137 | 1,057 | 15   | FCBGA1168 | Laptop                  |
| <a href="#">Intel Celeron 3755U @ 1.70GHz</a>  | 2 | 1,182 | 1,022 | 15   | FCBGA1168 | Laptop                  |
| <a href="#">Intel Celeron 3765U @ 1.90GHz</a>  | 2 | 1,252 | 1,171 | 15   | FCBGA1168 | Laptop                  |
| <a href="#">Intel Celeron 3855U @ 1.60GHz</a>  | 2 | 1,237 | 944   | 15   | FCBGA1356 | Laptop                  |
| <a href="#">Intel Celeron 3865U @ 1.80GHz</a>  | 2 | 1,266 | 1,047 | 15   | BGA1356   | Laptop                  |
| <a href="#">Intel Celeron 3867U @ 1.80GHz</a>  | 2 | 1,489 | 1,101 | 15   | FCBGA1356 | Laptop                  |
| <a href="#">Intel Celeron 3955U @ 2.00GHz</a>  | 2 | 1,490 | 1,202 | 15   | FCBGA1356 | Laptop                  |
| <a href="#">Intel Celeron 3965U @ 2.20GHz</a>  | 2 | 1,680 | 1,360 | 15   | FCBGA1356 | Laptop                  |
| <a href="#">Intel Celeron 3965Y @ 1.50GHz</a>  | 2 | 1,179 | 889   | 6    | FCBGA1515 | Laptop                  |
| <a href="#">Intel Celeron 420 @ 1.60GHz</a>    | 1 | 235   | 471   | 35   | LGA775    | Desktop                 |
| <a href="#">Intel Celeron 4205U @ 1.80GHz</a>  | 2 | 1,334 | 1,048 | 15   | FCBGA1528 | Laptop                  |
| <a href="#">Intel Celeron 430 @ 1.80GHz</a>    | 1 | 293   | 630   | 35   | LGA775    | Desktop                 |
| <a href="#">Intel Celeron 4305U @ 2.20GHz</a>  | 2 | 1,694 | 1,378 | 15   | FCBGA1528 | Mobile/Embedded         |
| <a href="#">Intel Celeron 4305UE @ 2.00GHz</a> | 2 | 1,908 | 1,213 | 15   | FCBGA1528 | Laptop, Mobile/Embedded |
| <a href="#">Intel Celeron 440 @ 2.00GHz</a>    | 1 | 368   | 444   | 35   | LGA775    | Desktop                 |
| <a href="#">Intel Celeron 450 @ 2.20GHz</a>    | 1 | 433   | 532   | 35   | LGA775    | Desktop                 |
| <a href="#">Intel Celeron 5205U @ 1.90GHz</a>  | 2 | 1,414 | 1,094 | 15   | FCBGA1528 | Laptop                  |
| <a href="#">Intel Celeron 530 @ 1.73GHz</a>    | 1 | 268   | 468   | 27   | PGA478    | Laptop                  |
| <a href="#">Intel Celeron 540 @ 1.86GHz</a>    | 1 | 283   | 496   | 30   | PGA478    | Laptop                  |
| <a href="#">Intel Celeron 550 @ 2.00GHz</a>    | 1 | 301   | 613   | 31   | BGA479    | Laptop                  |
| <a href="#">Intel Celeron 560 @ 2.13GHz</a>    | 1 | 365   | 498   | 31   | PGA478    | Laptop                  |
| <a href="#">Intel Celeron 570 @ 2.26GHz</a>    | 1 | 344   | 431   | 31   | PGA478    | Laptop                  |
| <a href="#">Intel Celeron 6305 @ 1.80GHz</a>   | 2 | 2,211 | 1,229 | NA   | FCBGA1449 | Laptop                  |
| <a href="#">Intel Celeron 6305E @ 1.80GHz</a>  | 2 | 1,675 | 1,083 | 15   | FCBGA1449 | Mobile/Embedded         |
| <a href="#">Intel Celeron 723 @ 1.20GHz</a>    | 1 | 213   | 460   | 10   | BGA956    | Laptop                  |
| <a href="#">Intel Celeron 743 @ 1.30GHz</a>    | 1 | 268   | 529   | 10   | BGA956    | Laptop                  |
| <a href="#">Intel Celeron 807 @ 1.50GHz</a>    | 1 | 392   | 608   | 17   | BGA-1023  | Laptop                  |
| <a href="#">Intel Celeron 807UE @ 1.00GHz</a>  | 1 | 241   | 421   | 10   | BGA-1023  | Laptop                  |
| <a href="#">Intel Celeron 827E @ 1.40GHz</a>   | 1 | 371   | 674   | 17   | FCBGA1023 | Laptop                  |
| <a href="#">Intel Celeron 847 @ 1.10GHz</a>    | 2 | 470   | 483   | 17   | BGA1023   | Laptop                  |
| <a href="#">Intel Celeron 847E @ 1.10GHz</a>   | 2 | 584   | 520   | 17   | FCBGA1023 | Laptop                  |
| <a href="#">Intel Celeron 857 @ 1.20GHz</a>    | 2 | 569   | 476   | 17   | BGA1023   | Laptop                  |



| CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks

|   |   |       |       |      |           |         |
|---|---|-------|-------|------|-----------|---------|
| <a href="#">Intel Celeron 900 @ 2.20GHz</a>     | 1 | 396   | 840   | 34.8 | PGA478    | Laptop  |
| <a href="#">Intel Celeron 925 @ 2.30GHz</a>     | 1 | 444   | 846   | 35   | Unknown   | Laptop  |
| <a href="#">Intel Celeron @ 1.30GHz</a>         | 1 | 548   | 611   | NA   | Unknown   | Unknown |
| <a href="#">Intel Celeron B710 @ 1.60GHz</a>    | 1 | 106   | 101   | 35   | rPGA988B  | Laptop  |
| <a href="#">Intel Celeron B800 @ 1.50GHz</a>    | 2 | 649   | 645   | 35   | PGA988B   | Laptop  |
| <a href="#">Intel Celeron B810 @ 1.60GHz</a>    | 2 | 775   | 754   | 35   | PGA988B   | Laptop  |
| <a href="#">Intel Celeron B815 @ 1.60GHz</a>    | 2 | 706   | 684   | 35   | PGA988B   | Laptop  |
| <a href="#">Intel Celeron B820 @ 1.70GHz</a>    | 2 | 789   | 745   | 35   | PGA988B   | Laptop  |
| <a href="#">Intel Celeron B830 @ 1.80GHz</a>    | 2 | 812   | 841   | 35   | rPGA988B  | Laptop  |
| <a href="#">Intel Celeron B840 @ 1.90GHz</a>    | 2 | 930   | 901   | 35   | PGA988B   | Laptop  |
| <a href="#">Intel Celeron D 347 @ 3.06GHz</a>   | 1 | 232   | 565   | 86   | PLGA775   | Desktop |
| <a href="#">Intel Celeron D 352 @ 3.20GHz</a>   | 1 | 283   | 674   | 86   | PLGA775   | Desktop |
| <a href="#">Intel Celeron D 356 @ 3.33GHz</a>   | 1 | 251   | 619   | 86   | PLGA775   | Desktop |
| <a href="#">Intel Celeron D 360 @ 3.46GHz</a>   | 1 | 372   | 712   | 65   | PLGA775   | Desktop |
| <a href="#">Intel Celeron D 420 @ 1.60GHz</a>   | 1 | 313   | 388   | 35   | LGA775    | Desktop |
| <a href="#">Intel Celeron E1200 @ 1.60GHz</a>   | 2 | 492   | 628   | 65   | LGA775    | Desktop |
| <a href="#">Intel Celeron E1400 @ 2.00GHz</a>   | 2 | 671   | 746   | 65   | LGA775    | Desktop |
| <a href="#">Intel Celeron E1500 @ 2.20GHz</a>   | 2 | 649   | 785   | 65   | LGA775    | Desktop |
| <a href="#">Intel Celeron E1600 @ 2.40GHz</a>   | 2 | 712   | 877   | 65   | LGA775    | Desktop |
| <a href="#">Intel Celeron E3200 @ 2.40GHz</a>   | 2 | 860   | 992   | 65   | LGA775    | Desktop |
| <a href="#">Intel Celeron E3300 @ 2.50GHz</a>   | 2 | 837   | 1,042 | 65   | LGA775    | Desktop |
| <a href="#">Intel Celeron E3400 @ 2.60GHz</a>   | 2 | 810   | 997   | 65   | LGA775    | Desktop |
| <a href="#">Intel Celeron E3500 @ 2.70GHz</a>   | 2 | 935   | 1,154 | 65   | LGA775    | Desktop |
| <a href="#">Intel Celeron G1101 @ 2.27GHz</a>   | 2 | 1,086 | 929   | 73   | FCLGA1156 | Desktop |
| <a href="#">Intel Celeron G1610 @ 2.60GHz</a>   | 2 | 1,465 | 1,349 | 55   | FCLGA1155 | Desktop |
| <a href="#">Intel Celeron G1610T @ 2.30GHz</a>  | 2 | 1,334 | 1,211 | 35   | LGA1155   | Desktop |
| <a href="#">Intel Celeron G1620 @ 2.70GHz</a>   | 2 | 1,450 | 1,407 | 55   | FCLGA1155 | Desktop |
| <a href="#">Intel Celeron G1620T @ 2.40GHz</a>  | 2 | 1,507 | 1,321 | 35   | LGA1155   | Desktop |
| <a href="#">Intel Celeron G1630 @ 2.80GHz</a>   | 2 | 1,707 | 1,553 | 55   | FCLGA1155 | Desktop |
| <a href="#">Intel Celeron G1820 @ 2.70GHz</a>   | 2 | 1,654 | 1,517 | 53   | FCLGA1150 | Desktop |
| <a href="#">Intel Celeron G1820T @ 2.40GHz</a>  | 2 | 1,614 | 1,396 | 35   | LGA1150   | Desktop |
| <a href="#">Intel Celeron G1820TE @ 2.20GHz</a> | 2 | 1,115 | 728   | 35   | LGA1150   | Desktop |
| <a href="#">Intel Celeron G1830 @ 2.80GHz</a>   | 2 | 1,560 | 1,513 | 53   | LGA1150   | Desktop |
| <a href="#">Intel Celeron G1840 @ 2.80GHz</a>   | 2 | 1,761 | 1,611 | 53   | FCLGA1150 | Desktop |
| <a href="#">Intel Celeron G1840T @ 2.50GHz</a>  | 2 | 1,576 | 1,431 | 35   | LGA1150   | Desktop |
| <a href="#">Intel Celeron G1850 @ 2.90GHz</a>   | 2 | 1,926 | 1,695 | 54   | FCLGA1150 | Desktop |
| <a href="#">Intel Celeron G3900 @ 2.80GHz</a>   | 2 | 2,207 | 1,716 | 51   | FCLGA1151 | Desktop |
| <a href="#">Intel Celeron G3900E @ 2.40GHz</a>  | 2 | 2,034 | 1,499 | 35   | FCBGA1440 | Laptop  |
| <a href="#">Intel Celeron G3900T @ 2.60GHz</a>  | 2 | 2,085 | 1,549 | 35   | Unknown   | Desktop |
| <a href="#">Intel Celeron G3900TE @ 2.30GHz</a> | 2 | 1,850 | 1,402 | 35   | FCLGA1151 | Laptop  |
| <a href="#">Intel Celeron G3920 @ 2.90GHz</a>   | 2 | 2,310 | 1,740 | 51   | FCLGA1151 | Desktop |
| <a href="#">Intel Celeron G3930 @ 2.90GHz</a>   | 2 | 2,271 | 1,794 | 51   | FCLGA1151 | Desktop |
| <a href="#">Intel Celeron G3930T @ 2.70GHz</a>  | 2 | 2,109 | 1,650 | 35   | FCLGA1151 | Desktop |
| <a href="#">Intel Celeron G3930TE @ 2.70GHz</a> | 2 | 2,218 | 1,706 | 35   | FCLGA1151 | Desktop |
| <a href="#">Intel Celeron G3950 @ 3.00GHz</a>   | 2 | 2,369 | 1,811 | 51   | FCLGA1151 | Desktop |
| <a href="#">Intel Celeron G440 @ 1.60GHz</a>    | 1 | 426   | 739   | 35   | LGA1155   | Desktop |
| <a href="#">Intel Celeron G460 @ 1.80GHz</a>    | 1 | 494   | 720   | 35   | LGA1155   | Desktop |
| <a href="#">Intel Celeron G465 @ 1.90GHz</a>    | 1 | 480   | 739   | 35   | LGA1155   | Desktop |

| CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks

|  |   |       |       |     |                  |                 |
|--|---|-------|-------|-----|------------------|-----------------|
| <a href="#">Intel Celeron G470 @ 2.00GHz</a>   |   |       |       |     |                  |                 |
| <a href="#">Intel Celeron G4920 @ 3.20GHz</a>  | 2 | 2,406 | 1,965 | 54  | FCLGA1151-2      | Desktop         |
| <a href="#">Intel Celeron G4930 @ 3.20GHz</a>  | 2 | 2,571 | 1,999 | 54  | FCLGA1151-2      | Desktop         |
| <a href="#">Intel Celeron G4930T @ 3.00GHz</a> | 2 | 2,209 | 1,742 | 35  | FCLGA1151        | Desktop         |
| <a href="#">Intel Celeron G4950 @ 3.30GHz</a>  | 2 | 2,714 | 2,041 | 54  | FCLGA1151        | Desktop         |
| <a href="#">Intel Celeron G530 @ 2.40GHz</a>   | 2 | 1,096 | 1,078 | 65  | LGA1155          | Desktop         |
| <a href="#">Intel Celeron G530T @ 2.00GHz</a>  | 2 | 1,055 | 966   | 35  | LGA1155          | Desktop         |
| <a href="#">Intel Celeron G540 @ 2.50GHz</a>   | 2 | 1,110 | 1,131 | 65  | LGA1155          | Desktop         |
| <a href="#">Intel Celeron G540T @ 2.10GHz</a>  | 2 | 1,174 | 972   | 35  | LGA1155          | Desktop         |
| <a href="#">Intel Celeron G550 @ 2.60GHz</a>   | 2 | 1,200 | 1,192 | 65  | LGA1155          | Desktop         |
| <a href="#">Intel Celeron G550T @ 2.20GHz</a>  | 2 | 1,102 | 1,026 | 35  | LGA1155          | Desktop         |
| <a href="#">Intel Celeron G555 @ 2.70GHz</a>   | 2 | 1,268 | 1,275 | 65  | LGA1155          | Desktop         |
| <a href="#">Intel Celeron G5900 @ 3.40GHz</a>  | 2 | 2,790 | 2,150 | 58  | FCLGA1200        | Desktop         |
| <a href="#">Intel Celeron G5900T @ 3.20GHz</a> | 2 | 2,648 | 2,041 | 35  | FCLGA1200        | Desktop         |
| <a href="#">Intel Celeron G5905 @ 3.50GHz</a>  | 2 | 2,861 | 2,206 | 58  | FCLGA1200        | Desktop         |
| <a href="#">Intel Celeron G5905T @ 3.30GHz</a> | 2 | 2,310 | 1,996 | 35  | FCLGA1200        | Desktop         |
| <a href="#">Intel Celeron G5920 @ 3.50GHz</a>  | 2 | 2,482 | 2,151 | 58  | FCLGA1200        | Desktop         |
| <a href="#">Intel Celeron G5925 @ 3.60GHz</a>  | 2 | 2,939 | 2,282 | 58  | FCLGA1200        | Desktop         |
| <a href="#">Intel Celeron G6900</a>            | 2 | 3,829 | 2,472 | 46  | LGA1700,BGA1700  | Desktop         |
| <a href="#">Intel Celeron J1750 @ 2.41GHz</a>  | 2 | 595   | 659   | 10  | FCBGA1170        | Desktop         |
| <a href="#">Intel Celeron J1800 @ 2.41GHz</a>  | 2 | 581   | 660   | 10  | FCBGA1170        | Desktop         |
| <a href="#">Intel Celeron J1850 @ 1.99GHz</a>  | 4 | 942   | 455   | 10  | FCBGA1170        | Desktop         |
| <a href="#">Intel Celeron J1900 @ 1.99GHz</a>  | 4 | 1,134 | 649   | 10  | FCBGA1170        | Desktop         |
| <a href="#">Intel Celeron J3060 @ 1.60GHz</a>  | 2 | 668   | 627   | 6   | BGA1170          | Desktop         |
| <a href="#">Intel Celeron J3160 @ 1.60GHz</a>  | 4 | 1,231 | 604   | 6   | BGA1170          | Desktop         |
| <a href="#">Intel Celeron J3355 @ 2.00GHz</a>  | 2 | 1,195 | 806   | 10  | FCBGA1296        | Desktop, Laptop |
| <a href="#">Intel Celeron J3455 @ 1.50GHz</a>  | 4 | 2,233 | 806   | 10  | FCBGA1296        | Desktop         |
| <a href="#">Intel Celeron J3455E @ 1.50GHz</a> | 4 | 2,139 | 837   | 10  | FCBGA1296        | Desktop         |
| <a href="#">Intel Celeron J4005 @ 2.00GHz</a>  | 2 | 1,581 | 1,119 | 10  | FCBGA1090        | Desktop         |
| <a href="#">Intel Celeron J4025 @ 2.00GHz</a>  | 2 | 1,688 | 1,234 | 10  | FCBGA1090        | Desktop         |
| <a href="#">Intel Celeron J4105 @ 1.50GHz</a>  | 4 | 2,909 | 1,096 | 10  | FCBGA1090        | Desktop         |
| <a href="#">Intel Celeron J4115 @ 1.80GHz</a>  | 4 | 2,704 | 1,068 | NA  | Unknown          | Desktop         |
| <a href="#">Intel Celeron J4125 @ 2.00GHz</a>  | 4 | 3,006 | 1,172 | 10  | FCBGA1090        | Desktop         |
| <a href="#">Intel Celeron J6412 @ 2.00GHz</a>  | 4 | 3,894 | 1,399 | 10  | FCBGA1493        | Mobile/Embedded |
| <a href="#">Intel Celeron J6413 @ 1.80GHz</a>  | 4 | 4,075 | 1,601 | 10  | FCBGA1296        | Mobile/Embedded |
| <a href="#">Intel Celeron M 1.00GHz</a>        | 1 | 149   | 197   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1.30GHz</a>        | 1 | 205   | 284   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1.50GHz</a>        | 1 | 216   | 280   | 21  | PPGA478, H-PBGA4 | Laptop          |
| <a href="#">Intel Celeron M 1.60GHz</a>        | 1 | 190   | 433   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1.70GHz</a>        | 1 | 252   | 370   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1300MHz</a>        | 1 | 197   | 274   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1500MHz</a>        | 1 | 217   | 297   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 360 1.40GHz</a>    | 1 | 221   | 305   | 21  | H-PBGA479, PPGA4 | Laptop          |
| <a href="#">Intel Celeron M 410 @ 1.46GHz</a>  | 1 | 123   | 301   | 27  | PPGA478          | Laptop          |
| <a href="#">Intel Celeron M 420 @ 1.60GHz</a>  | 1 | 139   | 391   | 27  | PPGA478          | Laptop          |
| <a href="#">Intel Celeron M 430 @ 1.73GHz</a>  | 1 | 169   | 466   | 27  | PPGA478          | Laptop          |
| <a href="#">Intel Celeron M 440 @ 1.86GHz</a>  | 1 | 155   | 440   | 27  | PBGA479, PPGA478 | Laptop          |
| <a href="#">Intel Celeron M 443 @ 1.20GHz</a>  | 1 | 125   | 288   | 5.5 | PBGA479          | Laptop          |
| <a href="#">Intel Celeron M 450 @ 2.00GHz</a>  | 1 | 230   | 598   | 27  | PPGA478          | Laptop          |

| CPU Name | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket | Category |
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|
|----------|-------|----------------------|-------------------------|---------------------|--------|----------|

## CPU Benchmarks ▼

|  |   |       |       |     |           |                 |
|--|---|-------|-------|-----|-----------|-----------------|
| <a href="#">Intel Celeron M 900MHz</a>         | 1 | 123   | 155   | NA  | Unknown   | Laptop          |
| <a href="#">Intel Celeron N2805 @ 1.46GHz</a>  | 2 | 335   | 394   | 4.3 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2806 @ 1.60GHz</a>  | 2 | 466   | 515   | 4.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2807 @ 1.58GHz</a>  | 2 | 450   | 540   | 4.3 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2808 @ 1.58GHz</a>  | 2 | 532   | 596   | 4.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2810 @ 2.00GHz</a>  | 2 | 420   | 512   | 7.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2815 @ 1.86GHz</a>  | 2 | 486   | 564   | 7.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2820 @ 2.13GHz</a>  | 2 | 469   | 583   | 7.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2830 @ 2.16GHz</a>  | 2 | 545   | 629   | 7.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2840 @ 2.16GHz</a>  | 2 | 581   | 669   | 7   | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2910 @ 1.60GHz</a>  | 4 | 742   | 446   | 7.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2920 @ 1.86GHz</a>  | 4 | 918   | 549   | 7.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2930 @ 1.83GHz</a>  | 4 | 1,003 | 582   | 7.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N2940 @ 1.83GHz</a>  | 4 | 1,029 | 611   | 7.5 | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N3000 @ 1.04GHz</a>  | 2 | 604   | 562   | 4   | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N3010 @ 1.04GHz</a>  | 2 | 486   | 560   | 4   | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N3050 @ 1.60GHz</a>  | 2 | 587   | 563   | 6   | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N3060 @ 1.60GHz</a>  | 2 | 663   | 629   | 6   | Unknown   | Laptop          |
| <a href="#">Intel Celeron N3150 @ 1.60GHz</a>  | 4 | 1,193 | 572   | 6   | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N3160 @ 1.60GHz</a>  | 4 | 1,150 | 564   | 6   | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N3350 @ 1.10GHz</a>  | 2 | 1,125 | 808   | 6   | FCBGA1296 | Laptop          |
| <a href="#">Intel Celeron N3450 @ 1.10GHz</a>  | 4 | 1,929 | 761   | 6   | FCBGA1296 | Laptop          |
| <a href="#">Intel Celeron N4000 @ 1.10GHz</a>  | 2 | 1,396 | 1,020 | 6   | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4000C @ 1.10GHz</a> | 2 | 1,611 | 1,150 | 6   | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4020 @ 1.10GHz</a>  | 2 | 1,568 | 1,172 | 6   | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4100 @ 1.10GHz</a>  | 4 | 2,453 | 1,011 | 6   | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4120 @ 1.10GHz</a>  | 4 | 2,499 | 1,103 | 6   | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4500 @ 1.10GHz</a>  | 2 | 1,882 | 1,267 | 6   | FCBGA1338 | Mobile/Embedded |
| <a href="#">Intel Celeron N4505 @ 2.00GHz</a>  | 2 | 2,367 | 1,537 | 10  | FCBGA1338 | Mobile/Embedded |
| <a href="#">Intel Celeron N5095 @ 2.00GHz</a>  | 4 | 4,083 | 1,536 | 15  | FCBGA1338 | Desktop         |
| <a href="#">Intel Celeron N5095A @ 2.00GHz</a> | 4 | 4,627 | 1,553 | 15  | FCBGA1338 | Desktop         |
| <a href="#">Intel Celeron N5100 @ 1.10GHz</a>  | 4 | 3,198 | 1,375 | 6   | FCBGA1338 | Laptop          |
| <a href="#">Intel Celeron N5105 @ 2.00GHz</a>  | 4 | 4,161 | 1,533 | 10  | FCBGA1338 | Mobile/Embedded |
| <a href="#">Intel Celeron N6211 @ 1.20GHz</a>  | 2 | 2,207 | 1,582 | 6.5 | FCBGA1493 | Mobile/Embedded |
| <a href="#">Intel Celeron P4500 @ 1.87GHz</a>  | 2 | 816   | 707   | 35  | PGA988A   | Laptop          |
| <a href="#">Intel Celeron P4505 @ 1.87GHz</a>  | 2 | 689   | 820   | 35  | BGA1288   | Laptop          |
| <a href="#">Intel Celeron P4600 @ 2.00GHz</a>  | 2 | 845   | 803   | 35  | PGA988A   | Laptop          |
| <a href="#">Intel Celeron SU2300 @ 1.20GHz</a> | 2 | 445   | 500   | 10  | BGA956    | Laptop          |
| <a href="#">Intel Celeron T1600 @ 1.66GHz</a>  | 2 | 519   | 628   | 35  | Unknown   | Laptop          |
| <a href="#">Intel Celeron U1900 @ 1.99GHz</a>  | 4 | 1,028 | 527   | NA  | Unknown   | Unknown         |
| <a href="#">Intel Celeron U3400 @ 1.07GHz</a>  | 2 | 473   | 441   | 18  | BGA1288   | Laptop          |
| <a href="#">Intel Celeron U3600 @ 1.20GHz</a>  | 2 | 560   | 520   | 18  | BGA1288   | Laptop          |
| <a href="#">Intel Core 860 @ 2.80GHz</a>       | 4 | 2,754 | 1,142 | NA  | Unknown   | Unknown         |
| <a href="#">Intel Core Duo L2300 @ 1.50GHz</a> | 2 | 387   | 442   | 15  | BGA479    | Desktop         |
| <a href="#">Intel Core Duo L2400 @ 1.66GHz</a> | 2 | 348   | 501   | 15  | BGA479    | Laptop          |
| <a href="#">Intel Core Duo L2500 @ 1.83GHz</a> | 2 | 404   | 578   | 15  | BGA479    | Laptop          |
| <a href="#">Intel Core Duo T2050 @ 1.60GHz</a> | 2 | 320   | 493   | 31  | PGA478    | Desktop         |
| <a href="#">Intel Core Duo T2250 @ 1.73GHz</a> | 2 | 347   | 529   | 31  | PGA478    | Laptop          |

| CPU Name                                       | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|--|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core Duo T2300 @ 1.66GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |        |       |    |             |                          |
|---|---|--------|-------|----|-------------|--------------------------|
| <a href="#">Intel Core Duo T2450 @ 2.00GHz</a>  | 2 | 404    | 603   | 31 | PGA478      | Laptop                   |
| <a href="#">Intel Core Duo T2500 @ 2.00GHz</a>  | 2 | 408    | 613   | 31 | BGA479      | Laptop                   |
| <a href="#">Intel Core Duo T2600 @ 2.16GHz</a>  | 2 | 450    | 667   | 31 | BGA479      | Laptop                   |
| <a href="#">Intel Core Duo T2700 @ 2.33GHz</a>  | 2 | 498    | 652   | 31 | BGA479      | Laptop                   |
| <a href="#">Intel Core Duo U2400 @ 1.06GHz</a>  | 2 | 255    | 342   | 9  | BGA479      | Laptop                   |
| <a href="#">Intel Core Duo U2500 @ 1.20GHz</a>  | 2 | 220    | 362   | 9  | BGA479      | Laptop                   |
|   |   |        |       |    |             |                          |
| <a href="#">Intel Core i3-1000NG4 @ 1.10GHz</a> | 2 | 3,915  | 1,903 | 9  | BGA1526     | Laptop                   |
| <a href="#">Intel Core i3-1005G1 @ 1.20GHz</a>  | 2 | 5,148  | 2,256 | 15 | FCBGA1526   | Laptop                   |
| <a href="#">Intel Core i3-10100 @ 3.60GHz</a>   | 4 | 8,822  | 2,639 | 65 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10100E @ 3.20GHz</a>  | 4 | 8,229  | 2,297 | 65 | FCLGA1200   | Desktop, Mobile/Embedded |
| <a href="#">Intel Core i3-10100F @ 3.60GHz</a>  | 4 | 8,854  | 2,603 | 65 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10100T @ 3.00GHz</a>  | 4 | 7,416  | 2,320 | 35 | FCLGA1200   | Laptop                   |
| <a href="#">Intel Core i3-10100Y @ 1.30GHz</a>  | 2 | 3,151  | 1,813 | 5  | BGA 1528    | Mobile/Embedded          |
| <a href="#">Intel Core i3-10105 @ 3.70GHz</a>   | 4 | 8,996  | 2,717 | 65 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10105F @ 3.70GHz</a>  | 4 | 9,143  | 2,676 | NA | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10105T @ 3.00GHz</a>  | 4 | 7,850  | 2,350 | 35 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10110U @ 2.10GHz</a>  | 2 | 4,011  | 2,268 | 15 | FCBGA1528   | Laptop                   |
| <a href="#">Intel Core i3-10110Y @ 1.00GHz</a>  | 2 | 3,278  | 2,093 | 7  | UTFCBGA1377 | Laptop                   |
| <a href="#">Intel Core i3-10300 @ 3.70GHz</a>   | 4 | 9,329  | 2,684 | 65 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10300T @ 3.00GHz</a>  | 4 | 7,780  | 2,316 | 35 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10305 @ 3.80GHz</a>   | 4 | 9,689  | 2,834 | 65 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10305T @ 3.00GHz</a>  | 4 | 8,136  | 2,456 | 35 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10320 @ 3.80GHz</a>   | 4 | 10,132 | 2,849 | 65 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10325 @ 3.90GHz</a>   | 4 | 10,347 | 2,913 | 65 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-11100B @ 3.60GHz</a>  | 4 | 11,357 | 2,912 | 65 | Unknown     | Desktop                  |
| <a href="#">Intel Core i3-1110G4 @ 1.80GHz</a>  | 2 | 3,421  | 1,986 | NA | FCBGA1598   | Mobile/Embedded          |
| <a href="#">Intel Core i3-1115G4 @ 3.00GHz</a>  | 2 | 6,310  | 2,704 | NA | FCBGA1449   | Laptop                   |
| <a href="#">Intel Core i3-1115G4E @ 3.00GHz</a> | 2 | 5,776  | 2,552 | 15 | BGA 1449    | Mobile/Embedded          |
| <a href="#">Intel Core i3-1115GRE @ 3.00GHz</a> | 2 | 3,816  | 1,880 | 15 | FCBGA1449   | Mobile/Embedded          |
| <a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>  | 4 | 9,945  | 2,510 | 28 | FCBGA1449   | Laptop                   |
| <a href="#">Intel Core i3-12100</a>             | 4 | 14,648 | 3,550 | 60 | LGA 1700    | Desktop                  |
| <a href="#">Intel Core i3-12100F</a>            | 4 | 14,543 | 3,538 | 58 | FCLGA1700   | Server                   |
| <a href="#">Intel Core i3-12300</a>             | 4 | 14,954 | 3,670 | 60 | LGA 1700    | Desktop                  |
| <a href="#">Intel Core i3-2100 @ 3.10GHz</a>    | 2 | 1,815  | 1,426 | 65 | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2100T @ 2.50GHz</a>   | 2 | 1,634  | 1,183 | 35 | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2102 @ 3.10GHz</a>    | 2 | 2,029  | 1,400 | 65 | FCLGA1155   | Desktop                  |
| <a href="#">Intel Core i3-2105 @ 3.10GHz</a>    | 2 | 1,840  | 1,363 | 65 | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-21050 @ 3.10GHz</a>   | 2 | 2,193  | 1,429 | NA | Unknown     | Unknown                  |
| <a href="#">Intel Core i3-2120 @ 3.30GHz</a>    | 2 | 1,916  | 1,516 | 65 | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2120T @ 2.60GHz</a>   | 2 | 1,486  | 1,144 | 35 | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2125 @ 3.30GHz</a>    | 2 | 2,093  | 1,550 | 65 | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2130 @ 3.40GHz</a>    | 2 | 1,986  | 1,557 | 65 | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2140 @ 3.50GHz</a>    | 2 | 2,307  | 1,535 | 65 | Unknown     | Unknown                  |
| <a href="#">Intel Core i3-2310E @ 2.10GHz</a>   | 2 | 1,845  | 733   | 35 | FCBGA1023   | Laptop                   |
| <a href="#">Intel Core i3-2310M @ 2.10GHz</a>   | 2 | 1,185  | 939   | 35 | BGA1023     | Laptop                   |
| <a href="#">Intel Core i3-2312M @ 2.10GHz</a>   | 2 | 1,138  | 927   | 35 | PGA988B     | Laptop                   |
| <a href="#">Intel Core i3-2328M @ 2.20GHz</a>   | 2 | 1,218  | 985   | 35 | PGA988      | Laptop                   |
| <a href="#">Intel Core i3-2330E @ 2.20GHz</a>   | 2 | 1,823  | 1,063 | 35 | rPGA988     | Desktop                  |



| CPU Name                                      | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i3-2330M @ 2.20GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |      |           |                 |
|--|---|-------|-------|------|-----------|-----------------|
| <a href="#">Intel Core i3-2348M @ 2.30GHz</a>  | 2 | 1,268 | 1,041 | 35   | rPGA988B  | Laptop          |
| <a href="#">Intel Core i3-2350M @ 2.30GHz</a>  | 2 | 1,260 | 1,003 | 35   | PGA988B   | Laptop          |
| <a href="#">Intel Core i3-2357M @ 1.30GHz</a>  | 2 | 824   | 591   | 17   | Unknown   | Laptop          |
| <a href="#">Intel Core i3-2365M @ 1.40GHz</a>  | 2 | 812   | 608   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-2367M @ 1.40GHz</a>  | 2 | 832   | 617   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-2370M @ 2.40GHz</a>  | 2 | 1,346 | 1,074 | 35   | PGA988B   | Laptop          |
| <a href="#">Intel Core i3-2375M @ 1.50GHz</a>  | 2 | 894   | 684   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-2377M @ 1.50GHz</a>  | 2 | 892   | 678   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3110M @ 2.40GHz</a>  | 2 | 1,602 | 1,254 | 35   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3120M @ 2.50GHz</a>  | 2 | 1,626 | 1,266 | 35   | PGA988    | Laptop          |
| <a href="#">Intel Core i3-3130M @ 2.60GHz</a>  | 2 | 1,824 | 1,067 | 35   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3210 @ 3.20GHz</a>   | 2 | 2,106 | 1,700 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3217U @ 1.80GHz</a>  | 2 | 1,184 | 911   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3217UE @ 1.60GHz</a> | 2 | 1,362 | 711   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3220 @ 3.30GHz</a>   | 2 | 2,198 | 1,723 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3220T @ 2.80GHz</a>  | 2 | 1,949 | 1,506 | 35   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3225 @ 3.30GHz</a>   | 2 | 2,214 | 1,682 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3227U @ 1.90GHz</a>  | 2 | 1,248 | 939   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3229Y @ 1.40GHz</a>  | 2 | 1,004 | 678   | 13   | BGA1023   | Desktop         |
| <a href="#">Intel Core i3-3240 @ 3.40GHz</a>   | 2 | 2,281 | 1,805 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3240T @ 2.90GHz</a>  | 2 | 2,000 | 1,532 | 35   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3245 @ 3.40GHz</a>   | 2 | 2,480 | 1,835 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3250 @ 3.50GHz</a>   | 2 | 2,376 | 1,816 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3250T @ 3.00GHz</a>  | 2 | 2,650 | 1,684 | 35   | FCLGA1155 | Desktop         |
| <a href="#">Intel Core i3-330E @ 2.13GHz</a>   | 2 | 1,260 | 934   | 35   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-330M @ 2.13GHz</a>   | 2 | 1,000 | 816   | 35   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-330UM @ 1.20GHz</a>  | 2 | 484   | 339   | 18   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-350M @ 2.27GHz</a>   | 2 | 1,065 | 879   | 35   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-370M @ 2.40GHz</a>   | 2 | 1,128 | 978   | 35   | PGA988A   | Laptop          |
| <a href="#">Intel Core i3-380M @ 2.53GHz</a>   | 2 | 1,162 | 1,018 | 35   | PGA988A   | Laptop          |
| <a href="#">Intel Core i3-380UM @ 1.33GHz</a>  | 2 | 699   | 562   | 18   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-390M @ 2.67GHz</a>   | 2 | 1,178 | 1,096 | 35   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-4000M @ 2.40GHz</a>  | 2 | 1,769 | 1,293 | 37   | FCPGA946  | Laptop          |
| <a href="#">Intel Core i3-4005U @ 1.70GHz</a>  | 2 | 1,644 | 907   | 15   | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4010U @ 1.70GHz</a>  | 2 | 1,637 | 905   | 15   | BGA1168   | Laptop          |
| <a href="#">Intel Core i3-4010Y @ 1.30GHz</a>  | 2 | 1,350 | 744   | 11.5 | BGA1168   | Desktop         |
| <a href="#">Intel Core i3-4012Y @ 1.50GHz</a>  | 2 | 1,229 | 698   | 11.5 | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4020Y @ 1.50GHz</a>  | 2 | 1,447 | 796   | 11.5 | BGA1168   | Desktop         |
| <a href="#">Intel Core i3-4025U @ 1.90GHz</a>  | 2 | 1,974 | 1,100 | 15   | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4030U @ 1.90GHz</a>  | 2 | 1,874 | 1,025 | 15   | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4030Y @ 1.60GHz</a>  | 2 | 1,654 | 901   | 11.5 | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4100E @ 2.40GHz</a>  | 2 | 1,848 | 1,390 | 37   | FCBGA1364 | Mobile/Embedded |
| <a href="#">Intel Core i3-4100M @ 2.50GHz</a>  | 2 | 2,447 | 1,366 | 37   | FCPGA946  | Laptop          |
| <a href="#">Intel Core i3-4110M @ 2.60GHz</a>  | 2 | 2,678 | 1,389 | 37   | FCPGA946  | Laptop          |
| <a href="#">Intel Core i3-4110U @ 1.90GHz</a>  | 2 | 1,853 | 1,119 | NA   | Unknown   | Laptop          |
| <a href="#">Intel Core i3-4120U @ 2.00GHz</a>  | 2 | 1,948 | 1,177 | 15   | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4130 @ 3.40GHz</a>   | 2 | 3,284 | 1,888 | 54   | LGA1150   | Desktop         |
| <a href="#">Intel Core i3-4130T @ 2.90GHz</a>  | 2 | 2,879 | 1,637 | 35   | LGA1150   | Desktop         |



| CPU Name                                     | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|--|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i3-4150 @ 3.50GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |    |           |         |
|--|---|-------|-------|----|-----------|---------|
| <a href="#">Intel Core i3-4160 @ 3.60GHz</a>   | 2 | 3,481 | 2,011 | 54 | FCLGA1150 | Desktop |
| <a href="#">Intel Core i3-4160T @ 3.10GHz</a>  | 2 | 3,140 | 1,769 | 35 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4170 @ 3.70GHz</a>   | 2 | 3,558 | 2,063 | 54 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4170T @ 3.20GHz</a>  | 2 | 3,152 | 1,811 | 35 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4330 @ 3.50GHz</a>   | 2 | 3,551 | 1,982 | 54 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4330T @ 3.00GHz</a>  | 2 | 3,098 | 1,717 | 35 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4330TE @ 2.40GHz</a> | 2 | 2,500 | 1,399 | 35 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4340 @ 3.60GHz</a>   | 2 | 3,606 | 2,052 | 54 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4350 @ 3.60GHz</a>   | 2 | 3,380 | 1,859 | 54 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4350T @ 3.10GHz</a>  | 2 | 2,888 | 1,656 | 35 | LGA1150   | Laptop  |
| <a href="#">Intel Core i3-4360 @ 3.70GHz</a>   | 2 | 3,688 | 2,067 | 54 | FCLGA1150 | Desktop |
| <a href="#">Intel Core i3-4360T @ 3.20GHz</a>  | 2 | 3,164 | 1,852 | 35 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4370 @ 3.80GHz</a>   | 2 | 3,791 | 2,113 | 54 | LGA1150   | Desktop |
| <a href="#">Intel Core i3-4370T @ 3.30GHz</a>  | 2 | 3,343 | 1,911 | 35 | FCLGA1150 | Desktop |
| <a href="#">Intel Core i3-4570T @ 2.90GHz</a>  | 2 | 3,244 | 1,693 | 35 | FCLGA1150 | Desktop |
| <a href="#">Intel Core i3-5005U @ 2.00GHz</a>  | 2 | 2,018 | 1,154 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i3-5010U @ 2.10GHz</a>  | 2 | 2,157 | 1,233 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i3-5015U @ 2.10GHz</a>  | 2 | 1,979 | 1,112 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i3-5020U @ 2.20GHz</a>  | 2 | 2,218 | 1,283 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i3-5157U @ 2.50GHz</a>  | 2 | 2,588 | 1,325 | 28 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i3-530 @ 2.93GHz</a>    | 2 | 1,446 | 1,178 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i3-540 @ 3.07GHz</a>    | 2 | 1,512 | 1,264 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i3-550 @ 3.20GHz</a>    | 2 | 1,584 | 1,340 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i3-560 @ 3.33GHz</a>    | 2 | 1,696 | 1,379 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i3-6006U @ 2.00GHz</a>  | 2 | 2,277 | 1,169 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i3-6098P @ 3.60GHz</a>  | 2 | 4,149 | 2,147 | 54 | LGA 1151  | Desktop |
| <a href="#">Intel Core i3-6100 @ 3.70GHz</a>   | 2 | 4,180 | 2,224 | 51 | LGA 1151  | Desktop |
| <a href="#">Intel Core i3-6100E @ 2.70GHz</a>  | 2 | 3,315 | 1,688 | 35 | LGA 1151  | Laptop  |
| <a href="#">Intel Core i3-6100H @ 2.70GHz</a>  | 2 | 3,041 | 1,543 | 35 | LGA 1151  | Laptop  |
| <a href="#">Intel Core i3-6100T @ 3.20GHz</a>  | 2 | 3,624 | 1,892 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i3-6100TE @ 2.70GHz</a> | 2 | 3,085 | 1,615 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i3-6100U @ 2.30GHz</a>  | 2 | 2,638 | 1,344 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i3-6102E @ 1.90GHz</a>  | 2 | 2,349 | 1,068 | 25 | FCBGA1440 | Laptop  |
| <a href="#">Intel Core i3-6157U @ 2.40GHz</a>  | 2 | 2,789 | 1,442 | 28 | BGA1356   | Laptop  |
| <a href="#">Intel Core i3-6300 @ 3.80GHz</a>   | 2 | 4,391 | 2,300 | 51 | LGA 1151  | Desktop |
| <a href="#">Intel Core i3-6300T @ 3.30GHz</a>  | 2 | 4,040 | 2,055 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i3-6320 @ 3.90GHz</a>   | 2 | 4,372 | 2,343 | 51 | LGA 1151  | Desktop |
| <a href="#">Intel Core i3-7020U @ 2.30GHz</a>  | 2 | 2,558 | 1,323 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i3-7100 @ 3.90GHz</a>   | 2 | 4,334 | 2,335 | 51 | FCLGA1151 | Desktop |
| <a href="#">Intel Core i3-7100H @ 3.00GHz</a>  | 2 | 3,430 | 1,668 | 35 | FCBGA1440 | Laptop  |
| <a href="#">Intel Core i3-7100T @ 3.40GHz</a>  | 2 | 3,778 | 2,004 | 35 | FCLGA1151 | Desktop |
| <a href="#">Intel Core i3-7100U @ 2.40GHz</a>  | 2 | 2,715 | 1,391 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i3-7101TE @ 3.40GHz</a> | 2 | 3,911 | 1,997 | 35 | FCLGA1151 | Desktop |
| <a href="#">Intel Core i3-7102E @ 2.10GHz</a>  | 2 | 2,521 | 1,292 | 25 | FCBGA1440 | Laptop  |
| <a href="#">Intel Core i3-7130U @ 2.70GHz</a>  | 2 | 2,989 | 1,592 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i3-7167U @ 2.80GHz</a>  | 2 | 3,280 | 1,635 | 28 | Unknown   | Laptop  |
| <a href="#">Intel Core i3-7300 @ 4.00GHz</a>   | 2 | 4,703 | 2,423 | 51 | FCLGA1151 | Desktop |
| <a href="#">Intel Core i3-7300T @ 3.50GHz</a>  | 2 | 4,159 | 2,128 | 35 | FCLGA1151 | Desktop |

| CPU Name                                     | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|--|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i3-7320 @ 4.10GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |        |       |     |             |                 |
|---|---|--------|-------|-----|-------------|-----------------|
| <a href="#">Intel Core i3-8100B @ 3.60GHz</a>   | 4 | 6,071  | 2,361 | 65  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i3-8100T @ 3.10GHz</a>   | 4 | 5,295  | 1,923 | 35  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-8109U @ 3.00GHz</a>   | 2 | 4,295  | 2,131 | 28  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i3-8121U @ 2.20GHz</a>   | 2 | 4,376  | 1,927 | 15  | Unknown     | Laptop          |
| <a href="#">Intel Core i3-8130U @ 2.20GHz</a>   | 2 | 3,659  | 1,947 | 15  | FCBGA1356   | Laptop          |
| <a href="#">Intel Core i3-8140U @ 2.10GHz</a>   | 2 | 4,472  | 2,289 | 15  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i3-8145U @ 2.10GHz</a>   | 2 | 3,836  | 2,143 | 15  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i3-8145UE @ 2.20GHz</a>  | 2 | 4,133  | 2,324 | 15  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i3-8300 @ 3.70GHz</a>    | 4 | 6,097  | 2,264 | 62  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-8300T @ 3.20GHz</a>   | 4 | 5,827  | 2,005 | 25  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-8350K @ 4.00GHz</a>   | 4 | 6,856  | 2,482 | 91  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9100 @ 3.60GHz</a>    | 4 | 6,638  | 2,523 | 65  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9100F @ 3.60GHz</a>   | 4 | 6,762  | 2,518 | 65  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9100T @ 3.10GHz</a>   | 4 | 5,409  | 2,104 | 35  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9100TE @ 2.20GHz</a>  | 4 | 4,501  | 1,585 | 35  | FCLGA1151-2 | Laptop          |
| <a href="#">Intel Core i3-9300 @ 3.70GHz</a>    | 4 | 7,279  | 2,666 | 62  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9300T @ 3.20GHz</a>   | 4 | 6,162  | 2,318 | 35  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9320 @ 3.70GHz</a>    | 4 | 7,358  | 2,711 | 62  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9350K @ 4.00GHz</a>   | 4 | 7,694  | 2,823 | 91  | FCLGA1151   | Desktop         |
| <a href="#">Intel Core i3-9350KF @ 4.00GHz</a>  | 4 | 7,450  | 2,743 | 91  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i5 750S @ 2.40GHz</a>    | 4 | 1,326  | 1,039 | 82  | LGA1156     | Desktop         |
| <a href="#">Intel Core i5 E 520 @ 2.40GHz</a>   | 2 | 1,619  | 1,032 | 35  | BGA1288     | Desktop         |
| <a href="#">Intel Core i5-10200H @ 2.40GHz</a>  | 4 | 8,513  | 2,491 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i5-10210U @ 1.60GHz</a>  | 4 | 6,433  | 2,240 | 15  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i5-10210Y @ 1.00GHz</a>  | 4 | 4,836  | 2,032 | 7   | UTFCBGA1377 | Laptop          |
| <a href="#">Intel Core i5-10300H @ 2.50GHz</a>  | 4 | 8,706  | 2,620 | 45  | FCBGA1440   | Desktop, Laptop |
| <a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a> | 4 | 6,188  | 1,835 | 10  | BGA1526     | Laptop          |
| <a href="#">Intel Core i5-10310U @ 1.70GHz</a>  | 4 | 6,639  | 2,267 | 15  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>  | 4 | 7,762  | 2,309 | 15  | FCBGA1526   | Laptop          |
| <a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>  | 4 | 8,242  | 2,278 | 15  | FCBGA1526   | Laptop          |
| <a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>  | 4 | 8,403  | 2,291 | 15  | FCBGA1526   | Laptop          |
| <a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a> | 4 | 9,648  | 2,322 | 28  | FCBGA1344   | Laptop          |
| <a href="#">Intel Core i5-10400 @ 2.90GHz</a>   | 6 | 12,320 | 2,586 | 65  | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10400F @ 2.90GHz</a>  | 6 | 12,438 | 2,572 | 65  | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10400H @ 2.60GHz</a>  | 4 | 9,022  | 2,755 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i5-10400T @ 2.00GHz</a>  | 6 | 10,032 | 2,166 | 35  | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10500 @ 3.10GHz</a>   | 6 | 13,056 | 2,782 | 65  | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10500H @ 2.50GHz</a>  | 6 | 11,601 | 2,621 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i5-10500T @ 2.30GHz</a>  | 6 | 10,424 | 2,346 | 35  | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10505 @ 3.20GHz</a>   | 6 | 12,425 | 2,870 | 65  | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10600 @ 3.30GHz</a>   | 6 | 13,973 | 2,916 | 65  | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10600K @ 4.10GHz</a>  | 6 | 14,555 | 2,936 | 125 | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10600KF @ 4.10GHz</a> | 6 | 14,565 | 2,947 | 125 | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10600T @ 2.40GHz</a>  | 6 | 11,801 | 2,407 | 35  | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-11260H @ 2.60GHz</a>  | 6 | 15,068 | 2,954 | 45  | FCBGA1787   | Laptop          |
| <a href="#">Intel Core i5-11300H @ 3.10GHz</a>  | 4 | 11,126 | 2,836 | 35  | FCBGA1449   | Laptop          |
| <a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>  | 4 | 9,913  | 2,551 | 15  | BGA 1449    | Laptop          |
| <a href="#">Intel Core i5-11320H @ 3.20GHz</a>  | 4 | 10,694 | 2,946 | 35  | FCBGA1449   | Laptop          |

| CPU Name                            | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|-------------------------------------|-------|----------|-------------|----------|--------|----------|
| <a href="#">i5-1135G7 @ 2.40GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |        |       |     |                  |                         |
|---|---|--------|-------|-----|------------------|-------------------------|
| <a href="#">Intel Core i5-11400H @ 2.70GHz</a>  | 6 | 16,104 | 3,065 | 45  | FCBGA1787        | Laptop                  |
| <a href="#">Intel Core i5-11400T @ 1.30GHz</a>  | 6 | 13,367 | 2,628 | 35  | FCLGA1200        | Desktop                 |
| <a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>  | 4 | 10,279 | 2,612 | 15  | FCBGA1598        | Server                  |
| <a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>  | 4 | 10,414 | 2,804 | 28  | FCBGA1449        | Laptop                  |
| <a href="#">Intel Core i5-1145G7E @ 2.60GHz</a> | 4 | 10,293 | 2,725 | 15  | FCBGA1449        | Mobile/Embedded         |
| <a href="#">Intel Core i5-11500 @ 2.70GHz</a>   | 6 | 17,600 | 3,160 | 65  | FCLGA1200        | Desktop                 |
| <a href="#">Intel Core i5-11500B @ 3.30GHz</a>  | 6 | 17,783 | 3,224 | 65  | Unknown          | Desktop                 |
| <a href="#">Intel Core i5-11500H @ 2.90GHz</a>  | 6 | 16,396 | 3,145 | 45  | FCBGA1787        | Laptop                  |
| <a href="#">Intel Core i5-11500T @ 1.50GHz</a>  | 6 | 13,401 | 2,530 | 35  | FCLGA1200        | Desktop                 |
| <a href="#">Intel Core i5-1155G7 @ 2.50GHz</a>  | 4 | 10,473 | 3,038 | 28  | FCBGA1449        | Laptop                  |
| <a href="#">Intel Core i5-11600 @ 2.80GHz</a>   | 6 | 18,326 | 3,301 | 65  | FCLGA1200        | Desktop                 |
| <a href="#">Intel Core i5-11600K @ 3.90GHz</a>  | 6 | 19,850 | 3,376 | 125 | FCLGA1200        | Desktop                 |
| <a href="#">Intel Core i5-11600KF @ 3.90GHz</a> | 6 | 19,776 | 3,354 | 125 | FCLGA1200        | Desktop                 |
| <a href="#">Intel Core i5-11600T @ 1.70GHz</a>  | 6 | 15,254 | 2,884 | 35  | FCLGA1200        | Desktop                 |
| <a href="#">Intel Core i5-1235U</a>             | 2 | 11,119 | 3,335 | 15  | BGA1744          | Laptop, Mobile/Embedded |
| <a href="#">Intel Core i5-12400</a>             | 6 | 19,884 | 3,553 | 65  | LGA 1700         | Desktop                 |
| <a href="#">Intel Core i5-12400F</a>            | 6 | 19,677 | 3,567 | 65  | FCLGA1700        | Desktop                 |
| <a href="#">Intel Core i5-1240P</a>             | 4 | 21,646 | 3,659 | 28  | FCBGA1744        | Laptop                  |
| <a href="#">Intel Core i5-12450H</a>            | 4 | 19,820 | 3,628 | 45  | FCBGA1744        | Laptop                  |
| <a href="#">Intel Core i5-1245U</a>             | 2 | 11,934 | 3,386 | 15  | BGA1700          | Mobile/Embedded         |
| <a href="#">Intel Core i5-12500</a>             | 6 | 20,379 | 3,766 | 65  | LGA 1700         | Desktop                 |
| <a href="#">Intel Core i5-12500H</a>            | 4 | 22,629 | 3,702 | 45  | FCBGA1744        | Laptop                  |
| <a href="#">Intel Core i5-1250P</a>             | 4 | 23,120 | 3,619 | 28  | BGA1700          | Laptop                  |
| <a href="#">Intel Core i5-12600</a>             | 6 | 21,340 | 3,848 | 65  | LGA 1700         | Desktop                 |
| <a href="#">Intel Core i5-12600K</a>            | 6 | 27,247 | 3,974 | 150 | FCLGA1700        | Desktop                 |
| <a href="#">Intel Core i5-12600KF</a>           | 6 | 27,182 | 3,980 | 150 | FCLGA1700        | Desktop                 |
| <a href="#">Intel Core i5-12600T</a>            | 6 | 18,202 | 3,805 | 35  | FCLGA1700        | Desktop                 |
| <a href="#">Intel Core i5-2300 @ 2.80GHz</a>    | 4 | 3,387  | 1,431 | 95  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2310 @ 2.90GHz</a>    | 4 | 3,588  | 1,491 | 95  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2320 @ 3.00GHz</a>    | 4 | 3,624  | 1,512 | 95  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2380P @ 3.10GHz</a>   | 4 | 3,797  | 1,607 | 95  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2390T @ 2.70GHz</a>   | 2 | 2,364  | 1,394 | 35  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2400 @ 3.10GHz</a>    | 4 | 3,837  | 1,580 | 95  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2400S @ 2.50GHz</a>   | 4 | 3,150  | 1,476 | 65  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-24050S @ 2.50GHz</a>  | 4 | 3,061  | 1,397 | 65  | LGA1155, FCLGA11 | Desktop                 |
| <a href="#">Intel Core i5-2405S @ 2.50GHz</a>   | 4 | 2,980  | 1,485 | 65  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2410M @ 2.30GHz</a>   | 2 | 1,952  | 1,224 | 35  | FCBGA1023, PPG   | Laptop                  |
| <a href="#">Intel Core i5-2415M @ 2.30GHz</a>   | 2 | 2,078  | 1,258 | 35  | BGA1023          | Desktop                 |
| <a href="#">Intel Core i5-2430M @ 2.40GHz</a>   | 2 | 2,010  | 1,247 | 35  | PGA988B          | Laptop                  |
| <a href="#">Intel Core i5-2435M @ 2.40GHz</a>   | 2 | 2,068  | 1,281 | 35  | BGA1023          | Laptop                  |
| <a href="#">Intel Core i5-2450M @ 2.50GHz</a>   | 2 | 2,056  | 1,274 | 35  | BGA1023          | Laptop                  |
| <a href="#">Intel Core i5-2450P @ 3.20GHz</a>   | 4 | 3,974  | 1,654 | 95  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2467M @ 1.60GHz</a>   | 2 | 1,435  | 842   | 17  | BGA1023          | Laptop                  |
| <a href="#">Intel Core i5-2500 @ 3.30GHz</a>    | 4 | 4,101  | 1,709 | 95  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2500K @ 3.30GHz</a>   | 4 | 4,092  | 1,698 | 95  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2500S @ 2.70GHz</a>   | 4 | 3,445  | 1,670 | 65  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2500T @ 2.30GHz</a>   | 4 | 2,942  | 1,489 | 45  | LGA1155          | Desktop                 |
| <a href="#">Intel Core i5-2510E @ 2.50GHz</a>   | 2 | 1,889  | 1,183 | 35  | PGA988B          | Laptop                  |

| CPU Name                           | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|------------------------------------|-------|----------|-------------|----------|--------|----------|
| <a href="#">i5-2515E @ 2.50GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |      |                  |         |
|--|---|-------|-------|------|------------------|---------|
| <a href="#">Intel Core i5-2540M @ 2.60GHz</a>  | 2 | 2,298 | 1,386 | 35   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-2550K @ 3.40GHz</a>  | 4 | 4,090 | 1,749 | 95   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-2557M @ 1.70GHz</a>  | 2 | 1,732 | 1,048 | 17   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-2560M @ 2.70GHz</a>  | 2 | 2,131 | 1,259 | NA   | Unknown          | Unknown |
| <a href="#">Intel Core i5-3170K @ 3.20GHz</a>  | 4 | 8,882 | 2,510 | NA   | Unknown          | Unknown |
| <a href="#">Intel Core i5-3210M @ 2.50GHz</a>  | 2 | 2,451 | 1,539 | 35   | PGA988B          | Laptop  |
| <a href="#">Intel Core i5-3230M @ 2.60GHz</a>  | 2 | 2,519 | 1,561 | 35   | PGA988           | Laptop  |
| <a href="#">Intel Core i5-3317U @ 1.70GHz</a>  | 2 | 1,964 | 1,231 | 17   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-3320M @ 2.60GHz</a>  | 2 | 2,645 | 1,615 | 35   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-3330 @ 3.00GHz</a>   | 4 | 4,085 | 1,724 | 77   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3330S @ 2.70GHz</a>  | 4 | 3,811 | 1,690 | 65   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3335S @ 2.70GHz</a>  | 4 | 3,754 | 1,738 | 65   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3337U @ 1.80GHz</a>  | 2 | 2,058 | 1,275 | 17   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-3339Y @ 1.50GHz</a>  | 2 | 1,450 | 799   | 13   | BGA1023          | Desktop |
| <a href="#">Intel Core i5-3340 @ 3.10GHz</a>   | 4 | 4,169 | 1,771 | 77   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3340M @ 2.70GHz</a>  | 2 | 2,633 | 1,629 | 35   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-3340S @ 2.80GHz</a>  | 4 | 4,091 | 1,789 | 65   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3350P @ 3.10GHz</a>  | 4 | 4,225 | 1,781 | 69   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3360M @ 2.80GHz</a>  | 2 | 2,827 | 1,747 | 35   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-3380M @ 2.90GHz</a>  | 2 | 2,997 | 1,856 | 35   | FCPGA988, FCBGA1 | Laptop  |
| <a href="#">Intel Core i5-3427U @ 1.80GHz</a>  | 2 | 2,290 | 1,383 | 17   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-3437U @ 1.90GHz</a>  | 2 | 2,283 | 1,391 | 17   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-3439Y @ 1.50GHz</a>  | 2 | 1,907 | 1,197 | 13   | BGA1023          | Desktop |
| <a href="#">Intel Core i5-3450 @ 3.10GHz</a>   | 4 | 4,490 | 1,885 | 77   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3450S @ 2.80GHz</a>  | 4 | 4,264 | 1,851 | 65   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3470 @ 3.20GHz</a>   | 4 | 4,654 | 1,942 | 77   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3470S @ 2.90GHz</a>  | 4 | 4,350 | 1,898 | 65   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3470T @ 2.90GHz</a>  | 2 | 2,954 | 1,789 | 35   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3475S @ 2.90GHz</a>  | 4 | 4,177 | 1,815 | 65   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3550 @ 3.30GHz</a>   | 4 | 4,793 | 2,006 | 77   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3550S @ 3.00GHz</a>  | 4 | 4,537 | 1,982 | 65   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3570 @ 3.40GHz</a>   | 4 | 4,906 | 2,049 | 77   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3570K @ 3.40GHz</a>  | 4 | 4,934 | 2,047 | 77   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3570S @ 3.10GHz</a>  | 4 | 4,620 | 1,995 | 65   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3570T @ 2.30GHz</a>  | 4 | 4,168 | 1,779 | 45   | LGA1155          | Desktop |
| <a href="#">Intel Core i5-3610ME @ 2.70GHz</a> | 2 | 2,553 | 1,574 | 35   | BGA1023          | Laptop  |
| <a href="#">Intel Core i5-4200H @ 2.80GHz</a>  | 2 | 3,108 | 1,803 | 47   | BGA1364          | Desktop |
| <a href="#">Intel Core i5-4200M @ 2.50GHz</a>  | 2 | 2,778 | 1,627 | 37   | PGA946           | Laptop  |
| <a href="#">Intel Core i5-4200U @ 1.60GHz</a>  | 2 | 2,207 | 1,329 | 15   | BGA1168          | Laptop  |
| <a href="#">Intel Core i5-4200Y @ 1.40GHz</a>  | 2 | 1,558 | 944   | 11.5 | BGA1168          | Desktop |
| <a href="#">Intel Core i5-4202Y @ 1.60GHz</a>  | 2 | 1,309 | 851   | 11.5 | FCBGA1168        | Desktop |
| <a href="#">Intel Core i5-4210H @ 2.90GHz</a>  | 2 | 2,921 | 1,719 | 47   | FCBGA1364        | Laptop  |
| <a href="#">Intel Core i5-4210M @ 2.60GHz</a>  | 2 | 2,885 | 1,686 | 37   | FCPGA946         | Laptop  |
| <a href="#">Intel Core i5-4210U @ 1.70GHz</a>  | 2 | 2,294 | 1,376 | 15   | FCBGA1168        | Laptop  |
| <a href="#">Intel Core i5-4210Y @ 1.50GHz</a>  | 2 | 1,537 | 1,008 | 11   | BGA1168          | Desktop |
| <a href="#">Intel Core i5-4220Y @ 1.60GHz</a>  | 2 | 1,591 | 952   | 11.5 | FCBGA1364        | Laptop  |
| <a href="#">Intel Core i5-4230U @ 1.90GHz</a>  | 2 | 1,853 | 1,620 | 15   | FCBGA1364        | Laptop  |
| <a href="#">Intel Core i5-4250U @ 1.30GHz</a>  | 2 | 2,192 | 1,366 | 15   | BGA1168          | Laptop  |



| CPU Name                           | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|------------------------------------|-------|----------|-------------|----------|--------|----------|
| <a href="#">i5-4258U @ 2.40GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |       |       |      |           |         |
|---|---|-------|-------|------|-----------|---------|
| <a href="#">Intel Core i5-4288U @ 2.60GHz</a>     | 2 | 2,627 | 1,620 | 28   | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-4300M @ 2.60GHz</a>     | 2 | 3,035 | 1,769 | 37   | PGA946    | Laptop  |
| <a href="#">Intel Core i5-4300U @ 1.90GHz</a>     | 2 | 2,512 | 1,500 | 15   | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-4300Y @ 1.60GHz</a>     | 2 | 1,479 | 965   | 11.5 | BGA1168   | Desktop |
| <a href="#">Intel Core i5-4302Y @ 1.60GHz</a>     | 2 | 1,817 | 1,084 | 11.5 | FCBGA1168 | Desktop |
| <a href="#">Intel Core i5-4308U @ 2.80GHz</a>     | 2 | 3,078 | 1,890 | 28   | FCBGA1364 | Laptop  |
| <a href="#">Intel Core i5-430M @ 2.27GHz</a>      | 2 | 1,209 | 996   | 35   | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-430UM @ 1.20GHz</a>     | 2 | 836   | 630   | 18   | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-4310M @ 2.70GHz</a>     | 2 | 3,136 | 1,821 | 37   | Unknown   | Laptop  |
| <a href="#">Intel Core i5-4310U @ 2.00GHz</a>     | 2 | 2,499 | 1,487 | 15   | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-4330M @ 2.80GHz</a>     | 2 | 3,208 | 1,855 | 37   | Unknown   | Laptop  |
| <a href="#">Intel Core i5-4340M @ 2.90GHz</a>     | 2 | 3,491 | 2,032 | 37   | Unknown   | Laptop  |
| <a href="#">Intel Core i5-4350U @ 1.40GHz</a>     | 2 | 2,305 | 1,499 | 15   | BGA1168   | Laptop  |
| <a href="#">Intel Core i5-4400E @ 2.70GHz</a>     | 2 | 3,251 | 1,804 | 37   | BGA1364   | Desktop |
| <a href="#">Intel Core i5-4402E @ 1.60GHz</a>     | 2 | 2,681 | 1,510 | 25   | FCBGA1364 | Laptop  |
| <a href="#">Intel Core i5-4422E @ 1.80GHz</a>     | 2 | 1,907 | 1,048 | 25   | FCBGA1364 | Laptop  |
| <a href="#">Intel Core i5-4430 @ 3.00GHz</a>      | 4 | 4,614 | 1,802 | 84   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4430S @ 2.70GHz</a>     | 4 | 4,145 | 1,712 | 65   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4440 @ 3.10GHz</a>      | 4 | 4,710 | 1,860 | 84   | FCLGA1150 | Desktop |
| <a href="#">Intel Core i5-4440S @ 2.80GHz</a>     | 4 | 4,277 | 1,790 | 65   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4460 @ 3.20GHz</a>      | 4 | 4,834 | 1,904 | 84   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4460S @ 2.90GHz</a>     | 4 | 4,531 | 1,851 | 65   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4460T @ 1.90GHz</a>     | 4 | 3,592 | 1,478 | 35   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4470S @ 3.00GHz</a>     | 4 | 4,742 | 1,756 | 65   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-450M @ 2.40GHz</a>      | 2 | 1,215 | 1,043 | 35   | PGA988A   | Laptop  |
| <a href="#">Intel Core i5-4570 @ 3.20GHz</a>      | 4 | 5,186 | 2,034 | 84   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4570R @ 2.70GHz</a>     | 4 | 4,527 | 1,809 | 65   | FCBGA1364 | Desktop |
| <a href="#">Intel Core i5-4570S @ 2.90GHz</a>     | 4 | 4,913 | 1,982 | 65   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4570T @ 2.90GHz</a>     | 2 | 3,124 | 1,866 | 35   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4570TE @ 2.70GHz</a>    | 2 | 3,084 | 1,615 | 35   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4590 @ 3.30GHz</a>      | 4 | 5,341 | 2,095 | 84   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4590S @ 3.00GHz</a>     | 4 | 5,091 | 2,052 | 65   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4590T @ 2.00GHz</a>     | 4 | 3,953 | 1,642 | 35   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-460M @ 2.53GHz</a>      | 2 | 1,277 | 1,139 | 35   | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-4670 @ 3.40GHz</a>      | 4 | 5,418 | 2,138 | 84   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4670K @ 3.40GHz</a>     | 4 | 5,531 | 2,152 | 84   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a> | 4 | 5,034 | 2,042 | 84   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4670R @ 3.00GHz</a>     | 4 | 5,233 | 2,164 | 65   | FCBGA1364 | Desktop |
| <a href="#">Intel Core i5-4670S @ 3.10GHz</a>     | 4 | 4,872 | 2,052 | 65   | FCLGA1150 | Desktop |
| <a href="#">Intel Core i5-4670T @ 2.30GHz</a>     | 4 | 4,427 | 1,736 | 45   | FCLGA1150 | Desktop |
| <a href="#">Intel Core i5-4690 @ 3.50GHz</a>      | 4 | 5,563 | 2,203 | 84   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4690K @ 3.50GHz</a>     | 4 | 5,619 | 2,196 | 88   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4690S @ 3.20GHz</a>     | 4 | 5,382 | 2,189 | 65   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4690T @ 2.50GHz</a>     | 4 | 4,658 | 1,929 | 45   | LGA1150   | Desktop |
| <a href="#">Intel Core i5-470UM @ 1.33GHz</a>     | 2 | 755   | 539   | 18   | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-480M @ 2.67GHz</a>      | 2 | 1,304 | 1,164 | 35   | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-5200U @ 2.20GHz</a>     | 2 | 2,501 | 1,513 | 15   | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-520M @ 2.40GHz</a>      | 2 | 1,679 | 1,081 | 35   | BGA1288   | Laptop  |



| CPU Name                                      | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i5-520UM @ 1.07GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |    |           |         |
|--|---|-------|-------|----|-----------|---------|
| <a href="#">Intel Core i5-5287U @ 2.90GHz</a>  | 2 | 3,181 | 2,019 | 28 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-5300U @ 2.30GHz</a>  | 2 | 2,735 | 1,644 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-5350U @ 1.80GHz</a>  | 2 | 2,621 | 1,699 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-540M @ 2.53GHz</a>   | 2 | 1,740 | 1,129 | 35 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-540UM @ 1.20GHz</a>  | 2 | 1,002 | 818   | 18 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-5575R @ 2.80GHz</a>  | 4 | 5,202 | 2,119 | 65 | LGA1150   | Desktop |
| <a href="#">Intel Core i5-560M @ 2.67GHz</a>   | 2 | 1,836 | 1,246 | 35 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-560UM @ 1.33GHz</a>  | 2 | 1,015 | 898   | 18 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-5675C @ 3.10GHz</a>  | 4 | 5,548 | 2,251 | 65 | FCLGA1150 | Desktop |
| <a href="#">Intel Core i5-5675R @ 3.10GHz</a>  | 4 | 5,600 | 2,282 | 65 | FCBGA1364 | Desktop |
| <a href="#">Intel Core i5-580M @ 2.67GHz</a>   | 2 | 1,914 | 1,266 | 35 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-6198DU @ 2.30GHz</a> | 2 | 3,169 | 1,659 | 15 | BGA1356   | Laptop  |
| <a href="#">Intel Core i5-6200U @ 2.30GHz</a>  | 2 | 3,028 | 1,588 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6260U @ 1.80GHz</a>  | 2 | 3,180 | 1,654 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6267U @ 2.90GHz</a>  | 2 | 3,462 | 1,848 | 28 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6287U @ 3.10GHz</a>  | 2 | 3,922 | 2,080 | 28 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6300HQ @ 2.30GHz</a> | 4 | 4,689 | 1,793 | 45 | LGA 1151  | Laptop  |
| <a href="#">Intel Core i5-6300U @ 2.40GHz</a>  | 2 | 3,255 | 1,690 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6350HQ @ 2.30GHz</a> | 4 | 4,255 | 1,420 | 45 | LGA 1151  | Laptop  |
| <a href="#">Intel Core i5-6360U @ 2.00GHz</a>  | 2 | 3,228 | 1,793 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6400 @ 2.70GHz</a>   | 4 | 5,166 | 1,966 | 65 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6400T @ 2.20GHz</a>  | 4 | 4,305 | 1,651 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6402P @ 2.80GHz</a>  | 4 | 5,493 | 2,059 | 65 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6440EQ @ 2.70GHz</a> | 4 | 5,368 | 1,943 | 45 | FCBGA1440 | Laptop  |
| <a href="#">Intel Core i5-6440HQ @ 2.60GHz</a> | 4 | 5,133 | 2,010 | 45 | LGA 1151  | Laptop  |
| <a href="#">Intel Core i5-6442EQ @ 1.90GHz</a> | 4 | 4,598 | 1,716 | 25 | FCBGA1440 | Laptop  |
| <a href="#">Intel Core i5-650 @ 3.20GHz</a>    | 2 | 2,217 | 1,387 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i5-6500 @ 3.20GHz</a>   | 4 | 5,657 | 2,124 | 65 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6500T @ 2.50GHz</a>  | 4 | 4,852 | 1,835 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6500TE @ 2.30GHz</a> | 4 | 4,776 | 1,828 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-655K @ 3.20GHz</a>   | 2 | 2,017 | 1,446 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i5-660 @ 3.33GHz</a>    | 2 | 2,361 | 1,438 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i5-6600 @ 3.30GHz</a>   | 4 | 6,113 | 2,285 | 65 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6600K @ 3.50GHz</a>  | 4 | 6,306 | 2,332 | 91 | FCLGA1151 | Desktop |
| <a href="#">Intel Core i5-6600T @ 2.70GHz</a>  | 4 | 5,655 | 2,096 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-661 @ 3.33GHz</a>    | 2 | 2,462 | 1,455 | 87 | LGA1156   | Desktop |
| <a href="#">Intel Core i5-670 @ 3.47GHz</a>    | 2 | 2,511 | 1,542 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i5-680 @ 3.60GHz</a>    | 2 | 2,593 | 1,577 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i5-7200U @ 2.50GHz</a>  | 2 | 3,413 | 1,781 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-7260U @ 2.20GHz</a>  | 2 | 3,891 | 1,988 | 15 | BGA1356   | Laptop  |
| <a href="#">Intel Core i5-7267U @ 3.10GHz</a>  | 2 | 3,968 | 2,079 | 28 | BGA1356   | Laptop  |
| <a href="#">Intel Core i5-7287U @ 3.30GHz</a>  | 2 | 4,149 | 2,154 | 28 | Unknown   | Laptop  |
| <a href="#">Intel Core i5-7300HQ @ 2.50GHz</a> | 4 | 5,118 | 1,971 | 45 | Unknown   | Laptop  |
| <a href="#">Intel Core i5-7300U @ 2.60GHz</a>  | 2 | 3,742 | 1,966 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-7360U @ 2.30GHz</a>  | 2 | 4,051 | 2,183 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-7400 @ 3.00GHz</a>   | 4 | 5,518 | 2,107 | 65 | FCLGA1151 | Desktop |
| <a href="#">Intel Core i5-7400T @ 2.40GHz</a>  | 4 | 4,665 | 1,757 | 35 | LGA1151   | Desktop |
| <a href="#">Intel Core i5-7440EQ @ 2.90GHz</a> | 4 | 5,711 | 2,131 | 45 | FCBGA1440 | Laptop  |

| CPU Name                                       | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|--|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i5-7440HQ @ 2.80GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |        |       |     |             |                         |
|--|---|--------|-------|-----|-------------|-------------------------|
| <a href="#">Intel Core i5-7500 @ 3.40GHz</a>   | 4 | 6,066  | 2,282 | 65  | LGA1151     | Desktop                 |
| <a href="#">Intel Core i5-7500T @ 2.70GHz</a>  | 4 | 5,327  | 1,968 | 35  | FCLGA1151   | Desktop                 |
| <a href="#">Intel Core i5-760 @ 2.80GHz</a>    | 4 | 2,586  | 1,310 | 95  | LGA1156     | Desktop                 |
| <a href="#">Intel Core i5-7600 @ 3.50GHz</a>   | 4 | 6,608  | 2,474 | 65  | FCLGA1151   | Desktop                 |
| <a href="#">Intel Core i5-7600K @ 3.80GHz</a>  | 4 | 6,868  | 2,565 | 91  | FCLGA1151   | Desktop                 |
| <a href="#">Intel Core i5-7600T @ 2.80GHz</a>  | 4 | 6,170  | 2,269 | 35  | FCLGA1151   | Desktop                 |
| <a href="#">Intel Core i5-760S @ 2.53GHz</a>   | 4 | 5,440  | 1,578 | NA  | Unknown     | Unknown                 |
| <a href="#">Intel Core i5-7640X @ 4.00GHz</a>  | 4 | 6,636  | 2,496 | 112 | FCLGA2066   | Desktop                 |
| <a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>   | 2 | 2,776  | 1,614 | 4.5 | FCBGA1515   | Laptop                  |
| <a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>   | 2 | 2,862  | 1,765 | 4.5 | FCBGA1515   | Laptop                  |
| <a href="#">Intel Core i5-8200Y @ 1.30GHz</a>  | 2 | 2,308  | 1,374 | 5   | FCBGA1515   | Laptop                  |
| <a href="#">Intel Core i5-8210Y @ 1.60GHz</a>  | 2 | 2,840  | 1,730 | 7   | FCBGA1515   | Laptop                  |
| <a href="#">Intel Core i5-8250U @ 1.60GHz</a>  | 4 | 5,946  | 1,935 | 15  | FC-BGA1356  | Laptop                  |
| <a href="#">Intel Core i5-8257U @ 1.40GHz</a>  | 4 | 7,720  | 2,316 | 15  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8259U @ 2.30GHz</a>  | 4 | 8,132  | 2,246 | 28  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8260U @ 1.60GHz</a>  | 4 | 7,854  | 2,313 | 15  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8265U @ 1.60GHz</a>  | 4 | 6,115  | 2,126 | 15  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8265UC @ 1.60GHz</a> | 4 | 5,988  | 2,200 | NA  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8269U @ 2.60GHz</a>  | 4 | 8,055  | 2,561 | 28  | FCBGA1528   | Laptop, Mobile/Embedded |
| <a href="#">Intel Core i5-8279U @ 2.40GHz</a>  | 4 | 8,064  | 2,469 | 28  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8300H @ 2.30GHz</a>  | 4 | 7,552  | 2,314 | 45  | FCLGA1151-2 | Laptop                  |
| <a href="#">Intel Core i5-8305G @ 2.80GHz</a>  | 4 | 7,073  | 2,118 | 65  | BGA2270     | Laptop                  |
| <a href="#">Intel Core i5-8350U @ 1.70GHz</a>  | 4 | 6,313  | 2,040 | 15  | FC-BGA1356  | Laptop                  |
| <a href="#">Intel Core i5-8365U @ 1.60GHz</a>  | 4 | 6,295  | 2,183 | 15  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8365UE @ 1.60GHz</a> | 4 | 5,555  | 2,248 | 15  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8400 @ 2.80GHz</a>   | 6 | 9,219  | 2,406 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-8400H @ 2.50GHz</a>  | 4 | 8,118  | 2,468 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-8400T @ 1.70GHz</a>  | 6 | 7,453  | 1,924 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-8500 @ 3.00GHz</a>   | 6 | 9,609  | 2,486 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-8500B @ 3.00GHz</a>  | 6 | 9,421  | 2,572 | 65  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-8500T @ 2.10GHz</a>  | 6 | 7,702  | 2,044 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-8600 @ 3.10GHz</a>   | 6 | 9,848  | 2,582 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-8600K @ 3.60GHz</a>  | 6 | 10,189 | 2,611 | 95  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-8600T @ 2.30GHz</a>  | 6 | 8,227  | 2,180 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9300H @ 2.40GHz</a>  | 4 | 7,808  | 2,354 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-9300HF @ 2.40GHz</a> | 4 | 7,704  | 2,366 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-9400 @ 2.90GHz</a>   | 6 | 9,491  | 2,484 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9400F @ 2.90GHz</a>  | 6 | 9,546  | 2,474 | 65  | FCLGA1151-2 | Desktop, Laptop         |
| <a href="#">Intel Core i5-9400H @ 2.50GHz</a>  | 4 | 8,303  | 2,506 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-9400T @ 1.80GHz</a>  | 6 | 7,818  | 2,060 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9500 @ 3.00GHz</a>   | 6 | 9,815  | 2,608 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9500F @ 3.00GHz</a>  | 6 | 10,330 | 2,678 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9500T @ 2.20GHz</a>  | 6 | 8,253  | 2,200 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9500TE @ 2.20GHz</a> | 6 | 9,212  | 2,296 | 35  | FCLGA1151-2 | Laptop                  |
| <a href="#">Intel Core i5-9600 @ 3.10GHz</a>   | 6 | 10,369 | 2,751 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9600K @ 3.70GHz</a>  | 6 | 10,792 | 2,774 | 95  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9600KF @ 3.70GHz</a> | 6 | 10,835 | 2,787 | 95  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9600T @ 2.30GHz</a>  | 6 | 8,393  | 2,175 | 35  | FCLGA1151-2 | Desktop                 |

| CPU Name                           | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|------------------------------------|-------|----------|-------------|----------|--------|----------|
| <a href="#">i5-L16G7 @ 1.40GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |        |       |     |            |                         |
|---|---|--------|-------|-----|------------|-------------------------|
| <a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a> | 4 | 7,076  | 1,914 | 10  | FCBGA1526  | Laptop                  |
| <a href="#">Intel Core i7-10610U @ 1.80GHz</a>  | 4 | 7,026  | 2,373 | 15  | FCBGA1528  | Laptop                  |
| <a href="#">Intel Core i7-1065G7 @ 1.30GHz</a>  | 4 | 8,719  | 2,410 | 15  | FCBGA-1526 | Laptop                  |
| <a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a> | 4 | 10,100 | 2,484 | 28  | FCBGA1344  | Laptop                  |
| <a href="#">Intel Core i7-10700 @ 2.90GHz</a>   | 8 | 17,027 | 2,925 | 65  | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-10700E @ 2.90GHz</a>  | 8 | 17,020 | 2,845 | 65  | FCLGA1200  | Laptop, Mobile/Embedded |
| <a href="#">Intel Core i7-10700F @ 2.90GHz</a>  | 8 | 16,957 | 2,920 | 65  | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-10700K @ 3.80GHz</a>  | 8 | 19,315 | 3,075 | 125 | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-10700KF @ 3.80GHz</a> | 8 | 19,151 | 3,054 | 125 | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-10700T @ 2.00GHz</a>  | 8 | 13,259 | 2,702 | 35  | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-10700TE @ 2.00GHz</a> | 8 | 16,332 | 2,772 | 35  | FCLGA1200  | Laptop                  |
| <a href="#">Intel Core i7-10710U @ 1.10GHz</a>  | 6 | 10,130 | 2,460 | 15  | FCBGA1528  | Laptop                  |
| <a href="#">Intel Core i7-10750H @ 2.60GHz</a>  | 6 | 12,383 | 2,719 | 45  | FCBGA1440  | Laptop                  |
| <a href="#">Intel Core i7-10810U @ 1.10GHz</a>  | 6 | 8,353  | 2,322 | 15  | FCBGA1528  | Laptop                  |
| <a href="#">Intel Core i7-10850H @ 2.70GHz</a>  | 6 | 12,148 | 2,741 | 45  | FCBGA1440  | Laptop                  |
| <a href="#">Intel Core i7-10870H @ 2.20GHz</a>  | 8 | 15,058 | 2,727 | 45  | FCBGA1440  | Laptop                  |
| <a href="#">Intel Core i7-10875H @ 2.30GHz</a>  | 8 | 15,483 | 2,787 | 45  | FCBGA1440  | Laptop                  |
| <a href="#">Intel Core i7-11370H @ 3.30GHz</a>  | 4 | 12,196 | 3,036 | 35  | FCBGA1449  | Laptop                  |
| <a href="#">Intel Core i7-11375H @ 3.30GHz</a>  | 4 | 12,349 | 3,099 | 35  | FCBGA1449  | Laptop                  |
| <a href="#">Intel Core i7-11390H @ 3.40GHz</a>  | 4 | 11,059 | 3,091 | 35  | FCBGA1449  | Laptop                  |
| <a href="#">Intel Core i7-11600H @ 2.90GHz</a>  | 6 | 16,030 | 3,204 | 45  | FCBGA1787  | Laptop                  |
| <a href="#">Intel Core i7-1160G7 @ 1.20GHz</a>  | 4 | 10,316 | 2,827 | NA  | FCBGA1598  | Laptop                  |
| <a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>  | 4 | 10,620 | 2,880 | 15  | BGA1526    | Laptop                  |
| <a href="#">Intel Core i7-11700 @ 2.50GHz</a>   | 8 | 20,848 | 3,133 | 95  | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-11700B @ 3.20GHz</a>  | 8 | 22,539 | 3,362 | 65  | Unknown    | Desktop                 |
| <a href="#">Intel Core i7-11700F @ 2.50GHz</a>  | 8 | 21,497 | 3,344 | 65  | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-11700K @ 3.60GHz</a>  | 8 | 24,848 | 3,433 | 125 | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-11700KF @ 3.60GHz</a> | 8 | 24,285 | 3,420 | 125 | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-11700T @ 1.40GHz</a>  | 8 | 15,220 | 2,837 | 35  | FCLGA1200  | Desktop                 |
| <a href="#">Intel Core i7-11800H @ 2.30GHz</a>  | 8 | 21,495 | 3,139 | 45  | FCBGA1787  | Laptop                  |
| <a href="#">Intel Core i7-1180G7 @ 1.30GHz</a>  | 4 | 6,607  | 2,323 | 15  | FCBGA1598  | Laptop                  |
| <a href="#">Intel Core i7-11850H @ 2.50GHz</a>  | 8 | 21,264 | 3,231 | 45  | FCBGA1787  | Laptop                  |
| <a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>  | 4 | 11,069 | 2,914 | 15  | BGA1526    | Laptop                  |
| <a href="#">Intel Core i7-1185G7E @ 2.80GHz</a> | 4 | 11,114 | 3,017 | 15  | FCBGA1449  | Laptop, Mobile/Embedded |
| <a href="#">Intel Core i7-1185GRE @ 2.80GHz</a> | 4 | 9,142  | 2,793 | 15  | FCBGA1449  | Mobile/Embedded         |
| <a href="#">Intel Core i7-1195G7 @ 2.90GHz</a>  | 4 | 11,076 | 3,097 | 28  | FCBGA1449  | Laptop                  |
| <a href="#">Intel Core i7-1260P</a>             | 4 | 12,224 | 2,385 | 28  | BGA1700    | Laptop                  |
| <a href="#">Intel Core i7-1265U</a>             | 2 | 10,671 | 3,207 | 15  | FCBGA1744  | Laptop, Mobile/Embedded |
| <a href="#">Intel Core i7-12700</a>             | 8 | 31,449 | 3,920 | 65  | FCLGA1700  | Desktop                 |
| <a href="#">Intel Core i7-12700F</a>            | 8 | 31,644 | 3,980 | 65  | FCLGA1700  | Desktop                 |
| <a href="#">Intel Core i7-12700H</a>            | 6 | 27,575 | 3,804 | 45  | FCBGA1744  | Laptop                  |
| <a href="#">Intel Core i7-12700K</a>            | 8 | 33,913 | 4,036 | 190 | FCLGA1700  | Desktop                 |
| <a href="#">Intel Core i7-12700KF</a>           | 8 | 33,953 | 4,051 | 190 | FCLGA1700  | Desktop                 |
| <a href="#">Intel Core i7-1270P</a>             | 4 | 22,842 | 3,824 | 28  | BGA1700    | Laptop                  |
| <a href="#">Intel Core i7-2600 @ 3.40GHz</a>    | 4 | 5,343  | 1,741 | 95  | LGA1155    | Desktop                 |
| <a href="#">Intel Core i7-2600K @ 3.40GHz</a>   | 4 | 5,494  | 1,744 | 95  | LGA1155    | Desktop                 |
| <a href="#">Intel Core i7-2600S @ 2.80GHz</a>   | 4 | 4,524  | 1,712 | 65  | LGA1155    | Desktop                 |
| <a href="#">Intel Core i7-2610UE @ 1.50GHz</a>  | 2 | 1,409  | 972   | 17  | BGA1023    | Laptop                  |



| CPU Name                                      | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i7-2617M @ 1.50GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |     |                  |         |
|--|---|-------|-------|-----|------------------|---------|
| <a href="#">Intel Core i7-2630UM @ 1.60GHz</a> | 2 | 400   | 221   | NA  | Unknown          | Laptop  |
| <a href="#">Intel Core i7-2635QM @ 2.00GHz</a> | 4 | 3,466 | 1,235 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2637M @ 1.70GHz</a>  | 2 | 1,942 | 1,222 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-2640M @ 2.80GHz</a>  | 2 | 2,430 | 1,487 | 35  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-2655LE @ 2.20GHz</a> | 2 | 1,999 | 1,231 | 25  | BGA1023          | Desktop |
| <a href="#">Intel Core i7-2670QM @ 2.20GHz</a> | 4 | 3,757 | 1,333 | 45  | PGA988B          | Laptop  |
| <a href="#">Intel Core i7-2675QM @ 2.20GHz</a> | 4 | 3,820 | 1,284 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2677M @ 1.80GHz</a>  | 2 | 1,993 | 1,240 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-2700K @ 3.50GHz</a>  | 4 | 5,581 | 1,779 | 95  | LGA1155          | Desktop |
| <a href="#">Intel Core i7-2710QE @ 2.10GHz</a> | 4 | 4,044 | 1,393 | 45  | PGA988B          | Laptop  |
| <a href="#">Intel Core i7-2715QE @ 2.10GHz</a> | 4 | 3,221 | 1,287 | 45  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-2720QM @ 2.20GHz</a> | 4 | 4,083 | 1,387 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2760QM @ 2.40GHz</a> | 4 | 4,395 | 1,552 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2820QM @ 2.30GHz</a> | 4 | 4,352 | 1,522 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2840QM @ 2.40GHz</a> | 4 | 3,842 | 1,493 | NA  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-2860QM @ 2.50GHz</a> | 4 | 4,583 | 1,587 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2920XM @ 2.50GHz</a> | 4 | 4,344 | 1,499 | 55  | FCPGA988         | Laptop  |
| <a href="#">Intel Core i7-2960XM @ 2.70GHz</a> | 4 | 4,423 | 1,491 | 55  | PGA988B          | Laptop  |
| <a href="#">Intel Core i7-3517U @ 1.90GHz</a>  | 2 | 2,084 | 1,297 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3517UE @ 1.70GHz</a> | 2 | 2,141 | 1,205 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3520M @ 2.90GHz</a>  | 2 | 2,870 | 1,740 | 35  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3537U @ 2.00GHz</a>  | 2 | 2,406 | 1,497 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3540M @ 3.00GHz</a>  | 2 | 2,902 | 1,771 | 35  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3555LE @ 2.50GHz</a> | 2 | 1,880 | 980   | 25  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3610QE @ 2.30GHz</a> | 4 | 4,767 | 1,526 | 45  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3610QM @ 2.30GHz</a> | 4 | 5,091 | 1,660 | 45  | PGA988B          | Laptop  |
| <a href="#">Intel Core i7-3612QE @ 2.10GHz</a> | 4 | 4,783 | 1,658 | 35  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-3612QM @ 2.10GHz</a> | 4 | 4,599 | 1,540 | 35  | PGA988B, FCBGA12 | Laptop  |
| <a href="#">Intel Core i7-3615QE @ 2.30GHz</a> | 4 | 5,334 | 1,751 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-3615QM @ 2.30GHz</a> | 4 | 5,221 | 1,745 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-3630QM @ 2.40GHz</a> | 4 | 5,136 | 1,699 | 45  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3632QM @ 2.20GHz</a> | 4 | 4,617 | 1,576 | 35  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3635QM @ 2.40GHz</a> | 4 | 4,657 | 1,673 | 45  | Unknown          | Laptop  |
| <a href="#">Intel Core i7-3667U @ 2.00GHz</a>  | 2 | 2,418 | 1,518 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3687U @ 2.10GHz</a>  | 2 | 2,650 | 1,599 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3689Y @ 1.50GHz</a>  | 2 | 1,642 | 984   | 13  | FCBGA1023        | Laptop  |
| <a href="#">Intel Core i7-3720QM @ 2.60GHz</a> | 4 | 5,650 | 1,864 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-3740QM @ 2.70GHz</a> | 4 | 5,689 | 1,879 | 45  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3770 @ 3.40GHz</a>   | 4 | 6,394 | 2,076 | 77  | LGA1155          | Desktop |
| <a href="#">Intel Core i7-3770K @ 3.50GHz</a>  | 4 | 6,461 | 2,082 | 77  | LGA1155          | Desktop |
| <a href="#">Intel Core i7-3770S @ 3.10GHz</a>  | 4 | 6,163 | 2,031 | 65  | LGA1155          | Desktop |
| <a href="#">Intel Core i7-3770T @ 2.50GHz</a>  | 4 | 5,573 | 1,933 | 45  | LGA1155          | Desktop |
| <a href="#">Intel Core i7-3820 @ 3.60GHz</a>   | 4 | 5,756 | 1,736 | 130 | LGA2011          | Desktop |
| <a href="#">Intel Core i7-3820QM @ 2.70GHz</a> | 4 | 5,746 | 1,912 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-3840QM @ 2.80GHz</a> | 4 | 5,973 | 1,953 | 45  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3920XM @ 2.90GHz</a> | 4 | 5,700 | 1,910 | 55  | FCPGA988         | Laptop  |
| <a href="#">Intel Core i7-3930K @ 3.20GHz</a>  | 6 | 8,246 | 1,762 | 130 | LGA2011          | Desktop |
| <a href="#">Intel Core i7-3940XM @ 3.00GHz</a> | 4 | 5,671 | 1,930 | 55  | rPGA988B         | Laptop  |

| CPU Name                                      | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i7-3960X @ 3.30GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |      |                 |         |
|--|---|-------|-------|------|-----------------|---------|
| <a href="#">Intel Core i7-4510U @ 2.00GHz</a>  | 2 | 2,581 | 1,543 | 15   | FCBGA1168       | Laptop  |
| <a href="#">Intel Core i7-4550U @ 1.50GHz</a>  | 2 | 2,354 | 1,289 | 15   | BGA1168         | Laptop  |
| <a href="#">Intel Core i7-4558U @ 2.80GHz</a>  | 2 | 2,964 | 1,838 | 28   | BGA1168         | Laptop  |
| <a href="#">Intel Core i7-4560U @ 1.60GHz</a>  | 2 | 2,950 | 1,782 | NA   | Unknown         | Laptop  |
| <a href="#">Intel Core i7-4578U @ 3.00GHz</a>  | 2 | 2,988 | 1,898 | 28   | FCBGA1168       | Laptop  |
| <a href="#">Intel Core i7-4600M @ 2.90GHz</a>  | 2 | 3,191 | 1,845 | 37   | PGA946          | Laptop  |
| <a href="#">Intel Core i7-4600U @ 2.10GHz</a>  | 2 | 2,685 | 1,673 | 15   | FCBGA1168       | Laptop  |
| <a href="#">Intel Core i7-4610M @ 3.00GHz</a>  | 2 | 2,972 | 1,719 | 37   | FPGA946,FPGA947 | Laptop  |
| <a href="#">Intel Core i7-4610Y @ 1.70GHz</a>  | 2 | 2,446 | 1,583 | 11.5 | BGA1168         | Desktop |
| <a href="#">Intel Core i7-4650U @ 1.70GHz</a>  | 2 | 2,398 | 1,533 | 15   | BGA1168         | Laptop  |
| <a href="#">Intel Core i7-4700EQ @ 2.40GHz</a> | 4 | 4,941 | 1,842 | 47   | FCBGA1364       | Desktop |
| <a href="#">Intel Core i7-4700HQ @ 2.40GHz</a> | 4 | 5,557 | 1,784 | 47   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4700MQ @ 2.40GHz</a> | 4 | 5,340 | 1,775 | 47   | rPGA946B        | Laptop  |
| <a href="#">Intel Core i7-4702HQ @ 2.20GHz</a> | 4 | 5,305 | 1,651 | 37   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4702MQ @ 2.20GHz</a> | 4 | 5,110 | 1,692 | 37   | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4710HQ @ 2.50GHz</a> | 4 | 5,505 | 1,781 | 47   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4710MQ @ 2.50GHz</a> | 4 | 5,801 | 1,893 | 47   | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4712HQ @ 2.30GHz</a> | 4 | 5,188 | 1,684 | 37   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4712MQ @ 2.30GHz</a> | 4 | 5,250 | 1,786 | 37   | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4720HQ @ 2.60GHz</a> | 4 | 5,765 | 1,869 | 47   | BGA1364         | Laptop  |
| <a href="#">Intel Core i7-4722HQ @ 2.40GHz</a> | 4 | 5,620 | 1,844 | 37   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4750HQ @ 2.00GHz</a> | 4 | 5,553 | 1,730 | 47   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4760HQ @ 2.10GHz</a> | 4 | 6,300 | 1,944 | 47   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4765T @ 2.00GHz</a>  | 4 | 5,036 | 1,619 | 35   | FCLGA1150       | Desktop |
| <a href="#">Intel Core i7-4770 @ 3.40GHz</a>   | 4 | 7,021 | 2,166 | 84   | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4770HQ @ 2.20GHz</a> | 4 | 6,108 | 1,939 | 47   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4770K @ 3.50GHz</a>  | 4 | 7,116 | 2,162 | 84   | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4770R @ 3.20GHz</a>  | 4 | 6,429 | 2,161 | 65   | FCBGA1364       | Desktop |
| <a href="#">Intel Core i7-4770S @ 3.10GHz</a>  | 4 | 6,826 | 2,148 | 65   | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4770T @ 2.50GHz</a>  | 4 | 6,038 | 2,046 | 45   | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4770TE @ 2.30GHz</a> | 4 | 4,257 | 1,458 | 45   | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4771 @ 3.50GHz</a>   | 4 | 7,085 | 2,187 | 84   | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4785T @ 2.20GHz</a>  | 4 | 5,427 | 1,744 | 35   | FCLGA1150       | Desktop |
| <a href="#">Intel Core i7-4790 @ 3.60GHz</a>   | 4 | 7,234 | 2,234 | 84   | FCLGA1150       | Desktop |
| <a href="#">Intel Core i7-4790K @ 4.00GHz</a>  | 4 | 8,060 | 2,469 | 88   | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4790S @ 3.20GHz</a>  | 4 | 6,939 | 2,209 | 65   | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4790T @ 2.70GHz</a>  | 4 | 6,291 | 2,100 | 45   | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4800MQ @ 2.70GHz</a> | 4 | 5,830 | 1,941 | 47   | rPGA946B        | Laptop  |
| <a href="#">Intel Core i7-4810MQ @ 2.80GHz</a> | 4 | 6,052 | 2,012 | 47   | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4820K @ 3.70GHz</a>  | 4 | 6,510 | 1,952 | 130  | FCLGA2011       | Desktop |
| <a href="#">Intel Core i7-4850HQ @ 2.30GHz</a> | 4 | 6,360 | 2,002 | 47   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4860EQ @ 1.80GHz</a> | 4 | 5,500 | 1,754 | 47   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4860HQ @ 2.40GHz</a> | 4 | 6,138 | 1,901 | 47   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4870HQ @ 2.50GHz</a> | 4 | 6,335 | 2,080 | 47   | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4900MQ @ 2.80GHz</a> | 4 | 6,045 | 1,946 | 47   | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4910MQ @ 2.90GHz</a> | 4 | 6,278 | 2,021 | 47   | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4930K @ 3.40GHz</a>  | 6 | 9,377 | 1,975 | 130  | LGA2011         | Desktop |
| <a href="#">Intel Core i7-4930MX @ 3.00GHz</a> | 4 | 6,753 | 2,180 | 57   | FCPGA946        | Laptop  |



| CPU Name                                       | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|--|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i7-4940MX @ 3.10GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |    |        |       |     |             |         |
|--|----|--------|-------|-----|-------------|---------|
| <a href="#">Intel Core i7-4980HQ @ 2.80GHz</a> | 4  | 6,805  | 2,256 | 47  | FCBGA1364   | Laptop  |
| <a href="#">Intel Core i7-5500U @ 2.40GHz</a>  | 2  | 2,716  | 1,629 | 15  | FCBGA1168   | Laptop  |
| <a href="#">Intel Core i7-5550U @ 2.00GHz</a>  | 2  | 2,908  | 1,781 | 15  | FCBGA1168   | Laptop  |
| <a href="#">Intel Core i7-5557U @ 3.10GHz</a>  | 2  | 3,148  | 1,930 | 28  | FCBGA1168   | Laptop  |
| <a href="#">Intel Core i7-5600U @ 2.60GHz</a>  | 2  | 2,982  | 1,760 | 15  | FCBGA1168   | Laptop  |
| <a href="#">Intel Core i7-5650U @ 2.20GHz</a>  | 2  | 3,006  | 1,923 | 15  | FCBGA1168   | Laptop  |
| <a href="#">Intel Core i7-5675C @ 3.10GHz</a>  | 4  | 6,089  | 2,249 | 65  | LGA1150     | Desktop |
| <a href="#">Intel Core i7-5700EQ @ 2.60GHz</a> | 4  | 5,905  | 2,124 | 47  | FCBGA1364   | Laptop  |
| <a href="#">Intel Core i7-5700HQ @ 2.70GHz</a> | 4  | 6,003  | 2,021 | 47  | FCBGA1364   | Laptop  |
| <a href="#">Intel Core i7-5775C @ 3.30GHz</a>  | 4  | 7,801  | 2,318 | 65  | FCLGA1150   | Desktop |
| <a href="#">Intel Core i7-5775R @ 3.30GHz</a>  | 4  | 7,584  | 2,287 | 65  | LGA1150     | Desktop |
| <a href="#">Intel Core i7-5820K @ 3.30GHz</a>  | 6  | 9,805  | 2,011 | 140 | LGA2011-v3  | Desktop |
| <a href="#">Intel Core i7-5850EQ @ 2.70GHz</a> | 4  | 7,036  | 2,119 | 47  | FCBGA1364   | Laptop  |
| <a href="#">Intel Core i7-5850HQ @ 2.70GHz</a> | 4  | 6,866  | 2,219 | 47  | FCBGA1364   | Laptop  |
| <a href="#">Intel Core i7-5930K @ 3.50GHz</a>  | 6  | 10,289 | 2,060 | 140 | LGA2011-v3  | Desktop |
| <a href="#">Intel Core i7-5950HQ @ 2.90GHz</a> | 4  | 7,696  | 2,288 | 47  | FCBGA1364   | Laptop  |
| <a href="#">Intel Core i7-5960X @ 3.00GHz</a>  | 8  | 12,697 | 1,975 | 140 | LGA2011-v3  | Desktop |
| <a href="#">Intel Core i7-610E @ 2.53GHz</a>   | 2  | 1,818  | 1,400 | 35  | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-620LM @ 2.00GHz</a>  | 2  | 1,422  | 1,074 | 25  | rPGA988A    | Laptop  |
| <a href="#">Intel Core i7-620M @ 2.67GHz</a>   | 2  | 2,000  | 1,286 | 35  | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-620UM @ 1.07GHz</a>  | 2  | 964    | 777   | 18  | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-640LM @ 2.13GHz</a>  | 2  | 1,469  | 1,013 | 25  | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-640M @ 2.80GHz</a>   | 2  | 2,048  | 1,386 | 35  | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-640UM @ 1.20GHz</a>  | 2  | 1,090  | 817   | 18  | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-6498DU @ 2.50GHz</a> | 2  | 3,303  | 1,721 | 15  | BGA1356     | Laptop  |
| <a href="#">Intel Core i7-6500U @ 2.50GHz</a>  | 2  | 3,277  | 1,709 | 15  | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-6560U @ 2.20GHz</a>  | 2  | 3,428  | 1,731 | 15  | Unknown     | Laptop  |
| <a href="#">Intel Core i7-6567U @ 3.30GHz</a>  | 2  | 3,775  | 2,083 | 28  | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-6600U @ 2.60GHz</a>  | 2  | 3,504  | 1,849 | 15  | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-660UM @ 1.33GHz</a>  | 2  | 1,272  | 927   | 18  | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-6650U @ 2.20GHz</a>  | 2  | 3,607  | 1,828 | 15  | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-6660U @ 2.40GHz</a>  | 2  | 3,851  | 1,983 | 15  | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-6700 @ 3.40GHz</a>   | 4  | 8,076  | 2,303 | 65  | LGA 1151    | Desktop |
| <a href="#">Intel Core i7-6700HQ @ 2.60GHz</a> | 4  | 6,547  | 1,920 | 45  | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6700K @ 4.00GHz</a>  | 4  | 8,954  | 2,518 | 95  | LGA1151     | Desktop |
| <a href="#">Intel Core i7-6700T @ 2.80GHz</a>  | 4  | 7,273  | 2,093 | 35  | LGA 1151    | Desktop |
| <a href="#">Intel Core i7-6700TE @ 2.40GHz</a> | 4  | 6,692  | 2,010 | 35  | LGA 1151    | Desktop |
| <a href="#">Intel Core i7-6770HQ @ 2.60GHz</a> | 4  | 7,113  | 1,956 | 45  | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6800K @ 3.40GHz</a>  | 6  | 10,663 | 2,268 | 140 | LGA2011-v3  | Desktop |
| <a href="#">Intel Core i7-680UM @ 1.47GHz</a>  | 2  | 1,046  | 773   | 18  | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-6820EQ @ 2.80GHz</a> | 4  | 6,924  | 1,969 | 45  | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6820HK @ 2.70GHz</a> | 4  | 6,906  | 1,947 | 45  | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6820HQ @ 2.70GHz</a> | 4  | 6,936  | 1,993 | 45  | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6822EQ @ 2.00GHz</a> | 4  | 5,241  | 1,572 | 25  | LGA 1151    | Laptop  |
| <a href="#">Intel Core i7-6850K @ 3.60GHz</a>  | 6  | 11,302 | 2,413 | 140 | FCLGA2011-3 | Desktop |
| <a href="#">Intel Core i7-6900K @ 3.20GHz</a>  | 8  | 14,160 | 2,347 | 140 | FCLGA2011-3 | Desktop |
| <a href="#">Intel Core i7-6920HQ @ 2.90GHz</a> | 4  | 7,363  | 2,117 | 45  | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6950X @ 3.00GHz</a>  | 10 | 17,099 | 2,340 | 140 | LGA2011-v3  | Desktop |

| CPU Name                                      | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i7-720QM @ 1.60GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |    |        |       |     |             |                 |
|--|----|--------|-------|-----|-------------|-----------------|
| <a href="#">Intel Core i7-7560U @ 2.40GHz</a>  | 2  | 3,801  | 2,013 | 15  | BGA1356     | Laptop          |
| <a href="#">Intel Core i7-7567U @ 3.50GHz</a>  | 2  | 4,237  | 2,249 | 28  | BGA1356     | Laptop          |
| <a href="#">Intel Core i7-7600U @ 2.80GHz</a>  | 2  | 3,652  | 1,981 | 15  | FCBGA1356   | Laptop          |
| <a href="#">Intel Core i7-7660U @ 2.50GHz</a>  | 2  | 4,093  | 2,139 | 15  | BGA1356     | Laptop          |
| <a href="#">Intel Core i7-7700 @ 3.60GHz</a>   | 4  | 8,639  | 2,471 | 65  | LGA1151     | Desktop         |
| <a href="#">Intel Core i7-7700HQ @ 2.80GHz</a> | 4  | 6,959  | 2,070 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-7700K @ 4.20GHz</a>  | 4  | 9,668  | 2,734 | 95  | LGA 1151    | Desktop         |
| <a href="#">Intel Core i7-7700T @ 2.90GHz</a>  | 4  | 7,530  | 2,147 | 35  | FCLGA1151   | Desktop         |
| <a href="#">Intel Core i7-7740X @ 4.30GHz</a>  | 4  | 9,864  | 2,805 | 112 | FCLGA2066   | Desktop         |
| <a href="#">Intel Core i7-7800X @ 3.50GHz</a>  | 6  | 12,876 | 2,431 | 140 | FCLGA2066   | Desktop         |
| <a href="#">Intel Core i7-7820EQ @ 3.00GHz</a> | 4  | 7,453  | 2,207 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-7820HK @ 2.90GHz</a> | 4  | 7,703  | 2,175 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-7820HQ @ 2.90GHz</a> | 4  | 7,185  | 2,137 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-7820X @ 3.60GHz</a>  | 8  | 17,289 | 2,541 | 140 | FCLGA2066   | Desktop         |
| <a href="#">Intel Core i7-7900X @ 3.30GHz</a>  | 10 | 19,358 | 2,610 | 140 | FCLGA2066   | Desktop         |
| <a href="#">Intel Core i7-7920HQ @ 3.10GHz</a> | 4  | 7,461  | 2,228 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>   | 2  | 2,654  | 1,600 | 4.5 | FCBGA1515   | Desktop, Laptop |
| <a href="#">Intel Core i7-8086K @ 4.00GHz</a>  | 6  | 14,566 | 2,894 | 95  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i7-820QM @ 1.73GHz</a>  | 4  | 1,768  | 1,029 | 45  | PGA988A     | Laptop          |
| <a href="#">Intel Core i7-840QM @ 1.87GHz</a>  | 4  | 1,924  | 1,137 | 45  | PGA988A     | Laptop          |
| <a href="#">Intel Core i7-8500Y @ 1.50GHz</a>  | 2  | 2,815  | 1,639 | 5   | FCBGA1515   | Laptop          |
| <a href="#">Intel Core i7-8550U @ 1.80GHz</a>  | 4  | 5,943  | 2,069 | 15  | FC-BGA1356  | Laptop          |
| <a href="#">Intel Core i7-8557U @ 1.70GHz</a>  | 4  | 8,225  | 2,571 | 15  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-8559U @ 2.70GHz</a>  | 4  | 8,742  | 2,578 | 28  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-8565U @ 1.80GHz</a>  | 4  | 6,358  | 2,245 | 15  | FCBGA1356   | Laptop          |
| <a href="#">Intel Core i7-8565UC @ 1.80GHz</a> | 4  | 6,187  | 2,527 | 15  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-8569U @ 2.80GHz</a>  | 4  | 8,535  | 2,766 | 28  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-860 @ 2.80GHz</a>    | 4  | 2,880  | 1,320 | 95  | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-860S @ 2.53GHz</a>   | 4  | 2,725  | 1,413 | 82  | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-8650U @ 1.90GHz</a>  | 4  | 6,391  | 2,163 | 15  | FC-BGA1356  | Laptop          |
| <a href="#">Intel Core i7-8665U @ 1.90GHz</a>  | 4  | 6,443  | 2,257 | 15  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-8665UE @ 1.70GHz</a> | 4  | 4,693  | 1,399 | 15  | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-870 @ 2.93GHz</a>    | 4  | 3,062  | 1,393 | 95  | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-8700 @ 3.20GHz</a>   | 6  | 13,051 | 2,665 | 65  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i7-8700B @ 3.20GHz</a>  | 6  | 12,420 | 2,765 | 65  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-8700K @ 3.70GHz</a>  | 6  | 13,876 | 2,767 | 95  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i7-8700T @ 2.40GHz</a>  | 6  | 10,469 | 2,362 | 35  | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i7-8705G @ 3.10GHz</a>  | 4  | 7,971  | 2,293 | 65  | BGA2270     | Laptop          |
| <a href="#">Intel Core i7-8706G @ 3.10GHz</a>  | 4  | 8,136  | 2,519 | 65  | BGA2270     | Laptop          |
| <a href="#">Intel Core i7-8709G @ 3.10GHz</a>  | 4  | 7,990  | 2,291 | 100 | BGA2270     | Laptop          |
| <a href="#">Intel Core i7-870S @ 2.67GHz</a>   | 4  | 2,786  | 1,270 | 82  | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-8750H @ 2.20GHz</a>  | 6  | 10,096 | 2,333 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-875K @ 2.93GHz</a>   | 4  | 3,101  | 1,379 | 95  | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-880 @ 3.07GHz</a>    | 4  | 2,920  | 1,386 | 95  | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-8809G @ 3.10GHz</a>  | 4  | 8,755  | 2,456 | 100 | BGA2270     | Laptop          |
| <a href="#">Intel Core i7-8850H @ 2.60GHz</a>  | 6  | 10,364 | 2,408 | 45  | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-920 @ 2.67GHz</a>    | 4  | 2,732  | 1,219 | 130 | LGA1366     | Desktop         |
| <a href="#">Intel Core i7-920XM @ 2.00GHz</a>  | 4  | 1,965  | 994   | 55  | PGA988B     | Laptop          |

| CPU Name                                    | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core i7-930 @ 2.80GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |    |        |       |     |             |                          |
|---|----|--------|-------|-----|-------------|--------------------------|
| <a href="#">Intel Core i7-950 @ 3.07GHz</a>     | 4  | 3,144  | 1,393 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-960 @ 3.20GHz</a>     | 4  | 3,246  | 1,452 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-965 @ 3.20GHz</a>     | 4  | 3,288  | 1,452 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-970 @ 3.20GHz</a>     | 6  | 6,498  | 1,453 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-9700 @ 3.00GHz</a>    | 8  | 13,394 | 2,784 | 65  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700E @ 2.60GHz</a>   | 8  | 11,905 | 2,581 | 65  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700F @ 3.00GHz</a>   | 8  | 13,438 | 2,794 | 65  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700K @ 3.60GHz</a>   | 8  | 14,545 | 2,900 | 95  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700KF @ 3.60GHz</a>  | 8  | 14,512 | 2,925 | 95  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700T @ 2.00GHz</a>   | 8  | 10,699 | 2,443 | 35  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700TE @ 1.80GHz</a>  | 8  | 10,826 | 2,309 | 35  | FCLGA1151-2 | Desktop, Laptop          |
| <a href="#">Intel Core i7-975 @ 3.33GHz</a>     | 4  | 3,356  | 1,507 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-9750H @ 2.60GHz</a>   | 6  | 11,215 | 2,488 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i7-9750HF @ 2.60GHz</a>  | 6  | 11,473 | 2,549 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i7-980 @ 3.33GHz</a>     | 6  | 7,018  | 1,558 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-9800X @ 3.80GHz</a>   | 8  | 18,236 | 2,599 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i7-980X @ 3.33GHz</a>    | 6  | 6,799  | 1,530 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-985 @ 3.47GHz</a>     | 4  | 3,928  | 1,579 | NA  | LGA1366     | Unknown                  |
| <a href="#">Intel Core i7-9850H @ 2.60GHz</a>   | 6  | 11,521 | 2,554 | 45  | Unknown     | Laptop                   |
| <a href="#">Intel Core i7-9850HL @ 1.90GHz</a>  | 6  | 9,112  | 2,139 | 25  | FCBGA1440   | Desktop, Laptop          |
| <a href="#">Intel Core i7-990X @ 3.47GHz</a>    | 6  | 7,148  | 1,600 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-995X @ 3.60GHz</a>    | 6  | 7,079  | 1,683 | NA  | Unknown     | Desktop                  |
| <a href="#">Intel Core i9-10850K @ 3.60GHz</a>  | 10 | 23,134 | 3,093 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10880H @ 2.30GHz</a>  | 8  | 15,064 | 2,805 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i9-10885H @ 2.40GHz</a>  | 8  | 15,717 | 2,811 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i9-10900 @ 2.80GHz</a>   | 10 | 20,535 | 3,065 | 65  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900E @ 2.80GHz</a>  | 10 | 20,658 | 2,969 | 65  | FCLGA1200   | Desktop, Mobile/Embedded |
| <a href="#">Intel Core i9-10900F @ 2.80GHz</a>  | 10 | 20,921 | 3,074 | 65  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900K @ 3.70GHz</a>  | 10 | 23,805 | 3,167 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900KF @ 3.70GHz</a> | 10 | 23,567 | 3,138 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900T @ 1.90GHz</a>  | 10 | 15,133 | 2,528 | 35  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900TE @ 1.80GHz</a> | 10 | 17,888 | 2,684 | 35  | FCLGA1200   | Mobile/Embedded          |
| <a href="#">Intel Core i9-10900X @ 3.70GHz</a>  | 10 | 22,724 | 2,697 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i9-10910 @ 3.60GHz</a>   | 10 | 21,801 | 3,145 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10920X @ 3.50GHz</a>  | 12 | 26,810 | 2,774 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i9-10940X @ 3.30GHz</a>  | 14 | 28,686 | 2,729 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i9-10980HK @ 2.40GHz</a> | 8  | 16,284 | 2,870 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i9-10980XE @ 3.00GHz</a> | 18 | 33,644 | 2,669 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i9-11900 @ 2.50GHz</a>   | 8  | 23,231 | 3,449 | 65  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-11900F @ 2.50GHz</a>  | 8  | 23,958 | 3,532 | 65  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-11900H @ 2.50GHz</a>  | 8  | 21,730 | 3,219 | 45  | FCBGA1787   | Laptop                   |
| <a href="#">Intel Core i9-11900K @ 3.50GHz</a>  | 8  | 25,566 | 3,515 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-11900KB @ 3.30GHz</a> | 8  | 23,070 | 3,305 | 65  | FCBGA1787   | Desktop                  |
| <a href="#">Intel Core i9-11900KF @ 3.50GHz</a> | 8  | 25,560 | 3,579 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-11900T @ 1.50GHz</a>  | 8  | 20,225 | 3,419 | 35  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-11950H @ 2.60GHz</a>  | 8  | 22,703 | 3,320 | 45  | FCBGA1787   | Laptop                   |
| <a href="#">Intel Core i9-11980HK @ 2.60GHz</a> | 8  | 23,511 | 3,302 | 45  | FCBGA1787   | Laptop                   |
| <a href="#">Intel Core i9-12900</a>             | 8  | 39,749 | 4,160 | 65  | FCLGA1700   | Desktop                  |



| CPU Name  | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket      | Category |
|---|-------|----------------------|-------------------------|---------------------|-------------|----------|
| <a href="#">Intel Core i9-12900K</a>            | 8     | 40,875               | 4,211                   | 241                 | FCLGA1700   | Desktop  |
| <a href="#">Intel Core i9-12900KF</a>           | 8     | 40,895               | 4,220                   | 241                 | FCLGA1700   | Desktop  |
| <a href="#">Intel Core i9-12900T</a>            | 8     | 35,833               | 4,032                   | 35                  | FCLGA1700   | Desktop  |
| <a href="#">Intel Core i9-7900X @ 3.30GHz</a>   | 10    | 21,303               | 2,592                   | 140                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-7920X @ 2.90GHz</a>   | 12    | 23,252               | 2,467                   | 140                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-7940X @ 3.10GHz</a>   | 14    | 26,560               | 2,486                   | 165                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-7960X @ 2.80GHz</a>   | 16    | 26,699               | 2,525                   | 165                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-7980XE @ 2.60GHz</a>  | 18    | 29,530               | 2,470                   | 165                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-8950HK @ 2.90GHz</a>  | 6     | 10,833               | 2,498                   | 45                  | FCBGA1440   | Laptop   |
| <a href="#">Intel Core i9-9820X @ 3.30GHz</a>   | 10    | 18,240               | 2,406                   | 165                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-9880H @ 2.30GHz</a>   | 8     | 14,031               | 2,567                   | 45                  | FCBGA1440   | Laptop   |
| <a href="#">Intel Core i9-9900 @ 3.10GHz</a>    | 8     | 16,924               | 2,871                   | 65                  | FCLGA1151-2 | Desktop  |
| <a href="#">Intel Core i9-9900K @ 3.60GHz</a>   | 8     | 18,739               | 2,963                   | 95                  | FCLGA1151-2 | Desktop  |
| <a href="#">Intel Core i9-9900KF @ 3.60GHz</a>  | 8     | 18,710               | 2,968                   | 95                  | FCLGA1151-2 | Desktop  |
| <a href="#">Intel Core i9-9900KS @ 4.00GHz</a>  | 8     | 19,509               | 3,040                   | 127                 | FCLGA1151-2 | Desktop  |
| <a href="#">Intel Core i9-9900T @ 2.10GHz</a>   | 8     | 13,947               | 2,505                   | 35                  | FCLGA1151-2 | Desktop  |
| <a href="#">Intel Core i9-9900X @ 3.50GHz</a>   | 10    | 21,862               | 2,605                   | 165                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-9920X @ 3.50GHz</a>   | 12    | 25,357               | 2,624                   | 165                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-9940X @ 3.30GHz</a>   | 14    | 28,411               | 2,647                   | 165                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-9960X @ 3.10GHz</a>   | 16    | 31,089               | 2,649                   | 165                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-9980HK @ 2.40GHz</a>  | 8     | 14,702               | 2,616                   | 45                  | FCBGA1440   | Laptop   |
| <a href="#">Intel Core i9-9980XE @ 3.00GHz</a>  | 18    | 31,985               | 2,571                   | 165                 | FCLGA2066   | Desktop  |
| <a href="#">Intel Core i9-9990XE @ 4.00GHz</a>  | 14    | 30,162               | 2,970                   | 255                 | LGA2066     | Desktop  |
| <a href="#">Intel Core M-5Y10 @ 0.80GHz</a>     | 2     | 1,840                | 1,098                   | 4.5                 | Unknown     | Laptop   |
| <a href="#">Intel Core M-5Y10a @ 0.80GHz</a>    | 2     | 1,905                | 993                     | 4.5                 | FCBGA1234   | Laptop   |
| <a href="#">Intel Core M-5Y10c @ 0.80GHz</a>    | 2     | 1,806                | 1,073                   | 4.5                 | FCBGA1234   | Laptop   |
| <a href="#">Intel Core M-5Y31 @ 0.90GHz</a>     | 2     | 2,078                | 1,329                   | 4.5                 | FCBGA1234   | Laptop   |
| <a href="#">Intel Core M-5Y51 @ 1.10GHz</a>     | 2     | 2,191                | 1,407                   | 4.5                 | FCBGA1234   | Laptop   |
| <a href="#">Intel Core M-5Y70 @ 1.10GHz</a>     | 2     | 1,705                | 1,039                   | 4.5                 | BGA1234     | Laptop   |
| <a href="#">Intel Core M-5Y71 @ 1.20GHz</a>     | 2     | 2,057                | 1,324                   | 4.5                 | FCBGA1234   | Laptop   |
| <a href="#">Intel Core m3-6Y30 @ 0.90GHz</a>    | 2     | 2,063                | 1,230                   | 4.5                 | FCBGA1515   | Laptop   |
| <a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>    | 2     | 2,589                | 1,386                   | 4.5                 | FCBGA1515   | Laptop   |
| <a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>    | 2     | 2,928                | 1,689                   | 4.5                 | FCBGA1515   | Laptop   |
| <a href="#">Intel Core m3-8100Y @ 1.10GHz</a>   | 2     | 2,978                | 1,771                   | 5                   | FCBGA1515   | Laptop   |
| <a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>    | 2     | 2,131                | 1,198                   | 7                   | FCBGA1515   | Laptop   |
| <a href="#">Intel Core m5-6Y57 @ 1.10GHz</a>    | 2     | 2,369                | 1,361                   | 7                   | FCBGA1515   | Laptop   |
| <a href="#">Intel Core m5-7Y54 @ 1.20GHz</a>    | 2     | 1,475                | 746                     | NA                  | Unknown     | Unknown  |
| <a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>    | 2     | 2,383                | 1,436                   | 7                   | FCBGA1515   | Laptop   |
| <a href="#">Intel Core Solo T1300 @ 1.66GHz</a> | 1     | 210                  | 518                     | 27                  | PGA478      | Laptop   |
| <a href="#">Intel Core Solo T1350 @ 1.86GHz</a> | 1     | 194                  | 413                     | 31                  | Unknown     | Laptop   |
| <a href="#">Intel Core Solo T1400 @ 1.83GHz</a> | 1     | 253                  | 525                     | 27                  | PGA478      | Laptop   |
| <a href="#">Intel Core Solo U1300 @ 1.06GHz</a> | 1     | 127                  | 340                     | 6                   | PBGA479     | Laptop   |
| <a href="#">Intel Core Solo U1400 @ 1.20GHz</a> | 1     | 130                  | 365                     | 5.5                 | PBGA479     | Laptop   |
| <a href="#">Intel Core Solo U1500 @ 1.33GHz</a> | 1     | 164                  | 375                     | 5.5                 | Unknown     | Laptop   |
| <a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a> | 2     | 561                  | 665                     | 65                  | LGA775      | Desktop  |
| <a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a> | 2     | 613                  | 745                     | 65                  | LGA775      | Desktop  |
| <a href="#">Intel Core2 Duo E4500 @ 2.20GHz</a> | 2     | 739                  | 832                     | 65                  | LGA775      | Desktop  |
| <a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a> | 2     | 823                  | 921                     | 65                  | LGA775      | Desktop  |



| CPU Name  | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks ▼

|  |   |       |       |    |          |         |
|--|---|-------|-------|----|----------|---------|
| <a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a>  | 2 | 772   | 844   | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a>  | 2 | 714   | 783   | 65 | PLGA775  | Desktop |
| <a href="#">Intel Core2 Duo E6540 @ 2.33GHz</a>  | 2 | 808   | 969   | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a>  | 2 | 868   | 909   | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>  | 2 | 899   | 952   | 65 | PLGA775  | Desktop |
| <a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a>  | 2 | 1,006 | 1,055 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>  | 2 | 1,007 | 1,054 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a>  | 2 | 1,140 | 1,196 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a>  | 2 | 962   | 1,075 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>  | 2 | 976   | 1,104 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a>  | 2 | 979   | 1,101 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>  | 2 | 1,087 | 1,198 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>  | 2 | 1,161 | 1,275 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>  | 2 | 973   | 1,028 | NA | Unknown  | Unknown |
| <a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a>  | 2 | 1,099 | 1,144 | NA | Socket P | Laptop  |
| <a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>  | 2 | 1,064 | 1,126 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>  | 2 | 995   | 1,113 | NA | Socket P | Laptop  |
| <a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a>  | 2 | 1,408 | 1,302 | 65 | LGA775   | Unknown |
| <a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a>  | 2 | 1,034 | 1,169 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>  | 2 | 1,172 | 1,126 | NA | Socket P | Laptop  |
| <a href="#">Intel Core2 Duo E8335 @ 2.93GHz</a>  | 2 | 1,187 | 1,206 | NA | Socket P | Laptop  |
| <a href="#">Intel Core2 Duo E8400 @ 3.00GHz</a>  | 2 | 1,167 | 1,242 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>  | 2 | 1,240 | 1,307 | NA | Socket P | Laptop  |
| <a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>  | 2 | 1,235 | 1,322 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>  | 2 | 1,338 | 1,403 | 65 | LGA775   | Desktop |
| <a href="#">Intel Core2 Duo L7100 @ 1.20GHz</a>  | 2 | 467   | 484   | NA | BGA956   | Laptop  |
| <a href="#">Intel Core2 Duo L7300 @ 1.40GHz</a>  | 2 | 550   | 635   | 17 | BGA479   | Laptop  |
| <a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>  | 2 | 516   | 555   | 17 | BGA479   | Laptop  |
| <a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>  | 2 | 575   | 600   | 17 | BGA479   | Laptop  |
| <a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>  | 2 | 607   | 748   | 17 | Unknown  | Laptop  |
| <a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>  | 2 | 680   | 622   | NA | Unknown  | Unknown |
| <a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>  | 2 | 641   | 655   | 17 | BGA956   | Laptop  |
| <a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>  | 2 | 892   | 914   | 17 | BGA956   | Laptop  |
| <a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>  | 2 | 719   | 783   | 25 | BGA479   | Laptop  |
| <a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>  | 2 | 790   | 793   | 25 | PGA478   | Laptop  |
| <a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>  | 2 | 747   | 821   | 25 | PGA478   | Laptop  |
| <a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>  | 2 | 868   | 917   | 25 | PGA478   | Laptop  |
| <a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>  | 2 | 711   | 884   | 25 | PGA478   | Laptop  |
| <a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>  | 2 | 832   | 923   | 25 | BGA479   | Laptop  |
| <a href="#">Intel Core2 Duo P8600 @ 2.40GHz</a>  | 2 | 854   | 942   | 25 | BGA479   | Laptop  |
| <a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>  | 2 | 960   | 1,051 | 25 | BGA479   | Laptop  |
| <a href="#">Intel Core2 Duo P8800 @ 2.66GHz</a>  | 2 | 898   | 1,074 | 25 | BGA479   | Laptop  |
| <a href="#">Intel Core2 Duo P9300 @ 2.26GHz</a>  | 2 | 909   | 855   | NA | Unknown  | Laptop  |
| <a href="#">Intel Core2 Duo P9500 @ 2.53GHz</a>  | 2 | 959   | 1,056 | 25 | BGA479   | Laptop  |
| <a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>  | 2 | 1,012 | 1,075 | 25 | PGA478   | Laptop  |
| <a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>  | 2 | 1,069 | 1,111 | 25 | PGA478   | Laptop  |
| <a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>  | 2 | 1,109 | 1,151 | 28 | PGA478   | Laptop  |
| <a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a> | 2 | 743   | 767   | 17 | BGA956   | Laptop  |

| CPU Name                         | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|----------------------------------|-------|----------|-------------|----------|--------|----------|
| Intel Core2 Duo SP9400 @ 2.40GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |       |       |     |                  |         |
|---|---|-------|-------|-----|------------------|---------|
| <a href="#">Intel Core2 Duo T5250 @ 1.50GHz</a>     | 2 | 483   | 542   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>     | 2 | 496   | 586   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>     | 2 | 635   | 423   | 34  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>     | 2 | 531   | 572   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T5470 @ 1.60GHz</a>     | 2 | 531   | 606   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>     | 2 | 498   | 585   | 34  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T5550 @ 1.83GHz</a>     | 2 | 596   | 664   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T5600 @ 1.83GHz</a>     | 2 | 645   | 696   | 34  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T5670 @ 1.80GHz</a>     | 2 | 530   | 635   | 35  | Socket P         | Laptop  |
| <a href="#">Intel Core2 Duo T5750 @ 2.00GHz</a>     | 2 | 663   | 734   | 35  | Socket P         | Laptop  |
| <a href="#">Intel Core2 Duo T5800 @ 2.00GHz</a>     | 2 | 643   | 744   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>     | 2 | 657   | 769   | NA  | Socket P         | Laptop  |
| <a href="#">Intel Core2 Duo T5870 @ 2.00GHz</a>     | 2 | 700   | 748   | 35  | PPGA478, Socket  | Laptop  |
| <a href="#">Intel Core2 Duo T5900 @ 2.20GHz</a>     | 2 | 652   | 768   | NA  | Socket P         | Laptop  |
| <a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>     | 2 | 705   | 793   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>     | 2 | 687   | 833   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>     | 2 | 700   | 813   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>     | 2 | 764   | 856   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>     | 2 | 756   | 855   | 35  | PGA478           | Laptop  |
| <a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>     | 2 | 643   | 714   | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>     | 2 | 723   | 756   | 34  | PBGA479, PPGA478 | Laptop  |
| <a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>     | 2 | 688   | 771   | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>     | 2 | 686   | 770   | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>     | 2 | 702   | 774   | 34  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>     | 2 | 823   | 879   | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>     | 2 | 770   | 848   | 34  | PBGA479, PPGA478 | Laptop  |
| <a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>     | 2 | 825   | 899   | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>     | 2 | 976   | 1,034 | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a>     | 2 | 739   | 836   | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T8300 @ 2.40GHz</a>     | 2 | 896   | 1,000 | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>     | 2 | 938   | 1,018 | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>     | 2 | 934   | 1,014 | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>     | 2 | 1,016 | 1,090 | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>     | 2 | 910   | 1,021 | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>     | 2 | 1,073 | 1,144 | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>     | 2 | 1,163 | 1,220 | 35  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>     | 2 | 1,220 | 1,199 | 35  | BGA479,PGA478    | Laptop  |
| <a href="#">Intel Core2 Duo U7300 @ 1.30GHz</a>     | 2 | 501   | 533   | 10  | BGA956           | Laptop  |
| <a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>     | 2 | 405   | 425   | 10  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>     | 2 | 316   | 427   | 10  | BGA479           | Laptop  |
| <a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>     | 2 | 345   | 345   | 10  | Unknown          | Laptop  |
| <a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>     | 2 | 485   | 542   | 10  | BGA956           | Laptop  |
| <a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>     | 2 | 584   | 657   | 10  | BGA956           | Laptop  |
| <a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a> | 4 | 2,267 | 1,202 | 75  | LGA775           | Desktop |
| <a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a> | 4 | 2,268 | 1,230 | 130 | LGA775           | Desktop |
| <a href="#">Intel Core2 Extreme Q9200 @ 2.40GHz</a> | 4 | 2,011 | 1,080 | NA  | Unknown          | Desktop |
| <a href="#">Intel Core2 Extreme Q9300 @ 2.53GHz</a> | 4 | 1,845 | 1,046 | 45  | PGA478           | Desktop |
| <a href="#">Intel Core2 Extreme X6800 @ 2.93GHz</a> | 2 | 823   | 973   | 75  | PLGA775          | Desktop |

| CPU Name  | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |       |       |      |           |         |
|---|---|-------|-------|------|-----------|---------|
| <a href="#">Intel Core2 Extreme X9100 @ 3.06GHz</a> | 2 | 1,139 | 1,175 | 44   | PGA478    | Laptop  |
| <a href="#">Intel Core2 Extreme X9650 @ 3.00GHz</a> | 4 | 2,455 | 1,288 | 130  | LGA775    | Desktop |
| <a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a> | 4 | 2,348 | 1,352 | NA   | Unknown   | Unknown |
| <a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a> | 4 | 2,632 | 1,398 | 136  | LGA775    | Desktop |
| <a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a> | 4 | 2,780 | 1,451 | 150  | LGA771    | Desktop |
| <a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>    | 4 | 1,774 | 958   | 105  | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>    | 4 | 2,052 | 1,076 | 105  | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q8200 @ 2.33GHz</a>    | 4 | 1,792 | 1,014 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q8300 @ 2.50GHz</a>    | 4 | 1,813 | 1,059 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q8400 @ 2.66GHz</a>    | 4 | 2,026 | 1,153 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q9000 @ 2.00GHz</a>    | 4 | 1,480 | 879   | 45   | PGA478    | Laptop  |
| <a href="#">Intel Core2 Quad Q9100 @ 2.26GHz</a>    | 4 | 1,764 | 930   | 45   | PGA478    | Laptop  |
| <a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a>    | 4 | 1,950 | 1,087 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a>    | 4 | 2,057 | 1,139 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a>    | 4 | 2,097 | 1,125 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a>    | 4 | 2,187 | 1,217 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q9505 @ 2.83GHz</a>    | 4 | 2,020 | 1,190 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a>    | 4 | 2,282 | 1,223 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a>    | 4 | 2,408 | 1,291 | 95   | LGA775    | Desktop |
| <a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a>    | 1 | 233   | 258   | 5.5  | Unknown   | Laptop  |
| <a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a>    | 1 | 252   | 546   | 5.5  | BGA956    | Laptop  |
| <a href="#">Intel Pentium 1403 @ 2.60GHz</a>        | 2 | 1,851 | 990   | 80   | LGA1356   | Server  |
| <a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>     | 2 | 2,284 | 1,391 | 80   | Unknown   | Server  |
| <a href="#">Intel Pentium 2020M @ 2.40GHz</a>       | 2 | 1,367 | 1,267 | 35   | FCPGA988  | Laptop  |
| <a href="#">Intel Pentium 2030M @ 2.50GHz</a>       | 2 | 1,353 | 1,157 | 35   | FCPGA988  | Laptop  |
| <a href="#">Intel Pentium 2117U @ 1.80GHz</a>       | 2 | 990   | 920   | 17   | FCBGA1023 | Laptop  |
| <a href="#">Intel Pentium 2127U @ 1.90GHz</a>       | 2 | 1,066 | 992   | 17   | FCBGA1023 | Laptop  |
| <a href="#">Intel Pentium 2129Y @ 1.10GHz</a>       | 2 | 635   | 587   | 10   | FCBGA1023 | Laptop  |
| <a href="#">Intel Pentium 3550M @ 2.30GHz</a>       | 2 | 1,309 | 1,183 | 37   | FCPGA946  | Laptop  |
| <a href="#">Intel Pentium 3556U @ 1.70GHz</a>       | 2 | 1,003 | 933   | 15   | BGA1168   | Laptop  |
| <a href="#">Intel Pentium 3558U @ 1.70GHz</a>       | 2 | 994   | 926   | 15   | FCBGA1168 | Laptop  |
| <a href="#">Intel Pentium 3560M @ 2.40GHz</a>       | 2 | 1,552 | 1,421 | 37   | FCPGA946  | Laptop  |
| <a href="#">Intel Pentium 3560Y @ 1.20GHz</a>       | 2 | 849   | 700   | 11.5 | BGA1168   | Laptop  |
| <a href="#">Intel Pentium 3805U @ 1.90GHz</a>       | 2 | 1,148 | 1,079 | 15   | FCBGA1168 | Laptop  |
| <a href="#">Intel Pentium 3825U @ 1.90GHz</a>       | 2 | 1,340 | 1,108 | 15   | FCBGA1168 | Laptop  |
| <a href="#">Intel Pentium 4 1.50GHz</a>             | 1 | 86    | 228   | 57.8 | PGA423    | Desktop |
| <a href="#">Intel Pentium 4 1.60GHz</a>             | 1 | 84    | 225   | 38   | PGA478    | Desktop |
| <a href="#">Intel Pentium 4 1.70GHz</a>             | 1 | 86    | 254   | 64   | PGA423    | Desktop |
| <a href="#">Intel Pentium 4 1.80GHz</a>             | 1 | 115   | 318   | 68.1 | PGA478    | Desktop |
| <a href="#">Intel Pentium 4 1.90GHz</a>             | 1 | 104   | 292   | 69.2 | PGA423    | Desktop |
| <a href="#">Intel Pentium 4 1300MHz</a>             | 1 | 77    | 203   | 51.6 | PGA423    | Desktop |
| <a href="#">Intel Pentium 4 1400MHz</a>             | 1 | 83    | 180   | 54.7 | PGA423    | Desktop |
| <a href="#">Intel Pentium 4 1500MHz</a>             | 1 | 81    | 223   | 57.8 | PGA423    | Desktop |
| <a href="#">Intel Pentium 4 1700MHz</a>             | 1 | 100   | 266   | 64   | PGA423    | Desktop |
| <a href="#">Intel Pentium 4 1800MHz</a>             | 1 | 114   | 317   | 68.1 | PGA478    | Desktop |
| <a href="#">Intel Pentium 4 2.00GHz</a>             | 1 | 133   | 349   | 54.3 | PGA478    | Desktop |
| <a href="#">Intel Pentium 4 2.20GHz</a>             | 1 | 157   | 379   | 57.1 | PGA478    | Desktop |
| <a href="#">Intel Pentium 4 2.26GHz</a>             | 1 | 151   | 409   | 58   | PGA478    | Desktop |

| CPU Name                                       | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket          | Category |
|--|-------|----------------------|-------------------------|---------------------|-----------------|----------|
| <a href="#">Intel Pentium 4 2.40GHz</a>        | 1     | 215                  | 494                     | 69                  | PGA478          | Desktop  |
| <a href="#">Intel Pentium 4 2.66GHz</a>        | 1     | 157                  | 431                     | 66.1                | PGA478          | Desktop  |
| <a href="#">Intel Pentium 4 2.80GHz</a>        | 1     | 236                  | 506                     | 69.7                | PGA478          | Desktop  |
| <a href="#">Intel Pentium 4 2.93GHz</a>        | 1     | 150                  | 269                     | NA                  | Unknown         | Desktop  |
| <a href="#">Intel Pentium 4 3.00GHz</a>        | 1     | 313                  | 549                     | 81.9                | PGA478          | Desktop  |
| <a href="#">Intel Pentium 4 3.06GHz</a>        | 1     | 249                  | 551                     | 81.8                | PGA478          | Desktop  |
| <a href="#">Intel Pentium 4 3.20GHz</a>        | 1     | 326                  | 561                     | 82                  | PGA478          | Desktop  |
| <a href="#">Intel Pentium 4 3.40GHz</a>        | 1     | 293                  | 667                     | 89                  | PGA478          | Desktop  |
| <a href="#">Intel Pentium 4 3.46GHz</a>        | 1     | 295                  | 512                     | 110.7               | Unknown         | Desktop  |
| <a href="#">Intel Pentium 4 3.60GHz</a>        | 1     | 315                  | 447                     | 115                 | Unknown         | Desktop  |
| <a href="#">Intel Pentium 4 3.73GHz</a>        | 1     | 385                  | 572                     | 115                 | Unknown         | Desktop  |
| <a href="#">Intel Pentium 4 3.80GHz</a>        | 1     | 313                  | 596                     | 65                  | Unknown         | Desktop  |
| <a href="#">Intel Pentium 4 3.83GHz</a>        | 1     | 154                  | 237                     | NA                  | Unknown         | Desktop  |
| <a href="#">Intel Pentium 4 Mobile 1.60GHz</a> | 1     | 116                  | 254                     | NA                  | Unknown         | Laptop   |
| <a href="#">Intel Pentium 4 Mobile 1.80GHz</a> | 1     | 114                  | 195                     | NA                  | Unknown         | Laptop   |
| <a href="#">Intel Pentium 4 Mobile 1.90GHz</a> | 1     | 136                  | 282                     | NA                  | Unknown         | Laptop   |
| <a href="#">Intel Pentium 4 Mobile 2.00GHz</a> | 1     | 132                  | 310                     | NA                  | Unknown         | Laptop   |
| <a href="#">Intel Pentium 4405U @ 2.10GHz</a>  | 2     | 2,085                | 1,215                   | 15                  | FCBGA1356       | Laptop   |
| <a href="#">Intel Pentium 4405Y @ 1.50GHz</a>  | 2     | 1,518                | 868                     | 6                   | FCBGA1515       | Laptop   |
| <a href="#">Intel Pentium 4410Y @ 1.50GHz</a>  | 2     | 1,444                | 777                     | 6                   | FCBGA1515       | Laptop   |
| <a href="#">Intel Pentium 4415U @ 2.30GHz</a>  | 2     | 2,204                | 1,269                   | 15                  | BGA1356         | Laptop   |
| <a href="#">Intel Pentium 4415Y @ 1.60GHz</a>  | 2     | 1,597                | 898                     | 6                   | FCBGA1515       | Laptop   |
| <a href="#">Intel Pentium 4417U @ 2.30GHz</a>  | 2     | 2,277                | 1,336                   | 15                  | FCBGA1356       | Laptop   |
| <a href="#">Intel Pentium 4425Y @ 1.70GHz</a>  | 2     | 1,696                | 967                     | 6                   | FCBGA1515       | Laptop   |
| <a href="#">Intel Pentium 5405U @ 2.30GHz</a>  | 2     | 2,281                | 1,337                   | 15                  | FCBGA1528       | Laptop   |
| <a href="#">Intel Pentium 6405U @ 2.40GHz</a>  | 2     | 2,367                | 1,419                   | 15                  | FCBGA1528       | Laptop   |
| <a href="#">Intel Pentium 6805 @ 1.10GHz</a>   | 2     | 4,735                | 1,917                   | 15                  | FCBGA1526       | Laptop   |
| <a href="#">Intel Pentium 957 @ 1.20GHz</a>    | 2     | 622                  | 574                     | 17                  | FCBGA1023       | Laptop   |
| <a href="#">Intel Pentium 967 @ 1.30GHz</a>    | 2     | 626                  | 620                     | 17                  | FCBGA1023       | Laptop   |
| <a href="#">Intel Pentium 987 @ 1.50GHz</a>    | 2     | 642                  | 641                     | 17                  | FCBGA1023       | Laptop   |
| <a href="#">Intel Pentium 997 @ 1.60GHz</a>    | 2     | 789                  | 729                     | 17                  | BGA-1023        | Unknown  |
| <a href="#">Intel Pentium A1018 @ 2.10GHz</a>  | 2     | 1,117                | 1,020                   | 35                  | FCPGA988        | Laptop   |
| <a href="#">Intel Pentium A1020 @ 2.41GHz</a>  | 4     | 1,265                | 705                     | 10                  | FCBGA1170       | Laptop   |
| <a href="#">Intel Pentium B940 @ 2.00GHz</a>   | 2     | 830                  | 861                     | 35                  | PGA988          | Laptop   |
| <a href="#">Intel Pentium B950 @ 2.10GHz</a>   | 2     | 978                  | 932                     | 35                  | PGA988          | Laptop   |
| <a href="#">Intel Pentium B960 @ 2.20GHz</a>   | 2     | 909                  | 941                     | 35                  | PGA988          | Laptop   |
| <a href="#">Intel Pentium B970 @ 2.30GHz</a>   | 2     | 1,096                | 1,055                   | 35                  | PGA988          | Laptop   |
| <a href="#">Intel Pentium B980 @ 2.40GHz</a>   | 2     | 1,076                | 1,060                   | 35                  | FCPGA988        | Laptop   |
| <a href="#">Intel Pentium D 805 @ 2.66GHz</a>  | 2     | 374                  | 497                     | 95                  | PLGA775         | Desktop  |
| <a href="#">Intel Pentium D 830 @ 3.00GHz</a>  | 2     | 474                  | 535                     | 95                  | PLGA775         | Desktop  |
| <a href="#">Intel Pentium D 915 @ 2.80GHz</a>  | 2     | 423                  | 508                     | 95                  | PLGA775         | Desktop  |
| <a href="#">Intel Pentium D 940 @ 3.20GHz</a>  | 2     | 498                  | 574                     | 130                 | PLGA775         | Desktop  |
| <a href="#">Intel Pentium D 950 @ 3.40GHz</a>  | 2     | 679                  | 695                     | 130                 | PLGA775         | Desktop  |
| <a href="#">Intel Pentium D 960 @ 3.60GHz</a>  | 2     | 743                  | 775                     | 130                 | PLGA775         | Desktop  |
| <a href="#">Intel Pentium D1508 @ 2.20GHz</a>  | 2     | 3,240                | 1,760                   | 25                  | FCBGA1667       | Server   |
| <a href="#">Intel Pentium E2140 @ 1.60GHz</a>  | 2     | 549                  | 605                     | 65                  | LGA775, PLGA775 | Desktop  |
| <a href="#">Intel Pentium E2160 @ 1.80GHz</a>  | 2     | 641                  | 686                     | 65                  | LGA775          | Desktop  |
| <a href="#">Intel Pentium E2180 @ 2.00GHz</a>  | 2     | 671                  | 748                     | 65                  | LGA775          | Desktop  |



| CPU Name                      | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|-------------------------------|-------|----------|-------------|----------|--------|----------|
| Intel Pentium E2200 @ 2.20GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |          |          |          |           |         |
|---|---|----------|----------|----------|-----------|---------|
| <a href="#">Intel Pentium E2200 @ 2.20GHz</a>               |   | Min... - | Min... - | Min... - |           |         |
| <a href="#">Intel Pentium E2500 @ 2.50GHz</a>               | 2 | 867      | 1,006    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E3300 @ 2.60GHz</a>               | 2 | 901      | 1,036    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E3400 @ 2.70GHz</a>               | 2 | 944      | 1,085    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E3500 @ 2.80GHz</a>               | 2 | 1,010    | 1,140    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E3700 @ 3.00GHz</a>               | 2 | 1,012    | 1,167    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E3800 @ 3.20GHz</a>               | 2 | 1,158    | 1,311    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E3900 @ 3.30GHz</a>               | 2 | 1,166    | 1,358    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E4500 @ 3.30GHz</a>               | 2 | 1,166    | 1,358    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E4700 @ 3.40GHz</a>               | 2 | 1,166    | 1,358    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E4800 @ 3.50GHz</a>               | 2 | 1,166    | 1,358    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E5200 @ 2.50GHz</a>               | 2 | 867      | 1,006    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E5300 @ 2.60GHz</a>               | 2 | 901      | 1,036    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E5400 @ 2.70GHz</a>               | 2 | 944      | 1,085    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E5500 @ 2.80GHz</a>               | 2 | 1,010    | 1,140    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E5700 @ 3.00GHz</a>               | 2 | 1,012    | 1,167    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E5800 @ 3.20GHz</a>               | 2 | 1,158    | 1,311    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E5900 @ 3.30GHz</a>               | 2 | 1,166    | 1,358    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E6300 @ 2.80GHz</a>               | 2 | 1,000    | 1,129    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E6500 @ 2.93GHz</a>               | 2 | 1,073    | 1,210    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E6600 @ 3.06GHz</a>               | 2 | 1,072    | 1,156    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E6700 @ 3.20GHz</a>               | 2 | 1,152    | 1,314    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium E6800 @ 3.33GHz</a>               | 2 | 1,166    | 1,358    | 65       | LGA775    | Desktop |
| <a href="#">Intel Pentium Extreme Edition 955 @ 3.46GHz</a> | 2 | 469      | 515      | 130      | PLGA775   | Desktop |
| <a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a> | 2 | 987      | 818      | 130      | PLGA775   | Desktop |
| <a href="#">Intel Pentium G2010 @ 2.80GHz</a>               | 2 | 1,541    | 1,473    | 55       | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2020 @ 2.90GHz</a>               | 2 | 1,670    | 1,562    | 55       | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2020T @ 2.50GHz</a>              | 2 | 1,308    | 1,338    | 35       | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2030 @ 3.00GHz</a>               | 2 | 1,709    | 1,598    | 55       | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2030T @ 2.60GHz</a>              | 2 | 1,535    | 1,441    | 35       | LGA1155   | Desktop |
| <a href="#">Intel Pentium G2100T @ 2.60GHz</a>              | 2 | 1,691    | 1,460    | 35       | LGA1155   | Desktop |
| <a href="#">Intel Pentium G2120 @ 3.10GHz</a>               | 2 | 1,868    | 1,707    | 55       | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2120T @ 2.70GHz</a>              | 2 | 1,613    | 1,493    | 35       | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2130 @ 3.20GHz</a>               | 2 | 1,895    | 1,745    | 55       | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2140 @ 3.30GHz</a>               | 2 | 2,092    | 1,842    | 55       | LGA1155   | Desktop |
| <a href="#">Intel Pentium G3220 @ 3.00GHz</a>               | 2 | 1,856    | 1,701    | 54       | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3220T @ 2.60GHz</a>              | 2 | 1,564    | 1,447    | 35       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3240 @ 3.10GHz</a>               | 2 | 1,927    | 1,769    | 53       | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3240T @ 2.70GHz</a>              | 2 | 1,755    | 1,558    | 35       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3250 @ 3.20GHz</a>               | 2 | 1,928    | 1,811    | 53       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3250T @ 2.80GHz</a>              | 2 | 1,726    | 1,568    | 35       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3258 @ 3.20GHz</a>               | 2 | 2,089    | 1,861    | 53       | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3260 @ 3.30GHz</a>               | 2 | 2,043    | 1,867    | 53       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3260T @ 2.90GHz</a>              | 2 | 1,755    | 1,568    | 35       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3320TE @ 2.30GHz</a>             | 2 | 1,623    | 1,314    | 35       | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3420 @ 3.20GHz</a>               | 2 | 1,990    | 1,805    | 54       | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3420T @ 2.70GHz</a>              | 2 | 1,912    | 1,570    | 35       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3430 @ 3.30GHz</a>               | 2 | 2,125    | 1,915    | 54       | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3440 @ 3.30GHz</a>               | 2 | 2,129    | 1,895    | 53       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3440T @ 2.80GHz</a>              | 2 | 2,107    | 1,615    | 35       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3450 @ 3.40GHz</a>               | 2 | 2,091    | 1,836    | 53       | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3450T @ 2.90GHz</a>              | 2 | 2,016    | 1,135    | 35       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3460 @ 3.50GHz</a>               | 2 | 2,165    | 1,954    | 53       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3470 @ 3.60GHz</a>               | 2 | 2,428    | 2,089    | 53       | LGA1150   | Desktop |
| <a href="#">Intel Pentium G4400 @ 3.30GHz</a>               | 2 | 2,611    | 2,031    | 54       | FCLGA1151 | Desktop |
| <a href="#">Intel Pentium G4400T @ 2.90GHz</a>              | 2 | 2,404    | 1,799    | 35       | FCLGA1151 | Desktop |
| <a href="#">Intel Pentium G4400TE @ 2.40GHz</a>             | 2 | 2,190    | 1,481    | 35       | FCLGA1151 | Laptop  |
| <a href="#">Intel Pentium G4500 @ 3.50GHz</a>               | 2 | 2,725    | 2,135    | 51       | FCLGA1151 | Desktop |

| CPU Name                                       | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|--|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Pentium G4500T @ 3.00GHz</a> |       | Min... - | Min... -    | Min... - |        |          |
| <a href="#">Intel Pentium G4520 @ 3.60GHz</a>  |       |          |             |          |        |          |

## CPU Benchmarks ▼

|   |   |       |       |      |                 |                         |
|---|---|-------|-------|------|-----------------|-------------------------|
| <a href="#">Intel Pentium G4600 @ 3.60GHz</a>       | 2 | 3,603 | 2,183 | 51   | FCLGA1151       | Desktop                 |
| <a href="#">Intel Pentium G4600T @ 3.00GHz</a>      | 2 | 3,130 | 1,843 | 35   | FCLGA1151       | Desktop                 |
| <a href="#">Intel Pentium G4620 @ 3.70GHz</a>       | 2 | 3,824 | 2,269 | 51   | FCLGA1151       | Desktop                 |
| <a href="#">Intel Pentium G620 @ 2.60GHz</a>        | 2 | 1,213 | 1,205 | 65   | LGA1155         | Desktop                 |
| <a href="#">Intel Pentium G620T @ 2.20GHz</a>       | 2 | 896   | 961   | 35   | LGA1155         | Desktop                 |
| <a href="#">Intel Pentium G630 @ 2.70GHz</a>        | 2 | 1,272 | 1,221 | 65   | LGA1155         | Desktop                 |
| <a href="#">Intel Pentium G630T @ 2.30GHz</a>       | 2 | 1,029 | 1,040 | 35   | LGA1155         | Desktop                 |
| <a href="#">Intel Pentium G640 @ 2.80GHz</a>        | 2 | 1,252 | 1,302 | 65   | LGA1155         | Desktop                 |
| <a href="#">Intel Pentium G640T @ 2.40GHz</a>       | 2 | 1,139 | 1,102 | 35   | LGA1155         | Desktop                 |
| <a href="#">Intel Pentium G645 @ 2.90GHz</a>        | 2 | 1,353 | 1,303 | 65   | LGA1155         | Desktop                 |
| <a href="#">Intel Pentium G645T @ 2.50GHz</a>       | 2 | 1,164 | 1,100 | 35   | LGA1155         | Desktop                 |
| <a href="#">Intel Pentium G6950 @ 2.80GHz</a>       | 2 | 1,061 | 1,035 | 73   | LGA1156         | Desktop                 |
| <a href="#">Intel Pentium G6951 @ 2.80GHz</a>       | 2 | 1,401 | 1,137 | 73   | LGA1156         | Desktop                 |
| <a href="#">Intel Pentium G6960 @ 2.93GHz</a>       | 2 | 1,293 | 1,264 | 73   | LGA1156         | Desktop                 |
| <a href="#">Intel Pentium G840 @ 2.80GHz</a>        | 2 | 1,175 | 1,252 | 65   | FCLGA1155       | Desktop                 |
| <a href="#">Intel Pentium G850 @ 2.90GHz</a>        | 2 | 1,352 | 1,327 | 65   | FCLGA1155       | Desktop                 |
| <a href="#">Intel Pentium G860 @ 3.00GHz</a>        | 2 | 1,418 | 1,382 | 65   | FCLGA1155       | Desktop                 |
| <a href="#">Intel Pentium G870 @ 3.10GHz</a>        | 2 | 1,495 | 1,464 | 65   | FCLGA1155       | Desktop                 |
| <a href="#">Intel Pentium GOLD 6500Y @ 1.10GHz</a>  | 2 | 2,946 | 1,784 | 5    | Unknown         | Mobile/Embedded         |
| <a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>   | 2 | 5,368 | 2,308 | 15   | FCBGA1449       | Laptop                  |
| <a href="#">Intel Pentium Gold 8505</a>             | 1 | 6,771 | 3,112 | 15   | BGA1700         | Laptop, Mobile/Embedded |
| <a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>  | 2 | 3,725 | 2,225 | 54   | FCLGA1151-2     | Desktop                 |
| <a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a> | 2 | 3,119 | 1,807 | 35   | FCLGA1151-2     | Server                  |
| <a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>  | 2 | 3,641 | 2,286 | 54   | FCLGA1151-2     | Desktop                 |
| <a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a> | 2 | 3,508 | 1,978 | 35   | FCLGA1151-2     | Desktop                 |
| <a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>  | 2 | 3,755 | 2,256 | 54   | FCLGA1151-2     | Desktop                 |
| <a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a> | 2 | 3,234 | 1,964 | 35   | FCLGA1151-2     | Desktop                 |
| <a href="#">Intel Pentium Gold G5600 @ 3.90GHz</a>  | 2 | 3,769 | 2,291 | 54   | FCLGA1151-2     | Desktop                 |
| <a href="#">Intel Pentium Gold G5600F @ 3.90GHz</a> | 2 | 4,160 | 2,442 | 54   | FCLGA1151-2     | Desktop                 |
| <a href="#">Intel Pentium Gold G5600T @ 3.30GHz</a> | 2 | 3,601 | 2,025 | 35   | FCLGA1151       | Desktop                 |
| <a href="#">Intel Pentium Gold G5620 @ 4.00GHz</a>  | 2 | 4,102 | 2,424 | 54   | FCLGA1151-2     | Desktop                 |
| <a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>  | 2 | 4,136 | 2,489 | 58   | FCLGA1200       | Desktop                 |
| <a href="#">Intel Pentium Gold G6400T @ 3.40GHz</a> | 2 | 3,610 | 2,140 | 35   | FCLGA1200       | Desktop                 |
| <a href="#">Intel Pentium Gold G6405 @ 4.10GHz</a>  | 2 | 4,286 | 2,519 | 58   | FCLGA1200       | Desktop                 |
| <a href="#">Intel Pentium Gold G6405T @ 3.50GHz</a> | 2 | 3,746 | 2,206 | 35   | FCLGA1200       | Desktop                 |
| <a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>  | 2 | 4,147 | 2,491 | 58   | FCLGA1200       | Desktop                 |
| <a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a> | 2 | 4,005 | 2,277 | 35   | FCLGA1200       | Desktop                 |
| <a href="#">Intel Pentium Gold G6505 @ 4.20GHz</a>  | 2 | 4,378 | 2,652 | 58   | FCLGA1200       | Desktop                 |
| <a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>  | 2 | 4,396 | 2,577 | 58   | FCLGA1200       | Desktop                 |
| <a href="#">Intel Pentium Gold G6605 @ 4.30GHz</a>  | 2 | 4,493 | 2,658 | 58   | FCLGA1200       | Desktop                 |
| <a href="#">Intel Pentium Gold G7400</a>            | 2 | 6,930 | 3,080 | 46   | LGA1700,BGA1700 | Desktop                 |
| <a href="#">Intel Pentium III 1400 @ 1400MHz</a>    | 1 | 193   | 272   | 31.2 | Socket 370      | Desktop                 |
| <a href="#">Intel Pentium III 1400S @ 1400MHz</a>   | 1 | 194   | 278   | 32.2 | Socket 370      | Desktop                 |
| <a href="#">Intel Pentium III Mobile 1066MHz</a>    | 1 | 160   | 210   | NA   | Unknown         | Laptop                  |
| <a href="#">Intel Pentium III Mobile 1133MHz</a>    | 1 | 164   | 218   | NA   | Unknown         | Laptop                  |
| <a href="#">Intel Pentium III Mobile 1200MHz</a>    | 1 | 156   | 216   | NA   | Unknown         | Laptop                  |
| <a href="#">Intel Pentium III Mobile 800MHz</a>     | 1 | 119   | 155   | NA   | Unknown         | Laptop                  |
| <a href="#">Intel Pentium III Mobile 866MHz</a>     | 1 | 99    | 132   | NA   | Unknown         | Laptop                  |

| CPU Name                      | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|-------------------------------|-------|----------|-------------|----------|--------|----------|
| Intel Pentium J2850 @ 2.41GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |      |                  |                         |
|--|---|-------|-------|------|------------------|-------------------------|
| <a href="#">Intel Pentium J4205 @ 1.50GHz</a>        | 4 | 2,367 | 911   | 10   | FCBGA1296        | Desktop                 |
| <a href="#">Intel Pentium J6426 @ 2.00GHz</a>        | 4 | 4,173 | 1,596 | 10   | FCBGA1493        | Mobile/Embedded         |
| <a href="#">Intel Pentium M 1.10GHz</a>              | 1 | 184   | 218   | NA   | Unknown          | Unknown                 |
| <a href="#">Intel Pentium M 1.20GHz</a>              | 1 | 199   | 262   | NA   | Unknown          | Unknown                 |
| <a href="#">Intel Pentium M 1.30GHz</a>              | 1 | 196   | 250   | 22   | H-PBGA479, PPG   | Laptop                  |
| <a href="#">Intel Pentium M 1.40GHz</a>              | 1 | 225   | 264   | 22   | H-PBGA479, PPG   | Laptop                  |
| <a href="#">Intel Pentium M 1.50GHz</a>              | 1 | 240   | 323   | 24.5 | H-PBGA479, PPG   | Laptop                  |
| <a href="#">Intel Pentium M 1.60GHz</a>              | 1 | 229   | 307   | 24.5 | H-PBGA479, PPG   | Laptop                  |
| <a href="#">Intel Pentium M 1.70GHz</a>              | 1 | 239   | 318   | 24.5 | H-PBGA479, PPG   | Laptop                  |
| <a href="#">Intel Pentium M 1.73GHz</a>              | 1 | 205   | 494   | 27   | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 1.80GHz</a>              | 1 | 280   | 389   | 21   | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 1.86GHz</a>              | 1 | 238   | 460   | 27   | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 1000MHz</a>              | 1 | 156   | 222   | 7    | Unknown          | Laptop                  |
| <a href="#">Intel Pentium M 1200MHz</a>              | 1 | 155   | 166   | 12   | Unknown          | Laptop                  |
| <a href="#">Intel Pentium M 1300MHz</a>              | 1 | 197   | 271   | 22   | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 1400MHz</a>              | 1 | 208   | 282   | 22   | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 1500MHz</a>              | 1 | 188   | 251   | 24.5 | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 1600MHz</a>              | 1 | 193   | 313   | 24.5 | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 1700MHz</a>              | 1 | 237   | 361   | 24.5 | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 2.00GHz</a>              | 1 | 270   | 363   | 21   | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 2.10GHz</a>              | 1 | 292   | 353   | 21   | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 2.13GHz</a>              | 1 | 271   | 354   | 27   | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 2.26GHz</a>              | 1 | 227   | 508   | 27   | H-PBGA479, PPGA4 | Laptop                  |
| <a href="#">Intel Pentium M 900MHz</a>               | 1 | 141   | 200   | 7    | Unknown          | Laptop                  |
| <a href="#">Intel Pentium N3510 @ 1.99GHz</a>        | 4 | 878   | 534   | 7.5  | FCBGA1170        | Laptop                  |
| <a href="#">Intel Pentium N3520 @ 2.16GHz</a>        | 4 | 1,140 | 667   | 7.5  | FCBGA1170        | Laptop                  |
| <a href="#">Intel Pentium N3530 @ 2.16GHz</a>        | 4 | 1,197 | 705   | 7.5  | FCBGA1170        | Laptop                  |
| <a href="#">Intel Pentium N3540 @ 2.16GHz</a>        | 4 | 1,215 | 714   | 7.5  | FCBGA1170        | Laptop                  |
| <a href="#">Intel Pentium N3700 @ 1.60GHz</a>        | 4 | 1,320 | 647   | 6    | FCBGA1170        | Laptop                  |
| <a href="#">Intel Pentium N3710 @ 1.60GHz</a>        | 4 | 1,357 | 687   | 6    | FCBGA1170        | Laptop                  |
| <a href="#">Intel Pentium N4200 @ 1.10GHz</a>        | 4 | 2,144 | 857   | 6    | FCBGA1296        | Laptop                  |
| <a href="#">Intel Pentium N6415 @ 1.20GHz</a>        | 4 | 3,760 | 1,616 | 6.5  | FCBGA1493        | Mobile/Embedded         |
| <a href="#">Intel Pentium P6000 @ 1.87GHz</a>        | 2 | 765   | 713   | 35   | PGA988           | Laptop                  |
| <a href="#">Intel Pentium P6100 @ 2.00GHz</a>        | 2 | 849   | 830   | 35   | PGA988           | Laptop                  |
| <a href="#">Intel Pentium P6200 @ 2.13GHz</a>        | 2 | 848   | 842   | 35   | PGA988           | Laptop                  |
| <a href="#">Intel Pentium P6300 @ 2.27GHz</a>        | 2 | 834   | 772   | 35   | PGA988           | Laptop                  |
| <a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a> | 4 | 3,038 | 1,205 | 10   | FCBGA1090        | Desktop                 |
| <a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a> | 4 | 3,556 | 1,422 | NA   | FCBGA1090        | Desktop                 |
| <a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a> | 4 | 2,603 | 1,146 | 6    | FCBGA1090        | Laptop                  |
| <a href="#">Intel Pentium Silver N5020 @ 1.10GHz</a> | 4 | 3,404 | 1,307 | 6    | FCBGA1090        | Laptop                  |
| <a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a> | 4 | 2,694 | 1,305 | 6    | FCBGA1090        | Laptop                  |
| <a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a> | 4 | 2,883 | 1,229 | 6    | FCBGA1338        | Mobile/Embedded         |
| <a href="#">Intel Pentium Silver N6005 @ 2.00GHz</a> | 4 | 4,513 | 1,770 | 10   | FCBGA1338        | Laptop, Mobile/Embedded |
| <a href="#">Intel Pentium SU2700 @ 1.30GHz</a>       | 1 | 239   | 432   | 10   | Unknown          | Laptop                  |
| <a href="#">Intel Pentium SU4100 @ 1.30GHz</a>       | 2 | 476   | 513   | 10   | BGA956           | Laptop                  |
| <a href="#">Intel Pentium T2060 @ 1.60GHz</a>        | 2 | 330   | 490   | 31   | PGA478           | Laptop                  |
| <a href="#">Intel Pentium T2080 @ 1.73GHz</a>        | 2 | 348   | 530   | 31   | PGA478           | Laptop                  |
| <a href="#">Intel Pentium T2130 @ 1.86GHz</a>        | 2 | 382   | 583   | 31   | PGA478           | Laptop                  |

| CPU Name                                      | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Intel Pentium T2310 @ 1.46GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |        |       |     |           |                |
|--|---|--------|-------|-----|-----------|----------------|
| <a href="#">Intel Pentium T2390 @ 1.86GHz</a>    | 2 | 552    | 652   | 35  | PPGA478   | Laptop         |
| <a href="#">Intel Pentium T2410 @ 2.00GHz</a>    | 2 | 569    | 787   | NA  | Unknown   | Unknown        |
| <a href="#">Intel Pentium T3200 @ 2.00GHz</a>    | 2 | 636    | 713   | 35  | PPGA478   | Laptop         |
| <a href="#">Intel Pentium T3400 @ 2.16GHz</a>    | 2 | 645    | 722   | 35  | PPGA478   | Laptop         |
| <a href="#">Intel Pentium T4200 @ 2.00GHz</a>    | 2 | 722    | 798   | 35  | PGA478    | Laptop         |
| <a href="#">Intel Pentium T4300 @ 2.10GHz</a>    | 2 | 775    | 834   | 35  | PGA478    | Laptop         |
| <a href="#">Intel Pentium T4400 @ 2.20GHz</a>    | 2 | 765    | 862   | 35  | PGA478    | Laptop         |
| <a href="#">Intel Pentium T4500 @ 2.30GHz</a>    | 2 | 791    | 910   | 35  | PGA478    | Laptop         |
| <a href="#">Intel Pentium U5400 @ 1.20GHz</a>    | 2 | 517    | 499   | 18  | BGA1288   | Laptop         |
| <a href="#">Intel Pentium U5600 @ 1.33GHz</a>    | 2 | 624    | 588   | 18  | BGA1288   | Laptop         |
| <a href="#">Intel T1400 @ 1.73GHz</a>            | 2 | 475    | 671   | NA  | Unknown   | Unknown        |
| <a href="#">Intel T1500 @ 1.86GHz</a>            | 2 | 548    | 661   | NA  | Unknown   | Unknown        |
| <a href="#">Intel T2050 @ 2.00GHz</a>            | 2 | 516    | 611   | 31  | PPGA478   | Unknown        |
| <a href="#">Intel Xeon 2.00GHz</a>               | 1 | 152    | 259   | NA  | Unknown   | Server         |
| <a href="#">Intel XEON 2.20GHz</a>               | 1 | 164    | 351   | NA  | Unknown   | Server         |
| <a href="#">Intel Xeon 2.40GHz</a>               | 1 | 180    | 387   | NA  | Unknown   | Server         |
| <a href="#">Intel Xeon 2.80GHz</a>               | 1 | 260    | 384   | 103 | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.00GHz</a>               | 1 | 425    | 607   | 103 | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.20GHz</a>               | 1 | 478    | 696   | 103 | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.40GHz</a>               | 1 | 375    | 519   | 103 | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.60GHz</a>               | 1 | 403    | 643   | 110 | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.73GHz</a>               | 2 | 901    | 734   | NA  | Unknown   | Server         |
| <a href="#">Intel Xeon 3.80GHz</a>               | 1 | 393    | 594   | 110 | PPGA604   | Server         |
| <a href="#">Intel Xeon 3040 @ 1.86GHz</a>        | 2 | 789    | 474   | 65  | LGA775    | Server         |
| <a href="#">Intel Xeon 3050 @ 2.13GHz</a>        | 2 | 841    | 672   | 65  | LGA775    | Server         |
| <a href="#">Intel Xeon 3060 @ 2.40GHz</a>        | 2 | 939    | 942   | 65  | LGA775    | Server         |
| <a href="#">Intel Xeon 3065 @ 2.33GHz</a>        | 2 | 867    | 836   | 65  | LGA775    | Server         |
| <a href="#">Intel Xeon 3070 @ 2.66GHz</a>        | 2 | 1,025  | 1,024 | 65  | LGA775    | Server         |
| <a href="#">Intel Xeon 3075 @ 2.66GHz</a>        | 2 | 1,096  | 1,096 | NA  | Unknown   | Server         |
| <a href="#">Intel Xeon 3085 @ 3.00GHz</a>        | 2 | 1,070  | 1,124 | 65  | LGA775    | Server         |
| <a href="#">Intel Xeon 5110 @ 1.60GHz</a>        | 2 | 600    | 606   | 65  | LGA771    | Server         |
| <a href="#">Intel Xeon 5120 @ 1.86GHz</a>        | 2 | 763    | 748   | 65  | LGA771    | Server         |
| <a href="#">Intel Xeon 5130 @ 2.00GHz</a>        | 2 | 795    | 796   | 65  | LGA771    | Server         |
| <a href="#">Intel Xeon 5133 @ 2.20GHz</a>        | 2 | 887    | 838   | 40  | LGA771    | Server         |
| <a href="#">Intel Xeon 5140 @ 2.33GHz</a>        | 2 | 857    | 870   | 65  | LGA771    | Server         |
| <a href="#">Intel Xeon 5148 @ 2.33GHz</a>        | 2 | 912    | 868   | 40  | LGA771    | Server         |
| <a href="#">Intel Xeon 5150 @ 2.66GHz</a>        | 2 | 840    | 999   | 65  | LGA771    | Server         |
| <a href="#">Intel Xeon 5160 @ 3.00GHz</a>        | 2 | 963    | 1,134 | 80  | LGA771    | Server         |
| <a href="#">Intel Xeon @ 2.00GHz</a>             | 6 | 7,363  | 939   | NA  | Unknown   | Unknown        |
| <a href="#">Intel Xeon @ 2.20GHz</a>             | 1 | 1,324  | 1,383 | 61  | PPGA603   | Server         |
| <a href="#">Intel Xeon @ 2.60GHz</a>             | 4 | 11,291 | 2,400 | NA  | Unknown   | Unknown        |
| <a href="#">Intel Xeon Bronze 3104 @ 1.70GHz</a> | 6 | 4,627  | 1,015 | 85  | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Bronze 3106 @ 1.70GHz</a> | 8 | 5,754  | 1,013 | 85  | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Bronze 3204 @ 1.90GHz</a> | 6 | 4,796  | 1,103 | 85  | FCLGA3647 | Server         |
| <a href="#">Intel Xeon D-1518 @ 2.20GHz</a>      | 4 | 4,784  | 1,256 | 35  | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1520 @ 2.20GHz</a>      | 4 | 3,324  | 419   | 45  | BGA 1667  | Server         |
| <a href="#">Intel Xeon D-1521 @ 2.40GHz</a>      | 4 | 5,877  | 1,721 | 45  | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1528 @ 1.90GHz</a>      | 6 | 5,910  | 1,281 | 35  | FCBGA1667 | Laptop, Server |



| CPU Name         | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|------------------|-------|----------|-------------|----------|--------|----------|
| D-1531 @ 2.20GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |    |        |       |     |             |                         |
|--|----|--------|-------|-----|-------------|-------------------------|
| <a href="#">Intel Xeon D-1540 @ 2.00GHz</a>    | 8  | 10,028 | 1,602 | 45  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-1541 @ 2.10GHz</a>    | 8  | 10,201 | 1,708 | 45  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-1548 @ 2.00GHz</a>    | 8  | 9,075  | 1,647 | 45  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-1557 @ 1.50GHz</a>    | 12 | 7,118  | 718   | 45  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-1559 @ 1.50GHz</a>    | 12 | 5,647  | 569   | 45  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-1567 @ 2.10GHz</a>    | 12 | 9,236  | 988   | 65  | FCBGA1667   | Server                  |
|  |    |        |       |     |             |                         |
| <a href="#">Intel Xeon D-1577 @ 1.30GHz</a>    | 16 | 11,645 | 1,319 | 45  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-1581 @ 1.80GHz</a>    | 16 | 10,476 | 1,466 | 65  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-1587 @ 1.70GHz</a>    | 16 | 9,223  | 835   | 65  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-1602 @ 2.50GHz</a>    | 2  | 2,459  | 1,435 | 27  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-1622 @ 2.60GHz</a>    | 4  | 6,205  | 1,875 | 40  | FCBGA1667   | Server                  |
| <a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>  | 4  | 7,731  | 1,750 | 60  | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2141I @ 2.20GHz</a>   | 8  | 12,177 | 1,756 | 65  | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2143IT @ 2.20GHz</a>  | 8  | 13,107 | 1,812 | 65  | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>  | 8  | 11,736 | 1,802 | 80  | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>  | 12 | 15,105 | 1,751 | 85  | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>  | 16 | 18,385 | 1,728 | 100 | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>  | 16 | 18,070 | 1,425 | 110 | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon E-2104G @ 3.20GHz</a>   | 4  | 6,215  | 1,981 | 65  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2124 @ 3.30GHz</a>    | 4  | 6,971  | 2,526 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2124G @ 3.40GHz</a>   | 4  | 7,518  | 2,749 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2126G @ 3.30GHz</a>   | 6  | 10,922 | 2,658 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2134 @ 3.50GHz</a>    | 4  | 8,741  | 2,569 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2136 @ 3.30GHz</a>    | 6  | 13,540 | 2,706 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2144G @ 3.60GHz</a>   | 4  | 9,322  | 2,679 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2146G @ 3.50GHz</a>   | 6  | 13,343 | 2,678 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2174G @ 3.80GHz</a>   | 4  | 9,564  | 2,646 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2176G @ 3.70GHz</a>   | 6  | 13,640 | 2,749 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2176M @ 2.70GHz</a>   | 6  | 10,889 | 2,455 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Xeon E-2186G @ 3.80GHz</a>   | 6  | 13,909 | 2,780 | 95  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2186M @ 2.90GHz</a>   | 6  | 10,867 | 2,474 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Xeon E-2224 @ 3.40GHz</a>    | 4  | 7,223  | 2,434 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2224G @ 3.50GHz</a>   | 4  | 7,507  | 2,722 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2226G @ 3.40GHz</a>   | 6  | 11,119 | 2,853 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2234 @ 3.60GHz</a>    | 4  | 10,010 | 2,895 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2236 @ 3.40GHz</a>    | 6  | 14,435 | 2,880 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2244G @ 3.80GHz</a>   | 4  | 9,826  | 2,807 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2246G @ 3.60GHz</a>   | 6  | 14,055 | 2,833 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2254ML @ 1.70GHz</a>  | 4  | 6,333  | 2,029 | 25  | FCBGA1440   | Server                  |
| <a href="#">Intel Xeon E-2274G @ 4.00GHz</a>   | 4  | 9,660  | 2,758 | 83  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2276G @ 3.80GHz</a>   | 6  | 13,371 | 2,894 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2276M @ 2.80GHz</a>   | 6  | 11,877 | 2,650 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Xeon E-2276ME @ 2.80GHz</a>  | 6  | 9,680  | 1,692 | 45  | FCBGA1440   | Server, Mobile/Embedded |
| <a href="#">Intel Xeon E-2278G @ 3.40GHz</a>   | 8  | 17,684 | 2,958 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>  | 8  | 17,210 | 2,754 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a> | 8  | 12,024 | 2,428 | 35  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2286G @ 4.00GHz</a>   | 6  | 14,384 | 2,846 | 95  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2286M @ 2.40GHz</a>   | 8  | 15,620 | 2,798 | 45  | FCBGA1440   | Laptop                  |

| CPU Name          | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|-------------------|-------|----------|-------------|----------|--------|----------|
| E-2288G @ 3.70GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |        |       |    |           |        |
|--|---|--------|-------|----|-----------|--------|
| <a href="#">Intel Xeon E-2356G @ 3.20GHz</a>     | 6 | 18,912 | 3,497 | 80 | FCLGA1200 | Server |
| <a href="#">Intel Xeon E-2374G @ 3.70GHz</a>     | 4 | 14,086 | 3,445 | 80 | FCLGA1200 | Server |
| <a href="#">Intel Xeon E-2378 @ 2.60GHz</a>      | 8 | 17,564 | 2,851 | 65 | FCLGA1200 | Server |
| <a href="#">Intel Xeon E-2388G @ 3.20GHz</a>     | 8 | 23,762 | 3,365 | 95 | FCLGA1200 | Server |
| <a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a>  | 4 | 5,682  | 1,875 | 65 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1220 @ 3.10GHz</a>     | 4 | 3,855  | 1,582 | 80 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>  | 4 | 4,705  | 1,919 | 69 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>  | 4 | 5,159  | 1,986 | 80 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>  | 4 | 5,690  | 2,014 | 80 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>  | 4 | 5,657  | 1,908 | 72 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>    | 2 | 2,050  | 1,421 | 20 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a> | 2 | 2,278  | 1,344 | 17 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a> | 2 | 1,407  | 777   | 13 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>     | 4 | 3,804  | 1,570 | 95 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>  | 4 | 4,793  | 1,963 | 77 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>  | 4 | 5,278  | 2,011 | 84 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>  | 4 | 5,951  | 2,062 | 80 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1225 v6 @ 3.30GHz</a>  | 4 | 6,312  | 2,303 | 73 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>  | 4 | 5,523  | 2,117 | 84 | FCLGA1150 | Server |
| <a href="#">Intel Xeon E3-1230 @ 3.20GHz</a>     | 4 | 5,029  | 1,657 | 80 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>  | 4 | 6,189  | 1,992 | 69 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>  | 4 | 6,749  | 2,077 | 80 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>  | 4 | 8,042  | 2,202 | 80 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>  | 4 | 8,471  | 2,334 | 72 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a> | 4 | 4,764  | 1,502 | 25 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>  | 4 | 6,999  | 2,152 | 80 | FCLGA1150 | Server |
| <a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>     | 4 | 4,725  | 1,562 | 95 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a> | 4 | 5,013  | 1,761 | 25 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>     | 4 | 5,378  | 1,739 | 80 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>  | 4 | 6,295  | 2,043 | 69 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>  | 4 | 7,051  | 2,161 | 80 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>  | 4 | 8,252  | 2,327 | 80 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>  | 4 | 8,828  | 2,459 | 72 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a> | 4 | 5,304  | 1,769 | 25 | FCLGA1150 | Server |
| <a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a> | 4 | 6,072  | 1,910 | 25 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>  | 4 | 7,066  | 2,148 | 80 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>     | 4 | 5,362  | 1,740 | 95 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>  | 4 | 6,309  | 2,041 | 77 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>  | 4 | 7,004  | 2,142 | 84 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>  | 4 | 8,061  | 2,282 | 80 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>  | 4 | 8,606  | 2,433 | 73 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>  | 4 | 7,220  | 2,190 | 84 | FCLGA1150 | Server |
| <a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>    | 4 | 4,045  | 1,505 | 45 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1260L v5 @ 2.90GHz</a> | 4 | 7,757  | 2,287 | 45 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>    | 4 | 3,589  | 1,451 | 45 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a> | 4 | 4,711  | 1,552 | 45 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a> | 4 | 5,987  | 2,104 | 45 | FCLGA1150 | Server |
| <a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a> | 4 | 6,954  | 2,073 | 35 | FCLGA1150 | Server |

| CPU Name              | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|-----------------------|-------|----------|-------------|----------|--------|----------|
| E3-1268L v3 @ 2.30GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |   |       |       |     |             |                |
|--|---|-------|-------|-----|-------------|----------------|
| <a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>  | 4 | 6,425 | 2,062 | 69  | LGA1155     | Server         |
| <a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>  | 4 | 7,235 | 2,179 | 80  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>  | 4 | 8,334 | 2,289 | 80  | FCLGA1151   | Server         |
| <a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>  | 4 | 8,840 | 2,459 | 72  | FCLGA1151   | Server         |
| <a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a> | 4 | 7,662 | 2,378 | 45  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>  | 4 | 7,427 | 2,267 | 80  | FCLGA1150   | Server         |
| <a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>     | 4 | 5,372 | 1,730 | 95  | LGA1155     | Server         |
| <a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>  | 4 | 6,600 | 2,149 | 77  | LGA1155     | Server         |
| <a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>  | 4 | 7,143 | 2,213 | 95  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>  | 4 | 8,421 | 2,327 | 80  | FCLGA1151   | Server         |
| <a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>  | 4 | 9,229 | 2,593 | 73  | FCLGA1151   | Server         |
| <a href="#">Intel Xeon E3-1275L v3 @ 2.70GHz</a> | 4 | 6,035 | 2,106 | 45  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>  | 4 | 7,345 | 2,258 | 84  | FCLGA1150   | Server         |
| <a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>     | 4 | 5,510 | 1,780 | 95  | LGA1155     | Server         |
| <a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>  | 4 | 6,511 | 2,174 | 69  | LGA1155     | Server         |
| <a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>  | 4 | 7,256 | 2,294 | 82  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>  | 4 | 8,320 | 2,343 | 80  | FCLGA1151   | Server         |
| <a href="#">Intel Xeon E3-1280 v6 @ 3.90GHz</a>  | 4 | 9,087 | 2,564 | 72  | FCLGA1151   | Server         |
| <a href="#">Intel Xeon E3-1281 v3 @ 3.70GHz</a>  | 4 | 7,352 | 2,328 | 82  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>  | 4 | 6,987 | 2,220 | 84  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>  | 4 | 7,614 | 2,260 | 95  | FCLGA1150   | Server         |
| <a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>  | 4 | 9,276 | 2,692 | 79  | FCLGA1151   | Server         |
| <a href="#">Intel Xeon E3-1285L v3 @ 3.10GHz</a> | 4 | 6,848 | 2,132 | 65  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a> | 4 | 8,017 | 2,339 | 65  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>  | 4 | 7,418 | 2,391 | 84  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a> | 4 | 6,450 | 2,207 | 65  | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1290 @ 3.60GHz</a>     | 4 | 4,988 | 1,833 | 95  | LGA1155     | Server         |
| <a href="#">Intel Xeon E3-1290 V2 @ 3.70GHz</a>  | 4 | 6,461 | 2,112 | 87  | LGA1155     | Server         |
| <a href="#">Intel Xeon E3-1505L v5 @ 2.00GHz</a> | 4 | 4,838 | 1,635 | 25  | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a> | 4 | 6,088 | 1,848 | 25  | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a> | 4 | 7,075 | 2,027 | 45  | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a> | 4 | 7,002 | 2,169 | 45  | Unknown     | Server         |
| <a href="#">Intel Xeon E3-1515M v5 @ 2.80GHz</a> | 4 | 7,938 | 2,148 | 45  | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a> | 4 | 7,563 | 2,139 | 45  | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a> | 4 | 8,180 | 2,387 | 35  | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a> | 4 | 7,911 | 2,122 | 45  | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1575M v5 @ 3.00GHz</a> | 4 | 7,552 | 2,105 | 45  | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>  | 4 | 8,408 | 2,402 | 65  | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a> | 4 | 8,021 | 2,179 | 45  | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3110 @ 3.00GHz</a>       | 2 | 1,242 | 1,331 | 65  | LGA775      | Server         |
| <a href="#">Intel Xeon E3113 @ 3.00GHz</a>       | 2 | 1,429 | 1,282 | 65  | LGA775      | Server         |
| <a href="#">Intel Xeon E3120 @ 3.16GHz</a>       | 2 | 1,330 | 1,364 | 65  | LGA775      | Server         |
| <a href="#">Intel Xeon E5-1410 @ 2.80GHz</a>     | 4 | 4,634 | 1,484 | 80  | LGA1356     | Server         |
| <a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>  | 4 | 5,842 | 1,689 | 80  | LGA 1356    | Server         |
| <a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a> | 6 | 6,566 | 1,321 | 60  | FCLGA1356   | Server         |
| <a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>     | 4 | 3,460 | 1,336 | 130 | LGA2011     | Server         |
| <a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>  | 4 | 4,489 | 1,633 | 140 | LGA2011-v3  | Server         |
| <a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>  | 4 | 4,812 | 1,754 | 140 | FCLGA2011-3 | Server         |



| CPU Name          | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|-------------------|-------|----------|-------------|----------|--------|----------|
| E5-1607 @ 3.00GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |    |        |       |     |             |        |
|--|----|--------|-------|-----|-------------|--------|
| <a href="#">Intel Xeon E5-1607 v4 @ 3.10GHz</a>  | 4  | 5,245  | 1,905 | 140 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-1620 @ 3.60GHz</a>     | 4  | 5,869  | 1,773 | 130 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>  | 4  | 6,535  | 2,014 | 130 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>  | 4  | 7,003  | 2,024 | 140 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-1620 v4 @ 3.50GHz</a>  | 4  | 7,440  | 2,249 | 140 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>  | 4  | 7,470  | 2,130 | 140 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>  | 4  | 7,654  | 2,382 | 140 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>     | 6  | 8,105  | 1,742 | 130 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>  | 6  | 9,316  | 2,020 | 130 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>  | 6  | 10,379 | 2,115 | 140 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>  | 6  | 11,527 | 2,405 | 140 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>     | 6  | 8,389  | 1,788 | 130 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>  | 6  | 10,223 | 2,073 | 130 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-1660 v3 @ 3.00GHz</a>  | 8  | 12,360 | 1,976 | 140 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>  | 8  | 13,350 | 2,192 | 140 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>  | 8  | 12,468 | 2,074 | 130 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>  | 8  | 13,191 | 2,124 | 140 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>  | 8  | 14,120 | 2,348 | 140 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>  | 10 | 14,820 | 2,040 | 135 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>     | 4  | 2,363  | 829   | 80  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>  | 4  | 2,873  | 991   | 80  | FCLGA1356   | Server |
| <a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>     | 4  | 2,661  | 883   | 80  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>  | 4  | 3,504  | 1,068 | 80  | FCLGA1356   | Server |
| <a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>    | 4  | 3,518  | 977   | 50  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>     | 6  | 5,142  | 1,108 | 95  | LGA1356     | Server |
| <a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>  | 6  | 6,498  | 1,387 | 80  | FCLGA1356   | Server |
| <a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>     | 6  | 5,863  | 1,190 | 95  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>  | 6  | 6,864  | 1,413 | 80  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>    | 6  | 5,273  | 1,005 | 60  | FCLGA1356   | Server |
| <a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a> | 6  | 5,903  | 1,211 | 60  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>     | 6  | 5,970  | 1,260 | 95  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>  | 8  | 6,927  | 962   | 95  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2448L v2 @ 1.80GHz</a> | 10 | 6,774  | 1,235 | 70  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>     | 8  | 7,321  | 1,137 | 95  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2450L @ 1.80GHz</a>    | 8  | 5,769  | 1,013 | 70  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2470 @ 2.30GHz</a>     | 8  | 8,240  | 1,443 | 95  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2470 v2 @ 2.40GHz</a>  | 10 | 11,095 | 1,577 | 95  | LGA 1356    | Server |
| <a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>     | 4  | 2,362  | 868   | 80  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>  | 4  | 2,751  | 977   | 80  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>  | 6  | 3,752  | 931   | 85  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>  | 6  | 4,695  | 1,046 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a> | 6  | 6,415  | 1,210 | 52  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2609 @ 2.40GHz</a>     | 4  | 2,623  | 1,081 | 80  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>  | 4  | 3,516  | 1,371 | 80  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>  | 6  | 4,423  | 1,097 | 80  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>  | 8  | 5,351  | 1,043 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a> | 8  | 10,464 | 1,872 | 75  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a> | 10 | 12,816 | 2,013 | 75  | FCLGA2011-3 | Server |



| CPU Name          | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|-------------------|-------|----------|-------------|----------|--------|----------|
| E5-2620 @ 2.00GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |    |        |       |     |             |        |
|--|----|--------|-------|-----|-------------|--------|
| <a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>  | 8  | 8,989  | 1,616 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2623 v3 @ 3.00GHz</a>  | 4  | 6,869  | 1,861 | 105 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>  | 4  | 7,582  | 1,696 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2628 v3 @ 2.50GHz</a>  | 8  | 8,447  | 1,754 | 85  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a> | 8  | 7,181  | 1,106 | 70  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a> | 10 | 9,949  | 1,483 | 75  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a> | 12 | 11,079 | 1,433 | 75  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>  | 8  | 9,139  | 1,426 | 85  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>     | 6  | 6,131  | 1,270 | 95  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>  | 6  | 7,465  | 1,577 | 80  | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2630 v3 @ 2.40GHz</a>  | 8  | 10,309 | 1,765 | 85  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>  | 10 | 11,185 | 1,762 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>    | 6  | 5,305  | 1,119 | 60  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a> | 6  | 6,610  | 1,388 | 60  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2630L v3 @ 1.80GHz</a> | 8  | 8,935  | 1,523 | 55  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a> | 10 | 10,864 | 1,743 | 55  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2637 @ 3.00GHz</a>     | 2  | 2,978  | 1,526 | 80  | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>  | 4  | 6,244  | 1,849 | 130 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>  | 4  | 7,558  | 2,046 | 135 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>  | 4  | 6,727  | 2,066 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2640 @ 2.50GHz</a>     | 6  | 6,321  | 1,348 | 95  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>  | 8  | 7,741  | 1,275 | 95  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>  | 8  | 11,243 | 1,863 | 90  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>  | 10 | 11,732 | 1,774 | 90  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>     | 4  | 5,520  | 1,642 | 130 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>  | 6  | 9,083  | 1,895 | 130 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>  | 6  | 10,391 | 2,071 | 135 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>  | 6  | 11,152 | 2,249 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2648L @ 1.80GHz</a>    | 8  | 4,235  | 931   | 70  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a> | 10 | 8,611  | 1,350 | 70  | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a> | 12 | 9,847  | 1,292 | 75  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a> | 14 | 11,547 | 1,435 | 75  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>  | 10 | 12,399 | 1,674 | 105 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>     | 8  | 7,335  | 1,266 | 95  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>  | 8  | 10,004 | 1,672 | 95  | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2650 v3 @ 2.30GHz</a>  | 10 | 11,926 | 1,631 | 105 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>  | 12 | 13,079 | 1,559 | 105 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>    | 8  | 5,929  | 1,091 | 70  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2650L v2 @ 1.70GHz</a> | 10 | 7,475  | 1,102 | 70  | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a> | 12 | 11,820 | 1,397 | 65  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a> | 14 | 11,436 | 1,385 | 65  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2651 v2 @ 1.80GHz</a>  | 12 | 9,216  | 1,118 | NA  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>     | 8  | 6,073  | 1,156 | 95  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>  | 10 | 10,354 | 1,465 | 95  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>  | 12 | 13,487 | 1,711 | 105 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>  | 14 | 14,434 | 1,583 | 105 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>     | 8  | 8,076  | 1,392 | 95  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>  | 10 | 10,382 | 1,498 | 95  | LGA 2011    | Server |

| CPU Name             | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|----------------------|-------|----------|-------------|----------|--------|----------|
| E5-2660 v3 @ 2.60GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |    |        |       |     |             |        |
|--|----|--------|-------|-----|-------------|--------|
| <a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>     | 8  | 8,411  | 1,399 | 115 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>     | 6  | 7,501  | 1,596 | 130 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>  | 8  | 12,217 | 2,017 | 130 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>  | 8  | 12,354 | 1,983 | 135 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2667 v4 @ 3.20GHz</a>  | 8  | 13,846 | 2,158 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>  | 12 | 16,107 | 1,502 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>     | 8  | 8,884  | 1,473 | 115 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>  | 10 | 11,694 | 1,643 | 115 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>  | 12 | 13,892 | 1,710 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>  | 8  | 11,919 | 1,959 | 110 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2673 v3 @ 2.40GHz</a>  | 12 | 14,364 | 1,718 | 110 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>  | 20 | 17,533 | 1,909 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>  | 16 | 11,960 | 1,209 | NA  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>  | 12 | 14,537 | 1,687 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>  | 16 | 18,978 | 1,730 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>  | 12 | 14,783 | 1,717 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2679 v4 @ 2.50GHz</a>  | 20 | 23,512 | 1,951 | 200 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>     | 8  | 9,374  | 1,560 | 130 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>  | 10 | 12,510 | 1,785 | 115 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>  | 12 | 15,522 | 1,774 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>  | 14 | 17,887 | 1,960 | 120 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a> | 14 | 17,795 | 1,833 | 120 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>  | 16 | 19,551 | 1,868 | 120 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>  | 14 | 14,734 | 1,587 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>  | 16 | 17,388 | 1,633 | 120 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>  | 12 | 12,944 | 1,726 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>  | 18 | 18,148 | 1,910 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>  | 18 | 16,745 | 1,613 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2687W @ 3.10GHz</a>    | 8  | 9,770  | 1,695 | 150 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a> | 8  | 12,083 | 2,067 | 150 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a> | 10 | 14,812 | 1,897 | 160 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a> | 12 | 17,757 | 2,065 | 160 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>     | 8  | 9,771  | 1,570 | 115 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>  | 10 | 16,936 | 2,343 | 165 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>     | 8  | 9,810  | 1,651 | 135 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>  | 10 | 13,481 | 1,880 | 130 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>  | 12 | 16,430 | 1,908 | 135 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>  | 14 | 20,050 | 1,975 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>  | 12 | 12,119 | 1,571 | 115 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2695 v2 @ 2.40GHz</a>  | 12 | 13,495 | 1,599 | 115 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2695 v3 @ 2.30GHz</a>  | 14 | 15,801 | 1,739 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2695 v4 @ 2.10GHz</a>  | 18 | 20,373 | 1,948 | 120 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2696 v2 @ 2.50GHz</a>  | 12 | 14,285 | 1,657 | NA  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2696 v3 @ 2.30GHz</a>  | 18 | 23,765 | 2,214 | 145 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2696 v4 @ 2.20GHz</a>  | 22 | 22,810 | 2,237 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>  | 12 | 14,297 | 1,806 | 130 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2697 v3 @ 2.60GHz</a>  | 14 | 19,256 | 2,011 | 145 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>  | 18 | 21,545 | 1,963 | 145 | FCLGA2011-3 | Server |

| CPU Name              | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|-----------------------|-------|----------|-------------|----------|--------|----------|
| E5-2697A v4 @ 2.60GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |    |        |       |     |             |        |
|--|----|--------|-------|-----|-------------|--------|
| <a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>  | 20 | 21,755 | 2,141 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2698R v4 @ 2.20GHz</a> | 20 | 26,211 | 2,389 | NA  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>  | 18 | 20,817 | 1,940 | 145 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>  | 22 | 24,415 | 1,950 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a> | 22 | 14,917 | 1,037 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2699C v4 @ 2.20GHz</a> | 22 | 20,079 | 1,622 | 145 | FCLGA2011-3 | Server |
|  |    |        |       |     |             |        |
| <a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>     | 4  | 3,391  | 953   | 95  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>  | 6  | 6,986  | 1,363 | 95  | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>     | 6  | 6,460  | 1,401 | 95  | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>  | 10 | 7,229  | 1,027 | 105 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>     | 6  | 6,298  | 1,552 | 130 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>     | 8  | 6,830  | 1,239 | 95  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>  | 10 | 10,525 | 1,486 | 105 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>  | 8  | 9,320  | 1,786 | 130 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>  | 10 | 11,344 | 1,749 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>  | 10 | 12,969 | 2,030 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>     | 8  | 7,308  | 1,311 | 95  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>  | 12 | 10,372 | 1,514 | 105 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>  | 12 | 9,061  | 1,317 | 105 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>     | 8  | 8,630  | 1,476 | 130 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>  | 12 | 10,838 | 1,384 | 105 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>    | 8  | 8,472  | 1,393 | 115 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>  | 6  | 9,377  | 1,817 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a> | 12 | 12,495 | 1,478 | 115 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>  | 14 | 14,256 | 1,558 | 120 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>  | 16 | 15,397 | 1,461 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>  | 18 | 17,430 | 1,474 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>  | 22 | 11,523 | 1,366 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5205 @ 1.86GHz</a>       | 2  | 838    | 788   | 65  | LGA771      | Server |
| <a href="#">Intel Xeon E5240 @ 3.00GHz</a>       | 2  | 1,448  | 1,312 | 65  | LGA771      | Server |
| <a href="#">Intel Xeon E5310 @ 1.60GHz</a>       | 4  | 1,306  | 640   | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5320 @ 1.86GHz</a>       | 4  | 1,451  | 768   | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5335 @ 2.00GHz</a>       | 4  | 1,549  | 817   | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5345 @ 2.33GHz</a>       | 4  | 1,814  | 947   | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5405 @ 2.00GHz</a>       | 4  | 1,664  | 877   | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5410 @ 2.33GHz</a>       | 4  | 1,923  | 1,024 | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5420 @ 2.50GHz</a>       | 4  | 1,921  | 1,047 | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5430 @ 2.66GHz</a>       | 4  | 2,204  | 1,155 | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5440 @ 2.83GHz</a>       | 4  | 2,323  | 1,239 | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5450 @ 3.00GHz</a>       | 4  | 2,479  | 1,293 | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5462 @ 2.80GHz</a>       | 4  | 2,067  | 1,130 | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5472 @ 3.00GHz</a>       | 4  | 2,432  | 1,297 | 80  | LGA771      | Server |
| <a href="#">Intel Xeon E5502 @ 1.87GHz</a>       | 2  | 837    | 799   | 80  | LGA1366     | Server |
| <a href="#">Intel Xeon E5503 @ 2.00GHz</a>       | 2  | 804    | 845   | 80  | LGA1366     | Server |
| <a href="#">Intel Xeon E5504 @ 2.00GHz</a>       | 4  | 1,529  | 838   | 80  | LGA1366     | Server |
| <a href="#">Intel Xeon E5506 @ 2.13GHz</a>       | 4  | 1,924  | 941   | 80  | LGA1366     | Server |
| <a href="#">Intel Xeon E5507 @ 2.27GHz</a>       | 4  | 1,928  | 997   | 80  | LGA1366     | Server |
| <a href="#">Intel Xeon E5520 @ 2.27GHz</a>       | 4  | 2,479  | 1,056 | 80  | LGA1366     | Server |



| CPU Name        | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|-----------------|-------|----------|-------------|----------|--------|----------|
| E5530 @ 2.40GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |    |        |       |     |            |        |
|---|----|--------|-------|-----|------------|--------|
| <a href="#">Intel Xeon E5606 @ 2.13GHz</a>      | 4  | 2,326  | 941   | 80  | LGA1366    | Server |
| <a href="#">Intel Xeon E5607 @ 2.27GHz</a>      | 4  | 2,686  | 1,002 | 80  | LGA1366    | Server |
| <a href="#">Intel Xeon E5620 @ 2.40GHz</a>      | 4  | 3,656  | 1,126 | 80  | LGA1366    | Server |
| <a href="#">Intel Xeon E5630 @ 2.53GHz</a>      | 4  | 3,726  | 1,176 | 80  | LGA1366    | Server |
| <a href="#">Intel Xeon E5640 @ 2.67GHz</a>      | 4  | 4,018  | 1,204 | 80  | LGA1366    | Server |
| <a href="#">Intel Xeon E5645 @ 2.40GHz</a>      | 6  | 4,955  | 1,147 | 80  | LGA1366    | Server |
|   |    |        |       |     |            |        |
| <a href="#">Intel Xeon E5649 @ 2.53GHz</a>      | 6  | 5,043  | 1,189 | 80  | LGA1366    | Server |
| <a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>   | 4  | 2,027  | 559   | 105 | LGA1567    | Server |
| <a href="#">Intel Xeon E7-8880 v3 @ 2.30GHz</a> | 18 | 18,244 | 1,612 | 150 | LGA2011-1  | Server |
| <a href="#">Intel Xeon E7320 @ 2.13GHz</a>      | 4  | 1,469  | 776   | 80  | 604        | Server |
| <a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>  | 14 | 15,816 | 1,531 | 105 | Unknown    | Server |
| <a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>  | 12 | 16,287 | 1,746 | 105 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>  | 14 | 17,686 | 1,847 | 105 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a> | 14 | 17,540 | 1,827 | 105 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>  | 4  | 8,595  | 2,078 | 105 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>  | 10 | 15,420 | 1,866 | 85  | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5217 @ 3.00GHz</a>  | 8  | 15,429 | 2,173 | 115 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>  | 16 | 22,117 | 2,245 | 125 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a> | 20 | 25,191 | 2,200 | 125 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>  | 18 | 25,740 | 2,396 | 125 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5220R @ 2.20GHz</a> | 24 | 33,370 | 2,399 | 150 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>  | 4  | 9,428  | 2,372 | 105 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 5315Y @ 3.20GHz</a> | 8  | 21,225 | 2,524 | 140 | FCLGA4189  | Server |
| <a href="#">Intel Xeon Gold 5317 @ 3.00GHz</a>  | 12 | 28,580 | 2,437 | 150 | FCLGA4189  | Server |
| <a href="#">Intel Xeon Gold 5318Y @ 2.10GHz</a> | 24 | 26,400 | 1,826 | 165 | FCLGA4189  | Server |
| <a href="#">Intel Xeon Gold 6126 @ 2.60GHz</a>  | 12 | 19,223 | 2,019 | 125 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>  | 6  | 14,273 | 2,247 | 115 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>  | 16 | 20,721 | 1,880 | 125 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a> | 16 | 21,803 | 1,698 | 125 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>  | 14 | 21,042 | 2,180 | 140 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6133 @ 2.50GHz</a>  | 1  | 1,172  | 1,429 | 150 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>  | 8  | 16,511 | 2,257 | 130 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>  | 12 | 22,266 | 2,224 | 150 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>  | 16 | 19,365 | 2,499 | 205 | FCLGA-3647 | Server |
| <a href="#">Intel Xeon Gold 6138 @ 2.00GHz</a>  | 20 | 22,851 | 2,220 | 125 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6138T @ 2.00GHz</a> | 20 | 24,800 | 2,050 | 125 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>  | 18 | 22,733 | 1,840 | 140 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>  | 16 | 24,786 | 2,248 | 205 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>  | 8  | 18,656 | 2,523 | 150 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6146 @ 3.20GHz</a>  | 12 | 23,432 | 2,493 | 165 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>  | 20 | 28,962 | 2,182 | 150 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6150 @ 2.70GHz</a>  | 18 | 24,489 | 2,190 | 165 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>  | 22 | 22,291 | 2,155 | 140 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>  | 18 | 26,458 | 2,238 | 200 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a> | 16 | 26,901 | 2,247 | 150 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a> | 20 | 28,915 | 2,203 | 150 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a> | 24 | 27,470 | 2,013 | 165 | FCLGA3647  | Server |
| <a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>  | 12 | 19,810 | 2,104 | 125 | FCLGA3647  | Server |



| CPU Name             | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|----------------------|-------|----------|-------------|----------|--------|----------|
| Gold 6226R @ 2.90GHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |    |        |       |     |           |        |
|---|----|--------|-------|-----|-----------|--------|
| <a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>      | 22 | 27,617 | 1,691 | 140 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6238R @ 2.20GHz</a>     | 28 | 37,511 | 2,362 | 165 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>      | 16 | 26,288 | 2,196 | 150 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>     | 20 | 35,352 | 2,426 | 205 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6244 @ 3.60GHz</a>      | 8  | 20,402 | 2,752 | 150 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>      | 12 | 24,446 | 2,450 | 165 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>     | 16 | 30,145 | 2,370 | 205 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>      | 20 | 24,234 | 2,290 | 150 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>     | 24 | 38,604 | 2,296 | 205 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6252 @ 2.10GHz</a>      | 24 | 32,410 | 2,143 | 150 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6253CL @ 3.10GHz</a>    | 18 | 30,616 | 2,346 | 205 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>      | 18 | 29,356 | 2,381 | 200 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6312U @ 2.40GHz</a>     | 24 | 43,745 | 2,383 | 185 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6326 @ 2.90GHz</a>      | 16 | 35,328 | 2,356 | 185 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6330 @ 2.00GHz</a>      | 28 | 43,056 | 2,034 | 205 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6334 @ 3.60GHz</a>      | 8  | 22,160 | 2,592 | 165 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6336Y @ 2.40GHz</a>     | 24 | 45,517 | 2,522 | 185 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6342 @ 2.80GHz</a>      | 24 | 48,330 | 2,453 | 230 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6346 @ 3.10GHz</a>      | 16 | 37,609 | 2,485 | 205 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6348 @ 2.60GHz</a>      | 28 | 53,112 | 2,455 | 235 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6354 @ 3.00GHz</a>      | 18 | 41,434 | 2,406 | 205 | FCLGA4189 | Server |
| <a href="#">Intel Xeon L3110 @ 3.00GHz</a>          | 2  | 1,338  | 1,279 | 45  | LGA775    | Server |
| <a href="#">Intel Xeon L3360 @ 2.83GHz</a>          | 4  | 2,273  | 1,226 | 65  | LGA775    | Server |
| <a href="#">Intel Xeon L3406 @ 2.27GHz</a>          | 2  | 928    | 647   | 30  | LGA1156   | Server |
| <a href="#">Intel Xeon L3426 @ 1.87GHz</a>          | 4  | 2,423  | 1,163 | 45  | LGA1156   | Server |
| <a href="#">Intel Xeon L5240 @ 3.00GHz</a>          | 2  | 1,337  | 1,299 | 40  | LGA771    | Server |
| <a href="#">Intel Xeon L5310 @ 1.60GHz</a>          | 4  | 1,385  | 662   | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5320 @ 1.86GHz</a>          | 4  | 1,118  | 281   | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5335 @ 2.00GHz</a>          | 4  | 1,678  | 827   | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5408 @ 2.13GHz</a>          | 4  | 1,761  | 935   | 40  | LGA771    | Server |
| <a href="#">Intel Xeon L5410 @ 2.33GHz</a>          | 4  | 1,921  | 1,029 | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5420 @ 2.50GHz</a>          | 4  | 2,040  | 1,102 | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5430 @ 2.66GHz</a>          | 4  | 2,260  | 1,154 | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5520 @ 2.27GHz</a>          | 4  | 2,163  | 969   | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L5530 @ 2.40GHz</a>          | 4  | 2,522  | 1,169 | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L5609 @ 1.87GHz</a>          | 4  | 3,298  | 1,160 | 40  | LGA1366   | Server |
| <a href="#">Intel Xeon L5630 @ 2.13GHz</a>          | 4  | 2,943  | 1,043 | 40  | LGA1366   | Server |
| <a href="#">Intel Xeon L5638 @ 2.00GHz</a>          | 6  | 3,225  | 727   | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L5639 @ 2.13GHz</a>          | 6  | 4,419  | 1,102 | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L5640 @ 2.27GHz</a>          | 6  | 4,591  | 1,139 | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L7455 @ 2.13GHz</a>          | 6  | 2,494  | 601   | 65  | PGA604    | Server |
| <a href="#">Intel Xeon MV 3.20GHz</a>               | 2  | 582    | 378   | 90  | mPGA604   | Server |
| <a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a> | 18 | 22,298 | 2,051 | NA  | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>  | 2  | 6,591  | 2,393 | NA  | Unknown   | Server |
| <a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>  | 24 | 26,485 | 1,984 | 150 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a> | 26 | 25,396 | 1,455 | NA  | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>  | 24 | 32,616 | 2,138 | 205 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a> | 28 | 27,377 | 2,123 | 165 | FCLGA3647 | Server |

| CPU Name                 | Cores | CPU Mark | Thread Mark | TDP (W) | Socket | Category |
|--------------------------|-------|----------|-------------|---------|--------|----------|
| Platinum 8175M @ 2.50GHz |       | Min...   | Min...      | Min...  |        |          |

## CPU Benchmarks

| CPU Name   | Cores | CPU Mark | Thread Mark | TDP (W) | Socket    | Category                |
|--|-------|----------|-------------|---------|-----------|-------------------------|
| <a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a>  | 24    | 33,970   | 2,315       | 165     | LGA3647   | Server                  |
| <a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>   | 24    | 30,103   | 2,167       | 205     | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Platinum 8275CL @ 3.00GHz</a> | 24    | 40,794   | 2,386       | NA      | Unknown   | Server                  |
| <a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a>   | 28    | 37,575   | 2,011       | 205     | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Platinum 8347C @ 2.10GHz</a>  | 36    | 49,386   | 2,445       | 210     | LGA4189   | Server                  |
| <a href="#">Intel Xeon Platinum 8358 @ 2.60GHz</a>   | 32    | 54,416   | 2,382       | 250     | FCLGA4189 | Server                  |
| <a href="#">Intel Xeon Platinum 8375C @ 2.90GHz</a>  | 32    | 46,912   | 2,440       | 300     | FCLGA4189 | Server                  |
| <a href="#">Intel Xeon Platinum 8380 @ 2.30GHz</a>   | 40    | 62,317   | 2,385       | 270     | FCLGA4189 | Server                  |
| <a href="#">Intel Xeon Platinum P-8124 @ 3.00GHz</a> | 18    | 18,416   | 2,007       | 240     | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>     | 8     | 9,262    | 1,558       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>    | 8     | 10,348   | 1,445       | 70      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>     | 8     | 10,260   | 1,628       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>     | 4     | 6,420    | 1,690       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>     | 10    | 13,169   | 1,681       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>     | 12    | 14,931   | 1,709       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>    | 12    | 15,187   | 1,781       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>     | 8     | 14,405   | 1,967       | 105     | Unknown   | Server                  |
| <a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>     | 8     | 11,137   | 1,821       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>     | 10    | 14,285   | 1,858       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>    | 10    | 15,030   | 1,831       | 100     | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4214 @ 2.20GHz</a>     | 12    | 16,323   | 1,722       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>    | 12    | 18,776   | 2,018       | 100     | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>    | 12    | 15,248   | 1,790       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>     | 8     | 14,439   | 2,060       | 85      | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4215R @ 3.20GHz</a>    | 8     | 15,133   | 2,349       | 130     | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>     | 16    | 19,451   | 1,775       | 100     | FCLGA3647 | Server                  |
| <a href="#">Intel Xeon Silver 4309Y @ 2.80GHz</a>    | 8     | 19,010   | 2,494       | 105     | FCLGA4189 | Server                  |
| <a href="#">Intel Xeon Silver 4310 @ 2.10GHz</a>     | 12    | 23,589   | 2,200       | 120     | FCLGA4189 | Server                  |
| <a href="#">Intel Xeon Silver 4310T @ 2.30GHz</a>    | 10    | 20,973   | 2,288       | 105     | FCLGA4189 | Server                  |
| <a href="#">Intel Xeon Silver 4314 @ 2.40GHz</a>     | 16    | 30,525   | 2,205       | 135     | FCLGA4189 | Server                  |
| <a href="#">Intel Xeon Silver 4316 @ 2.30GHz</a>     | 20    | 37,264   | 2,380       | 150     | FCLGA4189 | Server                  |
| <a href="#">Intel Xeon W-10855M @ 2.80GHz</a>        | 6     | 13,121   | 2,812       | 45      | FCBGA1440 | Laptop, Server          |
| <a href="#">Intel Xeon W-10885M @ 2.40GHz</a>        | 8     | 16,013   | 2,768       | 45      | FCBGA1440 | Laptop, Server          |
| <a href="#">Intel Xeon W-11855M @ 3.20GHz</a>        | 6     | 19,049   | 3,330       | 45      | FCBGA1787 | Laptop, Server          |
| <a href="#">Intel Xeon W-11955M @ 2.60GHz</a>        | 8     | 24,218   | 3,390       | 45      | FCBGA1787 | Laptop, Server          |
| <a href="#">Intel Xeon W-1250 @ 3.30GHz</a>          | 6     | 13,888   | 2,860       | 80      | FCLGA1200 | Server                  |
| <a href="#">Intel Xeon W-1250P @ 4.10GHz</a>         | 6     | 14,924   | 2,985       | 125     | FCLGA1200 | Desktop, Server         |
| <a href="#">Intel Xeon W-1270 @ 3.40GHz</a>          | 8     | 18,093   | 3,060       | 80      | FCLGA1200 | Server                  |
| <a href="#">Intel Xeon W-1270E @ 3.40GHz</a>         | 8     | 18,589   | 2,913       | 80      | FCLGA1200 | Server, Mobile/Embedded |
| <a href="#">Intel Xeon W-1270P @ 3.80GHz</a>         | 8     | 19,245   | 3,074       | 95      | FCLGA1200 | Server                  |
| <a href="#">Intel Xeon W-1270TE @ 2.00GHz</a>        | 8     | 13,553   | 2,796       | 35      | FCLGA1200 | Server                  |
| <a href="#">Intel Xeon W-1290 @ 3.20GHz</a>          | 10    | 20,533   | 3,093       | 80      | FCLGA1200 | Server                  |
| <a href="#">Intel Xeon W-1290E @ 3.50GHz</a>         | 10    | 22,066   | 2,914       | 95      | FCLGA1200 | Server                  |
| <a href="#">Intel Xeon W-1290P @ 3.70GHz</a>         | 10    | 23,000   | 3,213       | 125     | FCLGA1200 | Server                  |
| <a href="#">Intel Xeon W-1290T @ 1.90GHz</a>         | 10    | 18,409   | 2,974       | 35      | FCLGA1200 | Server                  |
| <a href="#">Intel Xeon W-1350 @ 3.30GHz</a>          | 6     | 18,682   | 3,518       | 80      | FCLGA1200 | Server                  |
| <a href="#">Intel Xeon W-1350P @ 4.00GHz</a>         | 6     | 19,935   | 3,512       | 65      | FCLGA1200 | Server                  |

| CPU Name                         | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|----------------------------------|-------|----------|-------------|----------|--------|----------|
| <a href="#">W-1370 @ 2.90GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|  |    |        |       |     |            |                 |
|--|----|--------|-------|-----|------------|-----------------|
| <a href="#">Intel Xeon W-1390P @ 3.50GHz</a> | 8  | 26,031 | 3,619 | 125 | FCLGA1200  | Desktop, Server |
| <a href="#">Intel Xeon W-2102 @ 2.90GHz</a>  | 4  | 5,063  | 1,748 | 120 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2104 @ 3.20GHz</a>  | 4  | 6,202  | 1,836 | 120 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2123 @ 3.60GHz</a>  | 4  | 8,484  | 2,233 | 120 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2125 @ 4.00GHz</a>  | 4  | 10,040 | 2,607 | 120 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2133 @ 3.60GHz</a>  | 6  | 12,436 | 2,278 | 140 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2135 @ 3.70GHz</a>  | 6  | 14,255 | 2,608 | 140 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2140B @ 3.20GHz</a> | 8  | 17,545 | 2,577 | NA  | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2145 @ 3.70GHz</a>  | 8  | 18,194 | 2,622 | 140 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2150B @ 3.00GHz</a> | 10 | 20,490 | 2,702 | NA  | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2155 @ 3.30GHz</a>  | 10 | 21,198 | 2,637 | 140 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2170B @ 2.50GHz</a> | 14 | 24,745 | 2,578 | NA  | FCLGA-2066 | Server          |
| <a href="#">Intel Xeon W-2175 @ 2.50GHz</a>  | 14 | 23,215 | 2,481 | 140 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2191B @ 2.30GHz</a> | 18 | 29,067 | 2,645 | 140 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2195 @ 2.30GHz</a>  | 18 | 27,325 | 2,413 | 140 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2223 @ 3.60GHz</a>  | 4  | 8,686  | 2,255 | 120 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2225 @ 4.10GHz</a>  | 4  | 10,889 | 2,676 | 105 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2235 @ 3.80GHz</a>  | 6  | 14,318 | 2,661 | 130 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2245 @ 3.90GHz</a>  | 8  | 19,421 | 2,767 | 155 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2255 @ 3.70GHz</a>  | 10 | 21,981 | 2,724 | 165 | FCLGA2066  | Desktop, Server |
| <a href="#">Intel Xeon W-2265 @ 3.50GHz</a>  | 12 | 25,866 | 2,803 | 165 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2275 @ 3.30GHz</a>  | 14 | 27,933 | 2,805 | 165 | FCLGA2066  | Desktop         |
| <a href="#">Intel Xeon W-2295 @ 3.00GHz</a>  | 18 | 31,853 | 2,701 | 165 | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-3175X @ 3.10GHz</a> | 28 | 37,167 | 2,148 | 255 | FCLGA3647  | Desktop         |
| <a href="#">Intel Xeon W-3223 @ 3.50GHz</a>  | 8  | 17,523 | 2,503 | 160 | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3235 @ 3.30GHz</a>  | 12 | 25,974 | 2,622 | 180 | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3245 @ 3.20GHz</a>  | 16 | 30,423 | 2,532 | 205 | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3265 @ 2.70GHz</a>  | 24 | 30,105 | 2,572 | 205 | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3265M @ 2.70GHz</a> | 24 | 39,620 | 2,718 | 205 | FCLGA3647  | Desktop, Server |
| <a href="#">Intel Xeon W-3275M @ 2.50GHz</a> | 28 | 40,767 | 2,725 | 205 | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3323 @ 3.50GHz</a>  | 12 | 25,875 | 2,617 | 220 | FCLGA4189  | Desktop, Server |
| <a href="#">Intel Xeon W3503 @ 2.40GHz</a>   | 2  | 1,052  | 1,015 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3505 @ 2.53GHz</a>   | 2  | 1,136  | 1,105 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3520 @ 2.67GHz</a>   | 4  | 2,781  | 1,243 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3530 @ 2.80GHz</a>   | 4  | 3,049  | 1,333 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3540 @ 2.93GHz</a>   | 4  | 2,890  | 1,289 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3550 @ 3.07GHz</a>   | 4  | 3,186  | 1,416 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3565 @ 3.20GHz</a>   | 4  | 3,318  | 1,496 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3570 @ 3.20GHz</a>   | 4  | 3,354  | 1,520 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3580 @ 3.33GHz</a>   | 4  | 3,495  | 1,553 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3670 @ 3.20GHz</a>   | 6  | 6,545  | 1,499 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3680 @ 3.33GHz</a>   | 6  | 6,917  | 1,547 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W3690 @ 3.47GHz</a>   | 6  | 7,213  | 1,607 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W5580 @ 3.20GHz</a>   | 4  | 3,386  | 1,503 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon W5590 @ 3.33GHz</a>   | 4  | 3,239  | 1,571 | 130 | LGA1366    | Server          |
| <a href="#">Intel Xeon X3210 @ 2.13GHz</a>   | 4  | 1,599  | 875   | 105 | LGA775     | Server          |
| <a href="#">Intel Xeon X3220 @ 2.40GHz</a>   | 4  | 1,819  | 942   | 105 | LGA775     | Server          |
| <a href="#">Intel Xeon X3230 @ 2.66GHz</a>   | 4  | 2,052  | 1,091 | 95  | LGA775     | Server          |



| CPU Name                        | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---------------------------------|-------|----------|-------------|----------|--------|----------|
| <a href="#">X3320 @ 2.50GHz</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |       |       |     |         |                 |
|---|---|-------|-------|-----|---------|-----------------|
| <a href="#">Intel Xeon X3350 @ 2.66GHz</a>                      | 4 | 2,158 | 1,156 | 95  | LGA775  | Server          |
| <a href="#">Intel Xeon X3353 @ 2.66GHz</a>                      | 4 | 2,229 | 1,173 | 80  | LGA775  | Server          |
| <a href="#">Intel Xeon X3360 @ 2.83GHz</a>                      | 4 | 2,325 | 1,241 | 95  | LGA775  | Server          |
| <a href="#">Intel Xeon X3363 @ 2.83GHz</a>                      | 4 | 2,283 | 1,240 | 80  | LGA771  | Server          |
| <a href="#">Intel Xeon X3370 @ 3.00GHz</a>                      | 4 | 2,446 | 1,311 | 95  | LGA775  | Server          |
| <a href="#">Intel Xeon X3380 @ 3.16GHz</a>                      | 4 | 2,308 | 1,335 | 95  | LGA775  | Server          |
|   |   |       |       |     |         |                 |
| <a href="#">Intel Xeon X3430 @ 2.40GHz</a>                      | 4 | 2,249 | 1,031 | 95  | LGA1156 | Server          |
| <a href="#">Intel Xeon X3440 @ 2.53GHz</a>                      | 4 | 2,678 | 1,153 | 95  | LGA1156 | Server          |
| <a href="#">Intel Xeon X3450 @ 2.67GHz</a>                      | 4 | 2,818 | 1,240 | 95  | LGA1156 | Server          |
| <a href="#">Intel Xeon X3460 @ 2.80GHz</a>                      | 4 | 2,787 | 1,227 | 95  | LGA1156 | Server          |
| <a href="#">Intel Xeon X3470 @ 2.93GHz</a>                      | 4 | 3,197 | 1,414 | 95  | LGA1156 | Server          |
| <a href="#">Intel Xeon X3480 @ 3.07GHz</a>                      | 4 | 3,220 | 1,393 | 95  | LGA1156 | Server          |
| <a href="#">Intel Xeon X5260 @ 3.33GHz</a>                      | 2 | 1,238 | 1,406 | 80  | LGA771  | Server          |
| <a href="#">Intel Xeon X5270 @ 3.50GHz</a>                      | 2 | 1,524 | 1,485 | 80  | LGA771  | Server          |
| <a href="#">Intel Xeon X5272 @ 3.40GHz</a>                      | 2 | 1,451 | 1,411 | 80  | LGA771  | Server          |
| <a href="#">Intel Xeon X5355 @ 2.66GHz</a>                      | 4 | 1,979 | 1,060 | 120 | LGA771  | Server          |
| <a href="#">Intel Xeon X5365 @ 3.00GHz</a>                      | 4 | 2,331 | 1,223 | 150 | LGA771  | Server          |
| <a href="#">Intel Xeon X5450 @ 3.00GHz</a>                      | 4 | 2,391 | 1,265 | 120 | LGA771  | Server          |
| <a href="#">Intel Xeon X5460 @ 3.16GHz</a>                      | 4 | 2,558 | 1,380 | 120 | LGA771  | Server          |
| <a href="#">Intel Xeon X5470 @ 3.33GHz</a>                      | 4 | 2,709 | 1,454 | 120 | LGA771  | Server          |
| <a href="#">Intel Xeon X5472 @ 3.00GHz</a>                      | 4 | 2,218 | 1,259 | 120 | LGA771  | Server          |
| <a href="#">Intel Xeon X5482 @ 3.20GHz</a>                      | 4 | 2,636 | 1,394 | 150 | LGA771  | Server          |
| <a href="#">Intel Xeon X5492 @ 3.40GHz</a>                      | 4 | 2,705 | 1,446 | 150 | LGA771  | Server          |
| <a href="#">Intel Xeon X5550 @ 2.67GHz</a>                      | 4 | 2,988 | 1,317 | 95  | LGA1366 | Server          |
| <a href="#">Intel Xeon X5560 @ 2.80GHz</a>                      | 4 | 3,100 | 1,380 | 95  | LGA1366 | Server          |
| <a href="#">Intel Xeon X5570 @ 2.93GHz</a>                      | 4 | 3,274 | 1,410 | 95  | LGA1366 | Server          |
| <a href="#">Intel Xeon X5647 @ 2.93GHz</a>                      | 4 | 4,455 | 1,385 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X5650 @ 2.67GHz</a>                      | 6 | 5,804 | 1,306 | 95  | LGA1366 | Server          |
| <a href="#">Intel Xeon X5660 @ 2.80GHz</a>                      | 6 | 6,133 | 1,391 | 95  | LGA1366 | Server          |
| <a href="#">Intel Xeon X5667 @ 3.07GHz</a>                      | 4 | 4,534 | 1,452 | 95  | LGA1366 | Server          |
| <a href="#">Intel Xeon X5670 @ 2.93GHz</a>                      | 6 | 6,116 | 1,391 | 95  | LGA1366 | Server          |
| <a href="#">Intel Xeon X5672 @ 3.20GHz</a>                      | 4 | 5,117 | 1,570 | 95  | LGA1366 | Server          |
| <a href="#">Intel Xeon X5675 @ 3.07GHz</a>                      | 6 | 6,378 | 1,473 | 95  | LGA1366 | Server          |
| <a href="#">Intel Xeon X5677 @ 3.47GHz</a>                      | 4 | 5,112 | 1,614 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X5679 @ 3.20GHz</a>                      | 6 | 7,095 | 1,547 | 115 | LGA1366 | Server          |
| <a href="#">Intel Xeon X5680 @ 3.33GHz</a>                      | 6 | 6,812 | 1,510 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X5687 @ 3.60GHz</a>                      | 4 | 5,272 | 1,617 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X5690 @ 3.47GHz</a>                      | 6 | 6,936 | 1,608 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X5698 @ 4.40GHz</a>                      | 2 | 3,447 | 1,922 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X6550 @ 2.00GHz</a>                      | 4 | 1,936 | 390   | 130 | LGA1567 | Server          |
| <a href="#">iisa based Qualcomm Technologies, Inc. SM7325</a>   | 8 | 4,864 | 1,899 | NA  | Unknown | Mobile/Embedded |
| <a href="#">M7221</a>   | 4 | 646   | 661   | NA  | Unknown | Mobile/Embedded |
| <a href="#">Manta</a>   | 2 | 356   | 426   | NA  | Unknown | Mobile/Embedded |
| <a href="#">Mars based on Qualcomm Technologies, Inc SM8350</a> | 8 | 4,592 | 1,986 | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6735</a>                                 | 4 | 497   | 299   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6737</a>                                 | 4 | 429   | 259   | NA  | Unknown | Mobile/Embedded |



[MediaTek MT6737M](#)

CPU Name

[MediaTek MT6737T](#)

Search

Cores

CPU Mark

Min... -

Thread Mark

Min... -

TDP (W)

Min... -

Socket

Category



## CPU Benchmarks

| <a href="#">MediaTek MT6750</a>      | 8  | 971   | 352   | NA | Unknown | Mobile/Embedded |
|--------------------------------------|----|-------|-------|----|---------|-----------------|
| <a href="#">MediaTek MT6750T</a>     | 8  | 1,123 | 473   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6750V/WT</a>  | 8  | 1,068 | 403   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6753</a>      | 8  | 920   | 331   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6753T</a>     | 8  | 1,149 | 416   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6757CD</a>    | 8  | 1,572 | 622   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6757V</a>     | 8  | 1,479 | 583   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6761V/WBB</a> | 4  | 613   | 417   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6761V/WE</a>  | 4  | 690   | 437   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762G</a>     | 8  | 1,092 | 428   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/CA</a>  | 8  | 974   | 388   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/CB</a>  | 8  | 1,354 | 492   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/CN</a>  | 4  | 539   | 384   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/WA</a>  | 8  | 1,285 | 449   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/WB</a>  | 8  | 1,272 | 462   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/WD</a>  | 8  | 1,410 | 480   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/WR</a>  | 8  | 1,381 | 519   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6763V/CE</a>  | 8  | 2,129 | 1,106 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6763V/V</a>   | 8  | 1,454 | 548   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6765G</a>     | 8  | 1,359 | 496   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6765V/CA</a>  | 8  | 1,665 | 615   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6765V/CB</a>  | 8  | 1,639 | 591   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6768V/CA</a>  | 8  | 2,054 | 1,023 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769T</a>     | 8  | 2,228 | 1,090 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769V/CB</a>  | 8  | 2,183 | 1,107 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769V/CU</a>  | 8  | 2,183 | 1,089 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769V/WB</a>  | 8  | 2,192 | 1,118 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769Z</a>     | 8  | 2,228 | 1,085 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6771V/C</a>   | 8  | 2,278 | 873   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6771V/CT</a>  | 8  | 2,336 | 925   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6771V/W</a>   | 8  | 2,121 | 867   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6771V/WM</a>  | 8  | 2,069 | 792   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6771V/WT</a>  | 8  | 2,240 | 912   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6779V/CE</a>  | 8  | 2,740 | 1,224 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6779V/CU</a>  | 8  | 2,429 | 1,159 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6779V/CV</a>  | 8  | 2,324 | 1,039 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6785V/CC</a>  | 8  | 2,983 | 1,262 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6785V/CD</a>  | 8  | 3,049 | 1,297 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6797</a>      | 10 | 1,616 | 666   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6797T</a>     | 10 | 1,723 | 533   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6797X</a>     | 10 | 2,104 | 582   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6853T</a>     | 8  | 3,217 | 1,488 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6873</a>      | 8  | 3,752 | 1,316 | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT8163</a>      | 4  | 545   | 334   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT8166B</a>     | 4  | 881   | 520   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT8167B</a>     | 4  | 332   | 242   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT8168A</a>     | 4  | 571   | 396   | NA | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT8183</a>      | 8  | 1,832 | 855   | NA | Unknown | Mobile/Embedded |

| CPU Name         | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|------------------|-------|----------|-------------|----------|--------|----------|
| MediaTek MT8735B |       | Min... - | Min... -    | Min... - |        |          |
| Search           |       |          |             |          |        |          |

## CPU Benchmarks

|  |   |       |       |      |                  |                         |
|--|---|-------|-------|------|------------------|-------------------------|
| <a href="#">MediaTek MT8768WT</a>                    | 8 | 1,693 | 608   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">Microsoft ARM SQ1 @ 3.0 GHz</a>          | 8 | 4,371 | 1,862 | 15   | Unknown          | Laptop                  |
| <a href="#">Microsoft SQ2 @ 3.15 GHz</a>             | 8 | 4,910 | 1,935 | NA   | Unknown          | Unknown                 |
| <a href="#">Mobile AMD Athlon 2500+</a>              | 1 | 241   | 365   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 4 2400+</a>            | 1 | 233   | 358   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 64 3200+</a>           | 1 | 326   | 400   | 81.5 | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 64 3400+</a>           | 1 | 333   | 432   | 81.5 | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 64 3700+</a>           | 1 | 356   | 485   | 81.5 | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 64 4000+</a>           | 1 | 313   | 338   | 62   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon MP-M 1800+</a>         | 1 | 173   | 262   | 35   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon MP-M 2400+</a>         | 1 | 192   | 314   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 1600+</a>         | 1 | 169   | 274   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 1800+</a>         | 1 | 193   | 291   | 45   | Socket A         | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2000+</a>         | 1 | 196   | 301   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2200+</a>         | 1 | 237   | 363   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2400+</a>         | 1 | 225   | 355   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2500+</a>         | 1 | 226   | 355   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2600+</a>         | 1 | 241   | 375   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2800+</a>         | 1 | 238   | 385   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 3000+</a>         | 1 | 238   | 365   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 2100+</a>             | 1 | 164   | 203   | 8    | S1               | Laptop, Mobile/Embedded |
| <a href="#">Mobile AMD Sempron 2600+</a>             | 1 | 256   | 316   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 2800+</a>             | 1 | 237   | 299   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3000+</a>             | 1 | 269   | 350   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3100+</a>             | 1 | 277   | 359   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3200+</a>             | 1 | 245   | 525   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3300+</a>             | 1 | 294   | 391   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3400+</a>             | 1 | 321   | 455   | 25   | Socket S1 (S1g1) | Laptop                  |
| <a href="#">Mobile AMD Sempron 3500+</a>             | 1 | 290   | 654   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3600+</a>             | 1 | 302   | 724   | 25   | S1               | Laptop                  |
| <a href="#">Mobile AMD Sempron 3800+</a>             | 1 | 335   | 735   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Celeron 1.70GHz</a>         | 1 | 118   | 254   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Celeron 1.80GHz</a>         | 1 | 121   | 280   | 66.1 | PPGA478          | Laptop                  |
| <a href="#">Mobile Intel Celeron 1333MHz</a>         | 1 | 183   | 248   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Celeron 2.00GHz</a>         | 1 | 133   | 290   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Celeron 2.20GHz</a>         | 1 | 147   | 355   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Celeron 2.40GHz</a>         | 1 | 154   | 376   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>   | 1 | 121   | 297   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>   | 1 | 119   | 297   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Pentium 4 - M 2.00GHz</a>   | 1 | 138   | 345   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Pentium 4 - M 2.20GHz</a>   | 1 | 143   | 388   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Pentium 4 - M 2.40GHz</a>   | 1 | 139   | 317   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Pentium 4 2.66GHz</a>       | 1 | 182   | 425   | 66.1 | PGA478           | Desktop                 |
| <a href="#">Mobile Intel Pentium 4 2.80GHz</a>       | 1 | 205   | 397   | 69.7 | PGA478           | Desktop                 |
| <a href="#">Mobile Intel Pentium 4 3.06GHz</a>       | 1 | 220   | 423   | 81.8 | PGA478           | Desktop                 |
| <a href="#">Mobile Intel Pentium 4 3.20GHz</a>       | 1 | 232   | 468   | 82   | PGA478           | Desktop                 |
| <a href="#">Mobile Intel Pentium 4 3.33GHz</a>       | 1 | 344   | 552   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile Intel Pentium III - M 1200MHz</a> | 1 | 146   | 185   | 22   | BGA2, microPGA2  | Laptop                  |

| CPU Name                     | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|------------------------------|-------|----------|-------------|----------|--------|----------|
| Intel Pentium III - M 933MHz |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|                             |    |       |       |    |         |                 |
|-----------------------------|----|-------|-------|----|---------|-----------------|
| <a href="#">MT6592T</a>     | 8  | 1,056 | 354   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6735M</a>     | 4  | 308   | 190   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6735P</a>     | 4  | 326   | 218   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6738</a>      | 8  | 692   | 430   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6739CH</a>    | 4  | 530   | 370   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6739WM</a>    | 4  | 310   | 223   | NA | Unknown | Mobile/Embedded |
|                             |    |       |       |    |         |                 |
| <a href="#">MT6750V/C</a>   | 8  | 1,241 | 411   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6750V/W</a>   | 8  | 784   | 302   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6752</a>      | 8  | 1,728 | 486   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6755</a>      | 8  | 1,278 | 536   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6755BM</a>    | 8  | 1,070 | 520   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6755M</a>     | 8  | 1,229 | 501   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6755V/B</a>   | 8  | 1,404 | 551   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6755V/BM</a>  | 8  | 1,219 | 520   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6755V/CM</a>  | 8  | 1,172 | 334   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6755V/W</a>   | 8  | 1,525 | 548   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6755V/WM</a>  | 8  | 981   | 383   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6755V/WS</a>  | 8  | 1,389 | 538   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6757W</a>     | 8  | 1,648 | 592   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6757WD</a>    | 8  | 1,602 | 620   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6757WH</a>    | 8  | 1,161 | 419   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6761V/CAB</a> | 4  | 575   | 372   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6761V/CBB</a> | 4  | 846   | 536   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6761V/CD</a>  | 4  | 784   | 488   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6761V/WAB</a> | 4  | 769   | 472   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6761V/WD</a>  | 4  | 543   | 408   | NA | Unknown | Mobile/Embedded |
| <a href="#">mt6762m</a>     | 4  | 538   | 350   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6762V/CR</a>  | 8  | 857   | 359   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6763V/B</a>   | 8  | 1,495 | 552   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6763V/CT</a>  | 8  | 1,457 | 415   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6763V/WT</a>  | 8  | 1,313 | 621   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6765</a>      | 8  | 1,748 | 629   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6765H</a>     | 8  | 2,183 | 631   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6765V/WA</a>  | 8  | 1,556 | 617   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6765V/WB</a>  | 8  | 1,632 | 593   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6768G</a>     | 8  | 2,572 | 1,142 | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6769H</a>     | 8  | 2,461 | 1,055 | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6769V/CT</a>  | 8  | 2,308 | 1,074 | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6769V/CZ</a>  | 8  | 2,059 | 1,022 | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6771V/WL</a>  | 8  | 2,411 | 898   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6781</a>      | 8  | 3,671 | 1,274 | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6781V/CD</a>  | 8  | 3,356 | 1,437 | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6785</a>      | 8  | 3,193 | 1,301 | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6795</a>      | 8  | 1,088 | 436   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6795M</a>     | 8  | 968   | 377   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6795MM</a>    | 8  | 618   | 567   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6797D</a>     | 10 | 758   | 326   | NA | Unknown | Mobile/Embedded |
| <a href="#">MT6797M</a>     | 10 | 1,783 | 870   | NA | Unknown | Mobile/Embedded |

| CPU Name  | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket  | Category        |
|---|-------|----------------------|-------------------------|---------------------|---------|-----------------|
| <a href="#">MT6833V/PNZA</a>                                    | 8     | 2,803                | 1,481                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6833V/ZA</a>                                      | 8     | 3,349                | 1,442                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6853V/NZA</a>                                     | 8     | 2,866                | 1,278                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6853V/TNZA</a>                                    | 8     | 3,272                | 1,509                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6853V/ZA</a>                                      | 8     | 3,058                | 1,293                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6875</a>  | 8     | 3,561                | 1,168                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6877I</a>   | 8     | 4,446                | 1,673                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6877V/TZA</a>                                     | 8     | 4,577                | 2,028                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6877V/ZA</a>                                      | 8     | 3,997                | 1,930                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6883Z/CZA</a>                                     | 8     | 5,668                | 1,694                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6889Z/CZA</a>                                     | 8     | 4,214                | 1,900                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6891</a>  | 8     | 5,611                | 1,751                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6891Z/CZA</a>                                     | 8     | 5,978                | 1,759                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6893</a>  | 8     | 4,551                | 1,941                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6893Z/CZA</a>                                     | 8     | 5,456                | 2,073                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6893Z_A/CZA</a>                                   | 8     | 5,153                | 2,304                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6893Z_C/CZA</a>                                   | 8     | 6,270                | 1,867                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6893Z_D/CZA</a>                                   | 8     | 5,569                | 2,247                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT6969T</a>   | 8     | 2,228                | 1,125                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8161A</a>   | 4     | 800                  | 374                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8161AA</a>  | 4     | 857                  | 419                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8161P</a>   | 4     | 434                  | 259                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8165</a>  | 4     | 781                  | 480                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8167A</a>   | 4     | 478                  | 285                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8167D</a>   | 4     | 450                  | 320                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8168B</a>   | 4     | 1,008                | 552                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8173</a>  | 4     | 1,077                | 848                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8176</a>  | 6     | 1,380                | 1,027                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8195AV/ZA</a>                                     | 8     | 5,735                | 1,840                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8696</a>  | 4     | 736                  | 533                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8735</a>  | 4     | 495                  | 299                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8735P</a>   | 4     | 405                  | 191                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8735T</a>   | 4     | 704                  | 356                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8765WB</a>  | 4     | 328                  | 207                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8766A</a>   | 4     | 581                  | 380                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8766B</a>   | 4     | 808                  | 513                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8768WD</a>  | 8     | 905                  | 382                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8783</a>  | 8     | 1,039                | 353                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8786V/CA</a>                                      | 8     | 3,168                | 1,165                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT8788</a>  | 8     | 1,961                | 893                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MT9950</a>  | 4     | 845                  | 653                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">MTK6757</a>   | 8     | 1,158                | 709                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Nvidia Tegra T132</a>                               | 2     | 990                  | 1,056                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Nvidia Tegra T210</a>                               | 4     | 1,635                | 722                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Octa Core</a>                                       | 8     | 894                  | 378                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Odin based on Qualcomm Technologies, Inc SM8350</a> | 8     | 5,643                | 1,745                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>               | 2     | 1,472                | 1,542                   | NA                  | Unknown | Unknown         |



| CPU Name  | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a> |       | Min... - | Min... -    | Min... - |        |          |
| <a href="#">QCT APQ8064 AWIFI</a>                 |       |          |             |          |        |          |

CPU Benchmarks

|  |   |       |       |    |         |                 |
|--|---|-------|-------|----|---------|-----------------|
| <a href="#">QCT APQ8064 FLU</a>                                    | 4 | 449   | 202   | NA | Unknown | Mobile/Embedded |
| <a href="#">QCT APQ8064 MAKO</a>                                   | 4 | 399   | 254   | NA | Unknown | Unknown         |
| <a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>          | 4 | 734   | 396   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm APQ8026</a>                                   | 4 | 291   | 180   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm APQ8084</a>                                   | 4 | 555   | 324   | NA | Unknown | Mobile/Embedded |
|  |   |       |       |    |         |                 |
| <a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>                   | 8 | 1,023 | 351   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM 8939 HUAWEI KIW-L24</a>                   | 8 | 1,065 | 344   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM 8939 HUAWEI TEXAS-A1</a>                  | 8 | 1,085 | 383   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</a> | 4 | 566   | 219   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8226</a>                                   | 4 | 265   | 176   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8228</a>                                   | 4 | 332   | 214   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8626</a>                                   | 4 | 294   | 185   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8917</a>                                   | 4 | 582   | 373   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8926</a>                                   | 4 | 300   | 190   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8928</a>                                   | 4 | 337   | 206   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8937</a>                                   | 8 | 973   | 345   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8939</a>                                   | 8 | 1,013 | 461   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8953</a>                                   | 8 | 1,589 | 486   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8974</a>                                   | 4 | 632   | 386   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8974PRO-AA</a>                             | 4 | 587   | 352   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8974PRO-AB</a>                             | 4 | 625   | 349   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8974PRO-AC</a>                             | 4 | 611   | 380   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8992</a>                                   | 6 | 1,092 | 455   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8994</a>                                   | 8 | 805   | 440   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8996</a>                                   | 4 | 1,169 | 739   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8996PRO-AB</a>                             | 4 | 1,530 | 944   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Snapdragon 7325</a>                           | 8 | 4,977 | 2,022 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Snapdragon 8350</a>                           | 8 | 4,599 | 2,482 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8009</a>                 | 4 | 286   | 182   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8016</a>                 | 4 | 343   | 220   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8017</a>                 | 4 | 365   | 278   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8053</a>                 | 8 | 1,712 | 557   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8076</a>                 | 8 | 1,438 | 561   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8096</a>                 | 4 | 1,490 | 1,101 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc ATOLL-AB</a>                | 8 | 3,067 | 1,574 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc BENGAL</a>                  | 8 | 2,194 | 883   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc BENGALP</a>                 | 8 | 2,188 | 949   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc KHAJE</a>                   | 8 | 3,458 | 1,169 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc KONA</a>                    | 8 | 5,147 | 2,322 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc LAGOON</a>                  | 8 | 3,143 | 1,653 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc LITO</a>                    | 8 | 3,060 | 1,556 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8216</a>                 | 4 | 292   | 155   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8909</a>                 | 4 | 266   | 171   | NA | Unknown | Mobile/Embedded |

| CPU Name   | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|--|-------|----------|-------------|----------|--------|----------|
| <a href="#">Qualcomm Technologies, Inc MSM8916</a> |       | Min... - | Min... -    | Min... - |        |          |

CPU Benchmarks

|  |   |       |       |    |         |                 |
|--|---|-------|-------|----|---------|-----------------|
| <a href="#">Qualcomm Technologies, Inc MSM8929</a>     | 8 | 560   | 252   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8937</a>     | 8 | 1,008 | 373   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8939</a>     | 8 | 819   | 332   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8940</a>     | 8 | 895   | 315   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8952</a>     | 8 | 804   | 356   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8953</a>     | 8 | 1,610 | 516   | NA | Unknown | Mobile/Embedded |
|  |   |       |       |    |         |                 |
| <a href="#">Qualcomm Technologies, Inc MSM8956</a>     | 6 | 1,352 | 742   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8976</a>     | 8 | 1,513 | 698   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8976SG</a>   | 8 | 1,912 | 736   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8992</a>     | 6 | 763   | 549   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8994</a>     | 8 | 919   | 549   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8996</a>     | 4 | 1,273 | 868   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8996pro</a>  | 4 | 1,420 | 841   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8998</a>     | 8 | 2,492 | 1,029 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc QCM2150</a>     | 4 | 356   | 244   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc QM215</a>       | 4 | 420   | 276   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDA450</a>      | 8 | 1,388 | 458   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDA660</a>      | 8 | 2,107 | 904   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM429</a>      | 4 | 874   | 558   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM439</a>      | 8 | 1,286 | 484   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM450</a>      | 8 | 1,197 | 398   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM460</a>      | 8 | 1,861 | 750   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM630</a>      | 8 | 1,764 | 612   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM632</a>      | 8 | 1,788 | 745   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM636</a>      | 8 | 1,903 | 808   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM660</a>      | 8 | 2,131 | 957   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM662</a>      | 8 | 1,905 | 915   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM665</a>      | 8 | 2,121 | 892   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM670</a>      | 8 | 2,211 | 1,084 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM710</a>      | 8 | 2,239 | 1,170 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM712</a>      | 8 | 2,238 | 1,231 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM720G</a>     | 8 | 3,009 | 1,605 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM730G AIE</a> | 8 | 3,079 | 1,477 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM765G 5G</a>  | 8 | 2,974 | 1,608 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDM778G</a>     | 8 | 4,953 | 2,037 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDMMAGPIE</a>   | 8 | 2,860 | 1,447 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SDMMAGPIEP</a>  | 8 | 2,980 | 1,505 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM4250</a>      | 8 | 1,828 | 718   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM4350</a>      | 8 | 2,384 | 1,303 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM6115</a>      | 8 | 2,319 | 913   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM6125</a>      | 8 | 2,077 | 865   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM6150</a>      | 8 | 2,544 | 1,278 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM6225</a>      | 8 | 2,404 | 1,026 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM7125</a>      | 8 | 2,947 | 1,553 | NA | Unknown | Mobile/Embedded |

| CPU Name  | Cores | CPU Mark | Thread Mark | TDP (W)  | Socket | Category |
|---|-------|----------|-------------|----------|--------|----------|
| <a href="#">Qualcomm Technologies, Inc SM7150</a> |       | Min... - | Min... -    | Min... - |        |          |

## CPU Benchmarks

|   |   |       |       |    |         |                 |
|---|---|-------|-------|----|---------|-----------------|
| <a href="#">Qualcomm Technologies, Inc SM8150</a>                 | 8 | 4,123 | 1,786 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8150 Plus</a>            | 8 | 3,671 | 1,631 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8150P</a>                | 8 | 4,025 | 1,856 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8250</a>                 | 8 | 5,250 | 2,244 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8250 AC</a>              | 8 | 5,458 | 2,530 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8350</a>                 | 8 | 5,344 | 2,134 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8350AC</a>               | 8 | 5,921 | 2,660 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc TRINKET</a>                | 8 | 2,190 | 901   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8940-PMI8940 MTP</a>    | 8 | 1,426 | 404   | NA | Unknown | Mobile/Embedded |
| <a href="#">Renoir based on Qualcomm Technologies, Inc SM7350</a> | 8 | 4,369 | 1,745 | NA | Unknown | Mobile/Embedded |
| <a href="#">ROC-RK3568-PC HDMI (Android)</a>                      | 4 | 1,197 | 551   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip (Device Tree)</a>                            | 4 | 598   | 424   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK</a>                                       | 8 | 1,541 | 712   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3229</a>                                   | 4 | 234   | 141   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3288</a>                                   | 4 | 708   | 766   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3288 (Flattened Device Tree)</a>           | 4 | 508   | 403   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3326</a>                                   | 4 | 277   | 207   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3328</a>                                   | 4 | 319   | 204   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3368</a>                                   | 8 | 682   | 356   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3399</a>                                   | 8 | 2,739 | 1,154 | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3566 BOX DEMO V10 ANDROID Board</a>        | 4 | 1,051 | 510   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3566 EVB1 DDR4 V10 Board</a>               | 4 | 751   | 466   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3566 EVB2 LP4X V10 Board</a>               | 4 | 843   | 517   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3566 RK817 TABLET LP4X Board</a>           | 4 | 909   | 488   | NA | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</a>     | 4 | 795   | 508   | NA | Unknown | Mobile/Embedded |
| <a href="#">rockchip,rk3328</a>                                   | 4 | 761   | 356   | NA | Unknown | Mobile/Embedded |
| <a href="#">rockchip,rk3368</a>                                   | 8 | 489   | 230   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 2100</a>                               | 8 | 4,832 | 2,038 | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7420</a>                               | 8 | 1,612 | 812   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7570</a>                               | 4 | 396   | 264   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7580</a>                               | 8 | 878   | 308   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7870</a>                               | 8 | 876   | 284   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7880</a>                               | 8 | 1,616 | 462   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7884</a>                               | 8 | 1,346 | 637   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7885</a>                               | 8 | 1,656 | 850   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7904</a>                               | 8 | 1,627 | 742   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 8890</a>                               | 8 | 2,235 | 921   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 8895</a>                               | 8 | 2,774 | 989   | NA | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 9610</a>                               | 8 | 1,870 | 934   | NA | Unknown | Mobile/Embedded |

| CPU Name   | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket  | Category        |
|--|-------|----------------------|-------------------------|---------------------|---------|-----------------|
| <a href="#">Samsung Exynos 9611</a>                                |       |                      |                         |                     |         |                 |
| <a href="#">Samsung Exynos 9810</a>                                |       |                      |                         |                     |         |                 |
| <a href="#">Samsung Exynos 9825</a>                                | 8     | 3,349                | 1,616                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Samsung EXYNOS5420</a>                                 | 4     | 637                  | 432                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Samsung EXYNOS5433</a>                                 | 8     | 1,067                | 468                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">SAMSUNG Exynos7420</a>                                 | 8     | 1,769                | 710                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">SAMSUNG Exynos7580</a>                                 | 8     | 848                  | 248                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a> | 4     | 312                  | 213                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</a> | 4     | 415                  | 179                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Samsung J7 Max LTE SWA board based on MT6757V/WL</a>   | 8     | 950                  | 286                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">SAMSUNG JF</a>   | 4     | 443                  | 293                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">SAMSUNG SERRANO</a>                                    | 2     | 247                  | 327                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Samsung Technologies, Inc Exynos E1080</a>             | 8     | 4,846                | 2,029                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">SM7325</a>   | 8     | 5,836                | 2,132                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">SM8350</a>   | 8     | 5,520                | 2,428                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">SMDK4x12</a>   | 8     | 3,006                | 1,271                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Snapdragon 7c @ 2.40 GHz</a>                           | 8     | 2,333                | 1,417                   | 9                   | Unknown | Unknown         |
| <a href="#">Snapdragon 7c Gen 2 @ 2.55</a>                         | 8     | 2,907                | 1,511                   | 7                   | Unknown | Unknown         |
| <a href="#">Snapdragon 835</a>                                     | 8     | 1,784                | 1,016                   | 9                   | Unknown | Unknown         |
| <a href="#">Snapdragon 850 @ 2.96 GHz</a>                          | 8     | 2,437                | 1,382                   | 5                   | Unknown | Unknown         |
| <a href="#">Snapdragon 888</a>                                     | 4     | 1,630                | 1,190                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Snapdragon 898</a>                                     | 4     | 1,234                | 1,138                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Snapdragon 8cx @ 2.84 GHz</a>                          | 8     | 3,655                | 1,757                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Snapdragon 8cx Gen 2 @ 3.1</a>                         | 8     | 5,734                | 1,965                   | 7                   | Unknown | Unknown         |
| <a href="#">Sony Mobile fusion3</a>                                | 4     | 428                  | 234                     | NA                  | Unknown | Unknown         |
| <a href="#">Spreadtrum SC7731e</a>                                 | 4     | 277                  | 183                     | NA                  | Unknown | Unknown         |
| <a href="#">Spreadtrum SC9853I-IA</a>                              | 8     | 734                  | 465                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Star based on Qualcomm Technologies, Inc SM8350</a>    | 8     | 4,870                | 2,047                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">T610-Unisoc</a>  | 8     | 2,400                | 1,066                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">T618</a>   | 8     | 1,817                | 1,136                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">T700-Unisoc</a>  | 8     | 2,020                | 1,003                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">tn8</a>  | 4     | 969                  | 599                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">UGOOS UT8 Board</a>                                    | 4     | 894                  | 543                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc SC7731e</a>                                     | 4     | 324                  | 224                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc SC9832e</a>                                     | 4     | 457                  | 280                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc SC9863a</a>                                     | 8     | 1,287                | 471                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc T310</a>  | 4     | 1,606                | 1,154                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc T610</a>  | 8     | 2,381                | 1,066                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc T618</a>  | 8     | 2,143                | 1,143                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc T700</a>  | 8     | 1,950                | 1,027                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc UIS8581E</a>                                    | 8     | 1,279                | 498                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc ums312</a>                                      | 4     | 958                  | 1,054                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc ums512</a>                                      | 8     | 2,328                | 1,109                   | NA                  | Unknown | Mobile/Embedded |
| <a href="#">Unisoc ums9230</a>                                     | 8     | 2,058                | 895                     | NA                  | Unknown | Mobile/Embedded |
| <a href="#">UNIVERSAL3475</a>                                      | 4     | 273                  | 172                     | NA                  | Unknown | Mobile/Embedded |



| <a href="#">vendor Kirin810</a><br>CPU Name<br><a href="#">vendor Kirin9000</a><br>Search | Cores | CPU Mark<br>Min... - | Thread Mark<br>Min... - | TDP (W)<br>Min... - | Socket   | Category        |
|---|-------|----------------------|-------------------------|---------------------|----------|-----------------|
| <a href="#">vendor Kirin990</a>   | 8     | 5,924                | 2,011                   | NA                  | Unknown  | Mobile/Embedded |
| <a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>                          | 8     | 4,953                | 2,223                   | NA                  | Unknown  | Mobile/Embedded |
| <a href="#">VIA C7-D 1800MHz</a>  | 1     | 150                  | 147                     | 20                  | BGA400   | Desktop         |
| <a href="#">VIA C7-M 1200MHz</a>  | 1     | 112                  | 93                      | NA                  | Unknown  | Unknown         |
| <a href="#">VIA C7-M 1600MHz</a>  | 1     | 116                  | 124                     | 15                  | BGA400   | Laptop          |
| <a href="#">VIA C7-M 6300MHz</a>  | 1     | 145                  | 121                     | NA                  | Unknown  | Unknown         |
| <a href="#">VIA Eden 1000MHz</a>  | 1     | 80                   | 83                      | 5                   | NanoBGA2 | Laptop          |
| <a href="#">VIA Eden 1200MHz</a>  | 1     | 93                   | 97                      | 7                   | NanoBGA2 | Laptop          |
| <a href="#">VIA Eden C1050@1.06GHz</a>  | 1     | 263                  | 283                     | NA                  | Unknown  | Unknown         |
| <a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>  | 2     | 315                  | 281                     | NA                  | Unknown  | Unknown         |
| <a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>   | 4     | 944                  | 476                     | NA                  | Unknown  | Unknown         |
| <a href="#">VIA Esther 1000MHz</a>  | 1     | 95                   | 82                      | NA                  | Unknown  | Unknown         |
| <a href="#">VIA Esther 1500MHz</a>  | 1     | 135                  | 112                     | NA                  | Unknown  | Unknown         |
| <a href="#">VIA Nano L2007@1600MHz</a>  | 1     | 254                  | 242                     | 25                  | BGA400   | Laptop          |
| <a href="#">VIA Nano L2100@1800MHz</a>  | 1     | 279                  | 182                     | 25                  | BGA400   | Laptop          |
| <a href="#">VIA Nano L2207@1600MHz</a>  | 1     | 165                  | 191                     | 17                  | BGA400   | Laptop          |
| <a href="#">VIA Nano U2250 (1.6GHz Capable)</a>   | 1     | 270                  | 259                     | 8                   | BGA400   | Laptop          |
| <a href="#">VIA Nano U2250@1300+MHz</a>   | 1     | 179                  | 156                     | 10                  | BGA400   | Laptop          |
| <a href="#">VIA Nano U2500@1200MHz</a>  | 1     | 199                  | 184                     | 7                   | BGA400   | Laptop          |
| <a href="#">VIA Nano U3500@1000MHz</a>  | 1     | 184                  | 286                     | 5                   | BGA400   | Laptop          |
| <a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>   | 2     | 393                  | 213                     | NA                  | BGA400   | Laptop          |
| <a href="#">VIA Nehemiah</a>  | 1     | 101                  | 75                      | NA                  | Unknown  | Unknown         |
| <a href="#">VIA QuadCore C4650@2.0GHz</a>   | 4     | 1,323                | 557                     | NA                  | Unknown  | Unknown         |
| <a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>   | 4     | 773                  | 355                     | 27.5                | Unknown  | Laptop          |
| <a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>   | 4     | 666                  | 296                     | 27.5                | Unknown  | Desktop         |
| <a href="#">Vili based on Qualcomm Technologies, Inc SM8350</a>                           | 8     | 5,105                | 1,614                   | NA                  | Unknown  | Mobile/Embedded |
| <a href="#">Virtual</a>   | 4     | 2,137                | 1,224                   | NA                  | Unknown  | Mobile/Embedded |
| <a href="#">ZHAOXIN KaiXian KX-6640MA@2.2+GHz</a>   | 4     | 1,565                | 715                     | 70                  | Unknown  | Unknown         |
| <a href="#">ZHAOXIN KaiXian KX-U6580@2.5GHz</a>   | 8     | 3,066                | 745                     | NA                  | Unknown  | Unknown         |
| <a href="#">ZHAOXIN KaiXian KX-U6780A@2.7GHz</a>  | 8     | 3,802                | 732                     | NA                  | Unknown  | Unknown         |
| <a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>  | 4     | 1,547                | 556                     | NA                  | Unknown  | Unknown         |

Showing 1 to 3,777 of 3,777 entries

[Previous](#) **1** [Next](#)**Notes:**

- Price is obtained from our affiliates. '\*' after the price denotes the last seen price for products that are no longer available.
- CPU Value is calculated by taking CPU Mark / Price.
- Single Thread Value is calculated by taking Single Thread CPU Mark / Price.
- Power Performance is calculated by taking CPU Mark / TDP.
- Test Date is the date of our first benchmark submission.

[Software](#)

[Hardware](#)

[Benchmarks](#)

[About Us](#)

[Services](#)

[International](#)

[Home](#) **CPU Benchmarks** ▼

[PerformanceTest](#)

[OSForensics](#)

[MemTest86](#)

[WirelessMon](#)

[Zoom Search Engine](#)

[Free Software](#)

---

[USB2.0 Loopback Plugs](#)

[PCIe Test Cards](#)

[USB Power Delivery Tester](#)

[Serial and Parallel Loopback Plugs](#)

[USB Short Circuit Testers](#)

[Video Card Benchmarks](#)

[Hard Drive Benchmarks](#)

[RAM Benchmarks](#)

[PC Systems Benchmarks](#)

[Android Benchmarks](#)

[iOS / iPhone Benchmarks](#)

[Software Marketshare](#)

[Internet Bandwidth](#)

[Contact Us](#)

[The Press Room](#)

[Support](#)

[Forums](#)

[Refunds](#)

[Privacy](#)

[Social](#)



Copyright © 2022 PassMark® Software

