


Pom. 1.43

1N AC+Earth 220/230/240V 50Hz



Pom. 1.43

1N AC+Earth 220/230/240V 50Hz

6,76 3,85 kW

5,00 m
9,5 / 15,9

Control Wiring Legend
 Outdoor - Indoor Control Wiring*
 Central Control Wiring*
 Outdoor Units Control Wiring*
 Remote Controller Wiring*

Label
 Uv(U1,U2)
 Uh(U3,U4)
 Uc
 A,B

Wiring Size and Length

1,25mm² up to 1000m & 2,0mm² up to 2000m
 1,25mm² up to 1000m & 2,0mm² up to 2000m
 1,0mm² to 1,5mm² up to 1000m
 0,5mm² to 2,0mm² up to 500m (Wireless
 Remote Controller up to 400m). Group
 Control wiring is up to 200m


* 2 core, no polarity, shielded

Note: Power Wiring should comply with Local, National and International Regulation.

Symbol Legend


Control
 Power
 Remote Control
 Signal
 Piping*

*Note: Pipe diameters in mm




Pom. 1.47

1N AC+Earth 220/230/240V 50Hz



Pom. 1.47




Control Wiring Legend	Label	Wiring Size and Length
Outdoor - Indoor Control Wiring*	Uv(U1,U2)	1,25mm ² up to 1000m & 2,0mm ² up to 2000m
Central Control Wiring*	Uh(U3,U4)	1,25mm ² up to 1000m & 2,0mm ² up to 2000m
Outdoor Units Control Wiring*	Uc	1,0mm ² to 1,5mm ² up to 1000m
Remote Controller Wiring*	A,B	0,5mm ² to 2,0mm ² up to 500m (Wireless Remote Controller up to 400m). Group Control wiring is up to 200m


* 2 core, no polarity, shielded
Note: Power Wiring should comply with Local, National and International Regulation.

Symbol Legend
Control
Power
Remote Control
Signal
Piping*
*Note: Pipe diameters in mm

Pom. 1.53_



Pom. 1.53_



Control Wiring Legend		Label	Wiring Size and Length
Outdoor - Indoor Control Wiring*		Uv	1,0mm ² to 1,5mm ² up to 1000m
Central Control Wiring*		U3,U4	1,25mm ² up to 1000m & 2,0mm ² up to 2000m
Outdoor Units Control Wiring*		Uc	1,0mm ² to 1,5mm ² up to 1000m
Remote Controller Wiring*		A,B	0,5mm ² to 2,0mm ² up to 500m (Wireless Remote Controller up to 400m). Group Control wiring is up to 200m

* 2 core, no polarity, shielded
 Note: Power Wiring should comply with Local, National and International Regulation.


Symbol Legend

Control	Blue line
Power	Red line
Remote Control	Orange line
Signal	Green line
Piping*	Blue line

*Note: Pipe diameters in mm

E 0.28


1N AC+Earth 220/230/240V 50Hz



E 0.28

1N AC+Earth 220/230/240V 50Hz

⊖ 9,55 5,60 kW



Control Wiring Legend	Label	Wiring Size and Length
Outdoor - Indoor Control Wiring*	Uv(U1,U2)	1,25mm ² up to 1000m & 2,0mm ² up to 2000m
Central Control Wiring*	Uh(U3,U4)	1,25mm ² up to 1000m & 2,0mm ² up to 2000m
Outdoor Units Control Wiring*	Uc	1,0mm ² to 1,5mm ² up to 1000m
Remote Controller Wiring*	A,B	0,5mm ² to 2,0mm ² up to 500m (Wireless Remote Controller up to 400m). Group Control wiring is up to 200m

* 2 core, no polarity, shielded
 Note: Power Wiring should comply with Local, National and International Regulation.

Symbol Legend
Control
Power
Remote Control
Signal
Piping*

*Note: Pipe diameters in mm