


PIK: 0,00

Skala 1:100/100

GRUZ = 0,44m<sup>2</sup>  
HUM. ISTN.= 0,50m<sup>2</sup>  
NASYP = 0,04m<sup>2</sup>  
WYKOP = 1,92m<sup>2</sup>




P.P. = 80,00

RZĘDNE PROJEKTOWANE	-85,53	-85,08	-85,11	-85,15	-85,19	-85,31	-85,34	-85,87					
RZĘDNE KONSTRUKCJI			-84,59	-84,63		-84,67							
RZĘDNE TERENU	85,70		85,20		85,18	85,30		86,00					
ODLEGŁOŚCI	-4,00	-3,22	-2,55	-2,05	-1,75	-1,74	0,00	1,20	1,21	2,05	2,55	3,08	3,50

PIK: 3,00

Skala 1:100/100

GRUZ = 0,44m<sup>2</sup>  
HUM. ISTN.= 0,49m<sup>2</sup>  
NASYP = 0,05m<sup>2</sup>  
WYKOP = 1,36m<sup>2</sup>



P.P. = 80,00


RZĘDNE PROJEKTOWANE	-85,85	-85,32	-85,35	-85,39	-85,44	-85,56	-85,59	-85,90	
RZĘDNE KONSTRUKCJI			-84,83	-84,87		-84,92			
RZĘDNE TERENU	85,90		85,38		85,29	85,42		86,08	
ODLEGŁOŚCI	-3,50 -3,35	-2,55	-2,05 -1,75 -1,74	0,00	1,20 1,21	2,05	2,55	2,86	3,50

PIK: 5,00

Skala 1:100/100

GRUZ = 0,45m<sup>2</sup>  
HUM. ISTN.= 0,46m<sup>2</sup>  
NASYP = 0,06m<sup>2</sup>  
WYKOP = 1,66m<sup>2</sup>

P.P. = 80,00




RZĘDNE PROJEKTOWANE	-85,98	-85,49	-85,52	-85,56	-85,59	-84,92	-85,71	-86,08
RZĘDNE KONSTRUKCJI			-85,00	-85,04	-85,07			
RZĘDNE TERENU	-86,03 -85,98 -85,98		-85,57 -85,44		-85,48 -85,62			-86,29
ODLEGŁOŚCI	-3,50 -3,50 -3,28	-2,55	-2,05 -1,75 -1,70	0,00	1,20 1,25	1,75	2,25	2,81 3,50

PIK: 11,50

Skala 1:100/100

GRUZ = 0,44m<sup>2</sup>  
HUM. ISTN.= 0,51m<sup>2</sup>  
NASYP = 0,06m<sup>2</sup>  
WYKOP = 2,09m<sup>2</sup>

P.P. = 81,00




RZĘDNE PROJEKTOWANE	-86,40	-86,02	-86,05	-86,09	-86,12	-85,45	-86,24	-86,91
RZĘDNE KONSTRUKCJI			-85,53	-85,57	-85,60			
RZĘDNE TERENU	-86,46 -86,13 -86,13		-86,18 -86,07		-86,08 -86,23			-86,99
ODLEGŁOŚCI	-3,50 -3,13 -2,55	-2,05 -1,75 -1,74	0,00	1,20 1,21	1,75	2,25	3,24 3,50	

PIK: 26,00

Skala 1:100/100

GRUZ = 0,44m<sup>2</sup>  
HUM. ISTN. = 0,49m<sup>2</sup>  
NASYP = 0,04m<sup>2</sup>  
WYKOP = 2,47m<sup>2</sup>




P.P. = 82,00

RZĘDNE PROJEKTOWANE	-87,43	-87,20	-87,23	-87,27	-87,30	-86,63	-86,63	-87,42	-88,47
RZĘDNE KONSTRUKCJI			-86,71	-86,75		-86,78			
RZĘDNE TERENU	-87,45		-87,39		-87,37	-87,47			-88,52
ODLEGŁOŚCI	-3,50	-2,90	-2,55	0,00	1,20	1,21	1,75	2,25	3,30

PIK: 32,00

Skala 1:100/100

GRUZ = 0,45m<sup>2</sup>  
HUM. ISTN. = 0,41m<sup>2</sup>  
NASYP = 0,05m<sup>2</sup>  
WYKOP = 1,86m<sup>2</sup>




P.P. = 83,00

RZĘDNE PROJEKTOWANE	-87,88	-87,69	-87,72	-87,76	-87,79	-87,12	-87,91	-88,35
RZĘDNE KONSTRUKCJI			-87,20	-87,24	-87,27			
RZĘDNE TERENU	-87,91	-87,90	-87,82		-87,73	-87,89		-88,57
ODLEGŁOŚCI	-3,50	-2,83	-2,55	0,00	1,20	1,25	1,75	2,25

PIK: 36,00

Skala 1:100/100

GRUZ = 0,44m<sup>2</sup>  
 HUM. ISTN. = 0,39m<sup>2</sup>  
 NASYP = 0,05m<sup>2</sup>  
 WYKOP = 1,68m<sup>2</sup>




P.P. = 83,00

RZĘDNE PROJEKTOWANE	-88,17 -87,99	-88,02	-88,07	-88,10 -87,43 -87,43 -86,22	-88,54
RZĘDNE KONSTRUKCJI		-87,50	-87,55	-87,58	
RZĘDNE TERENU	-88,21	-88,11 -88,01		-87,97 -88,15	-88,61
ODLEGŁOŚCI	-3,50 -2,81 -2,55	-2,05 -1,75 -1,74	0,00	1,20 1,21 1,75 2,25	2,73 3,00

PIK: 47,50

Skala 1:100/100

GRUZ = 0,44m<sup>2</sup>  
 HUM. ISTN. = 0,59m<sup>2</sup>  
 NASYP = 0,03m<sup>2</sup>  
 WYKOP = 2,75m<sup>2</sup>




P.P. = 84,00

RZĘDNE PROJEKTOWANE	-89,41	-88,70	-88,73	-88,77	-88,82 -88,94 -88,97 -89,21
RZĘDNE KONSTRUKCJI			-88,21	-88,25	-88,30
RZĘDNE TERENU	-89,33	-89,42	-89,29 -88,99 -88,88	-88,86 -88,91	-89,21
ODLEGŁOŚCI	-4,50 -3,62 -3,50	-2,55 -2,50	-2,05 -1,75 -1,74	0,00 1,20 1,21	2,55 3,05 3,29

PIK: 64,80

Skala 1:100/100

GRUZ = 0,46m<sup>2</sup>  
HUM. ISTN. = 0,51m<sup>2</sup>  
NASYP = 0,07m<sup>2</sup>  
WYKOP = 2,21m<sup>2</sup>




P.P. = 84,00

RZĘDNE PROJEKTOWANE	-89,74	-89,25	-89,28	-89,33	-89,37	-89,49	-89,52	-89,65
RZĘDNE KONSTRUKCJI		-88,76		-88,81	-88,85			
RZĘDNE TERENU	89,76			89,46		89,34	89,49	89,91
ODLEGŁOŚCI	-4,00 -3,78	-3,05	-2,55	-1,30 -1,29	0,00	1,75 1,76 2,05	2,55 2,68	4,20

PIK: 85,60

Skala 1:100/100

GRUZ = 0,46m<sup>2</sup>  
HUM. ISTN. = 0,42m<sup>2</sup>  
NASYP = 0,07m<sup>2</sup>  
WYKOP = 1,84m<sup>2</sup>



P.P. = 84,00


RZĘDNE PROJEKTOWANE	-89,70	-89,26	-89,29	-89,33	-89,37	-89,49	-89,52	-89,65
RZĘDNE KONSTRUKCJI		-88,77		-88,81	-88,85			
RZĘDNE TERENU	-89,76			89,46 89,53		89,34 89,49		
ODLEGŁOŚCI	-3,70 -3,20	-2,55 -2,05	-1,30 -1,29	0,00	1,75 1,76	2,05	2,55 2,67	4,20

PIK: 104,80

Skala 1:100/100

- GRUZ = 0,87m<sup>2</sup>
- HUM. ISTN.= 0,14m<sup>2</sup>
- NASYP = 0,30m<sup>2</sup>
- WYKOP = 1,30m<sup>2</sup>

P.P. = 84,00




RZĘDNE PROJEKTOWANE	-89,29 -89,18	-89,21	-89,25	-89,29 -89,41	-89,44 -89,19	
RZĘDNE KONSTRUKCJI		-88,69	-88,73	-88,77		
RZĘDNE TERENU	-89,28		-89,30 -89,19		-89,19 -89,27	-89,27
ODLEGŁOŚCI	-4,00	-2,71 -2,55	-2,05 -1,80 -1,79	0,00	2,05 2,55 2,80 2,90 2,91	4,00

PIK: 130,00

Skala 1:100/100

- GRUZ = 0,44m<sup>2</sup>
- HUM. ISTN.= 0,14m<sup>2</sup>
- NASYP = 0,10m<sup>2</sup>
- WYKOP = 1,92m<sup>2</sup>

P.P. = 84,00




RZĘDNE PROJEKTOWANE		-89,30 -89,21	-89,24	-89,29	-89,33 -89,45	-89,48 -89,56	
RZĘDNE KONSTRUKCJI			-88,72	-88,77	-88,81		
RZĘDNE TERENU	-89,15		-89,34 -89,21		-89,31 -89,33		-89,38
ODLEGŁOŚCI	-7,00	-2,94 -2,80	-2,30 -2,10 -1,99	0,00	0,90 0,91	2,30 2,80 2,92	4,00

PIK: 141,70

Skala 1:100/100

- GRUZ = 0,45m<sup>2</sup>
- HUM. ISTN.= 0,15m<sup>2</sup>
- NASYP = 0,03m<sup>2</sup>
- WYKOP = 1,86m<sup>2</sup>

P.P. = 84,00




RZĘDNE PROJEKTOWANE			-89,46 -89,32	-89,35		-89,40		-89,44 -89,56	-89,59	
RZĘDNE KONSTRUKCJI				-88,83		-88,88		-88,92		
RZĘDNE TERENU	-89,44			89,47 89,33			89,36 89,40		89,59	-89,70
ODLEGŁOŚCI	-7,00		-3,01 -2,80	-2,30 -2,00 -1,99	0,00	1,00 1,01	2,30 2,70 2,80			6,00

PIK: 158,00

Skala 1:100/100

- GRUZ = 0,65m<sup>2</sup>
- HUM. ISTN.= 0,10m<sup>2</sup>
- NASYP = 0,10m<sup>2</sup>
- WYKOP = 1,82m<sup>2</sup>

P.P. = 84,00




RZĘDNE PROJEKTOWANE			-89,52 -89,48	-89,51		-89,55		-89,60 -89,72	-89,75 -89,70	
RZĘDNE KONSTRUKCJI				-88,99		-89,03		-89,08		
RZĘDNE TERENU	-89,60	-89,50 89,43		89,54			89,57	89,62 89,70		-89,70
ODLEGŁOŚCI	-8,00	-6,60	-2,87 -2,80	-2,30 -2,10	0,00	1,00	2,20 2,30 2,80 2,85			4,20

PIK: 175,00

Skala 1:100/100

GRUZ = 0,00m <sup>2</sup>
HUM. ISTN.= 0,86m <sup>2</sup>
NASYP = 0,24m <sup>2</sup>
WYKOP = 1,60m <sup>2</sup>

P.P. = 85,00




RZĘDNE PROJEKTOWANE		-89,64	-89,67		-89,72		-89,76	-89,88	-89,91	-89,80	
RZĘDNE KONSTRUKCJI			-89,15		-89,20		-89,24				
RZĘDNE TERENU	-89,60				89,68						89,92
ODLEGŁOŚCI	-5,70	-2,80	-2,30		0,00		2,30	2,80	2,91		6,00

PIK: 191,80

Skala 1:100/100

GRUZ = 0,00m <sup>2</sup>
HUM. ISTN.= 0,89m <sup>2</sup>
NASYP = 0,13m <sup>2</sup>
WYKOP = 2,22m <sup>2</sup>

P.P. = 85,00




RZĘDNE PROJEKTOWANE		-89,87	-89,70	-89,73		-89,78		-89,83	-89,95	-89,98	-89,91
RZĘDNE KONSTRUKCJI				-89,21		-89,26		-89,31			
RZĘDNE TERENU	89,86										89,93
ODLEGŁOŚCI	-4,00	-3,05	-2,80	-2,30		0,00		2,30	2,80	2,86	5,00



PIK: 207,00  
Skala 1:100/100

- GRUZ = 0,00m2
- HUM. ISTN.= 0,98m2
- NASYP = 0,03m2
- WYKOP = 3,94m2

P.P. = 84,00




RZĘDNE PROJEKTOWANE	-89,62	-89,23	-89,26	-89,30	-89,35	-89,47	-89,50	-89,83
RZĘDNE KONSTRUKCJI		-88,74		-88,78		-88,83		
RZĘDNE TERENU	-89,60							-89,89
ODLEGŁOŚCI	-4,00	-3,39	-2,80	-2,30	0,00	2,30	2,80	3,13

PIK: 212,00  
Skala 1:100/100

- GRUZ = 0,00m2
- HUM. ISTN.= 1,06m2
- NASYP = 0,03m2
- WYKOP = 3,80m2

P.P. = 84,00



RZĘDNE PROJEKTOWANE	-89,60	-88,95	-88,98	-89,02	-89,07	-89,19	-89,22	-89,69
RZĘDNE KONSTRUKCJI		-88,46		-88,50		-88,55		
RZĘDNE TERENU	-89,62				-89,25			-89,82
ODLEGŁOŚCI	-4,00	-3,79	-2,80	-2,30	0,00	0,90	2,30	2,80