

SULLI MEDZ

N2042

Type:	SEV.65.80.40.2.51D	P.c.	1133		
Model:	9604620100001462	EN	12050-1		
H _{MAX} :	29.2 m	Q _{MAX} :	60 m ³ /h	T _{MAX} :	40 °C
∇	20 m	Insul. Class:	F	Cos. φ:	0,84
Motor:	3 ~ 50 Hz	380-415	V ∇	8,718,5	A
n:	2925 min ⁻¹		V ∇		A
P ₁ /P ₂ :	4,2/4,0	kW	IP 68	Weight:	126 kg

CE Made in Tatabánya
Hungary

GRUNDFOS

96046625

DUNKOWA

2

Type: SEV.65.80.22.2.50D		P.c. 1139	
Model: 9604816900001367		EN12050-1	
H _{MAX} : 18.0 m	Q _{MAX} : 45 m ³ /h	T _{MAX} : 40 °C	
▽ 20 m	Insul. Class: F	Cos. φ: 0,88	
Motor: 3 ~ 50 Hz	V Δ A		
n: 2895 min ⁻¹	380-415	V Y 5,1/5,0 A	
P ₁ /P ₂ : 2.8/2.2 kW	IP 68	Weight: 90 kg	

N2042

CE Made in Tatabánya Hungary

GRUNDFOS® 

OZIOM MIN.

PIEKOCIN

SIARY

3

Type: SEG.40.12.2.1.502

Model: 9607590100004302

P.c.1133

IP68

∇ 10 m

96559940

Hmax: 20,5 m Qmax: 5 l/s

Motor: ~ 1 Tmax.: 40 °C

P1: 1,8 kW P2: 1,2 kW

n: 2820 min⁻¹ Cosφ:

V Δ

A

230 V Y

8,2 A

50 Hz

⊕ start: 150 μ F

Weight: 38 kg

⊕ opr.: 30 μ F

EN 12050-1

Insul. class F

Made in Tatabánya, Hungary

CE GRUNDFOS 

POSTOLINI

4

Type: SEG.40.12.2.1.502

Model: 9607590100004301

P.c. 1133 IP68 ∇ 10 m

Hmax: 20,5 m Qmax: 5 l/s

Motor: ~ 1 Tmax.: 40 °C

P1: 1,8 kW P2: 1,2 kW

n: 2820 min⁻¹ Cos ϕ :

$\nabla \Delta$ A

230 V Υ 8,2 A

50 Hz \dagger start: 150 μ F


Weight: 38 kg \dagger opr.: 30 μ F

EN 12050-1 Insul. class F

Made in Tatabánya, Hungary

96559940



CE GRUNDFOS 

CIESZKÓW - SZKOLA

5

Type: SEG.40.09.2.1.502

Model: 9607589300004522

P.c. 1139 IP68 ∇ 10 m

Hmax: 14,4 m Qmax: 4,1 l/s

Motor: ~ 1 Tmax.: 40 °C

P1: 1,4 kW P2: 0,9 kW

n: 2890 min⁻¹ Cosφ:

V Δ

A

230 V Y

6,2 A

50 Hz

⊕ start: 150 μF

Weight: 38 kg

⊕ opr.: 30 μF

EN 12050-1

Insul. class F

Made in Tatabánya, Hungary

CE

GRUNDFOS

