

A technical cross-section drawing of a roof structure. It shows a central horizontal section with a slight downward slope indicated by two arrows pointing outwards, each labeled '2%'. The roof is supported by a series of vertical columns. The drawing uses black lines for structural elements and red lines for the roof profile.

Technical drawing of a roof cross-section. The roof is shown with a 2% slope on both sides, indicated by arrows and the text "2%". The roof is supported by a structure with columns. The drawing is in black and white.

A technical diagram of a roof structure. It shows a cross-section of a roof with a central ridge and two sloping sides. The slope on the left is indicated by a triangle with a horizontal base and a vertical rise, labeled '2%'. Similarly, the slope on the right is also labeled '2%'. The roof is supported by a series of vertical columns. The roof surface is colored in a light blue/grey, and the supporting structure is shown in white with black outlines.

A technical diagram of a roof structure. It shows a cross-section of a roof with a central ridge. The roof is supported by a series of vertical columns. The roof surface is sloped downwards from the ridge on both sides, with a slope of 2% indicated by arrows and the text '2%' on each side. The roof is colored in a light blue/grey shade.

[illegible]

Technical drawing of a roof plan. A blue line indicates the roof profile, which is flat in the center and slopes down to the edges. Two arrows point to the sloped sections, each labeled '2%', indicating a 2% slope on both sides. The drawing is overlaid on a grid of vertical and horizontal lines.

Technical drawing of a roof cross-section. The roof is shown with a 2% slope on both sides, indicated by arrows and the text "2%". The roof is supported by a structure of columns and beams. The drawing is in black and white, with some lines highlighted in blue.

14-9	16-11			16-22	16-24	16-21	16-17	16-19
16-00	16-00			16-02	16-03		16-07	16-09
16-08	16-08			16-09	16-10		16-14	16-16
16-12	16-12			16-13	16-14		16-18	16-20
16-15	16-15			16-16	16-17		16-21	16-23
16-18	16-18			16-19	16-20		16-24	16-26
16-21	16-21			16-22	16-23		16-27	16-29
16-24	16-24			16-25	16-26		16-30	16-32
16-27	16-27			16-28	16-29		16-33	16-35
16-30	16-30			16-31	16-32		16-36	16-38
16-33	16-33			16-34	16-35		16-39	16-41
16-36	16-36			16-37	16-38		16-42	16-44
16-39	16-39			16-40	16-41		16-45	16-47
16-42	16-42			16-43	16-44		16-48	16-50
16-45	16-45			16-46	16-47		16-51	16-53
16-48	16-48			16-49	16-50		16-54	16-56
16-51	16-51			16-52	16-53		16-57	16-59
16-54	16-54			16-55	16-56		16-60	16-62
16-57	16-57			16-58	16-59		16-63	16-65
16-60	16-60			16-61	16-62		16-66	16-68
16-63	16-63			16-64	16-65		16-69	16-71
16-66	16-66			16-67	16-68		16-72	16-74
16-69	16-69			16-70	16-71		16-75	16-77
16-72	16-72			16-73	16-74		16-78	16-80
16-75	16-75			16-76	16-77		16-81	16-83
16-78	16-78			16-79	16-80		16-84	16-86
16-81	16-81			16-82	16-83		16-87	16-89
16-84	16-84			16-85	16-86		16-90	16-92
16-87	16-87			16-88	16-89		16-93	16-95
16-90	16-90			16-91	16-92		16-96	16-98
16-93	16-93			16-94	16-95		16-99	17-01
16-96	16-96			16-97	16-98		17-02	17-04
16-99	16-99			17-00	17-01		17-05	17-07
17-02	17-02			17-03	17-04		17-08	17-10
17-05	17-05			17-06	17-07		17-11	17-13
17-08	17-08			17-09	17-10		17-14	17-16
17-11	17-11			17-12	17-13		17-17	17-19
17-14	17-14			17-15	17-16		17-20	17-22
17-17	17-17			17-18	17-19		17-23	17-25
17-20	17-20			17-21	17-22		17-26	17-28
17-23	17-23			17-24	17-25		17-29	17-31
17-26	17-26			17-27	17-28		17-32	17-34
17-29	17-29			17-30	17-31		17-35	17-37
17-32	17-32			17-33	17-34		17-38	17-40
17-35	17-35			17-36	17-37		17-41	17-43
17-38	17-38			17-39	17-40		17-44	17-46
17-41	17-41			17-42	17-43		17-47	17-49
17-44	17-44			17-45	17-46		17-50	17-52
17-47	17-47			17-48	17-49		17-53	17-55
17-50	17-50			17-51	17-52		17-56	17-58
17-53	17-53			17-54	17-55		17-59	17-61

A cross-sectional diagram of a roof assembly. The roof is supported by a central wall and two side walls. The roof surface is shown with a 2% slope on both sides, indicated by arrows and the text '2%'. The roof assembly consists of a concrete slab, a layer of insulation, and a waterproofing layer. The waterproofing layer is shown with a green line, and the insulation layer is shown with a yellow line. The roof is shown with a 2% slope on both sides, indicated by arrows and the text '2%'. The roof is shown with a 2% slope on both sides, indicated by arrows and the text '2%'.

[illegible]

A technical cross-section drawing of a roof structure. The roof is supported by a series of vertical columns. The roof surface is shown with a blue line indicating a 2% slope on both the left and right sides, as indicated by the '2%' labels and slope triangles above the roofline. The interior space below the roof is shaded in light blue.

[illegible]

P.P. = 104,00

[illegible]

Technical drawing of a roof structure. The roof is shown in cross-section, supported by four vertical columns. The roof surface is sloped downwards from the center towards both ends, with a slope of 2% indicated on both sides. The drawing includes structural details such as the roof slab, beams, and columns.

P.P. = 104,00

[illegible]

P.P. = 104,00

[illegible]

A cross-sectional diagram of a roof structure. The roof is supported by a series of vertical columns. The roof surface is shown with a 2% slope on both the left and right sides, indicated by arrows and the text '2%'.

A technical diagram of a roof cross-section. It shows a blue trapezoidal roof structure supported by vertical columns. Two arrows at the top corners point outwards, each labeled '2%', indicating the roof's slope. The roof is shown with a slight overhang on both sides.

[illegible][illegible]

Technical drawing of a roof structure. The roof is shown with a 2% slope on both sides, indicated by arrows and the text '2%'. The structure is supported by columns. The drawing is a cross-section view.

[illegible]

Technical drawing of a roof cross-section. The roof is shown with a 2% slope on both sides, indicated by arrows and the text "2%". The drawing shows the roof structure, including the rafters and the roof covering. The roof is supported by a wall on the left and a column on the right. The roof is shown with a 2% slope on both sides, indicated by arrows and the text "2%".

[illegible]

-8,00	-106,56	-106,25	-10
-5,00	-106,52	-	-
0,00	-106,48	-106,17	-10
1,00	-106,48	-	-

Inwestor :		Gmina Rogowo ul. Kościelna 8 88-420 Rogowo		Biuro Techniczne MAZAR Arkadiusz Mazany ul. Słowiańska nr 5, 88-410 Gąsawa	
Objekt :		Modernizacja drogi gminnej nr 130513C Gałęzewko - Lubcz, od km 1+071 do km 1+876			
Treść rysunku :		PRZEKROJE POPRZECZNE			
Autor projektu:		mgr inż. Arkadiusz Mazany upr. bud. nr KUP/0027/POOD/11 do projektowania bez ograniczeń w specjalności drogowej			
Data :		Faza :	Skala :	Branża :	Rys. nr:
październik, 2022		P. B.-W.	1:100/100	drogowa	5.2