



























































Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie detali płyty fundamentowej										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K01-ark.4				1 / 6	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Szczegół "A"	1		-	20	302.0	-	20	60.4	149.0	Σ= 529.2
	6		-	16	416.0	-	26	108.2	170.7	
	7		-	16	302.0	-	18	54.4	85.8	
	28		-	12	302.0	-	38	114.8	101.9	
	38		-	12	205.0	-	12	24.6	21.8	
Szczegół "B"	2		-	20	257.0	-	32	82.2	202.8	Σ= 587.0
	8		-	16	280.0	-	11	30.8	48.6	
	16		-	12	483.0	-	11	53.1	47.2	
	17		-	12	447.0	-	7	31.3	27.8	
	23		-	12	361.0	-	22	79.4	70.5	
	32		-	12	257.0	-	68	174.8	155.2	
	36		-	12	207.0	-	19	39.3	34.9	
Pogrubienie płyty "K1.1"	30		-	12	297.0	-	27	80.2	71.2	Σ= 130.2
	48		-	12	50.8 mb	-	-	50.8	45.1	
	50		-	10	22.6 mb	-	-	22.6	13.9	
Pogrubienie płyty "K1.2"	26		-	12	342.0	-	5	17.1	15.2	Σ= 25.8
	48		-	12	9.6 mb	-	-	9.6	8.5	
	50		-	10	3.5 mb	-	-	3.5	2.1	
Szczegół "I1"	42		-	12	140.0	-	1392	1948.8	1730.2	Σ= 2004.6
	48		-	12	229.4 mb	-	-	229.4	203.7	
	50		-	10	114.7 mb	-	-	114.7	70.7	
MSZ-PW-K01-ark.4_spec						 Adelante Solutions © 2014 - 2022				

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									<div>MKT</div>	
Treść rys.: Zbrojenie detali płyty fundamentowej										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K01-ark.4				2 / 6	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Szczegół "I2.1"	42		-	12	140.0	-	108	151.2	134.2	Σ= 155.3
	48		-	12	17.6 mb	-	-	17.6	15.7	
	50		-	10	8.8 mb	-	-	8.8	5.4	
Szczegół "I2.2"	12		-	16	155.0	-	30	46.5	73.4	Σ= 79.1
	48		-	12	4.7 mb	-	-	4.7	4.2	
	50		-	10	2.4 mb	-	-	2.4	1.5	
Szczegół "I3"	13		-	16	140.0	-	1164	1629.6	2572.1	Σ= 2860.4
	48		-	12	191.7 mb	-	-	191.7	170.2	
	50		-	10	191.7 mb	-	-	191.7	118.2	
Szczegół "I4"	13		-	16	140.0	-	282	394.8	623.1	Σ= 692.7
	48		-	12	46.3 mb	-	-	46.3	41.1	
	50		-	10	46.3 mb	-	-	46.3	28.5	
Szczegół "I5"	34		-	12	250.0	-	118	295.0	261.9	Σ= 284.7
	48		-	12	19.0 mb	-	-	19.0	16.9	
	50		-	10	9.5 mb	-	-	9.5	5.9	
Szczegół "I6"	39		-	12	170.0	-	168	285.6	253.6	Σ= 286.2
	48		-	12	27.3 mb	-	-	27.3	24.3	
	50		-	10	13.7 mb	-	-	13.7	8.4	
Szczegół "I7"	40		-	12	149.0	-	11	16.4	14.6	Σ= 18.8
	48		-	12	4.7 mb	-	-	4.7	4.2	
MSZ-PW-K01-ark.4_spec						<div> Adelante Solutions © 2014 - 2022</div>				

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									<div>MKT</div>	
Treść rys.: Zbrojenie detali płyty fundamentowej										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K01-ark.4				3 / 6	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Szczegół "i8"	43		-	12	139.0	-	14	19.5	17.3	Σ= 20.0
	50		-	10	4.4 mb	-	-	4.4	2.7	
Szczegół "i9"	45		-	12	135.0	-	10	13.5	12.0	Σ= 15.8
	50		-	10	6.2 mb	-	-	6.2	3.8	
Pogrubienie płyty "p1"	22		-	12	381.0	-	9	34.3	30.4	Σ= 113.0
	27	Kształt wg rysunku	-	12	331.0	-	20	66.2	58.8	
	41		-	12	149.0	-	18	26.8	23.8	
Pogrubienie płyty "p2"	20		-	12	406.0	-	10	40.6	36.0	Σ= 131.1
	25	Kształt wg rysunku	-	12	351.0	-	22	77.2	68.6	
	41		-	12	149.0	-	20	29.8	26.5	
Pogrubienie płyty "p3"	21		-	12	401.0	-	10	40.1	35.6	Σ= 128.4
	24	Kształt wg rysunku	-	12	356.0	-	21	74.8	66.4	
	41		-	12	149.0	-	20	29.8	26.5	
Pogrubienie płyty "p4"	19		-	12	415.0	-	6	24.9	22.1	Σ= 89.9
	31	Kształt wg rysunku	-	12	266.0	-	22	58.5	52.0	
	41		-	12	149.0	-	12	17.9	15.9	
Szczegół "R1.1"	18		-	12	418.0	-	8	33.4	29.7	Σ= 99.2
	37		-	12	206.0	-	38	78.3	69.5	
MSZ-PW-K01-ark.4_spec						<div> Adelante Solutions © 2014 - 2022</div>				

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									<div>MKT</div>	
Treść rys.: Zbrojenie detali płyty fundamentowej										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K01-ark.4				4 / 6	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Szczegół "R1.2"	10	<div><div>140</div><div>33</div></div>	-	16	206.0	-	20	41.2	65.0	Σ= 131.3
	18	<div><div>358</div><div>30</div></div>	-	12	418.0	-	8	33.4	29.7	
	37	<div><div>140</div><div>33</div></div>	-	12	206.0	-	20	41.2	36.6	
Szczegół "R1.3"	4	<div><div>140</div><div>33</div></div>	-	20	206.0	-	22	45.3	111.8	Σ= 152.0
	37	<div><div>140</div><div>33</div></div>	-	12	206.0	-	22	45.3	40.2	
Szczegół "R2.1"	10	<div><div>140</div><div>33</div></div>	-	16	206.0	-	14	28.8	45.5	Σ= 92.3
	29	<div><div>238</div><div>30</div></div>	-	12	298.0	-	8	23.8	21.2	
	37	<div><div>140</div><div>33</div></div>	-	12	206.0	-	14	28.8	25.6	
Szczegół "R2.2"	10	<div><div>140</div><div>33</div></div>	-	16	206.0	-	26	53.6	84.5	Σ= 153.3
	29	<div><div>238</div><div>30</div></div>	-	12	298.0	-	8	23.8	21.2	
	37	<div><div>140</div><div>33</div></div>	-	12	206.0	-	26	53.6	47.6	
Szczegół "R3.1"	15	<div><div>483</div><div>30</div></div>	-	12	543.0	-	10	54.3	48.2	Σ= 151.6
	35	<div><div>158</div><div>33</div></div>	-	12	224.0	-	52	116.5	103.4	
Szczegół "R3.2"	15	<div><div>483</div><div>30</div></div>	-	12	543.0	-	10	54.3	48.2	Σ= 131.7
	35	<div><div>158</div><div>33</div></div>	-	12	224.0	-	42	94.1	83.5	
Szczegół "R3.3"	3	<div><div>158</div><div>33</div></div>	-	20	224.0	-	32	71.7	176.8	Σ= 240.4
	35	<div><div>158</div><div>33</div></div>	-	12	224.0	-	32	71.7	63.6	
MSZ-PW-K01-ark.4_spec						<div><div></div>Adelante Solutions © 2014 - 2022</div>				

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie										MKT	
Treść rys.: Zbrojenie detali płyty fundamentowej											
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K01-ark.4				5 / 6		
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]	
			A-0	A-IIIIN		I	na 1 el.				na S el.
1	2	3	4	5	6	7	8	9	10	11	
Szczegół "R4.1"	33		-	12	253.0	-	10	25.3	22.5	Σ= 66.2	
	35		-	12	224.0	-	22	49.3	43.8		
Szczegół "R4.2"	9		-	16	224.0	-	22	49.3	77.8	Σ= 144.0	
	33		-	12	253.0	-	10	25.3	22.5		
	35		-	12	224.0	-	22	49.3	43.8		
Szczegół "R5.1"	46		-	12	129.0	-	56	72.2	64.1	Σ= 64.1	
Szczegół "R5.2"	46		-	12	129.0	-	96	123.8	109.9	Σ= 186.3	
	49		-	10	129.0	-	96	123.8	76.4		
Szczegół "R6.1"	46		-	12	129.0	-	44	56.8	50.4	Σ= 50.4	
Szczegół "R6.2"	14		-	16	129.0	-	30	38.7	61.1	Σ= 95.4	
	46		-	12	129.0	-	30	38.7	34.4		
Szczegół "R6.3"	5		-	20	129.0	-	16	20.6	50.9	Σ= 69.2	
	46		-	12	129.0	-	16	20.6	18.3		
MSZ-PW-K01-ark.4_spec						 Adelante Solutions © 2014 - 2022					

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie detali płyty fundamentowej										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K01-ark.4				6 / 6	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Detail "Sch1"	44		-	12	137.0	-	28	38.4	34.1	Σ= 49.3
	48		-	12	17.2 mb	-	-	17.2	15.2	
Detail "Sch2"	47		-	12	115.0	-	8	9.2	8.2	Σ= 12.3
	48		-	12	4.6 mb	-	-	4.6	4.1	
Łączniki do słupów "Sl-1" szt. 8	11		-	16	170.0	4	32	54.4	85.9	Σ= 92.8
	51		-	8	110.0	2	16	17.6	6.9	
MSZ-PW-K01-ark.4_spec										
Adelante Solutions © 2014 - 2022										