

































Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie detali płyty parteru										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K02-ark.4				1 / 3	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Belka"BP1a"	31		-	12	116.0	-	244	283.0	251.3	Σ= 251.3
Belka"BP1b"	32		-	12	112.0	-	78	87.4	77.6	Σ= 77.6
Belka"BP2"	13		-	16	450.0	-	3	13.5	21.3	Σ= 51.5
	14		-	16	440.0	-	3	13.2	20.8	
	25		-	12	218.0	-	2	4.4	3.9	
	44		-	8	87.0	-	16	13.9	5.5	
Dozbrojenie otworów	33		-	10	124.0	-	4	5.0	3.1	Σ= 12.8
	34		-	10	121.0	-	13	15.7	9.7	
Szczegół "Ł.1"	29		-	12	180.0	-	47	84.6	75.1	Σ= 75.1
Szczegół "Ł.2"	20		-	12	274.0	-	2	5.5	4.9	Σ= 4.9
Szczegół "Ł.3"	24		-	12	240.0	-	17	40.8	36.2	Σ= 36.2
MSZ-PW-K02-ark.4_spec						 Adelante Solutions © 2014 - 2022				

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie detali płyty parteru										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K02-ark.4				2 / 3	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Szczegół "Ł4"	19		-	12	280.0	-	11	30.8	27.3	Σ= 27.3
Szczegół "Ł5"	16		-	16	220.0	-	3	6.6	10.4	Σ= 10.4
Zbrojenie detali płyty parteru	1		-	16	900.0	-	2	18.0	28.4	Σ= 484.6
	2		-	16	875.0	-	3	26.3	41.4	
	3		-	16	830.0	-	1	8.3	13.1	
	4		-	16	750.0	-	6	45.0	71.0	
	5		-	16	735.0	-	3	22.1	34.8	
	6		-	16	720.0	-	3	21.6	34.1	
	7		-	16	700.0	-	7	49.0	77.3	
	8		-	16	580.0	-	2	11.6	18.3	
	9		-	16	576.0	-	3	17.3	27.3	
	10		-	16	520.0	-	3	15.6	24.6	
	11		-	16	480.0	-	3	14.4	22.7	
	12		-	16	470.0	-	1	4.7	7.4	
	15		-	16	270.0	-	12	32.4	51.1	
	17		-	12	360.0	-	2	7.2	6.4	
	18		-	12	290.0	-	2	5.8	5.1	
21		-	12	270.0	-	8	21.6	19.2		
22		-	12	250.0	-	1	2.5	2.2		
MSZ-PW-K02-ark.4_spec									 Adelante Solutions © 2014 - 2022	

