

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 1**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
CP-P	Kopalina	13-20-1-01-18 -f -00	1	100	100
	Kopalina	13-20-1-01-6 -i -00	1	100	100
IIIAU	Kopalina	13-20-1-01-3 -b -00	1	300	300
	Kopalina	13-20-1-01-78 -h -00	1	100	100
	Kopalina	13-20-1-01-7 -j -00	1	300	300
	Kopalina	13-20-1-01-84 -a -00	1	200	200
	Kopalina	13-20-1-01- - -	1	300	300
PR	Kopalina	13-20-1-01- - -	1	300	300
PTP	Kopalina	13-20-1-01- - -	1	300	300
PTW	Kopalina	13-20-1-01- - -	1	300	300
TPP	Kopalina	13-20-1-01-13 -m -00	1	500	500
	Kopalina	13-20-1-01-1 -n -00	1	200	200
	Kopalina	13-20-1-01-3 -a -00	1	500	500
	Kopalina	13-20-1-01-4 -a -00	1	400	400
	Kopalina	13-20-1-01-4A -b -00	1	200	200
	Kopalina	13-20-1-01-4 -d -00	1	400	400
	Kopalina	13-20-1-01-56 -h -00	1	100	100
	Kopalina	13-20-1-01-65 -a -00	1	200	200
	Kopalina	13-20-1-01-76 -a -00	1	100	100
	Kopalina	13-20-1-01-76 -f -00	1	400	400
	Kopalina	13-20-1-01-76 -h -00	1	200	200
	Kopalina	13-20-1-01-8 -b -00	1	200	200
	Kopalina	13-20-1-01-8 -d -00	1	100	100
	Kopalina	13-20-1-01-9 -g -00	1	300	300
	TWP	Kopalina	13-20-1-01-13 -a -00	1	400
Kopalina		13-20-1-01-13 -i -00	1	200	200
Kopalina		13-20-1-01-16 -i -00	1	400	400
Kopalina		13-20-1-01-17 -j -00	1	400	400
Kopalina		13-20-1-01-19 -j -00	1	400	400
Kopalina		13-20-1-01-20 -a -00	1	500	500
Kopalina		13-20-1-01-20 -d -00	1	800	800
Kopalina		13-20-1-01-20 -g -00	1	400	400
Kopalina		13-20-1-01-20 -i -00	1	200	200
Kopalina		13-20-1-01-5 -n -00	1	200	200
Kopalina		13-20-1-01-62 -b -00	1	500	500
Kopalina		13-20-1-01-65 -b -00	1	200	200
Kopalina		13-20-1-01-80 -b -00	1	300	300
Kopalina		13-20-1-01-80 -j -00	1	300	300
Kopalina		13-20-1-01-81 -f -00	1	200	200

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku

Pakiet : 2

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
CP-P	Jelcz	13-20-1-02-22 -d -00	1	200	200
	Jelcz	13-20-1-02-29 -d -00	2	100	100
	Jelcz	13-20-1-02-35 -d -00	1	300	300
IIIA	Jelcz	13-20-1-02-53 -f -00	3	700	700
IIIAU	Jelcz	13-20-1-02-52 -h -00	2	400	400
IVD	Jelcz	13-20-1-02-29 -c -00	1	100	100
	Jelcz	13-20-1-02-32 -c -00	2	700	700
PR	Jelcz	13-20-1-02- - -	3	500	500
PTP	Jelcz	13-20-1-02- - -	2	500	500
PTW	Jelcz	13-20-1-02- - -	2	500	500
TPP	Jelcz	13-20-1-02-24 -f -00	3	300	300
	Jelcz	13-20-1-02-25 -b -00	3	400	400
	Jelcz	13-20-1-02-25 -c -00	1	10	100
	Jelcz	13-20-1-02-27 -f -00	3	300	300
	Jelcz	13-20-1-02-31 -f -00	2	300	300
	Jelcz	13-20-1-02-31 -i -00	2	800	800
	Jelcz	13-20-1-02-33A -d -00	1	400	400
	Jelcz	13-20-1-02-33 -c -00	1	300	300
	Jelcz	13-20-1-02-47 -f -00	3	600	600
	Jelcz	13-20-1-02-68 -c -00	3	700	700
	Jelcz	13-20-1-02-71 -f -00	2	600	600
	TWP	Jelcz	13-20-1-02-26 -d -00	1	100
Jelcz		13-20-1-02-28 -g -00	3	700	700
Jelcz		13-20-1-02-39 -f -00	2	300	300
Jelcz		13-20-1-02-67 -c -00	3	600	600
Jelcz		13-20-1-02-71 -g -00	2	700	700
Jelcz		13-20-1-02-73 -b -00	2	700	700

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 3**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IIIA	Janików	13-20-1-03-137 -a -99	1	100	100
	Janików	13-20-1-03-137 -c -99	1	300	300
IIIAU	Janików	13-20-1-03-118 -a -00	1	200	200
	Janików	13-20-1-03-140 -d -00	1	300	300
PR	Janików	13-20-1-03- - -	2	1000	1000
PTP	Janików	13-20-1-03- - -	2	1000	1000
PTW	Janików	13-20-1-03- - -	2	1000	1000
TPP	Janików	13-20-1-03-100 -f -00	2	600	600
	Janików	13-20-1-03-102 -d -00	1	300	300
	Janików	13-20-1-03-102 -g -00	1	200	200
	Janików	13-20-1-03-102 -h -00	1	300	300
	Janików	13-20-1-03-103 -b -00	1	200	200
	Janików	13-20-1-03-104 -b -00	1	300	300
	Janików	13-20-1-03-104 -d -00	1	400	400
	Janików	13-20-1-03-117 -c -00	1	300	300
	Janików	13-20-1-03-120 -a -00	1	400	400
	Janików	13-20-1-03-125 -a -00	1	300	300
	Janików	13-20-1-03-127 -b -00	1	300	300
	Janików	13-20-1-03-139 -a -00	1	200	200
TWP	Janików	13-20-1-03-100 -d -00	1	500	500

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 4**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IB	Oława	13-20-1-04-90 -d -00	2	400	400
IIIA	Oława	13-20-1-04-111 -c -00	1	200	200
IIIAU	Oława	13-20-1-04-149 -b -00	1	200	200
IVD	Oława	13-20-1-04-152 -p -00	2	100	100
	Oława	13-20-1-04-155 -c -00	2	300	300
PR	Oława	13-20-1-04- - -	2	600	600
PTP	Oława	13-20-1-04- - -	2	800	800
PTW	Oława	13-20-1-04- - -	2	600	600
TPP	Oława	13-20-1-04-108 -b -00	2	100	100
	Oława	13-20-1-04-114 -i -00	2	200	200
	Oława	13-20-1-04-114 -j -00	2	400	400
	Oława	13-20-1-04-153 -f -00	2	300	300
	Oława	13-20-1-04-153 -j -00	2	300	300
	Oława	13-20-1-04-155 -b -00	2	400	400
	Oława	13-20-1-04-162 -a -00	2	200	200
	Oława	13-20-1-04-174 -b -00	2	200	200
	Oława	13-20-1-04-87 -a -00	2	300	300
	Oława	13-20-1-04-89 -c -00	2	300	300
	Oława	13-20-1-04-89 -d -00	2	300	300
	Oława	13-20-1-04-91 -a -00	2	200	200
	Oława	13-20-1-04-92 -a -00	2	300	300
	Oława	13-20-1-04-92 -g -00	2	500	500
Oława	13-20-1-04-92 -h -00	2	600	600	
TWP	Oława	13-20-1-04-113 -g -00	2	300	300
	Oława	13-20-1-04-114 -k -00	2	600	600

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 5**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IIIA	Kotowice	13-20-1-05-320 -h -00	2	1000	1000
	Kotowice	13-20-1-05-321 -f -00	2	700	700
IVD	Kotowice	13-20-1-05-274 -c -00	2	600	600
	Kotowice	13-20-1-05-308 -g -00	2	1200	1200
	Kotowice	13-20-1-05-315 -b -00	2	500	500
PR	Kotowice	13-20-1-05- - -	2	2500	2500
PTW	Kotowice	13-20-1-05- - -	2	2500	2500
TPP	Kotowice	13-20-1-05-264 -h -00	2	600	600
	Kotowice	13-20-1-05-273 -g -00	2	600	600
	Kotowice	13-20-1-05-288 -i -00	2	600	600
	Kotowice	13-20-1-05-289 -f -00	2	1400	1400
	Kotowice	13-20-1-05-301 -c -00	2	1500	1500
	Kotowice	13-20-1-05-318 -a -00	2	600	600
	Kotowice	13-20-1-05-321 -g -00	2	600	600
TWP	Kotowice	13-20-1-05-273 -f -00	2	700	700
	Kotowice	13-20-1-05-320 -g -00	2	1500	1500

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 6**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IIIA	Bystrzyca	13-20-1-06-213 -j -00	2	300	300
IIIBU	Bystrzyca	13-20-1-06-202 -f -00	2	300	300
	Bystrzyca	13-20-1-06-202 -g -00	2	300	300
IVD	Bystrzyca	13-20-1-06-200 -a -00	2	600	600
	Bystrzyca	13-20-1-06-200 -g -00	2	500	500
	Bystrzyca	13-20-1-06-200 -i -00	2	500	500
	Bystrzyca	13-20-1-06-201 -a -00	2	600	600
	Bystrzyca	13-20-1-06-201 -b -00	2	800	800
	Bystrzyca	13-20-1-06-201 -c -00	2	700	700
	Bystrzyca	13-20-1-06-221 -f -00	2	300	300
	PR	Bystrzyca	13-20-1-06- - -	2	1000
PTP	Bystrzyca	13-20-1-06- - -	2	1000	1000
PTW	Bystrzyca	13-20-1-06- - -	2	1000	1000
TPP	Bystrzyca	13-20-1-06-170 -a -00	2	100	100
	Bystrzyca	13-20-1-06-179 -f -00	2	500	500
	Bystrzyca	13-20-1-06-194 -i -00	2	200	200
	Bystrzyca	13-20-1-06-195 -j -00	2	200	200
	Bystrzyca	13-20-1-06-195 -k -00	2	200	200
	Bystrzyca	13-20-1-06-195 -l -00	2	200	200
	Bystrzyca	13-20-1-06-218 -b -00	2	200	200
	Bystrzyca	13-20-1-06-219 -c -00	2	200	200
	Bystrzyca	13-20-1-06-219 -f -00	2	300	300
TWN	Bystrzyca	13-20-1-06-172 -i -00	2	500	500
TWP	Bystrzyca	13-20-1-06-171 -a -00	2	500	500
	Bystrzyca	13-20-1-06-184 -k -00	2	300	300
	Bystrzyca	13-20-1-06-208 -c -00	2	200	200
	Bystrzyca	13-20-1-06-218 -c -00	2	300	300
	Bystrzyca	13-20-1-06-218 -f -00	2	200	200
	Bystrzyca	13-20-1-06-219 -g -00	2	200	200

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 7**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IVD	Oleśnica	13-20-1-07-249 -a -00	2	400	400
	Oleśnica	13-20-1-07-249 -b -00	2	600	600
	Oleśnica	13-20-1-07-249 -d -00	2	250	250
	Oleśnica	13-20-1-07-250 -a -00	2	800	800
	Oleśnica	13-20-1-07-250 -b -00	2	600	600
	Oleśnica	13-20-1-07-250 -c -00	2	600	600
	Oleśnica	13-20-1-07-250 -d -00	2	600	600
PR	Oleśnica	13-20-1-07- - -	2	1000	1000
PTP	Oleśnica	13-20-1-07- - -	2	1000	1000
PTW	Oleśnica	13-20-1-07- - -	2	800	800
TPP	Oleśnica	13-20-1-07-251 -a -00	2	200	200
	Oleśnica	13-20-1-07-251 -c -00	2	200	200
	Oleśnica	13-20-1-07-252 -a -00	2	100	100
	Oleśnica	13-20-1-07-252 -c -00	2	300	300
	Oleśnica	13-20-1-07-252 -h -00	2	150	150
	Oleśnica	13-20-1-07-252 -i -00	2	200	200
	Oleśnica	13-20-1-07-252 -m -00	2	100	100
	Oleśnica	13-20-1-07-253 -a -00	2	500	500
	Oleśnica	13-20-1-07-253 -c -00	2	800	800

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 8**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IIIA	Karwiniec	13-20-2-08-146 -b -00	2	300	300
	Karwiniec	13-20-2-08-146 -f -00	2	150	150
	Karwiniec	13-20-2-08-74 -d -00	2	300	300
IIIB	Karwiniec	13-20-2-08-146 -d -00	2	100	100
	Karwiniec	13-20-2-08-66 -c -00	2	100	100
	Karwiniec	13-20-2-08-66 -h -00	2	250	250
IVD	Karwiniec	13-20-2-08-118 -b -00	2	300	300
PR	Karwiniec	13-20-2-08- - -	1	200	200
PTP	Karwiniec	13-20-2-08- - -	1	200	200
PTW	Karwiniec	13-20-2-08- - -	1	200	200
TPP	Karwiniec	13-20-2-08-122 -i -00	1	200	200
	Karwiniec	13-20-2-08-58 -y -00	1	300	300
	Karwiniec	13-20-2-08-59 -b -00	1	200	200
	Karwiniec	13-20-2-08-94 -b -00	1	250	250
TWP	Karwiniec	13-20-2-08-117 -d -00	1	300	300
	Karwiniec	13-20-2-08-122 -d -00	1	250	250
	Karwiniec	13-20-2-08-122 -j -00	1	250	250
	Karwiniec	13-20-2-08-149 -b -99	1	300	300
	Karwiniec	13-20-2-08-149 -c -02	1	200	200
	Karwiniec	13-20-2-08-149 -c -98	1	300	300
	Karwiniec	13-20-2-08-149 -f -02	1	300	300
	Karwiniec	13-20-2-08-149 -f -98	1	300	300
	Karwiniec	13-20-2-08-58 -x -00	1	300	300
	Karwiniec	13-20-2-08-59 -c -00	1	200	200
	Karwiniec	13-20-2-08-72 -c -00	1	150	150

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 9**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IIIA	Paczków	13-20-2-09-133 -b -00	1	50	50
III AU	Paczków	13-20-2-09-107 -f -00	1	500	500
	Paczków	13-20-2-09-161 -d -00	1	250	250
	Paczków	13-20-2-09-162 -d -00	1	150	150
PR	Paczków	13-20-2-09- - -	1	1000	1000
PTP	Paczków	13-20-2-09- - -	1	1000	1000
PTW	Paczków	13-20-2-09- - -	1	1000	1000
TPP	Paczków	13-20-2-09-77 -h -00	1	300	300
	Paczków	13-20-2-09-86 -b -00	1	100	100
TWP	Paczków	13-20-2-09-102 -b -00	1	100	100
	Paczków	13-20-2-09-129 -c -00	1	200	200
	Paczków	13-20-2-09-165 -r -00	1	200	200
	Paczków	13-20-2-09-77 -i -00	1	100	100

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku

Pakiet : 10

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IIIA	Chrząstawa	13-20-2-10-112 -f -00	1	300	300
	Chrząstawa	13-20-2-10-113 -m -00	1	100	100
	Chrząstawa	13-20-2-10-138 -d -99	1	200	200
	Chrząstawa	13-20-2-10-138 -h -99	1	200	200
	Chrząstawa	13-20-2-10-317 -o -00	1	200	200
	Chrząstawa	13-20-2-10-341 -d -00	2	200	200
	Chrząstawa	13-20-2-10-346 -a -99	1	300	300
	Chrząstawa	13-20-2-10-349 -a -00	1	100	100
IIIB	Chrząstawa	13-20-2-10-318 -h -00	2	300	300
IVD	Chrząstawa	13-20-2-10-319 -b -00	4	100	100
	Chrząstawa	13-20-2-10-333 -a -00	1	200	200
PR	Chrząstawa	13-20-2-10- - -	2	700	700
PTP	Chrząstawa	13-20-2-10- - -	2	700	700
PTW	Chrząstawa	13-20-2-10- - -	2	500	500
TPP	Chrząstawa	13-20-2-10-136 -g -00	1	100	100
	Chrząstawa	13-20-2-10-137 -f -00	1	200	200
TWP	Chrząstawa	13-20-2-10-113 -h -00	1	300	300
	Chrząstawa	13-20-2-10-136 -f -00	1	200	200
	Chrząstawa	13-20-2-10-343 -k -00	1	100	100
	Chrząstawa	13-20-2-10-352 -b -00	1	200	200

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 11**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IB	Miłocice	13-20-2-11-264 -d -99	1	150	150
PR	Miłocice	13-20-2-11- - -	1	300	300
PTP	Miłocice	13-20-2-11- - -	1	300	300
PTW	Miłocice	13-20-2-11- - -	1	300	300
TPP	Miłocice	13-20-2-11-248 -d -00	1	100	100
	Miłocice	13-20-2-11-256 -c -00	1	200	200
	Miłocice	13-20-2-11-258 -h -00	1	200	200
	Miłocice	13-20-2-11-265 -d -00	1	100	100
	Miłocice	13-20-2-11-265 -f -00	1	300	300
	Miłocice	13-20-2-11-273 -d -00	1	100	100
	Miłocice	13-20-2-11-273 -h -00	1	100	100
	Miłocice	13-20-2-11-282 -i -00	1	200	200
	Miłocice	13-20-2-11-282 -j -00	1	200	200
	Miłocice	13-20-2-11-283 -c -00	1	300	300
	Miłocice	13-20-2-11-283 -f -00	1	400	400
	Miłocice	13-20-2-11-300 -c -00	1	350	350
	TWP	Miłocice	13-20-2-11-265 -c -00	1	100
Miłocice		13-20-2-11-265 -g -00	1	450	450
Miłocice		13-20-2-11-270 -b -00	1	200	200
Miłocice		13-20-2-11-271 -a -00	1	50	50
Miłocice		13-20-2-11-273 -g -00	1	100	100
Miłocice		13-20-2-11-279 -g -00	1	200	200
Miłocice		13-20-2-11-281 -b -00	1	200	200
Miłocice		13-20-2-11-282 -h -00	1	100	100
Miłocice		13-20-2-11-282 -l -00	1	100	100
Miłocice		13-20-2-11-286 -a -00	1	300	300

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku

Pakiet : 12

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IB	Łaziszki	13-20-2-12-190 -i -00	1	300	300
IIIA	Łaziszki	13-20-2-12-221 -g -00	1	200	200
	Łaziszki	13-20-2-12-221 -m -00	1	200	200
III AU	Łaziszki	13-20-2-12-210 -h -00	1	700	700
	Łaziszki	13-20-2-12-235 -i -00	1	600	600
PR	Łaziszki	13-20-2-12- - -	2	1000	1000
PTP	Łaziszki	13-20-2-12- - -	2	1000	1000
PTW	Łaziszki	13-20-2-12- - -	2	1000	1000
TPP	Łaziszki	13-20-2-12-206 -f -00	1	400	400
	Łaziszki	13-20-2-12-206 -g -00	1	300	300
	Łaziszki	13-20-2-12-207 -b -00	1	200	200
	Łaziszki	13-20-2-12-207 -d -00	1	300	300
	Łaziszki	13-20-2-12-207 -f -00	1	400	400
	Łaziszki	13-20-2-12-211 -j -00	1	700	700
	Łaziszki	13-20-2-12-211 -l -00	2	400	400
TWP	Łaziszki	13-20-2-12-200 -g -00	2	200	200
	Łaziszki	13-20-2-12-204 -b -00	2	600	600
	Łaziszki	13-20-2-12-204 -f -00	1	200	200
	Łaziszki	13-20-2-12-205 -b -00	1	700	700
	Łaziszki	13-20-2-12-206 -a -00	2	600	600
	Łaziszki	13-20-2-12-206 -c -00	1	500	500
	Łaziszki	13-20-2-12-206 -h -00	1	300	300
	Łaziszki	13-20-2-12-207 -c -00	1	100	100
	Łaziszki	13-20-2-12-208 -j -00	2	700	700
	Łaziszki	13-20-2-12-209 -c -00	2	600	600
	Łaziszki	13-20-2-12-211 -a -00	1	100	100
	Łaziszki	13-20-2-12-211 -g -00	2	800	800
	Łaziszki	13-20-2-12-211 -i -00	1	800	800

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku**Pakiet : 13**

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
IIIAU	Dziuplina	13-20-2-13-359 -g -00	1	600	600
IVD	Dziuplina	13-20-2-13-195 -b -00	2	700	700
	Dziuplina	13-20-2-13-195 -c -00	2	600	600
	Dziuplina	13-20-2-13-355 -a -00	2	700	700
PR	Dziuplina	13-20-2-13- - -	2	500	500
PTP	Dziuplina	13-20-2-13- - -	2	500	500
PTW	Dziuplina	13-20-2-13- - -	2	500	500
TPN	Dziuplina	13-20-2-13-368 -g -00	1	100	100
	Dziuplina	13-20-2-13-368 -h -00	1	100	100
	Dziuplina	13-20-2-13-369 -f -00	1	100	100
TPP	Dziuplina	13-20-2-13-367 -c -00	1	100	100
	Dziuplina	13-20-2-13-367 -h -00	1	100	100
	Dziuplina	13-20-2-13-367 -i -00	1	200	200
	Dziuplina	13-20-2-13-368 -b -00	1	100	100
	Dziuplina	13-20-2-13-368 -c -00	1	100	100
	Dziuplina	13-20-2-13-368 -d -00	1	100	100
	Dziuplina	13-20-2-13-373 -f -00	1	100	100
	Dziuplina	13-20-2-13-376 -d -00	1	300	300
	Dziuplina	13-20-2-13-378 -a -00	1	200	200
	Dziuplina	13-20-2-13-379 -b -00	1	200	200
	Dziuplina	13-20-2-13-379 -g -00	1	200	200
	TWP	Dziuplina	13-20-2-13-181 -b -00	1	300
Dziuplina		13-20-2-13-185 -b -00	1	200	200
Dziuplina		13-20-2-13-358 -i -00	1	200	200
Dziuplina		13-20-2-13-371 -h -00	1	100	100
Dziuplina		13-20-2-13-384 -c -00	1	200	200

Strefy trudności i odległości zrywki dla prac projektowanych w 2020 roku

Pakiet : 17

Grupa czynn.	Leśnictwo	Adres leśny	Strefa zrywki	Odległość zrywki S	Odległość zrywki W	
IB	Łaziszki	13-20-2-12-187 -b -99	1	200	200	
	Łaziszki	13-20-2-12-187 -c -99	1	300	300	
	Łaziszki	13-20-2-12-187 -d -99	1	100	100	
	Miłocice	13-20-2-11-247 -a -00	2	400	400	
	Miłocice	13-20-2-11-269 -a -00	1	100	100	
IIIA	Miłocice	13-20-2-11-247 -f -99	1	100	100	
	Miłocice	13-20-2-11-247 -g -99	1	100	100	
	Paczków	13-20-2-09-133 -a -99	1	300	300	
IIIAU	Dziuplina	13-20-2-13-360 -g -00	1	200	200	
	Karwiniec	13-20-2-08-81 -a -99	2	500	500	
	Karwiniec	13-20-2-08-84 -b -00	2	250	250	
	Miłocice	13-20-2-11-308 -c -00	2	400	400	
TPN	Dziuplina	13-20-2-13-369 -b -00	1	200	200	
TPP	Chrzęstawa	13-20-2-10-136 -d -00	1	200	200	
	Chrzęstawa	13-20-2-10-137 -j -00	1	200	200	
	Chrzęstawa	13-20-2-10-319 -c -00	1	200	200	
	Dziuplina	13-20-2-13-383 -f -00	1	200	200	
	Dziuplina	13-20-2-13-383 -g -00	1	200	200	
	Dziuplina	13-20-2-13-383 -h -00	1	200	200	
	Karwiniec	13-20-2-08-100 -a -00	1	300	300	
	Karwiniec	13-20-2-08-100 -d -00	1	300	300	
	Karwiniec	13-20-2-08-59 -d -00	1	250	250	
	Karwiniec	13-20-2-08-99 -a -00	1	150	150	
	Karwiniec	13-20-2-08-99 -c -00	1	300	300	
	Łaziszki	13-20-2-12-224 -b -00	1	200	200	
	Łaziszki	13-20-2-12-243 -j -00	1	300	300	
	Łaziszki	13-20-2-12-243 -k -00	1	300	300	
	Łaziszki	13-20-2-12-243 -l -00	1	300	300	
	Miłocice	13-20-2-11-248 -a -00	1	400	400	
	Miłocice	13-20-2-11-248 -b -00	1	150	150	
	Miłocice	13-20-2-11-248 -g -00	1	400	400	
	Miłocice	13-20-2-11-254 -d -00	1	100	100	
	Miłocice	13-20-2-11-256 -f -00	1	200	200	
	Miłocice	13-20-2-11-257 -d -00	1	100	100	
	Miłocice	13-20-2-11-265 -l -00	1	200	200	
	Miłocice	13-20-2-11-271 -b -00	1	350	350	
	Miłocice	13-20-2-11-273 -c -00	1	100	100	
	Miłocice	13-20-2-11-273 -l -00	1	100	100	
	Miłocice	13-20-2-11-281 -d -00	1	200	200	
	Miłocice	13-20-2-11-283 -a -00	1	200	200	
	Miłocice	13-20-2-11-283 -b -00	1	500	500	
	Paczków	13-20-2-09-174 -j -00	1	100	100	
	Paczków	13-20-2-09-174 -k -00	1	100	100	
	Paczków	13-20-2-09-176 -a -00	1	200	200	
	Paczków	13-20-2-09-76 -f -00	1	100	100	
	Paczków	13-20-2-09-78 -h -00	1	200	200	
	TWP	Karwiniec	13-20-2-08-81 -h -00	1	250	250
		Karwiniec	13-20-2-08-83 -d -00	1	300	300
		Miłocice	13-20-2-11-291 -c -00	1	400	400

