



CPU Mega List

Below is a list of all single socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

Single CPU Systems *Last Updated: 13th of July 2021*

Columns

Show entries

CPU Name <input type="text" value="Search..."/>	Cores	CPU Mark		Thread Mark		TDP (W)		Socket	Category
		Min... Max...	-	Min... Max...	-	Min... Max...	-		
AArch64 rev 0 (aarch64)	8	2,499		1,048		NA		Unknown	Unknown
AArch64 rev 1 (aarch64)	8	2,312		1,037		NA		Unknown	Unknown
AArch64 rev 2 (aarch64)	8	1,956		925		NA		Unknown	Unknown
AArch64 rev 4 (aarch64)	8	1,653		643		NA		Unknown	Unknown
AC8257V/WAB	8	693		495		NA		Unknown	Unknown
AMD 3015e	2	2,678		1,408		6		Unknown	Laptop
AMD 3020e	2	2,625		1,480		6		Unknown	Laptop
AMD 4700S	8	18,045		2,389		NA		Unknown	Desktop
AMD A10 Micro-6700T APU	4	1,291		703		5		FT3b	Laptop
AMD A10 PRO-7350B APU	4	1,910		911		19		FP3	Laptop
AMD A10 PRO-7800B APU	2	3,194		1,497		65		FM2+	Desktop
AMD A10 PRO-7850B APU	2	3,406		1,570		95		FM2+	Desktop
AMD A10-4600M APU	2	1,896		1,067		35		FS1r2	Laptop
AMD A10-4655M APU	2	1,606		884		25		FP2	Laptop
AMD A10-4657M APU	4	1,759		940		35		FP2	Laptop
AMD A10-5700 APU	2	2,756		1,449		65		FM2	Desktop
AMD A10-5745M APU	4	1,716		989		25		FP2	Laptop
AMD A10-5750M APU	4	1,856		1,059		35		FS1r2	Laptop
AMD A10-5757M APU	4	1,997		1,195		35		FP2	Laptop
AMD A10-5800B APU	2	2,897		1,526		100		FM2	Desktop
AMD A10-5800K APU	2	2,920		1,492		100		FM2	Desktop
AMD A10-6700 APU	4	3,087		1,610		65		FM2	Desktop
AMD A10-6700T APU	2	2,311		1,310		45		FM2	Desktop
AMD A10-6790K APU	2	3,017		1,575		100		FM2	Desktop
AMD A10-6800B APU	2	2,824		1,513		100		FM2	Desktop
AMD A10-6800K APU	2	3,156		1,608		100		FM2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD A10-7300 APU	4	1,680	828	19	FP3	Laptop
☞	AMD A10-7400P	4	2,071	1,052	35	FP3	Laptop
☞	AMD A10-7700K APU	2	3,100	1,408	95	FM2+	Desktop
☞	AMD A10-7800 APU	2	3,120	1,437	65	FM2+	Desktop
☞	AMD A10-7850K APU	2	3,415	1,520	95	FM2+	Desktop
☞	AMD A10-7860K	2	3,280	1,521	65	FM2+	Desktop
☞	AMD A10-7870K	2	3,506	1,512	95	FM2+	Desktop
☞	AMD A10-7890K	2	3,535	1,586	95	FM2+	Desktop
☞	AMD A10-8700P	2	2,210	1,155	35	FP4	Laptop
☞	AMD A10-8750	2	3,299	1,546	65	FM2+	Desktop
☞	AMD A10-8850	2	3,525	1,624	NA	Unknown	Desktop
☞	AMD A10-9600P	4	2,222	1,078	15	FP4	Laptop
☞	AMD A10-9620P	4	2,509	1,301	15	Unknown	Laptop
☞	AMD A10-9630P	4	2,947	1,352	35	FP4	Laptop
☞	AMD A10-9700	4	3,521	1,615	65	AM4	Desktop
☞	AMD A10-9700E	4	3,151	1,387	35	AM4	Desktop
☞	AMD A12-9700P	4	2,366	1,161	15	FP4	Laptop
☞	AMD A12-9720P	4	2,612	1,343	15	FP4	Laptop
☞	AMD A12-9730P	4	3,172	1,487	35	FP4	Laptop
☞	AMD A12-9800	2	3,175	1,515	65	AM4	Desktop
☞	AMD A12-9800E	4	3,410	1,588	35	AM4	Desktop
☞	AMD A4 Micro-6400T APU	4	1,004	530	4.5	FT3b	Laptop
☞	AMD A4 PRO-3340B	4	1,706	757	25	BGA769 (FT3)	Laptop
☞	AMD A4 PRO-7300B APU	1	1,481	1,522	65	Unknown	Desktop
☞	AMD A4 PRO-7350B	1	1,024	1,174	65	FM2+	Desktop
☞	AMD A4-1200 APU	2	445	327	3.9	FT3	Laptop
☞	AMD A4-1250 APU	2	428	336	8	FT3	Laptop
☞	AMD A4-3300 APU	2	961	1,030	65	FM1	Desktop
☞	AMD A4-3300M APU	2	686	758	65	FM1	Laptop
☞	AMD A4-3305M APU	2	820	909	35	FS1	Laptop
☞	AMD A4-3310MX APU	2	785	841	45	FS1	Laptop
☞	AMD A4-3320M APU	2	640	656	35	FS1	Laptop
☞	AMD A4-3330MX APU	2	681	909	45	FS1 uPGA	Laptop
☞	AMD A4-3400 APU	2	1,031	1,046	65	FM1	Desktop
☞	AMD A4-3420 APU	2	1,052	1,146	65	FM1	Desktop
☞	AMD A4-4000 APU	1	1,158	1,182	65	FM2	Desktop
☞	AMD A4-4020 APU	2	1,214	1,229	65	FM2	Desktop
☞	AMD A4-4300M APU	1	997	985	35	FS1	Laptop
☞	AMD A4-4355M APU	2	816	815	17	FP2	Laptop
☞	AMD A4-5000 APU	4	1,283	510	15	FT3	Laptop
☞	AMD A4-5050 APU	4	1,328	538	13.5	FT3	Laptop
☞	AMD A4-5100 APU	4	1,346	540	15	FT3	Laptop
☞	AMD A4-5150M APU	2	1,129	1,109	35	FS1r2	Laptop
☞	AMD A4-5300 APU	2	1,325	1,323	65	FM2	Desktop
☞	AMD A4-5300B APU	2	1,232	1,292	65	FM2	Desktop
☞	AMD A4-6210 APU	4	1,459	605	15	FT3b	Laptop
☞	AMD A4-6250J APU	4	1,685	700	25	Unknown	Unknown
☞	AMD A4-6300 APU	1	1,413	1,427	65	FM2	Desktop
☞	AMD A4-6300B APU	1	1,328	1,373	65	Unknown	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD A4-6320 APU	1	1,563	1,550	65	FM2	Desktop
☞	AMD A4-7210 APU	4	1,646	716	25	BGA	Laptop
☞	AMD A4-7300 APU	1	1,497	1,496	65	FM2	Desktop
☞	AMD A4-9120	2	1,257	1,076	15	BGA	Laptop
☞	AMD A4-9120C	2	782	873	6	FT4	Laptop
☞	AMD A4-9120e	2	907	777	NA	FT4	Laptop
☞	AMD A4-9125	2	1,211	1,036	15	BGA (FT4)	Laptop
☞	AMD A6 Micro-6500T APU	4	1,146	630	NA	Unknown	Laptop
☞	AMD A6 PRO-7050B APU	2	1,015	884	17	FP3	Laptop
☞	AMD A6 PRO-7400B	1	1,555	1,452	65	FM2+	Desktop
☞	AMD A6-1450 APU	4	1,033	457	8	FT3	Laptop
☞	AMD A6-3400M APU	4	1,176	723	35	FS1	Laptop
☞	AMD A6-3410MX APU	4	1,152	699	45	FS1	Laptop
☞	AMD A6-3420M APU	4	1,248	785	35	FS1	Laptop
☞	AMD A6-3430MX APU	4	1,331	785	45	FS1	Laptop
☞	AMD A6-3500 APU	3	1,387	979	65	FM1	Desktop
☞	AMD A6-3600 APU	4	1,636	935	65	FM1	Desktop
☞	AMD A6-3620 APU	4	1,741	975	65	FM1	Desktop
☞	AMD A6-3650 APU	4	2,030	1,096	100	FM1	Desktop
☞	AMD A6-3670 APU	4	2,040	1,128	100	FM1	Desktop
☞	AMD A6-4400M APU	1	995	1,017	35	FS1r2	Laptop
☞	AMD A6-4455M APU	1	783	783	17	FP2	Laptop
☞	AMD A6-5200 APU	4	1,631	653	25	FT3	Laptop
☞	AMD A6-5345M APU	2	1,122	1,094	17	FP2	Laptop
☞	AMD A6-5350M APU	2	1,109	1,138	35	FS1r2	Laptop
☞	AMD A6-5357M APU	2	1,260	1,268	35	FP2	Laptop
☞	AMD A6-5400B APU	1	1,412	1,354	65	FM2	Desktop
☞	AMD A6-5400K APU	1	1,249	1,252	65	FM2	Desktop
☞	AMD A6-6310 APU	4	1,681	753	15	FT3	Laptop
☞	AMD A6-6400B APU	1	1,616	1,608	65	FM2	Desktop
☞	AMD A6-6400K APU	1	1,435	1,417	65	FM2	Desktop
☞	AMD A6-6420B APU	1	1,550	1,629	65	FM2	Desktop
☞	AMD A6-6420K APU	2	1,538	1,557	65	FM2	Desktop
☞	AMD A6-7000	2	1,010	857	17	FP3	Laptop
☞	AMD A6-7310 APU	4	1,698	784	25	Unknown	Laptop
☞	AMD A6-7400K APU	2	1,592	1,420	65	FM2+	Desktop
☞	AMD A6-7470K	1	1,744	1,551	65	FM2+	Desktop
☞	AMD A6-7480	2	1,929	1,630	65	FM2+	Desktop
☞	AMD A6-8500P	2	1,452	1,227	15	BGA (FP4)	Laptop
☞	AMD A6-8550	2	1,604	1,474	65	FM2+	Desktop
☞	AMD A6-9200	2	1,062	925	10	BGA	Laptop
☞	AMD A6-9210	2	1,177	1,031	15	FP4	Laptop
☞	AMD A6-9220	2	1,257	1,123	15	Unknown	Laptop
☞	AMD A6-9220C	2	1,208	1,050	6	FT4	Laptop
☞	AMD A6-9220e	2	942	824	NA	Unknown	Laptop
☞	AMD A6-9225	2	1,337	1,183	15	BGA (FT4)	Laptop
☞	AMD A6-9230	2	1,279	1,158	15	Unknown	Desktop
☞	AMD A6-9400	2	2,717	1,664	10	FT4	Laptop
☞	AMD A6-9500	2	1,871	1,632	65	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⌵	AMD A6-9500E	2	1,841	1,478	35	AM4	Desktop
⌵	AMD A8 PRO-7150B APU	4	1,569	802	19	FP3	Laptop
⌵	AMD A8 PRO-7600B APU	4	2,736	1,317	65	FM2+	Desktop
⌵	AMD A8-3500M APU	4	1,232	753	35	FS1	Laptop
⌵	AMD A8-3510MX APU	4	1,483	888	45	FS1	Laptop
⌵	AMD A8-3520M APU	4	1,395	841	35	FS1	Laptop
⌵	AMD A8-3530MX APU	4	1,477	886	45	FS1	Laptop
⌵	AMD A8-3550MX APU	4	1,579	938	45	FS1	Laptop
⌵	AMD A8-3800 APU	4	1,939	1,064	65	FM1	Desktop
⌵	AMD A8-3820 APU	4	2,019	1,096	65	FM1	Desktop
⌵	AMD A8-3850 APU	4	2,124	1,184	100	FM1	Desktop
⌵	AMD A8-3870K APU	4	2,341	1,234	100	FM1	Desktop
⌵	AMD A8-4500M APU	2	1,655	914	35	FS1r2	Laptop
⌵	AMD A8-4555M APU	2	1,316	795	19	FP2	Laptop
⌵	AMD A8-5500 APU	2	2,567	1,331	65	FM2	Desktop
⌵	AMD A8-5500B APU	2	2,679	1,378	65	FM2	Desktop
⌵	AMD A8-5545M APU	4	1,536	816	19	FP2	Laptop
⌵	AMD A8-5550M APU	4	1,869	1,058	35	FS1r2	Laptop
⌵	AMD A8-5557M APU	4	1,719	1,047	35	FP2	Laptop
⌵	AMD A8-5600K APU	2	2,755	1,399	100	FM2	Desktop
⌵	AMD A8-6410 APU	4	1,769	787	15	BGA769 (FT3b)	Laptop
⌵	AMD A8-6500 APU	2	2,791	1,490	65	FM2	Desktop
⌵	AMD A8-6500B APU	2	2,789	1,479	65	FM2	Desktop
⌵	AMD A8-6500T APU	2	1,816	1,048	45	FM2	Desktop
⌵	AMD A8-6600K APU	2	2,969	1,522	100	FM2	Desktop
⌵	AMD A8-7050	2	1,129	890	15	Unknown	Laptop
⌵	AMD A8-7100 APU	4	1,677	860	19	FP3	Laptop
⌵	AMD A8-7200P	4	2,156	1,079	35	FP3	Laptop
⌵	AMD A8-7410 APU	4	1,799	800	25	Unknown	Laptop
⌵	AMD A8-7500	2	3,878	1,509	65	FM2+	Desktop
⌵	AMD A8-7600 APU	2	3,211	1,444	65	FM2+	Desktop
⌵	AMD A8-7650K	2	2,941	1,353	65	FM2+	Desktop
⌵	AMD A8-7670K	4	3,028	1,473	95	FM2+	Desktop
⌵	AMD A8-7680	4	3,554	1,635	45	FM2+	Laptop
⌵	AMD A8-8600P	2	2,231	1,082	15	FP4	Laptop
⌵	AMD A8-8650	4	2,774	1,408	65	FM2+	Desktop
⌵	AMD A8-9600	4	3,263	1,474	65	AM4	Desktop
⌵	AMD A9-9400	2	1,407	1,254	10	FP4	Laptop
⌵	AMD A9-9410	2	1,517	1,342	25	FP4	Laptop
⌵	AMD A9-9420	2	1,524	1,313	15	Unknown	Laptop
⌵	AMD A9-9420e	2	1,127	987	NA	Unknown	Laptop
⌵	AMD A9-9425	2	1,554	1,359	15	BGA (FT4)	Laptop
⌵	AMD A9-9430	2	1,678	1,435	NA	Unknown	Desktop
⌵	AMD A9-9820	8	3,662	798	NA	Unknown	Unknown
⌵	AMD Athlon 1500+	1	191	275	NA	Unknown	Unknown
⌵	AMD Athlon 1640B	1	412	462	45	AM2	Desktop
⌵	AMD Athlon 200GE	2	4,164	1,824	35	AM4	Desktop
⌵	AMD Athlon 220GE	2	4,538	1,994	35	AM4	Laptop
⌵	AMD Athlon 240GE	2	4,538	1,985	35	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	AMD Athlon 2650e	1	274	304	NA	Unknown	Unknown
⏪	AMD Athlon 2800+	1	291	439	89	754	Unknown
⏪	AMD Athlon 2850e	1	333	337	22	AM2	Desktop
⏪	AMD Athlon 3000G	2	4,455	1,990	35	AM4	Desktop
⏪	AMD Athlon 300GE	2	4,905	2,119	35	AM4	Desktop
⏪	AMD Athlon 300U	2	4,022	1,860	15	FP5	Laptop
⏪	AMD Athlon 5000 Dual-Core	2	796	853	65	AM2,AM2+	Desktop
⏪	AMD Athlon 5150 APU	4	1,372	546	25	AM1,FS1b	Desktop
⏪	AMD Athlon 5200 Dual-Core	2	734	882	75	AM2	Desktop
⏪	AMD Athlon 5350 APU	4	1,777	705	25	AM1,FS1B	Desktop
⏪	AMD Athlon 5370 APU	4	1,857	746	25	AM1,FS1B	Desktop
⏪	AMD Athlon 64 2000+	1	154	173	8	Unknown	Unknown
⏪	AMD Athlon 64 2600+	1	243	292	15	Unknown	Unknown
⏪	AMD Athlon 64 2800+	1	295	375	89	754	Unknown
⏪	AMD Athlon 64 3000+	1	303	506	89	Socket 754	Desktop
⏪	AMD Athlon 64 3100+	1	484	600	89	754	Desktop
⏪	AMD Athlon 64 3200+	1	332	387	62	AM2	Unknown
⏪	AMD Athlon 64 3300+	1	375	477	NA	Unknown	Unknown
⏪	AMD Athlon 64 3400+	1	375	429	89	754	Unknown
⏪	AMD Athlon 64 3500+	1	366	432	45	AM2	Unknown
⏪	AMD Athlon 64 3700+	1	394	435	89	939	Desktop
⏪	AMD Athlon 64 3800+	1	292	461	45	AM2	Unknown
⏪	AMD Athlon 64 4000+	1	321	348	62	AM2	Unknown
⏪	AMD Athlon 64 FX-55	1	404	505	104	939	Desktop
⏪	AMD Athlon 64 FX-57	1	517	552	104	939	Desktop
⏪	AMD Athlon 64 FX-59	1	465	575	NA	939	Desktop
⏪	AMD Athlon 64 FX-60 Dual Core	2	709	912	110	939	Desktop
⏪	AMD Athlon 64 FX-62 Dual Core	2	943	1,000	125	AM2	Desktop
⏪	AMD Athlon 64 FX-74	2	972	617	125	F (1207)	Desktop
⏪	AMD Athlon 64 X2 3800+	2	566	745	89	939	Desktop
⏪	AMD Athlon 64 X2 Dual Core 3400+	2	531	505	89	754	Desktop
⏪	AMD Athlon 64 X2 Dual Core 3600+	2	660	720	65	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 3800+	2	627	729	89	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 4000+	2	632	710	65	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 4200+	2	653	779	89	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 4400+	2	668	777	65	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 4600+	2	716	848	65	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 4800+	2	704	879	65	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 5000+	2	762	880	65	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 5200+	2	793	901	65	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 5400+	2	876	995	65	AM2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	AMD Athlon 64 X2 Dual Core 5600+	2	883	1,011	89	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 5800+	2	797	1,008	89	Unknown	Desktop
⏪	AMD Athlon 64 X2 Dual Core 6000+	2	925	1,038	89	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core 6400+	2	967	1,142	125	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core BE-2300	2	594	624	45	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core BE-2350	2	573	674	45	AM2	Desktop
⏪	AMD Athlon 64 X2 Dual Core TK-53	2	463	542	31	Unknown	Unknown
⏪	AMD Athlon 64 X2 Dual Core TK-55	2	463	624	31	Unknown	Unknown
⏪	AMD Athlon 64 X2 Dual-Core TK-42	2	577	537	20	Unknown	Unknown
⏪	AMD Athlon 64 X2 Dual-Core TK-53	2	502	593	31	Unknown	Unknown
⏪	AMD Athlon 64 X2 Dual-Core TK-55	2	525	613	35	Unknown	Unknown
⏪	AMD Athlon 64 X2 Dual-Core TK-57	2	620	681	31	Unknown	Unknown
⏪	AMD Athlon 64 X2 QL-60	2	465	557	35	S1	Laptop
⏪	AMD Athlon 64 X2 QL-62	2	522	665	35	S1	Laptop
⏪	AMD Athlon 64 X2 QL-64	2	621	726	35	S1	Laptop
⏪	AMD Athlon 64 X2 QL-65	2	609	653	35	S1	Laptop
⏪	AMD Athlon 64 X2 QL-66	2	641	751	35	S1	Laptop
⏪	AMD Athlon 64 X2 QL-67	2	582	515	35	S1	Laptop
⏪	AMD Athlon 7450 Dual-Core	2	789	853	95	AM2+	Desktop
⏪	AMD Athlon 7550 Dual-Core	2	859	919	95	AM2+	Desktop
⏪	AMD Athlon 7750 Dual-Core	2	916	998	95	AM2+	Desktop
⏪	AMD Athlon 7850 Dual-Core	2	956	1,065	95	AM2+	Desktop
⏪	AMD Athlon Dual Core 4050e	2	559	715	45	AM2	Desktop
⏪	AMD Athlon Dual Core 4450B	2	643	756	45	AM2+	Desktop
⏪	AMD Athlon Dual Core 4450e	2	721	831	45	AM2	Desktop
⏪	AMD Athlon Dual Core 4850B	2	727	887	45	AM2+	Desktop
⏪	AMD Athlon Dual Core 4850e	2	735	879	45	AM2	Desktop
⏪	AMD Athlon Dual Core 5000B	2	835	935	65	AM2	Desktop
⏪	AMD Athlon Dual Core 5050e	2	759	902	45	AM2	Desktop
⏪	AMD Athlon Dual Core 5200B	2	796	953	65	AM2	Desktop
⏪	AMD Athlon Dual Core 5400B	2	826	969	65	AM2	Desktop
⏪	AMD Athlon Dual Core 5600B	2	737	1,003	65	AM2+	Desktop
⏪	AMD Athlon Gold 3150U	2	4,392	1,940	15	FP5	Laptop
⏪	AMD Athlon Gold PRO 3150G	4	7,702	2,321	65	AM4	Desktop
⏪	AMD Athlon Gold PRO 3150GE	4	7,578	2,257	35	AM4	Desktop
⏪	AMD Athlon II 160u	1	358	717	20	Unknown	Desktop
⏪	AMD Athlon II 170u	1	357	728	20	AM2+,AM3	Desktop
⏪	AMD Athlon II Dual-Core M300	2	610	732	35	Unknown	Unknown
⏪	AMD Athlon II Dual-Core M320	2	679	827	35	Unknown	Unknown
⏪	AMD Athlon II Dual-Core M340	2	676	774	35	Unknown	Unknown
⏪	AMD Athlon II N330 Dual-Core	2	665	813	35	Unknown	Unknown
⏪	AMD Athlon II N350 Dual-Core	2	767	945	35	Unknown	Unknown
⏪	AMD Athlon II N370 Dual-Core	2	899	913	35	S1g4	Unknown
⏪	AMD Athlon II Neo K125	1	302	613	12	S1	Laptop
⏪	AMD Athlon II Neo K145	1	298	592	12	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD Athlon II Neo K325 Dual-Core	2	343	438	12	Unknown	Laptop
☞	AMD Athlon II Neo K345 Dual-Core	2	527	552	12	Unknown	Laptop
☞	AMD Athlon II Neo N36L Dual-Core	2	436	491	12	Unknown	Laptop
☞	AMD Athlon II P320 Dual-Core	2	657	802	25	Unknown	Unknown
☞	AMD Athlon II P340 Dual-Core	2	687	843	25	S1g4	Unknown
☞	AMD Athlon II P360 Dual-Core	2	711	879	25	S1g4	Unknown
☞	AMD Athlon II X2 210e	2	1,105	1,105	45	AM3	Desktop
☞	AMD Athlon II X2 215	2	957	1,033	65	AM3	Desktop
☞	AMD Athlon II X2 220	2	995	1,093	65	AM3	Desktop
☞	AMD Athlon II X2 235e	2	1,040	1,102	45	AM3	Desktop
☞	AMD Athlon II X2 240	2	898	1,002	65	AM3	Desktop
☞	AMD Athlon II X2 240e	2	962	1,099	45	AM3	Desktop
☞	AMD Athlon II X2 245	2	1,049	1,144	65	AM2+/AM3	Desktop
☞	AMD Athlon II X2 245e	2	1,075	1,145	45	AM3	Desktop
☞	AMD Athlon II X2 250	2	1,059	1,140	65	AM3	Desktop
☞	AMD Athlon II X2 250e	2	1,046	1,153	45	AM3	Desktop
☞	AMD Athlon II X2 250u	2	604	632	25	AM3	Desktop
☞	AMD Athlon II X2 255	2	1,145	1,245	65	AM3	Desktop
☞	AMD Athlon II X2 260	2	1,090	1,251	65	AM3	Desktop
☞	AMD Athlon II X2 260u	2	663	703	25	AM3	Desktop
☞	AMD Athlon II X2 265	2	1,233	1,344	65	AM3	Desktop
☞	AMD Athlon II X2 270	2	1,238	1,353	65	AM3	Desktop
☞	AMD Athlon II X2 270u	2	675	791	25	AM3	Desktop
☞	AMD Athlon II X2 280	2	1,355	1,462	65	AM3	Unknown
☞	AMD Athlon II X2 4300e	2	990	1,074	13	Unknown	Unknown
☞	AMD Athlon II X2 4400e	2	1,059	1,121	37	Unknown	Unknown
☞	AMD Athlon II X2 4450e	2	867	1,066	45	AM2	Desktop
☞	AMD Athlon II X2 B22	2	1,000	1,112	65	AM3	Desktop
☞	AMD Athlon II X2 B24	2	1,035	1,192	65	AM3	Desktop
☞	AMD Athlon II X2 B26	2	1,245	1,315	65	Unknown	Unknown
☞	AMD Athlon II X2 B28	2	1,091	1,329	65	AM3	Desktop
☞	AMD Athlon II X3 400e	3	1,320	908	45	AM3	Desktop
☞	AMD Athlon II X3 405e	3	1,331	973	45	AM3	Desktop
☞	AMD Athlon II X3 415e	3	1,441	1,028	45	AM3	Desktop
☞	AMD Athlon II X3 420e	3	1,495	1,097	45	AM3	Desktop
☞	AMD Athlon II X3 425	3	1,547	1,109	95	AM3	Desktop
☞	AMD Athlon II X3 435	3	1,649	1,182	95	AM3	Desktop
☞	AMD Athlon II X3 440	3	1,692	1,227	95	AM3	Desktop
☞	AMD Athlon II X3 445	3	1,768	1,280	95	AM3	Desktop
☞	AMD Athlon II X3 450	3	1,756	1,287	95	AM3	Desktop
☞	AMD Athlon II X3 455	3	1,830	1,350	95	AM3	Desktop
☞	AMD Athlon II X3 460	3	1,890	1,384	95	AM3	Desktop
☞	AMD Athlon II X4 553	4	2,418	1,204	NA	Unknown	Unknown
☞	AMD Athlon II X4 555	4	2,310	1,242	NA	Unknown	Unknown
☞	AMD Athlon II X4 559	4	2,473	1,388	NA	Unknown	Unknown
☞	AMD Athlon II X4 600e	4	1,711	913	45	AM3	Desktop
☞	AMD Athlon II X4 605e	4	1,771	953	45	AM3	Desktop
☞	AMD Athlon II X4 610e	4	1,864	1,014	45	AM3	Desktop
☞	AMD Athlon II X4 615e	4	1,900	1,044	45	AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
⏪	AMD Athlon II X4 620	4	1,875	1,039	95	AM3	Desktop
⏪	AMD Athlon II X4 630	4	2,061	1,139	95	AM3	Desktop
⏪	AMD Athlon II X4 631 Quad-Core	4	2,072	1,118	100	FM1	Desktop
⏪	AMD Athlon II X4 635	4	2,010	1,119	95	AM3	Desktop
⏪	AMD Athlon II X4 638 Quad-Core	4	2,026	1,182	65	FM1	Desktop
⏪	AMD Athlon II X4 640	4	2,131	1,205	95	AM3	Desktop
⏪	AMD Athlon II X4 641 Quad-Core	4	2,143	1,192	100	FM1	Desktop
⏪	AMD Athlon II X4 645	4	2,218	1,253	95	AM3	Desktop
⏪	AMD Athlon II X4 650	4	2,390	1,327	95	Unknown	Unknown
⏪	AMD Athlon II X4 651 Quad-Core	4	2,338	1,296	100	FM1	Unknown
⏪	AMD Athlon II X4 655	4	2,078	1,473	95	AM2+ (940-pin)	Unknown
⏪	AMD Athlon L110	1	197	223	13	Unknown	Unknown
⏪	AMD Athlon LE-1600	1	412	430	45	AM2	Desktop
⏪	AMD Athlon LE-1620	1	421	475	45	AM2	Desktop
⏪	AMD Athlon LE-1640	1	430	489	45	AM2	Desktop
⏪	AMD Athlon LE-1660	1	416	428	45	AM2	Desktop
⏪	AMD Athlon Neo MV-40	1	282	385	15	Unknown	Unknown
⏪	AMD Athlon Neo X2 Dual Core 6850e	2	456	566	22	Unknown	Unknown
⏪	AMD Athlon Neo X2 Dual Core L325	2	476	527	18	Unknown	Unknown
⏪	AMD Athlon Neo X2 Dual Core L335	2	487	547	18	Unknown	Unknown
⏪	AMD Athlon PRO 200GE	2	4,139	1,821	35	AM4	Desktop
⏪	AMD Athlon PRO 300GE	2	4,337	1,840	35	AM4	Desktop
⏪	AMD Athlon Silver 3050e	2	2,897	1,459	6	Unknown	Laptop
⏪	AMD Athlon Silver 3050GE	2	4,545	2,016	35	AM4	Laptop
⏪	AMD Athlon Silver 3050U	2	3,197	1,763	15	FP5	Laptop
⏪	AMD Athlon Silver PRO 3125GE	2	4,701	2,067	35	AM4	Desktop
⏪	AMD Athlon TF-20	1	268	269	15	Unknown	Unknown
⏪	AMD Athlon TF-36	1	338	349	25	Unknown	Unknown
⏪	AMD Athlon X2 215	2	996	1,107	65	Unknown	Unknown
⏪	AMD Athlon X2 240	2	921	1,017	65	Unknown	Unknown
⏪	AMD Athlon X2 240e	2	1,015	1,092	45	Unknown	Unknown
⏪	AMD Athlon X2 250	2	993	1,132	65	Unknown	Unknown
⏪	AMD Athlon X2 255	2	938	1,095	65	AM2+/AM3	Unknown
⏪	AMD Athlon X2 280	2	1,327	1,258	65	AM3	Unknown
⏪	AMD Athlon X2 340 Dual Core	2	1,319	1,312	65	Unknown	Unknown
⏪	AMD Athlon X2 370K Dual Core	1	1,504	1,514	65	Unknown	Unknown
⏪	AMD Athlon X2 Dual Core 3250e	2	357	458	22	Unknown	Unknown
⏪	AMD Athlon X2 Dual Core 6850e	2	564	623	22	Unknown	Unknown
⏪	AMD Athlon X2 Dual Core BE-2300	2	570	644	45	AM2	Desktop
⏪	AMD Athlon X2 Dual Core BE-2350	2	591	705	45	AM2	Desktop
⏪	AMD Athlon X2 Dual Core BE-2400	2	688	693	18	FT1	Desktop
⏪	AMD Athlon X2 Dual Core L310	2	379	434	13	S1	Laptop
⏪	AMD Athlon X3 425	3	1,516	845	95	Unknown	Unknown
⏪	AMD Athlon X3 435	3	1,781	1,192	95	Unknown	Unknown
⏪	AMD Athlon X3 440	3	1,438	1,129	95	Unknown	Unknown
⏪	AMD Athlon X3 455	3	1,783	1,227	95	AM2+/AM3	Unknown
⏪	AMD Athlon X4 530	4	1,786	690	25	AM1	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD Athlon X4 620	4	1,612	978	95	Unknown	Unknown
☞	AMD Athlon X4 640	4	2,115	1,224	95	Unknown	Unknown
☞	AMD Athlon X4 740 Quad Core	2	2,680	1,357	65	FM2	Desktop
☞	AMD Athlon X4 750 Quad Core	4	1,986	1,338	65	FM2	Desktop
☞	AMD Athlon X4 750K Quad Core	2	2,786	1,453	100	FM2	Unknown
☞	AMD Athlon X4 760K Quad Core	2	2,927	1,512	100	FM2	Desktop
☞	AMD Athlon X4 830	2	2,901	1,292	65	FM2+	Desktop
☞	AMD Athlon X4 840	2	3,305	1,493	65	FM2+	Desktop
☞	AMD Athlon X4 845	2	3,745	1,665	65	FM2+	Desktop
☞	AMD Athlon X4 860K	2	3,456	1,541	95	FM2+	Desktop
☞	AMD Athlon X4 870K	2	3,425	1,562	95	FM2+	Desktop
☞	AMD Athlon X4 880K	2	3,618	1,612	95	FM2+	Desktop
☞	AMD Athlon X4 950	4	3,628	1,654	65	AM4	Desktop
☞	AMD Athlon XP 1500+	1	167	251	NA	Unknown	Unknown
☞	AMD Athlon XP 1600+	1	174	265	NA	Unknown	Unknown
☞	AMD Athlon XP 1700+	1	176	272	64	Socket A (462)	Desktop
☞	AMD Athlon XP 1800+	1	195	301	66	Socket A	Desktop
☞	AMD Athlon XP 1900+	1	203	312	NA	Unknown	Unknown
☞	AMD Athlon XP 2000+	1	195	311	70	Socket A	Desktop
☞	AMD Athlon XP 2100+	1	210	327	NA	Unknown	Unknown
☞	AMD Athlon XP 2200+	1	214	335	NA	Unknown	Unknown
☞	AMD Athlon XP 2400+	1	234	375	NA	Unknown	Unknown
☞	AMD Athlon XP 2500+	1	231	353	NA	Unknown	Unknown
☞	AMD Athlon XP 2600+	1	242	380	NA	Unknown	Unknown
☞	AMD Athlon XP 2700+	1	256	398	NA	Unknown	Unknown
☞	AMD Athlon XP 2800+	1	260	408	89	754	Unknown
☞	AMD Athlon XP 2900+	1	276	410	NA	Unknown	Unknown
☞	AMD Athlon XP 3000+	1	262	396	62	Socket A	Desktop
☞	AMD Athlon XP 3100+	1	282	431	NA	Unknown	Unknown
☞	AMD Athlon XP 3200+	1	281	430	62	AM2	Unknown
☞	AMD Athlon XP1600+	1	183	272	NA	Unknown	Unknown
☞	AMD Athlon XP2400+	1	243	390	NA	Unknown	Unknown
☞	AMD Athlon64 X2 Dual Core 4600+	2	803	755	110	AM2	Desktop
☞	AMD C-30	1	178	375	9	FT1	Laptop
☞	AMD C-50	2	260	314	9	FT1	Laptop
☞	AMD C-60	2	290	354	9	Unknown	Unknown
☞	AMD C-60 APU	2	317	363	9	Unknown	Unknown
☞	AMD C-70 APU	2	300	354	9	Unknown	Unknown
☞	AMD E-240	1	188	450	18	FT1	Laptop
☞	AMD E-300 APU	2	362	409	18	FT1	Laptop
☞	AMD E-350	2	413	495	18	FT1	Desktop, Laptop
☞	AMD E-350 APU	2	401	482	18	FT1 BGA	Desktop, Laptop
☞	AMD E-350D APU	2	465	519	18	Unknown	Unknown
☞	AMD E-450 APU	2	422	501	18	FT1	Laptop
☞	AMD E1 Micro-6200T APU	2	600	498	3.95	FT3b	Laptop
☞	AMD E1-1200 APU	2	378	428	18	FT1	Laptop
☞	AMD E1-1500 APU	2	393	458	18	FT1	Laptop
☞	AMD E1-2100 APU	2	407	328	9	FT3	Laptop
☞	AMD E1-2200 APU	2	474	368	9	FT3	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD E1-2500 APU	2	590	459	15	FT3	Laptop
☞	AMD E1-6010 APU	2	544	429	10	FT3b	Laptop
☞	AMD E1-6015 APU	2	547	452	NA	BGA769 (FT3b)	Laptop
☞	AMD E1-6050J APU	2	1,385	787	10	Unknown	Unknown
☞	AMD E1-7010 APU	2	577	491	10	BGA769 (FT3b)	Laptop
☞	AMD E2-1800 APU	2	459	544	18	FT1	Desktop
☞	AMD E2-2000 APU	2	488	550	18	BGA413,FT1	Laptop
☞	AMD E2-3000 APU	2	726	547	15	FT3	Laptop
☞	AMD E2-3000M APU	2	659	735	35	FS1	Laptop
☞	AMD E2-3200 APU	2	971	971	65	FM1	Desktop
☞	AMD E2-3800 APU	4	1,103	445	15	FT3	Laptop
☞	AMD E2-6110 APU	4	1,164	479	15	AM1,FT3b	Laptop
☞	AMD E2-7110 APU	4	1,539	617	15	FP4 BGA	Laptop
☞	AMD E2-9000	2	911	773	10	Unknown	Laptop
☞	AMD E2-9000e	2	813	713	6	Unknown	Laptop
☞	AMD E2-9010	2	991	871	15	FP4	Laptop
☞	AMD E2-9030	2	922	906	NA	BGA (FT4)	Desktop
☞	AMD Embedded G-Series GX-215JJ Radeon R2E	2	1,057	869	10	FP4	Laptop, Mobile/Embedded
☞	AMD Embedded G-Series GX-224JJ Radeon R4E	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
☞	AMD Embedded G-Series GX-420GI Radeon R7E	4	1,593	844	16.1	FP4	Laptop, Mobile/Embedded
☞	AMD Embedded R-Series RX-216GD	2	1,628	1,313	15	BGA (FP4)	Laptop, Mobile/Embedded
☞	AMD Embedded R-Series RX-418GD Radeon R6	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded
☞	AMD Embedded R-Series RX-421BD	4	3,302	1,477	35	BGA (FP4)	Laptop, Mobile/Embedded
☞	AMD EPYC 3201	8	10,762	1,945	30	SP4r2	Server
☞	AMD EPYC 3251	8	14,072	1,831	50	SP4r2	Server
☞	AMD EPYC 7232P	8	16,658	1,354	120	SP3	Server
☞	AMD EPYC 7251	8	14,865	1,612	120	SP3	Server
☞	AMD EPYC 7252	8	19,965	2,110	120	SP3	Server
☞	AMD EPYC 7262	8	20,952	1,935	155	SP3	Server
☞	AMD EPYC 7272	12	26,446	2,013	120	SP3	Server
☞	AMD EPYC 7281	16	21,230	1,613	155	SP3	Server
☞	AMD EPYC 7282	16	31,510	2,006	120	SP3	Server
☞	AMD EPYC 7301	16	14,991	1,363	155	SP3	Server
☞	AMD EPYC 7302	16	32,198	1,932	155	SP3	Server
☞	AMD EPYC 7302P	16	32,480	1,878	155	SP3	Server
☞	AMD EPYC 7313P	16	42,800	2,805	155	SP3	Server
☞	AMD EPYC 7343	16	45,882	2,947	190	SP3	Server
☞	AMD EPYC 7351	16	23,566	1,821	155	SP3	Server
☞	AMD EPYC 7351P	16	19,589	1,876	155	SP3	Server
☞	AMD EPYC 7371	16	28,356	2,419	NA	SP3	Server
☞	AMD EPYC 73F3	16	33,124	1,219	240	SP3	Server
☞	AMD EPYC 7401P	24	30,643	1,830	155	SP3	Server
☞	AMD EPYC 7402	24	45,684	2,090	180	SP3	Server
☞	AMD EPYC 7402P	24	40,754	1,830	180	SP3	Server
☞	AMD EPYC 7413	24	47,603	2,049	180	SP3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD EPYC 7443P	24	59,870	3,016	200	SP3	Server
☞	AMD EPYC 7451	24	20,471	1,975	180	SP3	Server
☞	AMD EPYC 7452	32	42,149	1,778	155	SP3	Server
☞	AMD EPYC 7501	32	24,925	1,925	155	SP3	Server
☞	AMD EPYC 7502	32	53,591	2,116	180	SP3	Server
☞	AMD EPYC 7502P	32	46,180	1,777	180	SP3	Server
☞	AMD EPYC 7513	32	59,309	2,465	200	SP3	Server
☞	AMD EPYC 7542	32	56,809	2,206	225	SP3	Server
☞	AMD EPYC 7551	32	21,806	1,813	180	SP3	Server
☞	AMD EPYC 7551P	32	25,933	1,611	180	SP3	Server
☞	AMD EPYC 7571	32	27,445	1,934	120	SP3	Server
☞	AMD EPYC 7643	48	77,101	2,713	225	SP3	Server
☞	AMD EPYC 7662	64	71,576	2,054	225	SP3	Server
☞	AMD EPYC 7702	64	71,686	2,098	200	SP3	Server
☞	AMD EPYC 7702P	64	57,321	2,151	200	SP3	Server
☞	AMD EPYC 7713	64	85,792	2,738	225	SP3	Server
☞	AMD EPYC 7742	64	64,071	2,220	225	SP3	Server
☞	AMD EPYC 7763	64	87,767	2,639	280	SP3	Server
☞	AMD EPYC 7F32	8	22,303	2,447	180	SP3	Server
☞	AMD EPYC 7F52	16	40,468	2,439	240	SP3	Server
☞	AMD EPYC 7J13	64	85,476	2,383	NA	Unknown	Server
☞	AMD EPYC 7R32	48	63,037	1,863	NA	Unknown	Server
☞	AMD FirePro A320 APU	4	2,634	1,482	100	FM2	Desktop
☞	AMD FX-4100 Quad-Core	2	2,557	1,285	95	AM3+	Desktop
☞	AMD FX-4130 Quad-Core	2	2,698	1,358	125	AM3+	Desktop
☞	AMD FX-4150 Quad-Core	4	3,327	1,465	125	AM3+	Desktop
☞	AMD FX-4170 Quad-Core	2	3,121	1,501	125	AM3+	Desktop
☞	AMD FX-4200 Quad-Core	4	3,134	1,285	125	AM3+	Desktop
☞	AMD FX-4300 Quad-Core	2	2,944	1,491	95	AM3+	Desktop
☞	AMD FX-4320	2	3,167	1,548	95	AM3+	Desktop
☞	AMD FX-4330	2	3,248	1,563	95	AM3+	Desktop
☞	AMD FX-4350 Quad-Core	2	3,271	1,611	125	AM3+	Desktop
☞	AMD FX-6100 Six-Core	3	3,653	1,305	95	AM3+	Desktop
☞	AMD FX-6120 Six-Core	3	3,886	1,427	95	AM3+	Desktop
☞	AMD FX-6130 Six-Core	3	4,353	1,390	125	AM3+	Desktop
☞	AMD FX-6200 Six-Core	3	4,005	1,375	125	AM3+	Desktop
☞	AMD FX-6300 Six-Core	3	4,130	1,483	95	AM3+	Desktop
☞	AMD FX-6330 Six-Core	3	4,455	1,540	95	AM3+	Desktop
☞	AMD FX-6350 Six-Core	3	4,488	1,556	125	AM3+	Desktop
☞	AMD FX-670K Quad-Core	2	2,969	1,578	65	FM2	Desktop
☞	AMD FX-7500 APU	4	1,798	887	19	FP3	Laptop
☞	AMD FX-7600P	4	2,306	1,129	35	FP3	Laptop
☞	AMD FX-7600P APU	4	2,856	1,436	35	FP3	Laptop
☞	AMD FX-770K Quad-Core	2	2,578	1,413	65	FM2+	Desktop
☞	AMD FX-8100 Eight-Core	4	3,847	1,094	95	AM3+	Desktop
☞	AMD FX-8120 Eight-Core	4	4,537	1,324	125	AM3+	Desktop
☞	AMD FX-8140 Eight-Core	4	4,953	1,336	95	AM3+	Desktop
☞	AMD FX-8150 Eight-Core	4	5,050	1,392	125	AM3+	Desktop
☞	AMD FX-8300 Eight-Core	4	5,266	1,484	95	AM3+	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD FX-8310 Eight-Core	4	5,206	1,445	95	AM3+	Desktop
☞	AMD FX-8320 Eight-Core	4	5,399	1,472	125	AM3+	Desktop
☞	AMD FX-8320E Eight-Core	4	4,977	1,410	95	AM3+	Desktop
☞	AMD FX-8350 Eight-Core	4	5,939	1,572	125	AM3+	Desktop
☞	AMD FX-8370 Eight-Core	4	6,123	1,630	125	AM3+	Desktop
☞	AMD FX-8370E Eight-Core	4	5,226	1,473	95	AM3+	Desktop
☞	AMD FX-870K Quad Core	2	3,094	1,369	NA	Unknown	Unknown
☞	AMD FX-8800P	2	2,768	1,333	35	FP4	Laptop
☞	AMD FX-9370 Eight-Core	4	6,029	1,681	220	AM3+	Desktop
☞	AMD FX-9590 Eight-Core	4	6,756	1,840	220	AM3+	Desktop
☞	AMD FX-9800P	4	2,231	1,105	15	Unknown	Laptop
☞	AMD FX-9830P	4	3,111	1,502	35	FP4	Laptop
☞	AMD FX-B4150 Quad-Core	2	3,369	1,425	95	AM3+	Desktop
☞	AMD G-T40E	2	263	300	6.4	FT1	Laptop
☞	AMD G-T40R	1	120	327	5.5	FT1	Laptop
☞	AMD G-T44R	1	130	328	9	FT1	Laptop
☞	AMD G-T48E	2	416	454	18	FT1	Laptop
☞	AMD G-T52R	1	177	381	18	FT1	Laptop
☞	AMD G-T56E	2	442	522	18	FT1	Laptop
☞	AMD G-T56N	2	460	530	18	FT1	Laptop
☞	AMD Geode NX 2400+	1	400	634	NA	Unknown	Unknown
☞	AMD GX-210JA SOC	2	248	231	6	FT3 (769-BGA)	Laptop
☞	AMD GX-212JC SOC	2	570	436	6	FT3b	Laptop
☞	AMD GX-217GA SOC	2	744	562	15	FT3 (769-BGA)	Laptop
☞	AMD GX-218GL SOC	2	754	627	15	BGA769 (FT3b)	Laptop
☞	AMD GX-222GC SOC	2	1,038	819	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
☞	AMD GX-412HC	4	1,040	411	7	FT3b	Laptop
☞	AMD GX-415GA SOC	4	1,363	518	15	FT3 (769-BGA)	Laptop
☞	AMD GX-420CA SOC	4	1,597	622	25	FT3 (769-BGA)	Laptop
☞	AMD GX-420MC SOC	4	1,796	695	17.5	FTB3b	Laptop
☞	AMD GX-424CC SOC	4	1,731	787	25	FT3b	Laptop
☞	AMD Opteron 1212	2	593	729	103	AM2	Server
☞	AMD Opteron 1214	2	696	830	103	AM2	Server
☞	AMD Opteron 1214 HE	2	806	811	65	AM2	Server
☞	AMD Opteron 1216	2	781	810	103	AM2	Server
☞	AMD Opteron 1216 HE	2	727	847	65	AM2	Server
☞	AMD Opteron 1218	2	910	962	103	AM2	Server
☞	AMD Opteron 1220	2	1,036	1,077	103	AM2	Server
☞	AMD Opteron 1222	2	1,089	1,128	103	AM2	Server
☞	AMD Opteron 1352	4	1,464	849	75	AM2	Server
☞	AMD Opteron 1354	4	1,620	864	75	AM2	Server
☞	AMD Opteron 1356	4	1,703	918	75	AM2	Server
☞	AMD Opteron 1381	4	1,797	1,011	75	AM3	Server
☞	AMD Opteron 1385	4	1,898	1,035	115	AM2+,AM3	Server
☞	AMD Opteron 1389	4	2,079	1,102	75	AM2	Server
☞	AMD Opteron 144	1	316	376	67	939	Server
☞	AMD Opteron 146	1	346	400	67	939	Server
☞	AMD Opteron 148	1	392	443	85.3	939	Server
☞	AMD Opteron 150	1	393	471	85.3	939	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD Opteron 152	1	428	487	104	939	Server
☞	AMD Opteron 154	1	457	534	104	939	Server
☞	AMD Opteron 165	2	531	638	110	939	Server
☞	AMD Opteron 170	2	648	715	110	939	Server
☞	AMD Opteron 175	2	682	773	110	939	Server
☞	AMD Opteron 180	2	746	874	110	939	Server
☞	AMD Opteron 185	2	695	884	110	939	Server
☞	AMD Opteron 2218	2	1,036	491	95	F (1207)	Server
☞	AMD Opteron 2220	2	1,106	553	95	F (1207)	Server
☞	AMD Opteron 2220 SE	2	909	519	119	F (1207)	Server
☞	AMD Opteron 2222	2	1,198	618	95	F (1207)	Server
☞	AMD Opteron 2354	4	1,509	857	115	F (1207)	Server
☞	AMD Opteron 2356	4	1,733	849	75	F (1207)	Server
☞	AMD Opteron 2373 EE	4	1,635	814	60	F (1207)	Server
☞	AMD Opteron 2378	4	1,864	936	75	F (1207)	Server
☞	AMD Opteron 2384	4	2,074	1,074	75	F (1207)	Server
☞	AMD Opteron 2393 SE	2	1,317	1,237	105	F (1207)	Server
☞	AMD Opteron 2419 EE	6	1,902	396	60	F (1207)	Server
☞	AMD Opteron 2427	6	1,995	386	75	F (1207)	Server
☞	AMD Opteron 2431	6	2,936	570	75	F (1207)	Server
☞	AMD Opteron 2435	6	3,061	593	75	F (1207)	Server
☞	AMD Opteron 254	1	451	578	68	940	Server
☞	AMD Opteron 270	2	761	411	95	940	Server
☞	AMD Opteron 275	2	839	445	95	940	Server
☞	AMD Opteron 280	2	765	430	95	940	Server
☞	AMD Opteron 285	2	956	509	95	940	Server
☞	AMD Opteron 290	2	952	570	95	940	Server
☞	AMD Opteron 3250 HE	2	2,061	1,003	45	AM3+	Server
☞	AMD Opteron 3260 HE	2	2,283	900	45	AM3+	Server
☞	AMD Opteron 3280	8	3,720	1,043	65	AM3+	Server
☞	AMD Opteron 3320 EE	2	1,918	838	25	AM3+	Server
☞	AMD Opteron 3350 HE	4	2,825	1,362	45	Unknown	Server
☞	AMD Opteron 3365	4	3,973	1,107	65	AM3+	Server
☞	AMD Opteron 3380	8	4,134	1,107	65	Unknown	Server
☞	AMD Opteron 4162 EE	6	2,058	382	35	F (1207)	Server
☞	AMD Opteron 4170 HE	6	2,382	476	65	C32	Server
☞	AMD Opteron 4184	6	2,872	630	95	C32	Server
☞	AMD Opteron 4274 HE	4	5,776	1,060	65	C32	Server
☞	AMD Opteron 4280	4	4,504	1,141	95	Socket C32	Server
☞	AMD Opteron 4284	4	4,665	1,181	95	Socket C32	Server
☞	AMD Opteron 4332 HE	6	3,715	1,346	65	Socket C32	Server
☞	AMD Opteron 4334	3	3,949	1,269	95	Socket C32	Server
☞	AMD Opteron 4365 EE	4	3,263	933	40	Socket C32	Server
☞	AMD Opteron 4386	4	4,378	1,012	95	C32	Server
☞	AMD Opteron 6128	8	2,826	447	115	G34	Server
☞	AMD Opteron 6128 HE	8	3,015	827	85	Socket G34	Server
☞	AMD Opteron 6136	8	3,381	549	115	Socket G34	Server
☞	AMD Opteron 6164 HE	12	3,478	399	85	Socket G34	Server
☞	AMD Opteron 6172	12	2,789	432	115	G34	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD Opteron 6174	12	3,697	488	115	Socket G34	Server
☞	AMD Opteron 6176 SE	12	3,564	507	140	G34	Server
☞	AMD Opteron 6212	4	4,007	1,085	115	Socket G34	Server
☞	AMD Opteron 6220	4	4,753	1,203	115	Socket G34	Server
☞	AMD Opteron 6234	6	4,072	547	115	G34	Server
☞	AMD Opteron 6238	6	5,625	1,157	115	Socket G34	Server
☞	AMD Opteron 6272	8	5,146	737	115	G34	Server
☞	AMD Opteron 6274	8	5,286	849	115	G34	Server
☞	AMD Opteron 6276	8	6,351	1,122	115	Socket G34	Server
☞	AMD Opteron 6281	8	7,279	1,129	NA	Socket G34	Server
☞	AMD Opteron 6282 SE	16	6,385	953	140	Unknown	Server
☞	AMD Opteron 6287 SE	16	6,925	1,091	NA	G34	Server
☞	AMD Opteron 6328	4	5,246	1,433	115	G34	Server
☞	AMD Opteron 6344	6	6,069	1,231	115	Unknown	Server
☞	AMD Opteron 6348	6	8,030	1,302	115	Unknown	Server
☞	AMD Opteron 6366 HE	8	4,858	793	85	Unknown	Server
☞	AMD Opteron 6376	8	5,572	1,165	115	Socket G34	Server
☞	AMD Opteron 6378	8	5,889	1,127	115	G34	Server
☞	AMD Opteron 6380	8	7,336	1,237	115	G34	Server
☞	AMD Opteron 6386 SE	16	7,017	1,262	140	Socket G34	Server
☞	AMD Opteron 8439 SE	6	2,479	590	105	F (1207)	Server
☞	AMD Opteron X2170 APU	4	1,911	832	25	FT3	Server
☞	AMD Opteron X3216 APU	2	1,556	1,289	15	Unknown	Server
☞	AMD Opteron X3418 APU	4	3,074	1,433	25	Unknown	Server
☞	AMD Opteron X3421 APU	4	3,289	1,476	35	Unknown	Server
☞	AMD Phenom 8250 Triple-Core	3	1,114	752	65	Unknown	Desktop
☞	AMD Phenom 8250e Triple-Core	3	1,084	729	65	940	Desktop
☞	AMD Phenom 8400 Triple-Core	3	1,085	840	95	AM2+	Desktop
☞	AMD Phenom 8450 Triple-Core	3	1,153	813	95	AM2+	Desktop
☞	AMD Phenom 8450e Triple-Core	3	1,134	781	65	AM2+	Desktop
☞	AMD Phenom 8600 Triple-Core	3	1,210	898	95	AM2+	Desktop
☞	AMD Phenom 8600B Triple-Core	3	1,390	957	95	AM2+	Desktop
☞	AMD Phenom 8650 Triple-Core	3	1,205	854	95	AM2+	Desktop
☞	AMD Phenom 8750 Triple-Core	3	1,343	974	95	AM2+	Desktop
☞	AMD Phenom 8750B Triple-Core	3	1,188	901	95	AM2+	Desktop
☞	AMD Phenom 8850 Triple-Core	3	1,142	982	95	AM2+	Desktop
☞	AMD Phenom 8850B Triple-Core	3	1,281	972	95	Unknown	Desktop
☞	AMD Phenom 9100e Quad-Core	4	1,279	734	65	AM2+	Desktop
☞	AMD Phenom 9150e Quad-Core	4	1,267	702	65	AM2+	Desktop
☞	AMD Phenom 9350e Quad-Core	4	1,501	792	65	AM2+	Desktop
☞	AMD Phenom 9450e Quad-Core	4	1,455	841	65	AM2+	Desktop
☞	AMD Phenom 9500 Quad-Core	4	1,480	835	95	AM2+	Desktop
☞	AMD Phenom 9550 Quad-Core	4	1,605	863	95	AM2+	Desktop
☞	AMD Phenom 9600 Quad-Core	4	1,549	886	95	AM2+	Desktop
☞	AMD Phenom 9600B Quad-Core	4	1,663	924	95	AM2+	Desktop
☞	AMD Phenom 9650 Quad-Core	4	1,694	923	95	AM2+	Desktop
☞	AMD Phenom 9750 Quad-Core	4	1,796	942	125	AM2+	Desktop
☞	AMD Phenom 9750B Quad-Core	4	1,520	913	95	AM2+	Desktop
☞	AMD Phenom 9850 Quad-Core	4	1,721	948	125	AM2+	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD Phenom 9850B Quad-Core	4	1,946	992	95	Unknown	Unknown
☞	AMD Phenom 9950 Quad-Core	4	1,843	1,033	125	AM2+	Desktop
☞	AMD Phenom FX-5000 Quad-Core	4	1,599	826	65	AM2+	Unknown
☞	AMD Phenom FX-5200 Quad-Core	4	1,699	919	65	AM3	Unknown
☞	AMD Phenom II N620 Dual-Core	2	990	1,069	35	S1	Laptop
☞	AMD Phenom II N640 Dual-Core	2	965	1,039	35	S1	Laptop
☞	AMD Phenom II N660 Dual-Core	2	1,065	1,167	35	S1	Laptop
☞	AMD Phenom II N830 3+1	4	1,768	935	35	S1	Laptop
☞	AMD Phenom II N830 Triple-Core	3	1,137	798	35	S1	Laptop
☞	AMD Phenom II N850 Triple-Core	3	1,238	878	35	S1	Laptop
☞	AMD Phenom II N870 Triple-Core	3	1,139	858	35	S1	Laptop
☞	AMD Phenom II N930 Quad-Core	4	1,540	827	35	S1	Laptop
☞	AMD Phenom II N950 Quad-Core	4	1,637	883	35	S1	Laptop
☞	AMD Phenom II N970 Quad-Core	4	1,625	902	35	S1	Laptop
☞	AMD Phenom II P650 Dual-Core	2	933	985	35	S1	Laptop
☞	AMD Phenom II P820 Triple-Core	3	1,068	717	25	S1	Laptop
☞	AMD Phenom II P840 Triple-Core	3	1,124	790	35	S1	Laptop
☞	AMD Phenom II P860 Triple-Core	3	1,183	842	35	S1	Laptop
☞	AMD Phenom II P920 Quad-Core	4	1,160	598	25	S1	Laptop
☞	AMD Phenom II P940 Quad-Core	4	1,319	679	35	S1	Laptop
☞	AMD Phenom II P960 Quad-Core	4	1,394	736	35	S1	Laptop
☞	AMD Phenom II X2 511	2	1,163	1,253	65	AM2+/AM3	Unknown
☞	AMD Phenom II X2 521	2	1,279	1,366	65	AM2+/AM3	Unknown
☞	AMD Phenom II X2 545	2	1,204	1,220	80	AM2+/AM3	Desktop
☞	AMD Phenom II X2 550	2	1,148	1,237	80	AM2+/AM3	Desktop
☞	AMD Phenom II X2 555	2	1,294	1,320	80	AM2+/AM3	Desktop
☞	AMD Phenom II X2 560	2	1,328	1,356	80	AM2+/AM3	Unknown
☞	AMD Phenom II X2 565	2	1,389	1,410	80	AM2+/AM3	Desktop
☞	AMD Phenom II X2 570	2	1,360	1,408	80	AM3	Desktop
☞	AMD Phenom II X2 B53	2	1,123	1,169	80	AM3	Desktop
☞	AMD Phenom II X2 B55	2	1,151	1,244	80	AM3	Desktop
☞	AMD Phenom II X2 B57	2	1,099	1,231	80	Unknown	Unknown
☞	AMD Phenom II X2 B59	2	1,337	1,387	80	AM2+/AM3	Unknown
☞	AMD Phenom II X3 700e	3	1,430	969	65	AM3	Desktop
☞	AMD Phenom II X3 705e	3	1,222	962	65	AM3	Desktop
☞	AMD Phenom II X3 710	3	1,499	1,066	95	AM3	Desktop
☞	AMD Phenom II X3 720	3	1,573	1,121	95	AM3	Desktop
☞	AMD Phenom II X3 740	3	1,424	982	95	Unknown	Unknown
☞	AMD Phenom II X3 B73	3	1,538	1,056	95	AM3	Desktop
☞	AMD Phenom II X3 B75	3	1,485	1,154	95	AM3	Desktop
☞	AMD Phenom II X3 B77	3	1,844	1,310	95	AM2+/AM3	Unknown
☞	AMD Phenom II X4 805	4	1,844	999	95	AM3	Desktop
☞	AMD Phenom II X4 810	4	1,688	964	95	AM3	Desktop
☞	AMD Phenom II X4 820	4	2,109	1,138	95	AM3	Desktop
☞	AMD Phenom II X4 830	4	1,903	1,041	95	AM2+/AM3	Unknown
☞	AMD Phenom II X4 840	4	2,353	1,306	95	AM2+/AM3	Desktop
☞	AMD Phenom II X4 840T	4	2,245	1,275	95	AM2+/AM3	Unknown
☞	AMD Phenom II X4 850	4	2,397	1,351	95	AM2+/AM3	Unknown
☞	AMD Phenom II X4 900e	4	1,505	917	65	AM3	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD Phenom II X4 905e	4	1,919	1,022	65	AM3	Desktop
☞	AMD Phenom II X4 910	4	1,699	973	95	AM3	Desktop
☞	AMD Phenom II X4 910e	4	2,016	1,077	65	AM3	Desktop
☞	AMD Phenom II X4 920	4	1,945	1,048	125	AM2+	Desktop
☞	AMD Phenom II X4 925	4	2,161	1,154	95	AM3	Desktop
☞	AMD Phenom II X4 940	4	2,219	1,207	125	AM2+	Desktop
☞	AMD Phenom II X4 945	4	2,233	1,229	125	AM3	Desktop
☞	AMD Phenom II X4 955	4	2,425	1,313	125	AM3	Desktop
☞	AMD Phenom II X4 960T	4	2,183	1,303	95	AM3	Desktop
☞	AMD Phenom II X4 965	4	2,516	1,364	125	AM3	Desktop
☞	AMD Phenom II X4 970	4	2,637	1,408	125	AM3	Unknown
☞	AMD Phenom II X4 973	4	2,204	1,180	NA	Unknown	Unknown
☞	AMD Phenom II X4 975	4	2,479	1,408	125	AM3	Unknown
☞	AMD Phenom II X4 977	4	2,377	1,368	95	Unknown	Unknown
☞	AMD Phenom II X4 980	4	2,829	1,521	125	AM3	Unknown
☞	AMD Phenom II X4 B05e	4	1,862	989	NA	Unknown	Unknown
☞	AMD Phenom II X4 B15e	4	1,825	1,069	NA	AM2+/AM3	Desktop
☞	AMD Phenom II X4 B25	4	2,108	1,040	NA	AM2+/AM3	Desktop
☞	AMD Phenom II X4 B35	4	2,341	1,215	NA	AM2+/AM3	Desktop
☞	AMD Phenom II X4 B40	4	2,238	1,231	NA	Unknown	Desktop
☞	AMD Phenom II X4 B45	4	2,190	1,249	NA	Unknown	Unknown
☞	AMD Phenom II X4 B50	4	2,237	1,268	NA	AM2+/AM3	Desktop
☞	AMD Phenom II X4 B55	4	2,366	1,302	NA	AM2+/AM3	Desktop
☞	AMD Phenom II X4 B60	4	2,357	1,304	NA	Unknown	Unknown
☞	AMD Phenom II X4 B65	4	2,576	1,357	NA	AM2+/AM3	Desktop
☞	AMD Phenom II X4 B70	4	2,303	1,209	65	AM2+ (938-pin)	Desktop
☞	AMD Phenom II X4 B93	4	2,104	1,141	95	AM3	Desktop
☞	AMD Phenom II X4 B95	4	2,254	1,236	95	AM3	Desktop
☞	AMD Phenom II X4 B97	4	2,467	1,326	95	AM2+/AM3	Desktop
☞	AMD Phenom II X4 B99	4	2,520	1,378	95	Unknown	Unknown
☞	AMD Phenom II X6 1035T	6	2,929	1,230	95	AM3	Desktop
☞	AMD Phenom II X6 1045T	6	2,992	1,281	95	AM3	Desktop
☞	AMD Phenom II X6 1055T	6	3,178	1,310	125	AM3	Desktop
☞	AMD Phenom II X6 1065T	6	3,244	1,346	95	AM3	Desktop
☞	AMD Phenom II X6 1075T	6	3,060	1,380	125	AM3	Desktop
☞	AMD Phenom II X6 1090T	6	3,609	1,455	125	AM3	Desktop
☞	AMD Phenom II X6 1100T	6	3,690	1,497	125	AM3	Desktop
☞	AMD Phenom II X6 1405T	6	3,335	1,247	95	AM2+,AM3	Desktop
☞	AMD Phenom II X620 Dual-Core	2	1,262	1,339	45	S1	Laptop
☞	AMD Phenom II X640 Dual-Core	2	1,165	1,142	45	S1	Unknown
☞	AMD Phenom II X920 Quad-Core	4	1,669	944	45	S1	Laptop
☞	AMD Phenom II X940 Quad-Core	4	1,797	785	45	S1	Laptop
☞	AMD Phenom X2 Dual-Core GE-5060	2	1,566	1,053	NA	Unknown	Unknown
☞	AMD Phenom X2 Dual-Core GE-6060	2	1,722	1,160	NA	Unknown	Unknown
☞	AMD Phenom X2 Dual-Core GE-7060	2	1,010	1,332	NA	Unknown	Unknown
☞	AMD Phenom X2 Dual-Core GP-7730	2	884	1,047	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD Phenom X3 8550	3	961	773	95	AM2/AM2+	Desktop
☞	AMD Phenom X4 Quad-Core GP-9500	4	1,297	711	95	AM2+	Desktop
☞	AMD Phenom X4 Quad-Core GP-9530	4	1,228	417	NA	AM2+ (940-pin)	Desktop
☞	AMD Phenom X4 Quad-Core GP-9600	4	1,649	764	95	AM2+	Desktop
☞	AMD Phenom X4 Quad-Core GP-9730	4	1,784	957	NA	AM2+ (940-pin)	Desktop
☞	AMD Phenom X4 Quad-Core GS-6560	4	1,063	282	NA	Unknown	Unknown
☞	AMD PRO A10-8700B	2	2,242	1,119	15	BGA (FP4)	Laptop
☞	AMD PRO A10-8730B	4	2,322	1,197	15	FP4	Laptop
☞	AMD PRO A10-8750B	2	2,824	1,248	65	FM2+	Desktop
☞	AMD PRO A10-8770	4	3,442	1,508	65	AM4	Desktop
☞	AMD PRO A10-8770E	4	3,117	1,430	35	AM4	Desktop
☞	AMD PRO A10-8850B	2	3,752	1,611	95	FM2+	Desktop
☞	AMD PRO A10-9700	2	3,583	1,647	65	AM4	Desktop
☞	AMD PRO A10-9700B	4	2,602	1,311	15	FP4	Laptop
☞	AMD PRO A10-9700E	2	3,103	1,441	35	AM4	Desktop
☞	AMD PRO A12-8800B	2	2,509	1,331	15	FP4	Laptop
☞	AMD PRO A12-8830B	4	2,392	1,192	15	BGA (FP4)	Laptop
☞	AMD PRO A12-8870	4	3,848	1,718	65	AM4	Desktop
☞	AMD PRO A12-8870E	4	3,014	1,593	35	AM4	Desktop
☞	AMD PRO A12-9800	4	3,852	1,770	65	AM4	Desktop
☞	AMD PRO A12-9800B	4	2,696	1,400	15	FP4	Laptop
☞	AMD PRO A12-9800E	4	3,186	1,561	35	AM4	Desktop
☞	AMD PRO A4-3350B APU	4	1,671	763	15	FT3b	Laptop
☞	AMD PRO A4-4350B	2	1,093	988	15	FT4	Laptop
☞	AMD PRO A4-8350B	1	1,733	1,523	65	FM2+	Desktop
☞	AMD PRO A6-7350B	2	1,679	1,535	15	FMA4	Laptop
☞	AMD PRO A6-8500B	2	1,704	1,365	15	FP4	Laptop
☞	AMD PRO A6-8530B	2	1,498	1,271	15	FP4	Laptop
☞	AMD PRO A6-8550B	1	1,885	1,623	65	FM2+	Desktop
☞	AMD PRO A6-8570	2	1,844	1,597	65	AM4	Desktop
☞	AMD PRO A6-8570E	2	1,489	1,216	35	Unknown	Desktop
☞	AMD PRO A6-9500	2	1,836	1,575	65	AM4	Desktop
☞	AMD PRO A6-9500B	2	1,340	1,108	15	FP4	Laptop
☞	AMD PRO A6-9500E	2	1,662	1,493	35	AM4	Desktop
☞	AMD PRO A8-8600B	4	2,262	1,146	15	BGA (FP4)	Laptop
☞	AMD PRO A8-8650B	4	3,216	1,498	65	FM2+	Desktop
☞	AMD PRO A8-8670E	4	2,989	1,382	35	AM4	Desktop
☞	AMD PRO A8-9600	2	3,347	1,468	65	AM4	Desktop
☞	AMD PRO A8-9600B	4	2,379	1,327	15	FP4	Laptop
☞	AMD QC-4000	4	1,155	449	15	FT3	Laptop
☞	AMD R-260H APU	2	954	902	17	BGA827 (FP2)	Laptop
☞	AMD R-272F APU	2	1,215	1,087	35	FS1	Desktop, Laptop
☞	AMD R-460L APU	4	1,183	776	25	BGA827 (FP2)	Laptop
☞	AMD R-464L APU	4	1,773	1,123	35	FS1r2	Unknown
☞	AMD RX-425BB	4	2,696	1,278	35	FP3	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD RX-427BB	4	2,711	1,310	35	FP3	Laptop
☞	AMD Ryzen 3 1200	4	6,280	1,918	65	AM4	Desktop
☞	AMD Ryzen 3 1300X	4	6,907	2,086	65	AM4	Desktop
☞	AMD Ryzen 3 2200G	4	6,766	2,057	65	AM4	Desktop
☞	AMD Ryzen 3 2200GE	4	6,433	2,031	35	AM4	Desktop
☞	AMD Ryzen 3 2200U	2	3,689	1,692	15	FP5	Laptop
☞	AMD Ryzen 3 2300U	4	5,473	1,744	15	FP5	Laptop
☞	AMD Ryzen 3 2300X	4	7,538	2,364	65	AM4	Desktop
☞	AMD Ryzen 3 3100	4	11,722	2,435	65	AM4	Desktop
☞	AMD Ryzen 3 3200G	4	7,220	2,227	65	AM4	Desktop
☞	AMD Ryzen 3 3200GE	4	7,434	2,221	35	AM4	Desktop
☞	AMD Ryzen 3 3200U	2	3,963	1,861	15	FP5	Laptop
☞	AMD Ryzen 3 3250U	2	4,131	1,900	15	FP5	Laptop
☞	AMD Ryzen 3 3300U	4	5,870	1,909	15	FP5	Laptop
☞	AMD Ryzen 3 3300X	4	12,744	2,689	65	AM4	Desktop
☞	AMD Ryzen 3 3350U	4	6,266	2,071	15	Unknown	Laptop
☞	AMD Ryzen 3 4300G	4	11,171	2,566	65	AM4	Desktop
☞	AMD Ryzen 3 4300GE	4	11,602	2,566	35	AM4	Desktop
☞	AMD Ryzen 3 4300U	4	8,095	2,363	15	FP6	Laptop
☞	AMD Ryzen 3 5300G	4	13,932	3,102	65	AM4	Desktop
☞	AMD Ryzen 3 5300GE	4	13,843	3,104	35	AM4	Desktop
☞	AMD Ryzen 3 5300U	4	10,092	2,426	15	FP6	Laptop
☞	AMD Ryzen 3 5400U	4	12,118	2,936	15	FP6	Laptop
☞	AMD Ryzen 3 PRO 1200	4	6,376	1,924	65	AM4	Desktop
☞	AMD Ryzen 3 PRO 1300	4	7,717	2,229	65	AM4	Desktop
☞	AMD Ryzen 3 PRO 2100GE	2	4,308	1,901	35	AM4	Desktop
☞	AMD Ryzen 3 PRO 2200G	4	6,712	2,078	65	AM4	Desktop
☞	AMD Ryzen 3 PRO 2200GE	4	6,238	2,011	35	AM4	Desktop
☞	AMD Ryzen 3 PRO 2300U	4	6,157	1,886	15	FP5	Laptop
☞	AMD Ryzen 3 PRO 3200G	4	7,073	2,237	65	AM4	Desktop
☞	AMD Ryzen 3 PRO 3200GE	4	7,071	2,189	35	AM4	Laptop
☞	AMD Ryzen 3 PRO 3300U	4	5,963	2,064	15	FP5	Laptop
☞	AMD Ryzen 3 PRO 4200G	4	11,315	2,564	65	FP6	Desktop
☞	AMD Ryzen 3 PRO 4200GE	4	11,006	2,545	35	Unknown	Laptop
☞	AMD Ryzen 3 PRO 4350G	4	10,882	2,561	65	AM4	Desktop
☞	AMD Ryzen 3 PRO 4350GE	4	11,420	2,578	35	AM4	Desktop
☞	AMD Ryzen 3 PRO 4450U	4	10,071	2,382	15	FP6	Laptop
☞	AMD Ryzen 3 PRO 5350G	4	14,025	3,105	65	AM4	Desktop
☞	AMD Ryzen 3 PRO 5350GE	4	13,707	3,106	35	AM4	Desktop
☞	AMD Ryzen 3 PRO 5450U	4	12,047	2,951	15	FP6	Laptop
☞	AMD Ryzen 5 1400	4	7,817	1,907	65	AM4	Desktop
☞	AMD Ryzen 5 1500X	4	9,060	2,105	65	AM4	Desktop
☞	AMD Ryzen 5 1600	6	12,355	2,080	65	AM4	Desktop
☞	AMD Ryzen 5 1600X	6	13,061	2,194	95	AM4	Desktop
☞	AMD Ryzen 5 2400G	4	8,745	2,164	65	AM4	Desktop
☞	AMD Ryzen 5 2400GE	4	7,948	2,162	35	AM4	Desktop
☞	AMD Ryzen 5 2500U	4	6,617	1,850	15	FP5	Laptop
☞	AMD Ryzen 5 2500X	4	9,517	2,332	65	AM4	Desktop
☞	AMD Ryzen 5 2600	6	13,218	2,256	65	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
🔍	AMD Ryzen 5 2600H	4	7,537	2,125	45	FP5	Laptop
🔍	AMD Ryzen 5 2600X	6	14,088	2,413	95	AM4	Desktop
🔍	AMD Ryzen 5 3350G	4	9,023	2,291	65	AM4	Desktop
🔍	AMD Ryzen 5 3350GE	4	9,684	2,342	35	Unknown	Desktop
🔍	AMD Ryzen 5 3400G	4	9,366	2,368	65	AM4	Desktop
🔍	AMD Ryzen 5 3400GE	4	8,940	2,297	35	AM4	Desktop
🔍	AMD Ryzen 5 3450U	4	7,017	2,015	15	FP5	Laptop
🔍	AMD Ryzen 5 3500	6	12,890	2,528	65	AM4	Desktop
🔍	AMD Ryzen 5 3500C	4	3,889	2,146	15	FP5	Laptop
🔍	AMD Ryzen 5 3500U	4	7,949	2,126	15	FP5	Laptop
🔍	AMD Ryzen 5 3500X	6	13,371	2,534	65	AM4	Desktop
🔍	AMD Ryzen 5 3550H	4	8,085	2,100	35	FP5	Laptop
🔍	AMD Ryzen 5 3550U	4	7,681	2,053	15	Unknown	Unknown
🔍	AMD Ryzen 5 3580U	4	7,833	2,127	15	FP5	Laptop
🔍	AMD Ryzen 5 3600	6	17,862	2,583	65	AM4	Desktop
🔍	AMD Ryzen 5 3600X	6	18,322	2,676	95	AM4	Desktop
🔍	AMD Ryzen 5 3600XT	6	18,832	2,799	95	AM4	Desktop
🔍	AMD Ryzen 5 4500U	6	11,232	2,469	15	FP6	Laptop
🔍	AMD Ryzen 5 4600G	6	15,722	2,661	65	AM4	Desktop
🔍	AMD Ryzen 5 4600GE	6	16,377	2,676	35	AM4	Desktop
🔍	AMD Ryzen 5 4600H	6	14,784	2,474	45	FP6	Laptop
🔍	AMD Ryzen 5 4600HS	6	14,652	2,462	35	FP6	Laptop
🔍	AMD Ryzen 5 4600U	6	13,735	2,415	15	FP6	Laptop
🔍	AMD Ryzen 5 5500U	6	13,579	2,493	15	FP6	Laptop
🔍	AMD Ryzen 5 5600G	6	19,897	3,196	65	AM4	Desktop
🔍	AMD Ryzen 5 5600GE	6	18,879	3,224	35	AM4	Desktop
🔍	AMD Ryzen 5 5600H	6	18,108	3,029	45	FP6	Laptop
🔍	AMD Ryzen 5 5600U	6	15,944	3,020	15	FP6	Laptop
🔍	AMD Ryzen 5 5600X	6	22,174	3,379	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 1500	4	9,434	2,171	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 1600	6	10,401	1,685	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 2400G	4	8,264	2,115	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 2400GE	4	7,519	2,126	35	AM4	Desktop
🔍	AMD Ryzen 5 PRO 2500U	4	6,828	1,785	15	FP5	Laptop
🔍	AMD Ryzen 5 PRO 2600	6	13,575	2,259	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 3350G	4	9,570	2,340	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 3350GE	4	9,643	2,340	35	Unknown	Desktop
🔍	AMD Ryzen 5 PRO 3400G	4	9,403	2,332	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 3400GE	4	8,194	2,267	35	AM4	Desktop
🔍	AMD Ryzen 5 PRO 3500U	4	6,967	1,985	15	FP5	Laptop
🔍	AMD Ryzen 5 PRO 3600	6	18,037	2,611	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 4400G	6	16,456	2,656	NA	Unknown	Desktop
🔍	AMD Ryzen 5 PRO 4400GE	6	14,795	2,664	35	Unknown	Laptop
🔍	AMD Ryzen 5 PRO 4500U	6	12,049	2,486	15	FP6	Laptop
🔍	AMD Ryzen 5 PRO 4650G	6	16,515	2,668	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 4650GE	6	15,947	2,651	35	AM4	Desktop
🔍	AMD Ryzen 5 PRO 4650U	6	12,978	2,472	15	FP6	Laptop
🔍	AMD Ryzen 5 PRO 5650G	6	21,087	3,254	65	AM4	Desktop
🔍	AMD Ryzen 5 PRO 5650GE	6	19,266	3,249	35	AM4	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
🔊	AMD Ryzen 5 PRO 5650U	6	17,294	3,073	15	FP6	Laptop
🔊	AMD Ryzen 7 1700	8	14,713	1,990	65	AM4	Desktop
🔊	AMD Ryzen 7 1700X	8	15,545	2,075	95	AM4	Desktop
🔊	AMD Ryzen 7 1800X	8	16,288	2,182	95	AM4	Desktop
🔊	AMD Ryzen 7 2700	8	15,680	2,206	65	AM4	Desktop
🔊	AMD Ryzen 7 2700E	8	14,657	2,410	45	AM4	Desktop
🔊	AMD Ryzen 7 2700U	4	6,844	1,745	15	FP5	Laptop
🔊	AMD Ryzen 7 2700X	8	17,600	2,439	105	AM4	Desktop
🔊	AMD Ryzen 7 2800H	4	7,656	2,164	45	FP5	Laptop
🔊	AMD Ryzen 7 3700U	4	7,358	2,031	15	FP5	Laptop
🔊	AMD Ryzen 7 3700X	8	22,793	2,688	65	AM4	Desktop
🔊	AMD Ryzen 7 3750H	4	8,371	2,123	35	FP5	Laptop
🔊	AMD Ryzen 7 3780U	4	7,386	2,240	15	FP5	Laptop
🔊	AMD Ryzen 7 3800X	8	23,328	2,740	105	AM4	Desktop
🔊	AMD Ryzen 7 3800XT	8	23,954	2,857	105	AM4	Desktop
🔊	AMD Ryzen 7 4700G	8	19,915	2,764	65	AM4	Desktop
🔊	AMD Ryzen 7 4700GE	8	20,648	2,735	35	AM4	Desktop
🔊	AMD Ryzen 7 4700U	8	13,767	2,572	15	FP6	Laptop
🔊	AMD Ryzen 7 4800H	8	19,216	2,653	45	FP6	Laptop
🔊	AMD Ryzen 7 4800HS	8	18,963	2,621	45	FP6	Laptop
🔊	AMD Ryzen 7 4800U	8	17,268	2,612	15	FP6	Laptop
🔊	AMD Ryzen 7 5700G	8	23,650	3,330	65	AM4	Desktop
🔊	AMD Ryzen 7 5700GE	8	22,566	3,371	35	AM4	Desktop
🔊	AMD Ryzen 7 5700U	8	16,246	2,626	15	FP6	Laptop
🔊	AMD Ryzen 7 5800	8	26,226	3,421	65	AM4	Desktop
🔊	AMD Ryzen 7 5800H	8	21,981	3,121	45	FP6	Laptop
🔊	AMD Ryzen 7 5800HS	8	20,930	3,090	35	FP6	Laptop
🔊	AMD Ryzen 7 5800U	8	19,587	3,134	15	FP6	Laptop
🔊	AMD Ryzen 7 5800X	8	28,542	3,499	105	AM4	Desktop
🔊	AMD Ryzen 7 Extreme Edition	8	18,187	2,670	NA	FP6	Laptop
🔊	AMD Ryzen 7 PRO 1700	8	14,613	2,042	65	AM4	Desktop
🔊	AMD Ryzen 7 PRO 1700X	8	15,799	2,246	95	AM4	Desktop
🔊	AMD Ryzen 7 PRO 2700	8	15,037	2,239	65	AM4	Desktop
🔊	AMD Ryzen 7 PRO 2700U	4	7,190	2,044	15	FP5	Laptop
🔊	AMD Ryzen 7 PRO 2700X	8	17,113	2,383	105	AM4	Desktop
🔊	AMD Ryzen 7 PRO 3700	8	22,558	2,681	65	AM4	Desktop
🔊	AMD Ryzen 7 PRO 3700U	4	7,353	2,027	15	FP5	Laptop
🔊	AMD Ryzen 7 PRO 4700G	8	20,848	2,700	65	AM4	Desktop
🔊	AMD Ryzen 7 PRO 4750G	8	20,643	2,696	65	AM4	Desktop
🔊	AMD Ryzen 7 PRO 4750GE	8	19,765	2,727	35	AM4	Desktop
🔊	AMD Ryzen 7 PRO 4750U	8	15,550	2,569	15	FP6	Laptop
🔊	AMD Ryzen 7 PRO 5750G	8	25,562	3,395	65	AM4	Desktop
🔊	AMD Ryzen 7 PRO 5750GE	8	22,536	3,379	35	AM4	Desktop
🔊	AMD Ryzen 7 PRO 5850U	8	19,891	3,209	15	FP6	Laptop
🔊	AMD Ryzen 9 3900	12	30,886	2,649	65	AM4	Desktop
🔊	AMD Ryzen 9 3900X	12	32,886	2,732	105	AM4	Desktop
🔊	AMD Ryzen 9 3900XT	12	32,930	2,793	105	AM4	Desktop
🔊	AMD Ryzen 9 3950X	16	39,219	2,744	105	AM4	Desktop
🔊	AMD Ryzen 9 4900H	8	18,985	2,725	45	FP6	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
👤	AMD Ryzen 9 4900HS	8	19,634	2,645	35	FP6	Laptop
👤	AMD Ryzen 9 5900	12	35,583	3,501	65	AM4	Desktop
👤	AMD Ryzen 9 5900HS	8	22,875	3,271	35	FP6	Laptop
👤	AMD Ryzen 9 5900HX	8	23,249	3,224	45	FP6	Laptop
👤	AMD Ryzen 9 5900X	12	39,534	3,493	105	AM4	Desktop
👤	AMD Ryzen 9 5950X	16	46,154	3,500	105	AM4	Desktop
👤	AMD Ryzen 9 5980HS	8	22,691	3,291	35	FP6	Laptop
👤	AMD Ryzen 9 PRO 3900	12	31,510	2,629	65	AM4	Desktop
👤	AMD Ryzen Embedded R1305G	2	3,329	1,656	8	FP5	Laptop, Mobile/Embedded
👤	AMD Ryzen Embedded R1505G	2	3,969	1,806	15	FP5	Laptop, Mobile/Embedded
👤	AMD Ryzen Embedded R1606G	2	4,390	1,958	15	FP5	Desktop, Mobile/Embedded
👤	AMD Ryzen Embedded V1202B	2	3,823	1,654	15	FP5	Laptop, Mobile/Embedded
👤	AMD Ryzen Embedded V1404I	4	5,491	1,932	15	Unknown	Desktop, Mobile/Embedded
👤	AMD Ryzen Embedded V1500B	4	4,194	1,083	16	BGA1140	Mobile/Embedded
👤	AMD Ryzen Embedded V1605B	4	6,845	1,989	15	FP5	Laptop, Mobile/Embedded
👤	AMD Ryzen Embedded V1756B	4	8,238	2,130	45	FP5	Desktop, Mobile/Embedded
👤	AMD Ryzen Embedded V1807B	4	8,359	2,177	45	FP5	Laptop, Mobile/Embedded
👤	AMD Ryzen Embedded V2718	8	15,588	2,099	15	FP6	Mobile/Embedded
👤	AMD Ryzen Embedded V2748	8	16,186	2,646	54	FP6	Mobile/Embedded
👤	AMD Ryzen Threadripper 1900X	8	16,840	2,337	180	sTR4	Desktop
👤	AMD Ryzen Threadripper 1920X	12	23,000	2,290	180	sTR4	Desktop
👤	AMD Ryzen Threadripper 1950X	16	27,129	2,280	180	sTR4	Desktop
👤	AMD Ryzen Threadripper 2920X	12	25,582	2,508	180	sTR4	Desktop
👤	AMD Ryzen Threadripper 2950X	16	30,909	2,475	180	sTR4	Desktop
👤	AMD Ryzen Threadripper 2970WX	24	29,553	2,325	250	sTR4	Desktop
👤	AMD Ryzen Threadripper 2990WX	32	32,276	2,330	250	sTR4	Desktop
👤	AMD Ryzen Threadripper 2990X	32	26,469	2,285	250	TR4	Desktop
👤	AMD Ryzen Threadripper 3960X	24	55,060	2,689	280	sTRX4	Desktop
👤	AMD Ryzen Threadripper 3970X	32	64,151	2,707	280	sTRX4	Desktop
👤	AMD Ryzen Threadripper 3990X	64	81,285	2,565	280	sTRX4	Desktop
👤	AMD Ryzen Threadripper PRO 3945WX	12	33,840	2,723	280	sTRX4	Desktop
👤	AMD Ryzen Threadripper PRO 3955WX	16	40,202	2,700	280	sTRX4	Desktop
👤	AMD Ryzen Threadripper PRO 3975WX	32	62,718	2,659	280	sTRX4	Desktop
👤	AMD Ryzen Threadripper PRO 3995WX	64	86,249	2,645	280	sTRX4	Desktop
👤	AMD Sempron 130	1	526	1,066	45	AM2+/AM3	Unknown
👤	AMD Sempron 140	1	473	1,043	45	AM3	Desktop
👤	AMD Sempron 145	1	480	978	45	AM3	Desktop
👤	AMD Sempron 150	1	498	1,079	45	AM3	Desktop
👤	AMD Sempron 210U	1	267	299	15	Unknown	Unknown
👤	AMD Sempron 2200+	1	184	279	NA	Socket A	Desktop
👤	AMD Sempron 2300+	1	207	314	NA	Socket A	Desktop
👤	AMD Sempron 240	2	1,278	1,300	65	FM2	Desktop
👤	AMD Sempron 2400+	1	205	321	NA	Socket A	Desktop
👤	AMD Sempron 2500+	1	195	353	NA	Socket A	Desktop
👤	AMD Sempron 2600+	1	253	325	NA	Socket A	Desktop
👤	AMD Sempron 2650 APU	2	561	475	25	AM1,FSB1	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD Sempron 2800+	1	243	408	62	AM2	Desktop
☞	AMD Sempron 3000+	1	268	333	62	AM2	Desktop
☞	AMD Sempron 3100+	1	298	383	62	754	Desktop
☞	AMD Sempron 3200+	1	288	356	62	AM2	Desktop
☞	AMD Sempron 3300+	1	315	394	62	754	Desktop
☞	AMD Sempron 3400+	1	292	346	62	AM2	Desktop
☞	AMD Sempron 3500+	1	232	264	62	AM2	Desktop
☞	AMD Sempron 3600+	1	364	377	62	AM2	Desktop
☞	AMD Sempron 3800+	1	360	422	62	AM2	Desktop
☞	AMD Sempron 3850 APU	4	1,227	463	25	AM1,FS1b	Desktop
☞	AMD Sempron Dual Core 2100	2	533	596	65	Unknown	Unknown
☞	AMD Sempron Dual Core 2200	2	563	649	65	Unknown	Unknown
☞	AMD Sempron Dual Core 2300	2	555	697	65	Unknown	Unknown
☞	AMD Sempron LE-1100	1	315	509	45	AM2	Desktop
☞	AMD Sempron LE-1150	1	251	477	45	AM2	Desktop
☞	AMD Sempron LE-1200	1	349	551	45	AM2	Desktop
☞	AMD Sempron LE-1250	1	301	508	45	AM2	Desktop
☞	AMD Sempron LE-1300	1	400	389	45	AM2	Desktop
☞	AMD Sempron M100	1	338	690	NA	Unknown	Unknown
☞	AMD Sempron M120	1	298	685	25	S1	Laptop
☞	AMD Sempron SI-40	1	257	537	25	S1	Laptop
☞	AMD Sempron SI-42	1	261	650	25	S1	Laptop
☞	AMD Sempron X2 180	2	826	865	45	Unknown	Unknown
☞	AMD Sempron X2 190	2	879	977	45	AM2+/AM3	Unknown
☞	AMD Sempron X2 198 Dual-Core	2	930	1,070	65	FM1	Desktop
☞	AMD Turion 64 Mobile MK-36	1	334	735	31	S1	Laptop
☞	AMD Turion 64 Mobile MK-38	1	362	801	31	S1	Laptop
☞	AMD Turion 64 Mobile ML-28	1	254	314	25	754	Laptop
☞	AMD Turion 64 Mobile ML-30	1	277	314	35	754	Laptop
☞	AMD Turion 64 Mobile ML-32	1	285	321	35	754	Laptop
☞	AMD Turion 64 Mobile ML-34	1	277	329	35	754	Laptop
☞	AMD Turion 64 Mobile ML-37	1	334	510	35	754	Laptop
☞	AMD Turion 64 Mobile ML-40	1	336	662	35	754	Laptop
☞	AMD Turion 64 Mobile ML-42	1	400	455	35	754	Laptop
☞	AMD Turion 64 Mobile ML-44	1	384	469	35	754	Laptop
☞	AMD Turion 64 Mobile MT-30	1	246	294	25	754	Laptop
☞	AMD Turion 64 Mobile MT-32	1	286	367	24	754	Laptop
☞	AMD Turion 64 Mobile MT-34	1	279	328	24	754	Laptop
☞	AMD Turion 64 Mobile MT-37	1	315	379	25	754	Laptop
☞	AMD Turion 64 X2 Mobile TL-50	2	448	535	31	S1	Laptop
☞	AMD Turion 64 X2 Mobile TL-52	2	384	497	31	S1	Laptop
☞	AMD Turion 64 X2 Mobile TL-56	2	453	579	31	S1	Laptop
☞	AMD Turion 64 X2 Mobile TL-58	2	590	667	31	S1	Laptop
☞	AMD Turion 64 X2 Mobile TL-60	2	607	692	31	S1	Laptop
☞	AMD Turion 64 X2 Mobile TL-62	2	738	758	35	S1	Laptop
☞	AMD Turion 64 X2 Mobile TL-64	2	692	770	35	S1	Laptop
☞	AMD Turion 64 X2 Mobile TL-66	2	627	816	35	S1	Laptop
☞	AMD Turion 64 X2 Mobile TL-68	2	861	887	35	S1	Laptop
☞	AMD Turion Dual-Core RM-70	2	561	548	31	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞☞	AMD Turion Dual-Core RM-72	2	649	725	35	S1	Laptop
☞☞	AMD Turion Dual-Core RM-74	2	588	595	35	S1	Laptop
☞☞	AMD Turion Dual-Core RM-75	2	659	444	35	S1	Laptop
☞☞	AMD Turion II Dual-Core Mobile M500	2	727	857	35	S1	Laptop
☞☞	AMD Turion II Dual-Core Mobile M520	2	783	908	35	S1	Laptop
☞☞	AMD Turion II Dual-Core Mobile M540	2	912	967	35	S1	Laptop
☞☞	AMD Turion II N530 Dual-Core	2	855	968	35	S1	Laptop
☞☞	AMD Turion II N550 Dual-Core	2	877	891	35	S1	Laptop
☞☞	AMD Turion II Neo K625 Dual-Core	2	565	596	15	S1	Laptop
☞☞	AMD Turion II Neo K685 Dual-Core	2	684	729	15	BGA812	Laptop
☞☞	AMD Turion II Neo N40L Dual-Core	2	589	609	15	BGA812	Laptop
☞☞	AMD Turion II Neo N54L Dual-Core	2	724	828	25	BGA812	Laptop
☞☞	AMD Turion II P520 Dual-Core	2	790	892	25	S1	Laptop
☞☞	AMD Turion II P540 Dual-Core	2	884	843	35	S1	Laptop
☞☞	AMD Turion II P560 Dual-Core	2	818	931	25	S1	Laptop
☞☞	AMD Turion II Ultra Dual-Core Mobile M600	2	923	982	35	S1	Laptop
☞☞	AMD Turion II Ultra Dual-Core Mobile M620	2	814	945	35	S1	Laptop
☞☞	AMD Turion II Ultra Dual-Core Mobile M640	2	1,016	1,063	35	S1	Laptop
☞☞	AMD Turion II Ultra Dual-Core Mobile M660	2	1,011	1,103	35	S1	Laptop
☞☞	AMD Turion Neo X2 Dual Core L625	2	431	530	18	ASB1	Laptop
☞☞	AMD Turion X2 Dual Core L510	2	603	593	20	ASB1	Laptop
☞☞	AMD Turion X2 Dual Core Mobile RM-70	2	497	504	31	S1	Laptop
☞☞	AMD Turion X2 Dual Core Mobile RM-76	2	691	729	35	S1	Laptop
☞☞	AMD Turion X2 Dual-Core Mobile RM-70	2	634	650	31	S1	Laptop
☞☞	AMD Turion X2 Dual-Core Mobile RM-72	2	644	745	35	S1	Laptop
☞☞	AMD Turion X2 Dual-Core Mobile RM-74	2	623	730	35	S1	Laptop
☞☞	AMD Turion X2 Dual-Core Mobile RM-75	2	708	770	35	S1	Laptop
☞☞	AMD Turion X2 Dual-Core Mobile RM-77	2	635	753	35	S1	Laptop
☞☞	AMD Turion X2 Ultra Dual-Core Mobile ZM-80	2	583	707	32	S1	Laptop
☞☞	AMD Turion X2 Ultra Dual-Core Mobile ZM-82	2	654	789	35	S1	Laptop
☞☞	AMD Turion X2 Ultra Dual-Core Mobile ZM-84	2	720	751	35	S1	Laptop
☞☞	AMD Turion X2 Ultra Dual-Core Mobile ZM-85	2	730	828	35	S1	Laptop
☞☞	AMD Turion X2 Ultra Dual-Core Mobile ZM-86	2	695	820	35	S1	Laptop
☞☞	AMD Turion X2 Ultra Dual-Core Mobile ZM-87	2	733	806	35	S1	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	AMD TurionX2 Dual Core Mobile RM-70	2	536	674	31	S1	Laptop
☞	AMD TurionX2 Dual Core Mobile RM-72	2	471	392	35	S1	Laptop
☞	AMD TurionX2 Ultra DualCore Mobile ZM-85	2	841	686	35	S1	Laptop
☞	AMD V105	1	184	452	9	BGA812	Laptop
☞	AMD V120	1	362	810	25	S1	Laptop
☞	AMD V140	1	372	805	25	S1	Laptop
☞	AMD V160	1	337	838	25	S1	Laptop
☞	AMD Z-01	2	308	290	NA	Unknown	Unknown
☞	AMD Z-60 APU	2	262	318	4.5	FT1	Laptop
☞	Amlogic	4	510	356	NA	Unknown	Unknown
☞	Apple A11 Bionic	6	4,054	1,077	NA	Unknown	Mobile/Embedded
☞	Apple A12 Bionic	6	4,449	1,856	NA	Unknown	Mobile/Embedded
☞	Apple A12X Bionic	8	11,108	2,659	NA	Unknown	Mobile/Embedded
☞	Apple A13 Bionic	6	4,800	1,983	NA	Unknown	Mobile/Embedded
☞	Apple A14 Bionic	6	8,504	3,407	NA	Unknown	Mobile/Embedded
☞	Apple A8	2	1,525	913	NA	Unknown	Mobile/Embedded
☞	Apple A8X	3	2,358	934	NA	Unknown	Mobile/Embedded
☞	Apple A9	2	2,071	1,184	NA	Unknown	Mobile/Embedded
☞	Apple A9X	2	2,537	1,516	NA	Unknown	Mobile/Embedded
☞	Apple M1 8 Core 3200 MHz	8	15,119	3,767	15.1	Unknown	Desktop, Laptop
☞	ARM ARMv7 rev 4 (v7I) 4 Core 1200 MHz	4	362	274	NA	Unknown	Unknown
☞	ARM Cortex-A53 4 Core 0 MHz	4	285	132	NA	Unknown	Unknown
☞	ARM Cortex-A53 4 Core 1152 MHz	4	348	162	NA	Unknown	Unknown
☞	ARM Cortex-A53 4 Core 1200 MHz	4	331	237	NA	Unknown	Unknown
☞	ARM Cortex-A53 4 Core 1296 MHz	4	408	176	NA	Unknown	Unknown
☞	ARM Cortex-A53 4 Core 1400 MHz	4	444	305	NA	Unknown	Unknown
☞	ARM Cortex-A53 4 Core 1512 MHz	4	434	187	NA	Unknown	Unknown
☞	ARM Cortex-A53 4 Core 1536 MHz	4	196	184	NA	Unknown	Unknown
☞	ARM Cortex-A53 4 Core 1800 MHz	4	530	244	NA	Unknown	Unknown
☞	ARM Cortex-A53 6 Core 1896 MHz	6	1,851	751	NA	Unknown	Unknown
☞	ARM Cortex-A57 4 Core 1479 MHz	4	956	465	NA	Unknown	Unknown
☞	ARM Cortex-A57 4 Core 2014 MHz	4	1,343	456	NA	Unknown	Unknown
☞	ARM Cortex-A7 2 Core 1080 MHz	2	142	202	NA	Unknown	Unknown
☞	ARM Cortex-A7 2 Core 960 MHz	2	93	140	NA	Unknown	Unknown
☞	ARM Cortex-A7 4 Core 1200 MHz	4	270	208	NA	Unknown	Unknown
☞	ARM Cortex-A7 4 Core 1368 MHz	4	337	264	NA	Unknown	Unknown
☞	ARM Cortex-A7 4 Core 900 MHz	4	233	166	NA	Unknown	Unknown
☞	ARM Cortex-A72 2 Core 0 MHz	2	625	534	NA	Unknown	Unknown
☞	ARM Cortex-A72 4 Core 1500 MHz	4	676	476	NA	Unknown	Unknown
☞	ARM Cortex-A72 4 Core 1800 MHz	4	1,058	649	NA	Unknown	Unknown
☞	ARM Cortex-A72 4 Core 2000 MHz	4	802	601	NA	Unknown	Unknown
☞	ARM Cortex-A72 4 Core 2200 MHz	4	877	633	NA	Unknown	Unknown
☞	ARM Neoverse-N1 16 Core 0 MHz	16	10,231	1,192	NA	Unknown	Unknown
☞	ARM Neoverse-N1 2 Core 0 MHz	2	1,800	1,500	NA	Unknown	Unknown
☞	ARM Neoverse-N1 4 Core 0 MHz	4	3,247	1,307	NA	Unknown	Unknown
☞	ARM Neoverse-N1 6 Core 0 MHz	6	4,756	1,299	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
ARM Neoverse-N1 8 Core 0 MHz	8	5,264	1,085	NA	Unknown	Unknown
ARM phytiium FT1500a 4 Core 2000 MHz	4	1,579	716	NA	Unknown	Unknown
Athlon 64 Dual Core 3800+	2	736	653	35	Unknown	Unknown
Athlon 64 Dual Core 5000+	2	850	924	89	Unknown	Desktop
Athlon 64 Dual Core 5600+	2	875	993	65	AM2	Desktop
Athlon Dual Core 4050e	2	670	744	45	AM2	Desktop
Athlon Dual Core 4450e	2	681	792	45	AM2	Desktop
Athlon Dual Core 4850e	2	769	861	45	AM2	Desktop
BCM2711	4	823	571	NA	Unknown	Mobile/Embedded
Celeron Dual-Core T3000 @ 1.80GHz	2	603	746	35	PGA478	Laptop
Celeron Dual-Core T3100 @ 1.90GHz	2	531	585	35	BGA479	Laptop
Celeron Dual-Core T3300 @ 2.00GHz	2	646	717	35	µFCPGA-478	Laptop
Celeron Dual-Core T3500 @ 2.10GHz	2	768	872	35	PGA478	Laptop
DO-Regular	1	846	1,086	NA	Unknown	Unknown
Dual-Core AMD Opteron 1220 SE	2	748	900	103	AM2	Server
Generic DT based system	4	430	396	NA	Unknown	Mobile/Embedded
Haydn based on Qualcomm Technologies, Inc SM8350	8	4,433	1,800	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 650	8	1,617	624	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 659	8	1,692	664	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 930	8	1,282	401	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 950	8	2,061	700	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 960	8	2,448	1,092	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 970	8	2,455	1,087	NA	Unknown	Mobile/Embedded
HiSilicon Kirin710	8	2,178	956	NA	Unknown	Mobile/Embedded
HiSilicon Kirin810	8	2,978	1,522	NA	Unknown	Mobile/Embedded
HiSilicon Kirin9000	8	4,989	2,445	NA	Unknown	Mobile/Embedded
HiSilicon Kirin970	8	2,289	935	NA	Unknown	Mobile/Embedded
HiSilicon Kirin980	8	3,895	1,728	NA	Unknown	Mobile/Embedded
HiSilicon Kirin985	8	4,162	1,823	NA	Unknown	Mobile/Embedded
HiSilicon Kirin990	8	4,319	1,871	NA	Unknown	Mobile/Embedded
HP Hexa-Core 2.0GHz	4	1,741	804	NA	Unknown	Unknown
Intel 2.80GHz	2	341	456	NA	Unknown	Unknown
Intel Atom 230 @ 1.60GHz	1	210	167	4	BGA437	Desktop
Intel Atom 330 @ 1.60GHz	2	371	168	8	BGA437	Desktop
Intel Atom C2338 @ 1.74GHz	2	584	233	7	FCBGA1283	Laptop
Intel Atom C2358 @ 1.74GHz	2	625	291	7	FCBGA1283	Laptop
Intel Atom C2538 @ 2.40GHz	4	960	491	15	FCBGA1283	Laptop
Intel Atom C2550 @ 2.40GHz	4	1,422	554	14	FCBGA1283	Server
Intel Atom C2558 @ 2.40GHz	4	1,410	358	15	BGA 1283	Laptop, Mobile/Embedded
Intel Atom C2750 @ 2.40GHz	8	2,401	382	20	FCBGA1283	Server
Intel Atom C2750 @ 2.41GHz	8	2,174	291	20	BGA 1283	Server
Intel Atom C2758 @ 2.40GHz	8	2,056	333	20	BGA 1283	Laptop, Mobile/Embedded
Intel Atom C3338 @ 1.50GHz	2	1,245	874	8.5	FCBGA1310	Server, Mobile/Embedded
Intel Atom C3538 @ 2.10GHz	4	1,756	669	15	FCBGA1310	Server
Intel Atom C3558 @ 2.20GHz	4	2,353	824	16	FCBGA1310	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Atom C3758 @ 2.20GHz	8	4,675	857	25	FCBGA1310	Server
☞	Intel Atom C3858 @ 2.00GHz	12	3,154	501	25	FCBGA1310	Server
☞	Intel Atom C3958 @ 2.00GHz	16	4,281	514	31	FCBGA1310	Server
☞	Intel Atom D2500 @ 1.86GHz	2	275	346	10	BGA559	Desktop
☞	Intel Atom D2550 @ 1.86GHz	2	405	306	10	BGA559	Desktop
☞	Intel Atom D2560 @ 2.00GHz	2	433	353	10	Unknown	Desktop
☞	Intel Atom D2700 @ 2.13GHz	2	481	385	10	BGA559	Desktop
☞	Intel Atom D2701 @ 2.13GHz	2	438	371	10	BGA559	Laptop
☞	Intel Atom D410 @ 1.66GHz	1	162	254	10	BGA559	Desktop
☞	Intel Atom D425 @ 1.80GHz	1	222	320	10	BGA559	Desktop
☞	Intel Atom D510 @ 1.66GHz	2	388	290	13	BGA559	Desktop
☞	Intel Atom D525 @ 1.80GHz	2	423	315	13	BGA559	Desktop
☞	Intel Atom E3815 @ 1.46GHz	1	159	238	5	FCBGA1170	Desktop
☞	Intel Atom E3825 @ 1.33GHz	2	385	370	6	FCBGA1170	Desktop
☞	Intel Atom E3826 @ 1.46GHz	2	256	404	7	FCBGA1170	Laptop
☞	Intel Atom E3827 @ 1.74GHz	2	460	455	8	FCBGA1170	Laptop
☞	Intel Atom E3840 @ 1.91GHz	4	704	477	NA	Unknown	Unknown
☞	Intel Atom E3845 @ 1.91GHz	4	1,024	535	10	FCBGA1170	Desktop
☞	Intel Atom E3900 @ 1.60GHz	4	1,953	675	NA	Unknown	Laptop
☞	Intel Atom E3940 @ 1.60GHz	4	1,960	676	9.5	Unknown	Laptop
☞	Intel Atom E3950 @ 1.60GHz	4	2,151	751	12	BGA1296	Laptop
☞	Intel Atom N2100 @ 1.60GHz	1	188	310	NA	BGA559	Laptop
☞	Intel Atom N2600 @ 1.60GHz	2	323	292	3.5	BGA559	Laptop
☞	Intel Atom N270 @ 1.60GHz	1	175	164	2.5	BGA437	Laptop
☞	Intel Atom N280 @ 1.66GHz	1	175	226	2.5	BGA437	Laptop
☞	Intel Atom N2800 @ 1.86GHz	2	408	307	6.5	BGA559	Laptop
☞	Intel Atom N435 @ 1.33GHz	1	153	220	NA	Unknown	Unknown
☞	Intel Atom N450 @ 1.66GHz	1	177	270	5.5	BGA559	Laptop
☞	Intel Atom N455 @ 1.66GHz	1	162	258	6.5	BGA559	Laptop
☞	Intel Atom N470 @ 1.83GHz	1	224	308	6.5	BGA559	Laptop
☞	Intel Atom N475 @ 1.83GHz	1	179	281	6.5	BGA559	Laptop
☞	Intel Atom N550 @ 1.50GHz	2	316	257	8.5	BGA559	Laptop
☞	Intel Atom N570 @ 1.66GHz	2	335	282	8.5	BGA559	Laptop
☞	Intel Atom S1260 @ 2.00GHz	2	596	224	8.5	FCBGA1283	Server
☞	Intel Atom T5700 @ 1.70GHz	4	1,326	549	NA	Unknown	Laptop
☞	Intel Atom x5-E3930 @ 1.30GHz	2	993	648	6.5	BGA1296	Laptop
☞	Intel Atom x5-E8000 @ 1.04GHz	4	990	522	5	FCBGA1170	Laptop
☞	Intel Atom x5-Z8300 @ 1.44GHz	4	820	460	4	UTFCBGA592	Laptop, Mobile/Embedded
☞	Intel Atom x5-Z8330 @ 1.44GHz	4	852	483	4	Unknown	Laptop
☞	Intel Atom x5-Z8350 @ 1.44GHz	4	926	492	4	UTFCBGA592	Laptop
☞	Intel Atom x5-Z8500 @ 1.44GHz	4	1,244	624	4	UTFCBGA1380	Laptop
☞	Intel Atom x5-Z8550 @ 1.44GHz	4	1,198	706	4	UTFCBGA1380	Laptop, Mobile/Embedded
☞	Intel Atom x6211E @ 1.20GHz	2	1,695	1,304	6	FCBGA1493	Mobile/Embedded
☞	Intel Atom x7-Z8700 @ 1.60GHz	4	1,314	650	4	BGA1380	Laptop
☞	Intel Atom x7-Z8750 @ 1.60GHz	4	1,373	697	4	UTFCBGA1380	Laptop
☞	Intel Atom Z2760 @ 1.80GHz	2	298	206	NA	FC-MB4760	Laptop
☞	Intel Atom Z3580 @ 1.33GHz	4	805	525	NA	Unknown	Laptop, Mobile/Embedded
☞	Intel Atom Z3735D @ 1.33GHz	4	540	465	4.4	Unknown	Laptop
☞	Intel Atom Z3735E @ 1.33GHz	4	557	478	4.4	UTFCBGA1380	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Atom Z3735F @ 1.33GHz	4	523	391	4.4	UTFCBGA592	Laptop
☞	Intel Atom Z3735G @ 1.33GHz	4	534	424	4.4	Unknown	Laptop
☞	Intel Atom Z3736F @ 1.33GHz	4	511	433	4.4	UTFCBGA592	Laptop
☞	Intel Atom Z3740 @ 1.33GHz	4	603	408	4	UTFCBGA1380	Laptop
☞	Intel Atom Z3740D @ 1.33GHz	4	614	459	4.4	UTFCBGA1380	Laptop
☞	Intel Atom Z3745 @ 1.33GHz	4	621	435	4	UTFCBGA1380	Laptop
☞	Intel Atom Z3745D @ 1.33GHz	4	585	437	4.4	Unknown	Laptop
☞	Intel Atom Z3770 @ 1.46GHz	4	738	542	4	UTFCBGA1380	Laptop
☞	Intel Atom Z3770D @ 1.49GHz	4	488	361	4.4	BGA1380	Laptop
☞	Intel Atom Z3775 @ 1.46GHz	4	755	539	4	UTFCBGA1380	Laptop
☞	Intel Atom Z3775D @ 1.49GHz	4	794	646	4.4	UTFCBGA1380	Laptop
☞	Intel Atom Z3795 @ 1.60GHz	4	1,115	648	4	UTFCBGA1380	Laptop
☞	Intel Atom Z520 @ 1.33GHz	1	156	145	2	BGA441	Laptop
☞	Intel Atom Z530 @ 1.60GHz	1	183	161	2	BGA441	Laptop
☞	Intel Atom Z670 @ 1.50GHz	1	158	95	3	BGA518	Laptop
☞	Intel Celeron 1.70GHz	1	101	190	NA	Unknown	Unknown
☞	Intel Celeron 1.80GHz	1	96	307	66.1	PPGA478	Desktop
☞	Intel Celeron 1000M @ 1.80GHz	2	1,025	978	35	FCPGA988	Laptop
☞	Intel Celeron 1000MHz	1	139	174	NA	Unknown	Unknown
☞	Intel Celeron 1005M @ 1.90GHz	2	1,071	1,015	35	FCPGA988	Laptop
☞	Intel Celeron 1007U @ 1.50GHz	2	800	759	17	FCBGA1023	Laptop
☞	Intel Celeron 1017U @ 1.60GHz	2	819	785	17	FCBGA1023	Laptop
☞	Intel Celeron 1019Y @ 1.00GHz	2	576	521	10	FCBGA1023	Desktop
☞	Intel Celeron 1020E @ 2.20GHz	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
☞	Intel Celeron 1020M @ 2.10GHz	2	1,275	1,176	35	FCPGA988	Laptop
☞	Intel Celeron 1037U @ 1.80GHz	2	991	931	17	FCBGA1023	Laptop
☞	Intel Celeron 1047UE @ 1.40GHz	2	748	526	17	FCBGA1023	Desktop
☞	Intel Celeron 1100MHz	1	113	183	NA	Unknown	Unknown
☞	Intel Celeron 1200MHz	1	159	212	NA	Unknown	Unknown
☞	Intel Celeron 2.00GHz	1	125	338	52.8	PPGA478	Desktop
☞	Intel Celeron 2.13GHz	1	166	361	NA	Unknown	Unknown
☞	Intel Celeron 2.20GHz	1	139	349	NA	Unknown	Unknown
☞	Intel Celeron 2.26GHz	1	182	382	NA	Unknown	Unknown
☞	Intel Celeron 2.30GHz	1	148	364	NA	Unknown	Unknown
☞	Intel Celeron 2.40GHz	1	143	397	NA	Unknown	Unknown
☞	Intel Celeron 2.50GHz	1	164	431	NA	Unknown	Unknown
☞	Intel Celeron 2.53GHz	1	169	434	NA	Unknown	Unknown
☞	Intel Celeron 2.60GHz	1	143	353	NA	Unknown	Unknown
☞	Intel Celeron 2.66GHz	1	154	417	NA	Unknown	Unknown
☞	Intel Celeron 2.70GHz	1	159	386	NA	Unknown	Unknown
☞	Intel Celeron 2.80GHz	1	190	425	68.4	PPGA478	Desktop
☞	Intel Celeron 2.93GHz	1	230	396	NA	Unknown	Unknown
☞	Intel Celeron 2000E @ 2.20GHz	2	1,607	1,282	37	FCBGA1364	Laptop
☞	Intel Celeron 2002E @ 1.50GHz	2	1,091	871	25	FCBGA1364	Laptop
☞	Intel Celeron 215 @ 1.33GHz	1	174	440	27	BGA479	Laptop
☞	Intel Celeron 220 @ 1.20GHz	1	209	255	19	BGA479	Desktop
☞	Intel Celeron 2950M @ 2.00GHz	2	1,260	1,136	37	FCPGA946	Laptop
☞	Intel Celeron 2955U @ 1.40GHz	2	793	747	15	FCBGA1168	Laptop
☞	Intel Celeron 2957U @ 1.40GHz	2	809	776	15	FCBGA1168	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Celeron 2961Y @ 1.10GHz	2	732	641	11.5	Unknown	Laptop
☞	Intel Celeron 2970M @ 2.20GHz	2	1,501	1,245	37	FCPGA946	Laptop
☞	Intel Celeron 2980U @ 1.60GHz	2	1,056	929	15	FCBGA1168	Laptop
☞	Intel Celeron 2981U @ 1.60GHz	2	991	871	15	BGA1168	Laptop
☞	Intel Celeron 3.06GHz	1	234	514	NA	Unknown	Unknown
☞	Intel Celeron 3.20GHz	1	267	599	NA	Unknown	Unknown
☞	Intel Celeron 3.33GHz	1	263	528	NA	Unknown	Unknown
☞	Intel Celeron 3205U @ 1.50GHz	2	946	906	15	FCBGA1168	Laptop
☞	Intel Celeron 3215U @ 1.70GHz	2	1,117	1,049	15	FCBGA1168	Laptop
☞	Intel Celeron 3755U @ 1.70GHz	2	1,182	1,022	15	FCBGA1168	Laptop
☞	Intel Celeron 3765U @ 1.90GHz	2	1,286	1,180	15	FCBGA1168	Laptop
☞	Intel Celeron 3855U @ 1.60GHz	2	1,246	938	15	FCBGA1356	Laptop
☞	Intel Celeron 3865U @ 1.80GHz	2	1,276	1,070	15	BGA1356	Laptop
☞	Intel Celeron 3867U @ 1.80GHz	2	1,467	1,092	15	FCBGA1356	Laptop
☞	Intel Celeron 3955U @ 2.00GHz	2	1,487	1,211	15	FCBGA1356	Laptop
☞	Intel Celeron 3965U @ 2.20GHz	2	1,665	1,368	15	FCBGA1356	Laptop
☞	Intel Celeron 3965Y @ 1.50GHz	2	1,177	889	6	FCBGA1515	Laptop
☞	Intel Celeron 420 @ 1.60GHz	1	278	451	35	LGA775	Desktop
☞	Intel Celeron 4205U @ 1.80GHz	2	1,332	1,056	15	FCBGA1528	Laptop
☞	Intel Celeron 430 @ 1.80GHz	1	285	603	35	LGA775	Desktop
☞	Intel Celeron 4305U @ 2.20GHz	2	1,413	1,376	15	FCBGA1528	Mobile/Embedded
☞	Intel Celeron 4305UE @ 2.00GHz	2	1,950	1,214	15	FCBGA1528	Laptop, Mobile/Embedded
☞	Intel Celeron 440 @ 2.00GHz	1	368	444	35	LGA775	Desktop
☞	Intel Celeron 450 @ 2.20GHz	1	433	532	35	LGA775	Desktop
☞	Intel Celeron 5205U @ 1.90GHz	2	1,439	1,107	15	FCBGA1528	Laptop
☞	Intel Celeron 530 @ 1.73GHz	1	287	342	27	PGA478	Laptop
☞	Intel Celeron 540 @ 1.86GHz	1	296	519	30	PGA478	Laptop
☞	Intel Celeron 550 @ 2.00GHz	1	365	585	31	BGA479	Laptop
☞	Intel Celeron 560 @ 2.13GHz	1	365	498	31	PGA478	Laptop
☞	Intel Celeron 570 @ 2.26GHz	1	344	431	31	PGA478	Laptop
☞	Intel Celeron 6305 @ 1.80GHz	2	2,246	1,229	NA	FCBGA1449	Laptop
☞	Intel Celeron 723 @ 1.20GHz	1	213	460	10	BGA956	Laptop
☞	Intel Celeron 743 @ 1.30GHz	1	263	528	10	BGA956	Laptop
☞	Intel Celeron 807 @ 1.50GHz	1	392	608	17	BGA-1023	Laptop
☞	Intel Celeron 807UE @ 1.00GHz	1	210	366	10	BGA-1023	Laptop
☞	Intel Celeron 827E @ 1.40GHz	1	371	674	17	FCBGA1023	Laptop
☞	Intel Celeron 847 @ 1.10GHz	2	460	481	17	BGA1023	Laptop
☞	Intel Celeron 847E @ 1.10GHz	2	584	520	17	FCBGA1023	Laptop
☞	Intel Celeron 857 @ 1.20GHz	2	569	476	17	BGA1023	Laptop
☞	Intel Celeron 867 @ 1.30GHz	2	562	584	17	BGA1023	Laptop
☞	Intel Celeron 877 @ 1.40GHz	2	643	633	17	BGA1023	Laptop
☞	Intel Celeron 887 @ 1.50GHz	2	727	694	17	BGA1023	Laptop
☞	Intel Celeron 900 @ 2.20GHz	1	396	855	34.8	PGA478	Laptop
☞	Intel Celeron 925 @ 2.30GHz	1	444	846	35	Unknown	Laptop
☞	Intel Celeron @ 1.30GHz	1	548	611	NA	Unknown	Unknown
☞	Intel Celeron B710 @ 1.60GHz	1	106	101	35	rPGA988B	Laptop
☞	Intel Celeron B800 @ 1.50GHz	2	664	667	35	PGA988B	Laptop
☞	Intel Celeron B810 @ 1.60GHz	2	775	754	35	PGA988B	Laptop
☞	Intel Celeron B815 @ 1.60GHz	2	681	662	35	PGA988B	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Celeron B820 @ 1.70GHz	2	776	740	35	PGA988B	Laptop
☞	Intel Celeron B830 @ 1.80GHz	2	785	838	35	rPGA988B	Laptop
☞	Intel Celeron B840 @ 1.90GHz	2	930	901	35	PGA988B	Laptop
☞	Intel Celeron D 347 @ 3.06GHz	1	232	565	86	PLGA775	Desktop
☞	Intel Celeron D 352 @ 3.20GHz	1	283	674	86	PLGA775	Desktop
☞	Intel Celeron D 356 @ 3.33GHz	1	251	619	86	PLGA775	Desktop
☞	Intel Celeron D 360 @ 3.46GHz	1	372	712	65	PLGA775	Desktop
☞	Intel Celeron D 420 @ 1.60GHz	1	313	388	35	LGA775	Desktop
☞	Intel Celeron E1200 @ 1.60GHz	2	492	628	65	LGA775	Desktop
☞	Intel Celeron E1400 @ 2.00GHz	2	671	746	65	LGA775	Desktop
☞	Intel Celeron E1500 @ 2.20GHz	2	649	785	65	LGA775	Desktop
☞	Intel Celeron E1600 @ 2.40GHz	2	712	877	65	LGA775	Desktop
☞	Intel Celeron E3200 @ 2.40GHz	2	860	992	65	LGA775	Desktop
☞	Intel Celeron E3300 @ 2.50GHz	2	805	1,032	65	LGA775	Desktop
☞	Intel Celeron E3400 @ 2.60GHz	2	817	990	65	LGA775	Desktop
☞	Intel Celeron E3500 @ 2.70GHz	2	935	1,154	65	LGA775	Desktop
☞	Intel Celeron G1101 @ 2.27GHz	2	1,086	929	73	FCLGA1156	Desktop
☞	Intel Celeron G1610 @ 2.60GHz	2	1,433	1,318	55	FCLGA1155	Desktop
☞	Intel Celeron G1610T @ 2.30GHz	2	1,285	1,179	35	LGA1155	Desktop
☞	Intel Celeron G1620 @ 2.70GHz	2	1,372	1,377	55	FCLGA1155	Desktop
☞	Intel Celeron G1620T @ 2.40GHz	2	1,507	1,321	35	LGA1155	Desktop
☞	Intel Celeron G1630 @ 2.80GHz	2	1,646	1,542	55	FCLGA1155	Desktop
☞	Intel Celeron G1820 @ 2.70GHz	2	1,649	1,522	53	FCLGA1150	Desktop
☞	Intel Celeron G1820T @ 2.40GHz	2	1,614	1,396	35	LGA1150	Desktop
☞	Intel Celeron G1820TE @ 2.20GHz	2	1,115	728	35	LGA1150	Desktop
☞	Intel Celeron G1830 @ 2.80GHz	2	1,560	1,513	53	LGA1150	Desktop
☞	Intel Celeron G1840 @ 2.80GHz	2	1,734	1,614	53	FCLGA1150	Desktop
☞	Intel Celeron G1840T @ 2.50GHz	2	1,576	1,431	35	LGA1150	Desktop
☞	Intel Celeron G1850 @ 2.90GHz	2	1,895	1,692	54	FCLGA1150	Desktop
☞	Intel Celeron G3900 @ 2.80GHz	2	2,223	1,721	51	FCLGA1151	Desktop
☞	Intel Celeron G3900E @ 2.40GHz	2	2,034	1,499	35	FCBGA1440	Laptop
☞	Intel Celeron G3900T @ 2.60GHz	2	2,199	1,629	35	Unknown	Desktop
☞	Intel Celeron G3900TE @ 2.30GHz	2	1,850	1,402	35	FCLGA1151	Laptop
☞	Intel Celeron G3920 @ 2.90GHz	2	2,265	1,695	51	FCLGA1151	Desktop
☞	Intel Celeron G3930 @ 2.90GHz	2	2,271	1,796	51	FCLGA1151	Desktop
☞	Intel Celeron G3930T @ 2.70GHz	2	2,109	1,650	35	FCLGA1151	Desktop
☞	Intel Celeron G3930TE @ 2.70GHz	2	2,218	1,706	35	FCLGA1151	Desktop
☞	Intel Celeron G3950 @ 3.00GHz	2	2,369	1,811	51	FCLGA1151	Desktop
☞	Intel Celeron G440 @ 1.60GHz	1	426	739	35	LGA1155	Desktop
☞	Intel Celeron G460 @ 1.80GHz	1	483	704	35	LGA1155	Desktop
☞	Intel Celeron G465 @ 1.90GHz	1	480	739	35	LGA1155	Desktop
☞	Intel Celeron G470 @ 2.00GHz	1	691	937	35	LGA1155	Desktop
☞	Intel Celeron G4900 @ 3.10GHz	2	2,430	1,911	54	FCLGA1151-2	Desktop
☞	Intel Celeron G4900T @ 2.90GHz	2	2,292	1,799	35	FCLGA1151-2	Desktop
☞	Intel Celeron G4920 @ 3.20GHz	2	2,406	1,965	54	FCLGA1151-2	Desktop
☞	Intel Celeron G4930 @ 3.20GHz	2	2,575	2,004	54	FCLGA1151-2	Desktop
☞	Intel Celeron G4930T @ 3.00GHz	2	2,224	1,761	35	FCLGA1151	Desktop
☞	Intel Celeron G4950 @ 3.30GHz	2	2,714	2,041	54	FCLGA1151	Desktop
☞	Intel Celeron G530 @ 2.40GHz	2	1,074	1,079	65	LGA1155	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Celeron G530T @ 2.00GHz	2	1,055	966	35	LGA1155	Desktop
☞	Intel Celeron G540 @ 2.50GHz	2	1,080	1,135	65	LGA1155	Desktop
☞	Intel Celeron G540T @ 2.10GHz	2	1,174	972	35	LGA1155	Desktop
☞	Intel Celeron G550 @ 2.60GHz	2	1,223	1,190	65	LGA1155	Desktop
☞	Intel Celeron G550T @ 2.20GHz	2	1,102	1,026	35	LGA1155	Desktop
☞	Intel Celeron G555 @ 2.70GHz	2	1,268	1,275	65	LGA1155	Desktop
☞	Intel Celeron G5900 @ 3.40GHz	2	2,768	2,162	58	FCLGA1200	Desktop
☞	Intel Celeron G5905 @ 3.50GHz	2	2,846	2,208	58	FCLGA1200	Desktop
☞	Intel Celeron G5905T @ 3.30GHz	2	2,309	1,992	35	FCLGA1200	Desktop
☞	Intel Celeron G5920 @ 3.50GHz	2	2,807	2,178	58	FCLGA1200	Desktop
☞	Intel Celeron G5925 @ 3.60GHz	2	2,830	2,283	58	FCLGA1200	Desktop
☞	Intel Celeron J1750 @ 2.41GHz	2	595	659	10	FCBGA1170	Desktop
☞	Intel Celeron J1800 @ 2.41GHz	2	567	656	10	FCBGA1170	Desktop
☞	Intel Celeron J1850 @ 1.99GHz	4	942	455	10	FCBGA1170	Desktop
☞	Intel Celeron J1900 @ 1.99GHz	4	1,125	646	10	FCBGA1170	Desktop
☞	Intel Celeron J3060 @ 1.60GHz	2	662	626	6	BGA1170	Desktop
☞	Intel Celeron J3160 @ 1.60GHz	4	1,290	621	6	BGA1170	Desktop
☞	Intel Celeron J3355 @ 2.00GHz	2	1,235	841	10	FCBGA1296	Desktop, Laptop
☞	Intel Celeron J3455 @ 1.50GHz	4	2,259	811	10	FCBGA1296	Desktop
☞	Intel Celeron J3455E @ 1.50GHz	4	2,256	871	10	FCBGA1296	Desktop
☞	Intel Celeron J4005 @ 2.00GHz	2	1,626	1,127	10	FCBGA1090	Desktop
☞	Intel Celeron J4025 @ 2.00GHz	2	1,520	1,203	10	FCBGA1090	Desktop
☞	Intel Celeron J4105 @ 1.50GHz	4	2,963	1,103	10	FCBGA1090	Desktop
☞	Intel Celeron J4115 @ 1.80GHz	4	2,717	1,073	NA	Unknown	Desktop
☞	Intel Celeron J4125 @ 2.00GHz	4	3,032	1,166	10	FCBGA1090	Desktop
☞	Intel Celeron J6413 @ 1.80GHz	4	4,075	1,601	10	FCBGA1296	Mobile/Embedded
☞	Intel Celeron M 1.00GHz	1	149	197	NA	Unknown	Laptop
☞	Intel Celeron M 1.30GHz	1	205	284	NA	Unknown	Laptop
☞	Intel Celeron M 1.50GHz	1	216	280	21	PPGA478, H-PBGA4	Laptop
☞	Intel Celeron M 1.60GHz	1	224	318	NA	Unknown	Laptop
☞	Intel Celeron M 1.70GHz	1	252	370	NA	Unknown	Laptop
☞	Intel Celeron M 1300MHz	1	197	274	NA	Unknown	Laptop
☞	Intel Celeron M 1500MHz	1	217	297	NA	Unknown	Laptop
☞	Intel Celeron M 360 1.40GHz	1	221	305	21	H-PBGA479, PPGA4	Laptop
☞	Intel Celeron M 410 @ 1.46GHz	1	123	301	27	PPGA478	Laptop
☞	Intel Celeron M 420 @ 1.60GHz	1	139	391	27	PPGA478	Laptop
☞	Intel Celeron M 430 @ 1.73GHz	1	169	466	27	PPGA478	Laptop
☞	Intel Celeron M 440 @ 1.86GHz	1	155	440	27	PBGA479, PPGA478	Laptop
☞	Intel Celeron M 443 @ 1.20GHz	1	125	288	5.5	PBGA479	Laptop
☞	Intel Celeron M 450 @ 2.00GHz	1	230	598	27	PPGA478	Laptop
☞	Intel Celeron M 520 @ 1.60GHz	1	227	553	30	PPGA478	Laptop
☞	Intel Celeron M 530 @ 1.73GHz	1	307	553	30	PBGA479, PPGA478	Laptop
☞	Intel Celeron M 723 @ 1.20GHz	1	267	507	10	BGA956	Laptop
☞	Intel Celeron M 900MHz	1	123	155	NA	Unknown	Laptop
☞	Intel Celeron N2805 @ 1.46GHz	2	335	394	4.3	FCBGA1170	Laptop
☞	Intel Celeron N2806 @ 1.60GHz	2	486	538	4.5	FCBGA1170	Laptop
☞	Intel Celeron N2807 @ 1.58GHz	2	447	547	4.3	FCBGA1170	Laptop
☞	Intel Celeron N2808 @ 1.58GHz	2	515	588	4.5	FCBGA1170	Laptop
☞	Intel Celeron N2810 @ 2.00GHz	2	465	545	7.5	FCBGA1170	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Celeron N2815 @ 1.86GHz	2	477	558	7.5	FCBGA1170	Laptop
☞	Intel Celeron N2820 @ 2.13GHz	2	440	566	7.5	FCBGA1170	Laptop
☞	Intel Celeron N2830 @ 2.16GHz	2	548	636	7.5	FCBGA1170	Laptop
☞	Intel Celeron N2840 @ 2.16GHz	2	583	672	7	FCBGA1170	Laptop
☞	Intel Celeron N2910 @ 1.60GHz	4	672	444	7.5	FCBGA1170	Laptop
☞	Intel Celeron N2920 @ 1.86GHz	4	907	546	7.5	FCBGA1170	Laptop
☞	Intel Celeron N2930 @ 1.83GHz	4	992	578	7.5	FCBGA1170	Laptop
☞	Intel Celeron N2940 @ 1.83GHz	4	1,025	611	7.5	FCBGA1170	Laptop
☞	Intel Celeron N3000 @ 1.04GHz	2	645	572	4	FCBGA1170	Laptop
☞	Intel Celeron N3010 @ 1.04GHz	2	505	573	4	FCBGA1170	Laptop
☞	Intel Celeron N3050 @ 1.60GHz	2	581	560	6	FCBGA1170	Laptop
☞	Intel Celeron N3060 @ 1.60GHz	2	667	630	6	Unknown	Laptop
☞	Intel Celeron N3150 @ 1.60GHz	4	1,192	573	6	FCBGA1170	Laptop
☞	Intel Celeron N3160 @ 1.60GHz	4	1,111	582	6	FCBGA1170	Laptop
☞	Intel Celeron N3350 @ 1.10GHz	2	1,154	810	6	FCBGA1296	Laptop
☞	Intel Celeron N3450 @ 1.10GHz	4	1,924	755	6	FCBGA1296	Laptop
☞	Intel Celeron N4000 @ 1.10GHz	2	1,424	1,031	6	FCBGA1090	Laptop
☞	Intel Celeron N4000C @ 1.10GHz	2	1,602	1,147	6	FCBGA1090	Laptop
☞	Intel Celeron N4020 @ 1.10GHz	2	1,629	1,201	6	FCBGA1090	Laptop
☞	Intel Celeron N4100 @ 1.10GHz	4	2,463	1,010	6	FCBGA1090	Laptop
☞	Intel Celeron N4120 @ 1.10GHz	4	2,486	1,118	6	FCBGA1090	Laptop
☞	Intel Celeron N4500 @ 1.10GHz	2	1,967	1,411	6	FCBGA1338	Mobile/Embedded
☞	Intel Celeron N5100 @ 1.10GHz	4	2,448	1,382	6	FCBGA1338	Laptop
☞	Intel Celeron N5105 @ 2.00GHz	4	3,376	1,444	10	FCBGA1338	Mobile/Embedded
☞	Intel Celeron N6211 @ 1.20GHz	2	2,207	1,582	6.5	FCBGA1493	Mobile/Embedded
☞	Intel Celeron P4500 @ 1.87GHz	2	816	707	35	PGA988A	Laptop
☞	Intel Celeron P4505 @ 1.87GHz	2	689	820	35	BGA1288	Laptop
☞	Intel Celeron P4600 @ 2.00GHz	2	700	675	35	PGA988A	Laptop
☞	Intel Celeron SU2300 @ 1.20GHz	2	445	500	10	BGA956	Laptop
☞	Intel Celeron T1600 @ 1.66GHz	2	520	627	35	Unknown	Laptop
☞	Intel Celeron U1900 @ 1.99GHz	4	1,028	527	NA	Unknown	Unknown
☞	Intel Celeron U3400 @ 1.07GHz	2	473	441	18	BGA1288	Laptop
☞	Intel Celeron U3600 @ 1.20GHz	2	560	520	18	BGA1288	Laptop
☞	Intel Core 860 @ 2.80GHz	4	2,754	1,142	NA	Unknown	Unknown
☞	Intel Core Duo L2300 @ 1.50GHz	2	387	442	15	BGA479	Desktop
☞	Intel Core Duo L2400 @ 1.66GHz	2	348	501	15	BGA479	Laptop
☞	Intel Core Duo L2500 @ 1.83GHz	2	404	578	15	BGA479	Laptop
☞	Intel Core Duo T2050 @ 1.60GHz	2	313	494	31	PGA478	Desktop
☞	Intel Core Duo T2250 @ 1.73GHz	2	347	529	31	PGA478	Laptop
☞	Intel Core Duo T2300 @ 1.66GHz	2	323	516	31	BGA479	Laptop
☞	Intel Core Duo T2350 @ 1.86GHz	2	364	560	31	PGA478	Laptop
☞	Intel Core Duo T2400 @ 1.83GHz	2	349	511	31	BGA479	Laptop
☞	Intel Core Duo T2450 @ 2.00GHz	2	395	592	31	PGA478	Laptop
☞	Intel Core Duo T2500 @ 2.00GHz	2	419	615	31	BGA479	Laptop
☞	Intel Core Duo T2600 @ 2.16GHz	2	449	676	31	BGA479	Laptop
☞	Intel Core Duo T2700 @ 2.33GHz	2	498	652	31	BGA479	Laptop
☞	Intel Core Duo U2400 @ 1.06GHz	2	255	342	9	BGA479	Laptop
☞	Intel Core Duo U2500 @ 1.20GHz	2	220	362	9	BGA479	Laptop
☞	Intel Core i3-1000NG4 @ 1.10GHz	2	4,086	1,975	9	BGA1526	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i3-1005G1 @ 1.20GHz	2	5,211	2,288	15	FCBGA1526	Laptop
☞	Intel Core i3-10100 @ 3.60GHz	4	8,821	2,637	65	FCLGA1200	Desktop
☞	Intel Core i3-10100F @ 3.60GHz	4	8,756	2,612	65	FCLGA1200	Desktop
☞	Intel Core i3-10100T @ 3.00GHz	4	7,488	2,369	35	FCLGA1200	Laptop
☞	Intel Core i3-10105 @ 3.70GHz	4	8,859	2,733	65	FCLGA1200	Desktop
☞	Intel Core i3-10105F @ 3.70GHz	4	8,902	2,692	NA	FCLGA1200	Desktop
☞	Intel Core i3-10105T @ 3.00GHz	4	8,354	2,454	35	FCLGA1200	Desktop
☞	Intel Core i3-10110U @ 2.10GHz	2	4,047	2,307	15	FCBGA1528	Laptop
☞	Intel Core i3-10110Y @ 1.00GHz	2	3,444	2,245	7	UTFCBGA1377	Laptop
☞	Intel Core i3-10300 @ 3.70GHz	4	9,344	2,680	65	FCLGA1200	Desktop
☞	Intel Core i3-10300T @ 3.00GHz	4	8,247	2,404	35	FCLGA1200	Desktop
☞	Intel Core i3-10305 @ 3.80GHz	4	9,689	2,834	65	FCLGA1200	Desktop
☞	Intel Core i3-10305T @ 3.00GHz	4	8,136	2,456	35	FCLGA1200	Desktop
☞	Intel Core i3-10320 @ 3.80GHz	4	10,123	2,837	65	FCLGA1200	Desktop
☞	Intel Core i3-1115G4 @ 3.00GHz	2	6,544	2,771	NA	FCBGA1449	Laptop
☞	Intel Core i3-1125G4 @ 2.00GHz	4	9,172	2,539	28	FCBGA1449	Laptop
☞	Intel Core i3-2100 @ 3.10GHz	2	1,792	1,426	65	LGA1155	Desktop
☞	Intel Core i3-2100T @ 2.50GHz	2	1,634	1,183	35	LGA1155	Desktop
☞	Intel Core i3-2102 @ 3.10GHz	2	2,029	1,400	65	FCLGA1155	Desktop
☞	Intel Core i3-2105 @ 3.10GHz	2	1,831	1,330	65	LGA1155	Desktop
☞	Intel Core i3-21050 @ 3.10GHz	2	2,193	1,429	NA	Unknown	Unknown
☞	Intel Core i3-2120 @ 3.30GHz	2	1,900	1,514	65	LGA1155	Desktop
☞	Intel Core i3-2120T @ 2.60GHz	2	1,473	1,130	35	LGA1155	Desktop
☞	Intel Core i3-2125 @ 3.30GHz	2	2,093	1,550	65	LGA1155	Desktop
☞	Intel Core i3-2130 @ 3.40GHz	2	1,994	1,579	65	LGA1155	Desktop
☞	Intel Core i3-2140 @ 3.50GHz	2	2,456	1,391	65	Unknown	Unknown
☞	Intel Core i3-2310E @ 2.10GHz	2	1,845	733	35	FCBGA1023	Laptop
☞	Intel Core i3-2310M @ 2.10GHz	2	1,174	938	35	BGA1023	Laptop
☞	Intel Core i3-2312M @ 2.10GHz	2	1,138	927	35	PGA988B	Laptop
☞	Intel Core i3-2328M @ 2.20GHz	2	1,202	974	35	PGA988	Laptop
☞	Intel Core i3-2330E @ 2.20GHz	2	1,823	1,063	35	rPGA988	Desktop
☞	Intel Core i3-2330M @ 2.20GHz	2	1,197	967	35	BGA1023	Laptop
☞	Intel Core i3-2332M @ 2.20GHz	2	1,353	936	35	rPGA988B	Laptop
☞	Intel Core i3-2340UE @ 1.30GHz	2	976	620	17	BGA-1023	Laptop
☞	Intel Core i3-2348M @ 2.30GHz	2	1,257	1,029	35	rPGA988B	Laptop
☞	Intel Core i3-2350M @ 2.30GHz	2	1,255	1,018	35	PGA988B	Laptop
☞	Intel Core i3-2357M @ 1.30GHz	2	824	591	17	Unknown	Laptop
☞	Intel Core i3-2365M @ 1.40GHz	2	861	633	17	BGA1023	Laptop
☞	Intel Core i3-2367M @ 1.40GHz	2	829	622	17	BGA1023	Laptop
☞	Intel Core i3-2370M @ 2.40GHz	2	1,326	1,069	35	PGA988B	Laptop
☞	Intel Core i3-2375M @ 1.50GHz	2	890	676	17	BGA1023	Laptop
☞	Intel Core i3-2377M @ 1.50GHz	2	872	660	17	BGA1023	Laptop
☞	Intel Core i3-3110M @ 2.40GHz	2	1,588	1,255	35	BGA1023	Laptop
☞	Intel Core i3-3120M @ 2.50GHz	2	1,634	1,283	35	PGA988	Laptop
☞	Intel Core i3-3130M @ 2.60GHz	2	1,824	1,067	35	BGA1023	Laptop
☞	Intel Core i3-3210 @ 3.20GHz	2	2,061	1,687	55	LGA1155	Desktop
☞	Intel Core i3-3217U @ 1.80GHz	2	1,184	920	17	BGA1023	Laptop
☞	Intel Core i3-3217UE @ 1.60GHz	2	1,362	711	17	BGA1023	Laptop
☞	Intel Core i3-3220 @ 3.30GHz	2	2,158	1,720	55	LGA1155	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i3-3220T @ 2.80GHz	2	1,957	1,524	35	LGA1155	Desktop
☞	Intel Core i3-3225 @ 3.30GHz	2	2,193	1,676	55	LGA1155	Desktop
☞	Intel Core i3-3227U @ 1.90GHz	2	1,262	946	17	BGA1023	Laptop
☞	Intel Core i3-3229Y @ 1.40GHz	2	978	646	13	BGA1023	Desktop
☞	Intel Core i3-3240 @ 3.40GHz	2	2,277	1,812	55	LGA1155	Desktop
☞	Intel Core i3-3240T @ 2.90GHz	2	1,985	1,525	35	LGA1155	Desktop
☞	Intel Core i3-3245 @ 3.40GHz	2	2,514	1,803	55	LGA1155	Desktop
☞	Intel Core i3-3250 @ 3.50GHz	2	2,329	1,772	55	LGA1155	Desktop
☞	Intel Core i3-3250T @ 3.00GHz	2	2,650	1,684	35	FCLGA1155	Desktop
☞	Intel Core i3-330E @ 2.13GHz	2	1,260	934	35	BGA1288	Laptop
☞	Intel Core i3-330M @ 2.13GHz	2	972	811	35	BGA1288	Laptop
☞	Intel Core i3-330UM @ 1.20GHz	2	666	457	18	BGA1288	Laptop
☞	Intel Core i3-350M @ 2.27GHz	2	1,055	879	35	BGA1288	Laptop
☞	Intel Core i3-370M @ 2.40GHz	2	1,122	981	35	PGA988A	Laptop
☞	Intel Core i3-380M @ 2.53GHz	2	1,140	1,002	35	PGA988A	Laptop
☞	Intel Core i3-380UM @ 1.33GHz	2	699	562	18	BGA1288	Laptop
☞	Intel Core i3-390M @ 2.67GHz	2	1,264	1,096	35	BGA1288	Laptop
☞	Intel Core i3-4000M @ 2.40GHz	2	1,723	1,263	37	FCPGA946	Laptop
☞	Intel Core i3-4005U @ 1.70GHz	2	1,642	909	15	FCBGA1168	Laptop
☞	Intel Core i3-4010U @ 1.70GHz	2	1,647	908	15	BGA1168	Laptop
☞	Intel Core i3-4010Y @ 1.30GHz	2	1,310	729	11.5	BGA1168	Desktop
☞	Intel Core i3-4012Y @ 1.50GHz	2	1,305	745	11.5	FCBGA1168	Laptop
☞	Intel Core i3-4020Y @ 1.50GHz	2	1,437	764	11.5	BGA1168	Desktop
☞	Intel Core i3-4025U @ 1.90GHz	2	1,918	1,080	15	FCBGA1168	Laptop
☞	Intel Core i3-4030U @ 1.90GHz	2	1,880	1,032	15	FCBGA1168	Laptop
☞	Intel Core i3-4030Y @ 1.60GHz	2	1,654	901	11.5	FCBGA1168	Laptop
☞	Intel Core i3-4100M @ 2.50GHz	2	2,440	1,350	37	FCPGA946	Laptop
☞	Intel Core i3-4110M @ 2.60GHz	2	2,580	1,288	37	FCPGA946	Laptop
☞	Intel Core i3-4110U @ 1.90GHz	2	1,853	1,119	NA	Unknown	Laptop
☞	Intel Core i3-4120U @ 2.00GHz	2	1,948	1,177	15	FCBGA1168	Laptop
☞	Intel Core i3-4130 @ 3.40GHz	2	3,257	1,881	54	LGA1150	Desktop
☞	Intel Core i3-4130T @ 2.90GHz	2	2,878	1,637	35	LGA1150	Desktop
☞	Intel Core i3-4150 @ 3.50GHz	2	3,337	1,923	54	FCLGA1150	Desktop
☞	Intel Core i3-4150T @ 3.00GHz	2	2,887	1,582	35	FCLGA1150	Desktop
☞	Intel Core i3-4158U @ 2.00GHz	2	1,718	1,005	28	FCBGA1168	Laptop
☞	Intel Core i3-4160 @ 3.60GHz	2	3,473	2,009	54	FCLGA1150	Desktop
☞	Intel Core i3-4160T @ 3.10GHz	2	3,096	1,745	35	LGA1150	Desktop
☞	Intel Core i3-4170 @ 3.70GHz	2	3,611	2,102	54	LGA1150	Desktop
☞	Intel Core i3-4170T @ 3.20GHz	2	3,137	1,806	35	LGA1150	Desktop
☞	Intel Core i3-4330 @ 3.50GHz	2	3,555	1,994	54	LGA1150	Desktop
☞	Intel Core i3-4330T @ 3.00GHz	2	3,098	1,717	35	LGA1150	Desktop
☞	Intel Core i3-4330TE @ 2.40GHz	2	2,500	1,399	35	LGA1150	Desktop
☞	Intel Core i3-4340 @ 3.60GHz	2	3,584	2,044	54	LGA1150	Desktop
☞	Intel Core i3-4350 @ 3.60GHz	2	3,163	1,692	54	LGA1150	Desktop
☞	Intel Core i3-4350T @ 3.10GHz	2	2,888	1,656	35	LGA1150	Laptop
☞	Intel Core i3-4360 @ 3.70GHz	2	3,657	2,052	54	FCLGA1150	Desktop
☞	Intel Core i3-4360T @ 3.20GHz	2	3,164	1,852	35	LGA1150	Desktop
☞	Intel Core i3-4370 @ 3.80GHz	2	3,682	2,023	54	LGA1150	Desktop
☞	Intel Core i3-4370T @ 3.30GHz	2	3,250	1,908	35	FCLGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i3-4570T @ 2.90GHz	2	3,244	1,693	35	FCLGA1150	Desktop
☞	Intel Core i3-5005U @ 2.00GHz	2	2,021	1,156	15	FCBGA1168	Laptop
☞	Intel Core i3-5010U @ 2.10GHz	2	2,120	1,223	15	FCBGA1168	Laptop
☞	Intel Core i3-5015U @ 2.10GHz	2	2,097	1,199	15	FCBGA1168	Laptop
☞	Intel Core i3-5020U @ 2.20GHz	2	2,179	1,263	15	FCBGA1168	Laptop
☞	Intel Core i3-5157U @ 2.50GHz	2	2,588	1,325	28	FCBGA1168	Laptop
☞	Intel Core i3-530 @ 2.93GHz	2	1,436	1,179	73	LGA1156	Desktop
☞	Intel Core i3-540 @ 3.07GHz	2	1,503	1,274	73	LGA1156	Desktop
☞	Intel Core i3-550 @ 3.20GHz	2	1,561	1,350	73	LGA1156	Desktop
☞	Intel Core i3-560 @ 3.33GHz	2	1,626	1,341	73	LGA1156	Desktop
☞	Intel Core i3-6006U @ 2.00GHz	2	2,278	1,173	15	FCBGA1356	Laptop
☞	Intel Core i3-6098P @ 3.60GHz	2	4,127	2,112	54	LGA 1151	Desktop
☞	Intel Core i3-6100 @ 3.70GHz	2	4,168	2,223	51	LGA 1151	Desktop
☞	Intel Core i3-6100E @ 2.70GHz	2	3,315	1,688	35	LGA 1151	Laptop
☞	Intel Core i3-6100H @ 2.70GHz	2	3,014	1,530	35	LGA 1151	Laptop
☞	Intel Core i3-6100T @ 3.20GHz	2	3,569	1,874	35	LGA 1151	Desktop
☞	Intel Core i3-6100TE @ 2.70GHz	2	3,280	1,658	35	LGA 1151	Desktop
☞	Intel Core i3-6100U @ 2.30GHz	2	2,616	1,340	15	FCBGA1356	Laptop
☞	Intel Core i3-6102E @ 1.90GHz	2	2,349	1,068	25	FCBGA1440	Laptop
☞	Intel Core i3-6157U @ 2.40GHz	2	2,704	1,416	28	BGA1356	Laptop
☞	Intel Core i3-6300 @ 3.80GHz	2	4,411	2,356	51	LGA 1151	Desktop
☞	Intel Core i3-6300T @ 3.30GHz	2	4,040	2,055	35	LGA 1151	Desktop
☞	Intel Core i3-6320 @ 3.90GHz	2	4,441	2,388	51	LGA 1151	Desktop
☞	Intel Core i3-7020U @ 2.30GHz	2	2,575	1,342	15	FCBGA1356	Laptop
☞	Intel Core i3-7100 @ 3.90GHz	2	4,300	2,326	51	FCLGA1151	Desktop
☞	Intel Core i3-7100H @ 3.00GHz	2	3,430	1,668	35	FCBGA1440	Laptop
☞	Intel Core i3-7100T @ 3.40GHz	2	3,815	2,030	35	FCLGA1151	Desktop
☞	Intel Core i3-7100U @ 2.40GHz	2	2,718	1,398	15	FCBGA1356	Laptop
☞	Intel Core i3-7101TE @ 3.40GHz	2	3,985	2,111	35	FCLGA1151	Desktop
☞	Intel Core i3-7102E @ 2.10GHz	2	2,521	1,292	25	FCBGA1440	Laptop
☞	Intel Core i3-7130U @ 2.70GHz	2	2,980	1,584	15	FCBGA1356	Laptop
☞	Intel Core i3-7167U @ 2.80GHz	2	3,489	1,834	28	Unknown	Laptop
☞	Intel Core i3-7300 @ 4.00GHz	2	4,761	2,378	51	FCLGA1151	Desktop
☞	Intel Core i3-7300T @ 3.50GHz	2	4,159	2,128	35	FCLGA1151	Desktop
☞	Intel Core i3-7320 @ 4.10GHz	2	4,856	2,456	51	FCLGA1151	Desktop
☞	Intel Core i3-7350K @ 4.20GHz	2	4,864	2,506	60	FCLGA1151	Desktop
☞	Intel Core i3-8100 @ 3.60GHz	4	6,136	2,243	65	FCLGA1151-2	Desktop
☞	Intel Core i3-8100B @ 3.60GHz	4	6,200	2,330	65	FCBGA1440	Laptop
☞	Intel Core i3-8100T @ 3.10GHz	4	5,311	1,925	35	FCLGA1151-2	Desktop
☞	Intel Core i3-8109U @ 3.00GHz	2	4,326	2,152	28	FCBGA1528	Laptop
☞	Intel Core i3-8121U @ 2.20GHz	2	4,369	1,921	15	Unknown	Laptop
☞	Intel Core i3-8130U @ 2.20GHz	2	3,675	1,969	15	FCBGA1356	Laptop
☞	Intel Core i3-8145U @ 2.10GHz	2	3,822	2,130	15	FCBGA1528	Laptop
☞	Intel Core i3-8145UE @ 2.20GHz	2	4,133	2,324	15	FCBGA1528	Laptop
☞	Intel Core i3-8300 @ 3.70GHz	4	6,341	2,309	62	FCLGA1151-2	Desktop
☞	Intel Core i3-8300T @ 3.20GHz	4	5,827	2,005	25	FCLGA1151-2	Desktop
☞	Intel Core i3-8350K @ 4.00GHz	4	6,897	2,508	91	FCLGA1151-2	Desktop
☞	Intel Core i3-9100 @ 3.60GHz	4	6,634	2,527	65	FCLGA1151-2	Desktop
☞	Intel Core i3-9100F @ 3.60GHz	4	6,780	2,526	65	FCLGA1151-2	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i3-9100T @ 3.10GHz	4	5,660	2,207	35	FCLGA1151-2	Desktop
☞	Intel Core i3-9100TE @ 2.20GHz	4	4,501	1,585	35	FCLGA1151-2	Laptop
☞	Intel Core i3-9300 @ 3.70GHz	4	7,279	2,666	62	FCLGA1151-2	Desktop
☞	Intel Core i3-9300T @ 3.20GHz	4	5,927	2,312	35	FCLGA1151-2	Desktop
☞	Intel Core i3-9320 @ 3.70GHz	4	7,358	2,711	62	FCLGA1151-2	Desktop
☞	Intel Core i3-9350K @ 4.00GHz	4	7,760	2,847	91	FCLGA1151	Desktop
☞	Intel Core i3-9350KF @ 4.00GHz	4	7,520	2,745	91	FCLGA1151-2	Desktop
☞	Intel Core i5 750S @ 2.40GHz	4	1,326	1,039	82	LGA1156	Desktop
☞	Intel Core i5 E 520 @ 2.40GHz	2	1,619	1,032	35	BGA1288	Desktop
☞	Intel Core i5-10200H @ 2.40GHz	4	8,458	2,475	45	FCBGA1440	Laptop
☞	Intel Core i5-10210U @ 1.60GHz	4	6,488	2,265	15	FCBGA1528	Laptop
☞	Intel Core i5-10210Y @ 1.00GHz	4	4,836	2,032	7	UTFCBGA1377	Laptop
☞	Intel Core i5-10300H @ 2.50GHz	4	8,774	2,638	45	FCBGA1440	Desktop, Laptop
☞	Intel Core i5-1030NG7 @ 1.10GHz	4	6,058	1,752	10	BGA1526	Laptop
☞	Intel Core i5-10310U @ 1.70GHz	4	6,945	2,374	15	FCBGA1528	Laptop
☞	Intel Core i5-1035G1 @ 1.00GHz	4	7,902	2,341	15	FCBGA1526	Laptop
☞	Intel Core i5-1035G4 @ 1.10GHz	4	8,274	2,310	15	FCBGA1526	Laptop
☞	Intel Core i5-1035G7 @ 1.20GHz	4	8,391	2,294	15	FCBGA1526	Laptop
☞	Intel Core i5-1038NG7 @ 2.00GHz	4	9,700	2,366	28	FCBGA1344	Laptop
☞	Intel Core i5-10400 @ 2.90GHz	6	12,408	2,595	65	FCLGA1200	Desktop
☞	Intel Core i5-10400F @ 2.90GHz	6	12,485	2,581	65	FCLGA1200	Desktop
☞	Intel Core i5-10400H @ 2.60GHz	4	9,010	2,757	45	FCBGA1440	Laptop
☞	Intel Core i5-10400T @ 2.00GHz	6	10,116	2,160	35	FCLGA1200	Desktop
☞	Intel Core i5-10500 @ 3.10GHz	6	13,249	2,774	65	FCLGA1200	Desktop
☞	Intel Core i5-10500H @ 2.50GHz	6	12,317	2,659	45	FCBGA1440	Laptop
☞	Intel Core i5-10500T @ 2.30GHz	6	10,770	2,368	35	FCLGA1200	Desktop
☞	Intel Core i5-10505 @ 3.20GHz	6	12,853	2,895	65	FCLGA1200	Desktop
☞	Intel Core i5-10600 @ 3.30GHz	6	13,949	2,884	65	FCLGA1200	Desktop
☞	Intel Core i5-10600K @ 4.10GHz	6	14,545	2,935	125	FCLGA1200	Desktop
☞	Intel Core i5-10600KF @ 4.10GHz	6	14,583	2,952	125	FCLGA1200	Desktop
☞	Intel Core i5-10600T @ 2.40GHz	6	11,871	2,510	35	FCLGA1200	Desktop
☞	Intel Core i5-11300H @ 3.10GHz	4	11,209	2,843	35	FCBGA1449	Laptop
☞	Intel Core i5-1130G7 @ 1.10GHz	4	10,483	2,561	15	BGA 1449	Laptop
☞	Intel Core i5-1135G7 @ 2.40GHz	4	10,047	2,735	15	BGA1526	Laptop
☞	Intel Core i5-11400 @ 2.60GHz	6	17,694	3,059	65	FCLGA1200	Desktop
☞	Intel Core i5-11400F @ 2.60GHz	6	17,798	3,067	65	FCLGA1200	Desktop
☞	Intel Core i5-11400T @ 1.30GHz	6	13,367	2,628	35	FCLGA1200	Desktop
☞	Intel Core i5-1140G7 @ 1.10GHz	4	10,560	2,573	15	FCBGA1598	Server
☞	Intel Core i5-1145G7 @ 2.60GHz	4	10,903	2,915	28	FCBGA1449	Laptop
☞	Intel Core i5-1145G7E @ 2.60GHz	4	11,488	2,837	15	FCBGA1449	Mobile/Embedded
☞	Intel Core i5-11500 @ 2.70GHz	6	17,819	3,101	65	FCLGA1200	Desktop
☞	Intel Core i5-11500H @ 2.90GHz	6	17,655	3,224	45	FCBGA1787	Laptop
☞	Intel Core i5-11600 @ 2.80GHz	6	18,077	3,202	65	FCLGA1200	Desktop
☞	Intel Core i5-11600K @ 3.90GHz	6	19,975	3,382	125	FCLGA1200	Desktop
☞	Intel Core i5-11600KF @ 3.90GHz	6	20,061	3,398	125	FCLGA1200	Desktop
☞	Intel Core i5-2300 @ 2.80GHz	4	3,367	1,432	95	LGA1155	Desktop
☞	Intel Core i5-2310 @ 2.90GHz	4	3,534	1,495	95	LGA1155	Desktop
☞	Intel Core i5-2320 @ 3.00GHz	4	3,635	1,518	95	LGA1155	Desktop
☞	Intel Core i5-2380P @ 3.10GHz	4	3,797	1,607	95	LGA1155	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i5-2390T @ 2.70GHz	2	2,364	1,394	35	LGA1155	Desktop
☞	Intel Core i5-2400 @ 3.10GHz	4	3,820	1,578	95	LGA1155	Desktop
☞	Intel Core i5-2400S @ 2.50GHz	4	3,138	1,468	65	LGA1155	Desktop
☞	Intel Core i5-24050S @ 2.50GHz	4	3,061	1,397	65	LGA1155, FCLGA11	Desktop
☞	Intel Core i5-2405S @ 2.50GHz	4	2,980	1,485	65	LGA1155	Desktop
☞	Intel Core i5-2410M @ 2.30GHz	2	1,971	1,237	35	FCBGA1023, PPG	Laptop
☞	Intel Core i5-2415M @ 2.30GHz	2	2,020	1,189	35	BGA1023	Desktop
☞	Intel Core i5-2430M @ 2.40GHz	2	2,017	1,255	35	PGA988B	Laptop
☞	Intel Core i5-2435M @ 2.40GHz	2	1,964	1,216	35	BGA1023	Laptop
☞	Intel Core i5-2450M @ 2.50GHz	2	2,042	1,269	35	BGA1023	Laptop
☞	Intel Core i5-2450P @ 3.20GHz	4	3,974	1,654	95	LGA1155	Desktop
☞	Intel Core i5-2467M @ 1.60GHz	2	1,481	897	17	BGA1023	Laptop
☞	Intel Core i5-2500 @ 3.30GHz	4	4,081	1,705	95	LGA1155	Desktop
☞	Intel Core i5-2500K @ 3.30GHz	4	4,084	1,696	95	LGA1155	Desktop
☞	Intel Core i5-2500S @ 2.70GHz	4	3,407	1,637	65	LGA1155	Desktop
☞	Intel Core i5-2500T @ 2.30GHz	4	2,852	1,447	45	LGA1155	Desktop
☞	Intel Core i5-2510E @ 2.50GHz	2	1,889	1,183	35	PGA988B	Laptop
☞	Intel Core i5-2515E @ 2.50GHz	2	1,882	1,189	35	BGA1023	Desktop
☞	Intel Core i5-2520M @ 2.50GHz	2	2,235	1,372	35	PGA988B	Laptop
☞	Intel Core i5-2537M @ 1.40GHz	2	1,094	688	17	BGA1023	Laptop
☞	Intel Core i5-2540M @ 2.60GHz	2	2,294	1,383	35	BGA1023	Laptop
☞	Intel Core i5-2550K @ 3.40GHz	4	4,180	1,761	95	LGA1155	Desktop
☞	Intel Core i5-2557M @ 1.70GHz	2	1,682	967	17	BGA1023	Laptop
☞	Intel Core i5-2560M @ 2.70GHz	2	2,131	1,259	NA	Unknown	Unknown
☞	Intel Core i5-3170K @ 3.20GHz	4	8,882	2,510	NA	Unknown	Unknown
☞	Intel Core i5-3210M @ 2.50GHz	2	2,433	1,529	35	PGA988B	Laptop
☞	Intel Core i5-3230M @ 2.60GHz	2	2,520	1,566	35	PGA988	Laptop
☞	Intel Core i5-3317U @ 1.70GHz	2	1,944	1,227	17	BGA1023	Laptop
☞	Intel Core i5-3320M @ 2.60GHz	2	2,623	1,604	35	BGA1023	Laptop
☞	Intel Core i5-3330 @ 3.00GHz	4	4,054	1,719	77	LGA1155	Desktop
☞	Intel Core i5-3330S @ 2.70GHz	4	3,851	1,682	65	LGA1155	Desktop
☞	Intel Core i5-3335S @ 2.70GHz	4	3,754	1,738	65	LGA1155	Desktop
☞	Intel Core i5-3337U @ 1.80GHz	2	2,030	1,252	17	BGA1023	Laptop
☞	Intel Core i5-3339Y @ 1.50GHz	2	1,402	755	13	BGA1023	Desktop
☞	Intel Core i5-3340 @ 3.10GHz	4	4,145	1,782	77	LGA1155	Desktop
☞	Intel Core i5-3340M @ 2.70GHz	2	2,652	1,644	35	BGA1023	Laptop
☞	Intel Core i5-3340S @ 2.80GHz	4	4,053	1,777	65	LGA1155	Desktop
☞	Intel Core i5-3350P @ 3.10GHz	4	4,229	1,784	69	LGA1155	Desktop
☞	Intel Core i5-3360M @ 2.80GHz	2	2,867	1,758	35	BGA1023	Laptop
☞	Intel Core i5-3380M @ 2.90GHz	2	3,015	1,848	35	FCPGA988, FCBGA1	Laptop
☞	Intel Core i5-3427U @ 1.80GHz	2	2,298	1,404	17	BGA1023	Laptop
☞	Intel Core i5-3437U @ 1.90GHz	2	2,252	1,383	17	BGA1023	Laptop
☞	Intel Core i5-3439Y @ 1.50GHz	2	1,907	1,197	13	BGA1023	Desktop
☞	Intel Core i5-3450 @ 3.10GHz	4	4,464	1,884	77	LGA1155	Desktop
☞	Intel Core i5-3450S @ 2.80GHz	4	4,252	1,849	65	LGA1155	Desktop
☞	Intel Core i5-3470 @ 3.20GHz	4	4,637	1,937	77	LGA1155	Desktop
☞	Intel Core i5-3470S @ 2.90GHz	4	4,315	1,896	65	LGA1155	Desktop
☞	Intel Core i5-3470T @ 2.90GHz	2	2,942	1,771	35	LGA1155	Desktop
☞	Intel Core i5-3475S @ 2.90GHz	4	4,094	1,783	65	LGA1155	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i5-3550 @ 3.30GHz	4	4,770	2,005	77	LGA1155	Desktop
☞	Intel Core i5-3550S @ 3.00GHz	4	4,494	1,963	65	LGA1155	Desktop
☞	Intel Core i5-3570 @ 3.40GHz	4	4,880	2,041	77	LGA1155	Desktop
☞	Intel Core i5-3570K @ 3.40GHz	4	4,920	2,045	77	LGA1155	Desktop
☞	Intel Core i5-3570S @ 3.10GHz	4	4,585	1,983	65	LGA1155	Desktop
☞	Intel Core i5-3570T @ 2.30GHz	4	4,168	1,779	45	LGA1155	Desktop
☞	Intel Core i5-3610ME @ 2.70GHz	2	2,623	1,675	35	BGA1023	Laptop
☞	Intel Core i5-4200H @ 2.80GHz	2	3,089	1,785	47	BGA1364	Desktop
☞	Intel Core i5-4200M @ 2.50GHz	2	2,793	1,647	37	PGA946	Laptop
☞	Intel Core i5-4200U @ 1.60GHz	2	2,194	1,333	15	BGA1168	Laptop
☞	Intel Core i5-4200Y @ 1.40GHz	2	1,558	944	11.5	BGA1168	Desktop
☞	Intel Core i5-4202Y @ 1.60GHz	2	1,670	1,079	11.5	FCBGA1168	Desktop
☞	Intel Core i5-4210H @ 2.90GHz	2	2,947	1,716	47	FCBGA1364	Laptop
☞	Intel Core i5-4210M @ 2.60GHz	2	2,929	1,726	37	FCPGA946	Laptop
☞	Intel Core i5-4210U @ 1.70GHz	2	2,285	1,374	15	FCBGA1168	Laptop
☞	Intel Core i5-4210Y @ 1.50GHz	2	1,658	1,004	11	BGA1168	Desktop
☞	Intel Core i5-4220Y @ 1.60GHz	2	1,591	952	11.5	FCBGA1364	Laptop
☞	Intel Core i5-4230U @ 1.90GHz	2	1,853	1,620	15	FCBGA1364	Laptop
☞	Intel Core i5-4250U @ 1.30GHz	2	2,151	1,328	15	BGA1168	Laptop
☞	Intel Core i5-4258U @ 2.40GHz	2	2,553	1,537	28	FCBGA1168	Laptop
☞	Intel Core i5-4260U @ 1.40GHz	2	2,415	1,521	15	FCBGA1168	Laptop
☞	Intel Core i5-4278U @ 2.60GHz	2	2,780	1,657	28	FCBGA1168	Laptop
☞	Intel Core i5-4288U @ 2.60GHz	2	2,554	1,572	28	FCBGA1168	Laptop
☞	Intel Core i5-4300M @ 2.60GHz	2	3,000	1,762	37	PGA946	Laptop
☞	Intel Core i5-4300U @ 1.90GHz	2	2,490	1,496	15	FCBGA1168	Laptop
☞	Intel Core i5-4300Y @ 1.60GHz	2	1,466	934	11.5	BGA1168	Desktop
☞	Intel Core i5-4302Y @ 1.60GHz	2	1,817	1,084	11.5	FCBGA1168	Desktop
☞	Intel Core i5-4308U @ 2.80GHz	2	2,957	1,804	28	FCBGA1364	Laptop
☞	Intel Core i5-430M @ 2.27GHz	2	1,183	996	35	BGA1288	Laptop
☞	Intel Core i5-430UM @ 1.20GHz	2	836	630	18	BGA1288	Laptop
☞	Intel Core i5-4310M @ 2.70GHz	2	3,160	1,837	37	Unknown	Laptop
☞	Intel Core i5-4310U @ 2.00GHz	2	2,484	1,480	15	FCBGA1168	Laptop
☞	Intel Core i5-4330M @ 2.80GHz	2	3,208	1,855	37	Unknown	Laptop
☞	Intel Core i5-4340M @ 2.90GHz	2	3,464	2,019	37	Unknown	Laptop
☞	Intel Core i5-4350U @ 1.40GHz	2	2,305	1,499	15	BGA1168	Laptop
☞	Intel Core i5-4400E @ 2.70GHz	2	3,251	1,804	37	BGA1364	Desktop
☞	Intel Core i5-4402E @ 1.60GHz	2	2,681	1,510	25	FCBGA1364	Laptop
☞	Intel Core i5-4422E @ 1.80GHz	2	1,907	1,048	25	FCBGA1364	Laptop
☞	Intel Core i5-4430 @ 3.00GHz	4	4,633	1,819	84	LGA1150	Desktop
☞	Intel Core i5-4430S @ 2.70GHz	4	4,014	1,683	65	LGA1150	Desktop
☞	Intel Core i5-4440 @ 3.10GHz	4	4,688	1,860	84	FCLGA1150	Desktop
☞	Intel Core i5-4440S @ 2.80GHz	4	4,198	1,772	65	LGA1150	Desktop
☞	Intel Core i5-4460 @ 3.20GHz	4	4,794	1,894	84	LGA1150	Desktop
☞	Intel Core i5-4460S @ 2.90GHz	4	4,472	1,821	65	LGA1150	Desktop
☞	Intel Core i5-4460T @ 1.90GHz	4	3,581	1,468	35	LGA1150	Desktop
☞	Intel Core i5-4470S @ 3.00GHz	4	4,742	1,756	65	LGA1150	Desktop
☞	Intel Core i5-450M @ 2.40GHz	2	1,201	1,043	35	PGA988A	Laptop
☞	Intel Core i5-4570 @ 3.20GHz	4	5,163	2,028	84	LGA1150	Desktop
☞	Intel Core i5-4570R @ 2.70GHz	4	4,776	1,882	65	FCBGA1364	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i5-4570S @ 2.90GHz	4	4,886	1,969	65	LGA1150	Desktop
☞	Intel Core i5-4570T @ 2.90GHz	2	3,249	1,945	35	LGA1150	Desktop
☞	Intel Core i5-4570TE @ 2.70GHz	2	3,135	1,672	35	LGA1150	Desktop
☞	Intel Core i5-4590 @ 3.30GHz	4	5,316	2,088	84	LGA1150	Desktop
☞	Intel Core i5-4590S @ 3.00GHz	4	5,104	2,075	65	LGA1150	Desktop
☞	Intel Core i5-4590T @ 2.00GHz	4	4,016	1,649	35	LGA1150	Desktop
☞	Intel Core i5-460M @ 2.53GHz	2	1,276	1,153	35	BGA1288	Laptop
☞	Intel Core i5-4670 @ 3.40GHz	4	5,402	2,135	84	LGA1150	Desktop
☞	Intel Core i5-4670K @ 3.40GHz	4	5,509	2,152	84	LGA1150	Desktop
☞	Intel Core i5-4670K CPT @ 3.40GHz	4	5,034	2,042	84	LGA1150	Desktop
☞	Intel Core i5-4670R @ 3.00GHz	4	5,233	2,164	65	FCBGA1364	Desktop
☞	Intel Core i5-4670S @ 3.10GHz	4	5,160	2,093	65	FCLGA1150	Desktop
☞	Intel Core i5-4670T @ 2.30GHz	4	4,333	1,722	45	FCLGA1150	Desktop
☞	Intel Core i5-4690 @ 3.50GHz	4	5,586	2,205	84	LGA1150	Desktop
☞	Intel Core i5-4690K @ 3.50GHz	4	5,607	2,199	88	LGA1150	Desktop
☞	Intel Core i5-4690S @ 3.20GHz	4	5,451	2,216	65	LGA1150	Desktop
☞	Intel Core i5-4690T @ 2.50GHz	4	4,474	1,913	45	LGA1150	Desktop
☞	Intel Core i5-470UM @ 1.33GHz	2	755	539	18	BGA1288	Laptop
☞	Intel Core i5-480M @ 2.67GHz	2	1,298	1,177	35	BGA1288	Laptop
☞	Intel Core i5-5200U @ 2.20GHz	2	2,512	1,519	15	FCBGA1168	Laptop
☞	Intel Core i5-520M @ 2.40GHz	2	1,722	1,100	35	BGA1288	Laptop
☞	Intel Core i5-520UM @ 1.07GHz	2	928	737	18	BGA1288	Laptop
☞	Intel Core i5-5250U @ 1.60GHz	2	2,508	1,569	15	FCBGA1168	Laptop
☞	Intel Core i5-5257U @ 2.70GHz	2	3,024	1,867	23	FCBGA1168	Laptop
☞	Intel Core i5-5287U @ 2.90GHz	2	3,280	2,094	28	FCBGA1168	Laptop
☞	Intel Core i5-5300U @ 2.30GHz	2	2,729	1,654	15	FCBGA1168	Laptop
☞	Intel Core i5-5350U @ 1.80GHz	2	2,728	1,738	15	FCBGA1168	Laptop
☞	Intel Core i5-540M @ 2.53GHz	2	1,757	1,161	35	BGA1288	Laptop
☞	Intel Core i5-540UM @ 1.20GHz	2	1,002	818	18	BGA1288	Laptop
☞	Intel Core i5-5575R @ 2.80GHz	4	5,125	2,090	65	LGA1150	Desktop
☞	Intel Core i5-560M @ 2.67GHz	2	1,854	1,242	35	BGA1288	Laptop
☞	Intel Core i5-560UM @ 1.33GHz	2	1,015	898	18	BGA1288	Laptop
☞	Intel Core i5-5675C @ 3.10GHz	4	5,575	2,238	65	FCLGA1150	Desktop
☞	Intel Core i5-5675R @ 3.10GHz	4	5,717	2,297	65	FCBGA1364	Desktop
☞	Intel Core i5-580M @ 2.67GHz	2	1,902	1,246	35	BGA1288	Laptop
☞	Intel Core i5-6198DU @ 2.30GHz	2	3,163	1,645	15	BGA1356	Laptop
☞	Intel Core i5-6200U @ 2.30GHz	2	3,026	1,594	15	FCBGA1356	Laptop
☞	Intel Core i5-6260U @ 1.80GHz	2	3,144	1,620	15	FCBGA1356	Laptop
☞	Intel Core i5-6267U @ 2.90GHz	2	3,334	1,813	28	FCBGA1356	Laptop
☞	Intel Core i5-6287U @ 3.10GHz	2	3,844	2,044	28	FCBGA1356	Laptop
☞	Intel Core i5-6300HQ @ 2.30GHz	4	4,684	1,793	45	LGA 1151	Laptop
☞	Intel Core i5-6300U @ 2.40GHz	2	3,258	1,704	15	FCBGA1356	Laptop
☞	Intel Core i5-6360U @ 2.00GHz	2	3,411	1,888	15	FCBGA1356	Laptop
☞	Intel Core i5-6400 @ 2.70GHz	4	5,162	1,974	65	LGA 1151	Desktop
☞	Intel Core i5-6400T @ 2.20GHz	4	4,298	1,661	35	LGA 1151	Desktop
☞	Intel Core i5-6402P @ 2.80GHz	4	5,521	2,059	65	LGA 1151	Desktop
☞	Intel Core i5-6440EQ @ 2.70GHz	4	5,368	1,943	45	FCBGA1440	Laptop
☞	Intel Core i5-6440HQ @ 2.60GHz	4	5,160	2,050	45	LGA 1151	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i5-6442EQ @ 1.90GHz	4	4,519	1,688	25	FCBGA1440	Laptop
☞	Intel Core i5-650 @ 3.20GHz	2	2,213	1,385	73	LGA1156	Desktop
☞	Intel Core i5-6500 @ 3.20GHz	4	5,645	2,126	65	LGA 1151	Desktop
☞	Intel Core i5-6500T @ 2.50GHz	4	4,769	1,825	35	LGA 1151	Desktop
☞	Intel Core i5-6500TE @ 2.30GHz	4	5,044	1,818	35	LGA 1151	Desktop
☞	Intel Core i5-655K @ 3.20GHz	2	2,017	1,446	73	LGA1156	Desktop
☞	Intel Core i5-660 @ 3.33GHz	2	2,352	1,441	73	LGA1156	Desktop
☞	Intel Core i5-6600 @ 3.30GHz	4	6,111	2,279	65	LGA 1151	Desktop
☞	Intel Core i5-6600K @ 3.50GHz	4	6,285	2,331	91	FCLGA1151	Desktop
☞	Intel Core i5-6600T @ 2.70GHz	4	5,663	2,125	35	LGA 1151	Desktop
☞	Intel Core i5-661 @ 3.33GHz	2	2,412	1,436	87	LGA1156	Desktop
☞	Intel Core i5-670 @ 3.47GHz	2	2,483	1,549	73	LGA1156	Desktop
☞	Intel Core i5-680 @ 3.60GHz	2	2,593	1,577	73	LGA1156	Desktop
☞	Intel Core i5-7200U @ 2.50GHz	2	3,401	1,785	15	FCBGA1356	Laptop
☞	Intel Core i5-7260U @ 2.20GHz	2	3,938	1,976	15	BGA1356	Laptop
☞	Intel Core i5-7267U @ 3.10GHz	2	4,078	2,103	28	BGA1356	Laptop
☞	Intel Core i5-7287U @ 3.30GHz	2	4,149	2,154	28	Unknown	Laptop
☞	Intel Core i5-7300HQ @ 2.50GHz	4	5,126	1,980	45	Unknown	Laptop
☞	Intel Core i5-7300U @ 2.60GHz	2	3,743	1,960	15	FCBGA1356	Laptop
☞	Intel Core i5-7360U @ 2.30GHz	2	4,182	2,236	15	FCBGA1356	Laptop
☞	Intel Core i5-7400 @ 3.00GHz	4	5,519	2,109	65	FCLGA1151	Desktop
☞	Intel Core i5-7400T @ 2.40GHz	4	4,727	1,822	35	LGA1151	Desktop
☞	Intel Core i5-7440EQ @ 2.90GHz	4	5,711	2,131	45	FCBGA1440	Laptop
☞	Intel Core i5-7440HQ @ 2.80GHz	4	5,565	2,038	45	BGA1440	Laptop
☞	Intel Core i5-7442EQ @ 2.10GHz	4	4,834	1,819	25	FCBGA1440	Laptop
☞	Intel Core i5-750 @ 2.67GHz	4	2,462	1,240	95	LGA1156	Desktop
☞	Intel Core i5-7500 @ 3.40GHz	4	6,063	2,282	65	LGA1151	Desktop
☞	Intel Core i5-7500T @ 2.70GHz	4	5,366	1,993	35	FCLGA1151	Desktop
☞	Intel Core i5-760 @ 2.80GHz	4	2,575	1,305	95	LGA1156	Desktop
☞	Intel Core i5-7600 @ 3.50GHz	4	6,668	2,483	65	FCLGA1151	Desktop
☞	Intel Core i5-7600K @ 3.80GHz	4	6,860	2,569	91	FCLGA1151	Desktop
☞	Intel Core i5-7600T @ 2.80GHz	4	6,145	2,277	35	FCLGA1151	Desktop
☞	Intel Core i5-760S @ 2.53GHz	4	5,440	1,578	NA	Unknown	Unknown
☞	Intel Core i5-7640X @ 4.00GHz	4	6,497	2,479	112	FCLGA2066	Desktop
☞	Intel Core i5-7Y54 @ 1.20GHz	2	2,834	1,690	4.5	FCBGA1515	Laptop
☞	Intel Core i5-7Y57 @ 1.20GHz	2	2,867	1,749	4.5	FCBGA1515	Laptop
☞	Intel Core i5-8200Y @ 1.30GHz	2	2,308	1,374	5	FCBGA1515	Laptop
☞	Intel Core i5-8210Y @ 1.60GHz	2	2,830	1,696	7	FCBGA1515	Laptop
☞	Intel Core i5-8250U @ 1.60GHz	4	5,957	1,949	15	FC-BGA1356	Laptop
☞	Intel Core i5-8257U @ 1.40GHz	4	7,793	2,327	15	FCBGA1528	Laptop
☞	Intel Core i5-8259U @ 2.30GHz	4	8,180	2,243	28	FCBGA1528	Laptop
☞	Intel Core i5-8260U @ 1.60GHz	4	7,869	2,350	15	FCBGA1528	Laptop
☞	Intel Core i5-8265U @ 1.60GHz	4	6,124	2,140	15	FCBGA1528	Laptop
☞	Intel Core i5-8265UC @ 1.60GHz	4	5,988	2,200	NA	FCBGA1528	Laptop
☞	Intel Core i5-8269U @ 2.60GHz	4	8,055	2,561	28	FCBGA1528	Laptop, Mobile/Embedded
☞	Intel Core i5-8279U @ 2.40GHz	4	8,089	2,481	28	FCBGA1528	Laptop
☞	Intel Core i5-8300H @ 2.30GHz	4	7,539	2,325	45	FCLGA1151-2	Laptop
☞	Intel Core i5-8305G @ 2.80GHz	4	7,073	2,118	65	BGA2270	Laptop
☞	Intel Core i5-8350U @ 1.70GHz	4	6,286	2,040	15	FC-BGA1356	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i5-8365U @ 1.60GHz	4	6,419	2,209	15	FCBGA1528	Laptop
☞	Intel Core i5-8365UE @ 1.60GHz	4	5,408	2,314	15	FCBGA1528	Laptop
☞	Intel Core i5-8400 @ 2.80GHz	6	9,225	2,413	65	FCLGA1151-2	Desktop
☞	Intel Core i5-8400H @ 2.50GHz	4	8,175	2,494	45	FCBGA1440	Laptop
☞	Intel Core i5-8400T @ 1.70GHz	6	7,263	1,897	35	FCLGA1151-2	Desktop
☞	Intel Core i5-8500 @ 3.00GHz	6	9,562	2,493	65	FCLGA1151-2	Desktop
☞	Intel Core i5-8500B @ 3.00GHz	6	9,543	2,550	65	FCBGA1440	Laptop
☞	Intel Core i5-8500T @ 2.10GHz	6	7,682	2,033	35	FCLGA1151-2	Desktop
☞	Intel Core i5-8600 @ 3.10GHz	6	9,858	2,575	65	FCLGA1151-2	Desktop
☞	Intel Core i5-8600K @ 3.60GHz	6	10,141	2,617	95	FCLGA1151-2	Desktop
☞	Intel Core i5-8600T @ 2.30GHz	6	8,424	2,253	35	FCLGA1151-2	Desktop
☞	Intel Core i5-9300H @ 2.40GHz	4	7,869	2,376	45	FCBGA1440	Laptop
☞	Intel Core i5-9300HF @ 2.40GHz	4	7,654	2,357	45	FCBGA1440	Laptop
☞	Intel Core i5-9400 @ 2.90GHz	6	9,498	2,492	65	FCLGA1151-2	Desktop
☞	Intel Core i5-9400F @ 2.90GHz	6	9,550	2,482	65	FCLGA1151-2	Desktop, Laptop
☞	Intel Core i5-9400H @ 2.50GHz	4	8,267	2,518	45	FCBGA1440	Laptop
☞	Intel Core i5-9400T @ 1.80GHz	6	7,714	2,056	35	FCLGA1151-2	Desktop
☞	Intel Core i5-9500 @ 3.00GHz	6	9,775	2,610	65	FCLGA1151-2	Desktop
☞	Intel Core i5-9500F @ 3.00GHz	6	10,285	2,690	65	FCLGA1151-2	Desktop
☞	Intel Core i5-9500T @ 2.20GHz	6	8,183	2,194	35	FCLGA1151-2	Desktop
☞	Intel Core i5-9500TE @ 2.20GHz	6	9,212	2,296	35	FCLGA1151	Laptop
☞	Intel Core i5-9600 @ 3.10GHz	6	10,589	2,720	65	FCLGA1151-2	Desktop
☞	Intel Core i5-9600K @ 3.70GHz	6	10,825	2,785	95	FCLGA1151-2	Desktop
☞	Intel Core i5-9600KF @ 3.70GHz	6	10,837	2,796	95	FCLGA1151-2	Desktop
☞	Intel Core i5-9600T @ 2.30GHz	6	9,167	2,429	35	FCLGA1151-2	Desktop
☞	Intel Core i5-L16G7 @ 1.40GHz	5	3,390	1,613	7	FC-CSP1016	Laptop
☞	Intel Core i7-10510U @ 1.80GHz	4	6,938	2,405	15	FCBGA1528	Laptop
☞	Intel Core i7-10510Y @ 1.20GHz	4	5,289	1,915	7	UTFCBGA1377	Laptop
☞	Intel Core i7-1060NG7 @ 1.20GHz	4	7,425	1,968	10	FCBGA1526	Laptop
☞	Intel Core i7-10610U @ 1.80GHz	4	7,138	2,432	15	FCBGA1528	Laptop
☞	Intel Core i7-1065G7 @ 1.30GHz	4	8,859	2,451	15	FCBGA-1526	Laptop
☞	Intel Core i7-1068NG7 @ 2.30GHz	4	10,350	2,535	28	FCBGA1344	Laptop
☞	Intel Core i7-10700 @ 2.90GHz	8	17,283	2,931	65	FCLGA1200	Desktop
☞	Intel Core i7-10700F @ 2.90GHz	8	17,024	2,928	65	FCLGA1200	Desktop
☞	Intel Core i7-10700K @ 3.80GHz	8	19,487	3,085	125	FCLGA1200	Desktop
☞	Intel Core i7-10700KF @ 3.80GHz	8	19,191	3,059	125	FCLGA1200	Desktop
☞	Intel Core i7-10700T @ 2.00GHz	8	13,208	2,727	35	FCLGA1200	Desktop
☞	Intel Core i7-10700TE @ 2.00GHz	8	16,332	2,772	35	FCLGA1200	Laptop
☞	Intel Core i7-10710U @ 1.10GHz	6	10,085	2,454	15	FCBGA1528	Laptop
☞	Intel Core i7-10750H @ 2.60GHz	6	12,552	2,738	45	FCBGA1440	Laptop
☞	Intel Core i7-10810U @ 1.10GHz	6	9,121	2,431	15	FCBGA1528	Laptop
☞	Intel Core i7-10850H @ 2.70GHz	6	12,404	2,773	45	FCBGA1440	Laptop
☞	Intel Core i7-10870H @ 2.20GHz	8	15,397	2,742	45	FCBGA1440	Laptop
☞	Intel Core i7-10875H @ 2.30GHz	8	15,738	2,815	45	FCBGA1440	Laptop
☞	Intel Core i7-11370H @ 3.30GHz	4	12,629	3,157	35	FCBGA1449	Laptop
☞	Intel Core i7-11375H @ 3.30GHz	4	13,007	3,180	35	FCBGA1449	Laptop
☞	Intel Core i7-1160G7 @ 1.20GHz	4	10,981	2,814	NA	FCBGA1598	Laptop
☞	Intel Core i7-1165G7 @ 2.80GHz	4	10,616	2,895	15	BGA1526	Laptop
☞	Intel Core i7-11700 @ 2.50GHz	8	21,536	3,023	95	FCLGA1200	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i7-11700F @ 2.50GHz	8	21,457	3,404	65	FCLGA1200	Desktop
☞	Intel Core i7-11700K @ 3.60GHz	8	25,044	3,473	125	FCLGA1200	Desktop
☞	Intel Core i7-11700KF @ 3.60GHz	8	23,826	3,366	125	FCLGA1200	Desktop
☞	Intel Core i7-11800H @ 2.30GHz	8	21,539	3,131	45	FCBGA1787	Laptop
☞	Intel Core i7-11850H @ 2.50GHz	8	21,158	3,157	45	FCBGA1787	Laptop
☞	Intel Core i7-1185G7 @ 3.00GHz	4	10,983	2,920	15	BGA1526	Laptop
☞	Intel Core i7-1185G7E @ 2.80GHz	4	11,645	3,005	15	FCBGA1449	Laptop, Mobile/Embedded
☞	Intel Core i7-1185GRE @ 2.80GHz	4	6,107	2,669	15	FCBGA1449	Mobile/Embedded
☞	Intel Core i7-2600 @ 3.40GHz	4	5,322	1,735	95	LGA1155	Desktop
☞	Intel Core i7-2600K @ 3.40GHz	4	5,452	1,734	95	LGA1155	Desktop
☞	Intel Core i7-2600S @ 2.80GHz	4	4,355	1,680	65	LGA1155	Desktop
☞	Intel Core i7-2610UE @ 1.50GHz	2	1,409	972	17	BGA1023	Laptop
☞	Intel Core i7-2617M @ 1.50GHz	2	1,687	1,092	17	BGA1023	Laptop
☞	Intel Core i7-2620M @ 2.70GHz	2	2,416	1,463	35	BGA1023	Laptop
☞	Intel Core i7-2630QM @ 2.00GHz	4	3,542	1,218	45	PGA988B	Laptop
☞	Intel Core i7-2630UM @ 1.60GHz	2	400	221	NA	Unknown	Laptop
☞	Intel Core i7-2635QM @ 2.00GHz	4	3,232	1,219	45	BGA1224	Laptop
☞	Intel Core i7-2637M @ 1.70GHz	2	1,927	1,209	17	BGA1023	Laptop
☞	Intel Core i7-2640M @ 2.80GHz	2	2,457	1,497	35	BGA1023	Laptop
☞	Intel Core i7-2655LE @ 2.20GHz	2	1,999	1,231	25	BGA1023	Desktop
☞	Intel Core i7-2670QM @ 2.20GHz	4	3,812	1,347	45	PGA988B	Laptop
☞	Intel Core i7-2675QM @ 2.20GHz	4	3,274	1,108	45	BGA1224	Laptop
☞	Intel Core i7-2677M @ 1.80GHz	2	1,961	1,211	17	BGA1023	Laptop
☞	Intel Core i7-2700K @ 3.50GHz	4	5,623	1,793	95	LGA1155	Desktop
☞	Intel Core i7-2710QE @ 2.10GHz	4	3,704	1,384	45	PGA988B	Laptop
☞	Intel Core i7-2715QE @ 2.10GHz	4	3,221	1,287	45	BGA1023	Laptop
☞	Intel Core i7-2720QM @ 2.20GHz	4	3,979	1,342	45	BGA1224	Laptop
☞	Intel Core i7-2760QM @ 2.40GHz	4	4,436	1,569	45	BGA1224	Laptop
☞	Intel Core i7-2820QM @ 2.30GHz	4	4,306	1,513	45	BGA1224	Laptop
☞	Intel Core i7-2840QM @ 2.40GHz	4	3,842	1,493	NA	rPGA988B	Laptop
☞	Intel Core i7-2860QM @ 2.50GHz	4	4,536	1,557	45	BGA1224	Laptop
☞	Intel Core i7-2920XM @ 2.50GHz	4	4,370	1,503	55	FCPGA988	Laptop
☞	Intel Core i7-2960XM @ 2.70GHz	4	4,344	1,469	55	PGA988B	Laptop
☞	Intel Core i7-3517U @ 1.90GHz	2	2,165	1,343	17	BGA1023	Laptop
☞	Intel Core i7-3517UE @ 1.70GHz	2	2,141	1,205	17	BGA1023	Laptop
☞	Intel Core i7-3520M @ 2.90GHz	2	2,876	1,740	35	BGA1023	Laptop
☞	Intel Core i7-3537U @ 2.00GHz	2	2,397	1,497	17	BGA1023	Laptop
☞	Intel Core i7-3540M @ 3.00GHz	2	2,894	1,781	35	rPGA988B	Laptop
☞	Intel Core i7-3555LE @ 2.50GHz	2	1,880	980	25	BGA1023	Laptop
☞	Intel Core i7-3610QE @ 2.30GHz	4	4,767	1,526	45	rPGA988B	Laptop
☞	Intel Core i7-3610QM @ 2.30GHz	4	5,120	1,659	45	PGA988B	Laptop
☞	Intel Core i7-3612QE @ 2.10GHz	4	4,783	1,658	35	BGA1224	Laptop
☞	Intel Core i7-3612QM @ 2.10GHz	4	4,475	1,505	35	PGA988B, FCBGA12	Laptop
☞	Intel Core i7-3615QE @ 2.30GHz	4	5,174	1,724	45	BGA1224	Laptop
☞	Intel Core i7-3615QM @ 2.30GHz	4	5,000	1,717	45	BGA1224	Laptop
☞	Intel Core i7-3630QM @ 2.40GHz	4	5,101	1,690	45	rPGA988B	Laptop
☞	Intel Core i7-3632QM @ 2.20GHz	4	4,575	1,565	35	rPGA988B	Laptop
☞	Intel Core i7-3635QM @ 2.40GHz	4	4,669	1,708	45	Unknown	Laptop
☞	Intel Core i7-3667U @ 2.00GHz	2	2,574	1,624	17	BGA1023	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i7-3687U @ 2.10GHz	2	2,632	1,567	17	BGA1023	Laptop
☞	Intel Core i7-3689Y @ 1.50GHz	2	1,642	984	13	FCBGA1023	Laptop
☞	Intel Core i7-3720QM @ 2.60GHz	4	5,667	1,860	45	BGA1224	Laptop
☞	Intel Core i7-3740QM @ 2.70GHz	4	5,655	1,857	45	rPGA988B	Laptop
☞	Intel Core i7-3770 @ 3.40GHz	4	6,371	2,073	77	LGA1155	Desktop
☞	Intel Core i7-3770K @ 3.50GHz	4	6,417	2,075	77	LGA1155	Desktop
☞	Intel Core i7-3770S @ 3.10GHz	4	6,200	2,043	65	LGA1155	Desktop
☞	Intel Core i7-3770T @ 2.50GHz	4	5,609	1,962	45	LGA1155	Desktop
☞	Intel Core i7-3820 @ 3.60GHz	4	5,786	1,753	130	LGA2011	Desktop
☞	Intel Core i7-3820QM @ 2.70GHz	4	5,688	1,904	45	BGA1224	Laptop
☞	Intel Core i7-3840QM @ 2.80GHz	4	5,944	1,928	45	rPGA988B	Laptop
☞	Intel Core i7-3920XM @ 2.90GHz	4	5,757	1,920	55	FCPGA988	Laptop
☞	Intel Core i7-3930K @ 3.20GHz	6	8,140	1,740	130	LGA2011	Desktop
☞	Intel Core i7-3940XM @ 3.00GHz	4	5,697	1,930	55	rPGA988B	Laptop
☞	Intel Core i7-3960X @ 3.30GHz	6	8,612	1,813	130	LGA2011	Desktop
☞	Intel Core i7-3970X @ 3.50GHz	6	8,152	1,820	150	LGA2011	Desktop
☞	Intel Core i7-4500U @ 1.80GHz	2	2,531	1,538	15	BGA1168	Laptop
☞	Intel Core i7-4510U @ 2.00GHz	2	2,600	1,560	15	FCBGA1168	Laptop
☞	Intel Core i7-4550U @ 1.50GHz	2	2,351	1,256	15	BGA1168	Laptop
☞	Intel Core i7-4558U @ 2.80GHz	2	2,941	1,806	28	BGA1168	Laptop
☞	Intel Core i7-4560U @ 1.60GHz	2	2,950	1,782	NA	Unknown	Laptop
☞	Intel Core i7-4578U @ 3.00GHz	2	3,218	2,027	28	FCBGA1168	Laptop
☞	Intel Core i7-4600M @ 2.90GHz	2	3,261	1,915	37	PGA946	Laptop
☞	Intel Core i7-4600U @ 2.10GHz	2	2,703	1,668	15	FCBGA1168	Laptop
☞	Intel Core i7-4610M @ 3.00GHz	2	3,313	1,919	37	FPGA946,FPGA947	Laptop
☞	Intel Core i7-4610Y @ 1.70GHz	2	2,446	1,583	11.5	BGA1168	Desktop
☞	Intel Core i7-4650U @ 1.70GHz	2	2,321	1,454	15	BGA1168	Laptop
☞	Intel Core i7-4700EQ @ 2.40GHz	4	4,941	1,842	47	FCBGA1364	Desktop
☞	Intel Core i7-4700HQ @ 2.40GHz	4	5,515	1,775	47	FCBGA1364	Laptop
☞	Intel Core i7-4700MQ @ 2.40GHz	4	5,326	1,772	47	rPGA946B	Laptop
☞	Intel Core i7-4702HQ @ 2.20GHz	4	5,160	1,592	37	FCBGA1364	Laptop
☞	Intel Core i7-4702MQ @ 2.20GHz	4	5,079	1,684	37	FCPGA946	Laptop
☞	Intel Core i7-4710HQ @ 2.50GHz	4	5,445	1,762	47	FCBGA1364	Laptop
☞	Intel Core i7-4710MQ @ 2.50GHz	4	5,771	1,892	47	FCPGA946	Laptop
☞	Intel Core i7-4712HQ @ 2.30GHz	4	4,994	1,634	37	FCBGA1364	Laptop
☞	Intel Core i7-4712MQ @ 2.30GHz	4	5,164	1,778	37	FCPGA946	Laptop
☞	Intel Core i7-4720HQ @ 2.60GHz	4	5,711	1,861	47	BGA1364	Laptop
☞	Intel Core i7-4722HQ @ 2.40GHz	4	5,620	1,844	37	FCBGA1364	Laptop
☞	Intel Core i7-4750HQ @ 2.00GHz	4	5,593	1,754	47	FCBGA1364	Laptop
☞	Intel Core i7-4760HQ @ 2.10GHz	4	6,300	1,944	47	FCBGA1364	Laptop
☞	Intel Core i7-4765T @ 2.00GHz	4	4,924	1,581	35	FCLGA1150	Desktop
☞	Intel Core i7-4770 @ 3.40GHz	4	7,029	2,172	84	LGA1150	Desktop
☞	Intel Core i7-4770HQ @ 2.20GHz	4	6,086	1,923	47	FCBGA1364	Laptop
☞	Intel Core i7-4770K @ 3.50GHz	4	7,084	2,154	84	LGA1150	Desktop
☞	Intel Core i7-4770R @ 3.20GHz	4	6,464	2,132	65	FCBGA1364	Desktop
☞	Intel Core i7-4770S @ 3.10GHz	4	6,747	2,114	65	LGA1150	Desktop
☞	Intel Core i7-4770T @ 2.50GHz	4	6,038	2,046	45	LGA1150	Desktop
☞	Intel Core i7-4770TE @ 2.30GHz	4	4,257	1,458	45	LGA1150	Desktop
☞	Intel Core i7-4771 @ 3.50GHz	4	7,073	2,194	84	LGA1150	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i7-4785T @ 2.20GHz	4	5,388	1,727	35	FCLGA1150	Desktop
☞	Intel Core i7-4790 @ 3.60GHz	4	7,213	2,227	84	FCLGA1150	Desktop
☞	Intel Core i7-4790K @ 4.00GHz	4	8,062	2,469	88	LGA1150	Desktop
☞	Intel Core i7-4790S @ 3.20GHz	4	6,965	2,210	65	LGA1150	Desktop
☞	Intel Core i7-4790T @ 2.70GHz	4	6,332	2,133	45	LGA1150	Desktop
☞	Intel Core i7-4800MQ @ 2.70GHz	4	5,858	1,943	47	rPGA946B	Laptop
☞	Intel Core i7-4810MQ @ 2.80GHz	4	6,080	2,026	47	FCPGA946	Laptop
☞	Intel Core i7-4820K @ 3.70GHz	4	6,482	1,922	130	FCLGA2011	Desktop
☞	Intel Core i7-4850HQ @ 2.30GHz	4	6,120	1,972	47	FCBGA1364	Laptop
☞	Intel Core i7-4860EQ @ 1.80GHz	4	5,280	1,726	47	FCBGA1364	Laptop
☞	Intel Core i7-4860HQ @ 2.40GHz	4	6,496	2,011	47	FCBGA1364	Laptop
☞	Intel Core i7-4870HQ @ 2.50GHz	4	6,310	2,058	47	FCBGA1364	Laptop
☞	Intel Core i7-4900MQ @ 2.80GHz	4	5,979	1,942	47	FCPGA946	Laptop
☞	Intel Core i7-4910MQ @ 2.90GHz	4	6,264	2,028	47	FCPGA946	Laptop
☞	Intel Core i7-4930K @ 3.40GHz	6	9,315	1,960	130	LGA2011	Desktop
☞	Intel Core i7-4930MX @ 3.00GHz	4	6,753	2,180	57	FCPGA946	Laptop
☞	Intel Core i7-4940MX @ 3.10GHz	4	7,047	2,284	57	FPGA946,FPGA947	Laptop
☞	Intel Core i7-4960HQ @ 2.60GHz	4	6,410	2,178	47	FCBGA1364	Laptop
☞	Intel Core i7-4960X @ 3.60GHz	6	9,943	2,079	130	LGA2011	Desktop
☞	Intel Core i7-4980HQ @ 2.80GHz	4	6,741	2,205	47	FCBGA1364	Laptop
☞	Intel Core i7-5500U @ 2.40GHz	2	2,717	1,638	15	FCBGA1168	Laptop
☞	Intel Core i7-5550U @ 2.00GHz	2	2,908	1,781	15	FCBGA1168	Laptop
☞	Intel Core i7-5557U @ 3.10GHz	2	3,383	2,061	28	FCBGA1168	Laptop
☞	Intel Core i7-5600U @ 2.60GHz	2	2,966	1,760	15	FCBGA1168	Laptop
☞	Intel Core i7-5650U @ 2.20GHz	2	3,246	2,059	15	FCBGA1168	Laptop
☞	Intel Core i7-5675C @ 3.10GHz	4	6,089	2,249	65	LGA1150	Desktop
☞	Intel Core i7-5700EQ @ 2.60GHz	4	5,905	2,124	47	FCBGA1364	Laptop
☞	Intel Core i7-5700HQ @ 2.70GHz	4	5,948	2,012	47	FCBGA1364	Laptop
☞	Intel Core i7-5775C @ 3.30GHz	4	7,771	2,316	65	FCLGA1150	Desktop
☞	Intel Core i7-5775R @ 3.30GHz	4	7,373	2,222	65	LGA1150	Desktop
☞	Intel Core i7-5820K @ 3.30GHz	6	9,791	2,012	140	LGA2011-v3	Desktop
☞	Intel Core i7-5850EQ @ 2.70GHz	4	7,036	2,119	47	FCBGA1364	Laptop
☞	Intel Core i7-5850HQ @ 2.70GHz	4	6,866	2,219	47	FCBGA1364	Laptop
☞	Intel Core i7-5930K @ 3.50GHz	6	10,277	2,062	140	LGA2011-v3	Desktop
☞	Intel Core i7-5950HQ @ 2.90GHz	4	7,759	2,344	47	FCBGA1364	Laptop
☞	Intel Core i7-5960X @ 3.00GHz	8	12,665	1,984	140	LGA2011-v3	Desktop
☞	Intel Core i7-610E @ 2.53GHz	2	1,818	1,400	35	BGA1288	Laptop
☞	Intel Core i7-620LM @ 2.00GHz	2	1,408	1,072	25	rPGA988A	Laptop
☞	Intel Core i7-620M @ 2.67GHz	2	1,999	1,281	35	BGA1288	Laptop
☞	Intel Core i7-620UM @ 1.07GHz	2	964	777	18	BGA1288	Laptop
☞	Intel Core i7-640LM @ 2.13GHz	2	1,680	1,249	25	BGA1288	Laptop
☞	Intel Core i7-640M @ 2.80GHz	2	2,065	1,388	35	BGA1288	Laptop
☞	Intel Core i7-640UM @ 1.20GHz	2	1,090	817	18	BGA1288	Laptop
☞	Intel Core i7-6498DU @ 2.50GHz	2	3,293	1,759	15	BGA1356	Laptop
☞	Intel Core i7-6500U @ 2.50GHz	2	3,280	1,714	15	FCBGA1356	Laptop
☞	Intel Core i7-6560U @ 2.20GHz	2	3,411	1,721	15	Unknown	Laptop
☞	Intel Core i7-6567U @ 3.30GHz	2	3,817	1,966	28	FCBGA1356	Laptop
☞	Intel Core i7-6600U @ 2.60GHz	2	3,518	1,864	15	FCBGA1356	Laptop
☞	Intel Core i7-660UM @ 1.33GHz	2	1,284	925	18	BGA1288	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i7-6650U @ 2.20GHz	2	3,605	1,836	15	FCBGA1356	Laptop
☞	Intel Core i7-6660U @ 2.40GHz	2	3,879	1,973	15	FCBGA1356	Laptop
☞	Intel Core i7-6700 @ 3.40GHz	4	8,054	2,303	65	LGA 1151	Desktop
☞	Intel Core i7-6700HQ @ 2.60GHz	4	6,531	1,915	45	FCBGA1440	Laptop
☞	Intel Core i7-6700K @ 4.00GHz	4	8,974	2,530	95	LGA1151	Desktop
☞	Intel Core i7-6700T @ 2.80GHz	4	7,288	2,114	35	LGA 1151	Desktop
☞	Intel Core i7-6700TE @ 2.40GHz	4	6,935	2,118	35	LGA 1151	Desktop
☞	Intel Core i7-6770HQ @ 2.60GHz	4	7,237	1,976	45	FCBGA1440	Laptop
☞	Intel Core i7-6800K @ 3.40GHz	6	10,568	2,266	140	LGA2011-v3	Desktop
☞	Intel Core i7-680UM @ 1.47GHz	2	1,196	911	18	BGA1288	Laptop
☞	Intel Core i7-6820EQ @ 2.80GHz	4	6,924	1,969	45	FCBGA1440	Laptop
☞	Intel Core i7-6820HK @ 2.70GHz	4	7,047	1,984	45	FCBGA1440	Laptop
☞	Intel Core i7-6820HQ @ 2.70GHz	4	6,900	2,001	45	FCBGA1440	Laptop
☞	Intel Core i7-6822EQ @ 2.00GHz	4	5,241	1,572	25	LGA 1151	Laptop
☞	Intel Core i7-6850K @ 3.60GHz	6	11,276	2,416	140	FCLGA2011-3	Desktop
☞	Intel Core i7-6900K @ 3.20GHz	8	13,993	2,385	140	FCLGA2011-3	Desktop
☞	Intel Core i7-6920HQ @ 2.90GHz	4	7,441	2,127	45	FCBGA1440	Laptop
☞	Intel Core i7-6950X @ 3.00GHz	10	17,077	2,344	140	LGA2011-v3	Desktop
☞	Intel Core i7-720QM @ 1.60GHz	4	1,654	966	45	PGA988A	Laptop
☞	Intel Core i7-740QM @ 1.73GHz	4	1,763	988	45	PGA988A	Laptop
☞	Intel Core i7-7500U @ 2.70GHz	2	3,654	1,965	15	FCBGA1356	Laptop
☞	Intel Core i7-7560U @ 2.40GHz	2	3,802	1,984	15	BGA1356	Laptop
☞	Intel Core i7-7567U @ 3.50GHz	2	4,216	2,241	28	BGA1356	Laptop
☞	Intel Core i7-7600U @ 2.80GHz	2	3,625	1,983	15	FCBGA1356	Laptop
☞	Intel Core i7-7660U @ 2.50GHz	2	4,172	2,196	15	BGA1356	Laptop
☞	Intel Core i7-7700 @ 3.60GHz	4	8,623	2,475	65	LGA1151	Desktop
☞	Intel Core i7-7700HQ @ 2.80GHz	4	6,948	2,068	45	FCBGA1440	Laptop
☞	Intel Core i7-7700K @ 4.20GHz	4	9,710	2,751	95	LGA 1151	Desktop
☞	Intel Core i7-7700T @ 2.90GHz	4	7,897	2,261	35	FCLGA1151	Desktop
☞	Intel Core i7-7740X @ 4.30GHz	4	9,795	2,801	112	FCLGA2066	Desktop
☞	Intel Core i7-7800X @ 3.50GHz	6	12,764	2,428	140	FCLGA2066	Desktop
☞	Intel Core i7-7820EQ @ 3.00GHz	4	7,453	2,207	45	FCBGA1440	Laptop
☞	Intel Core i7-7820HK @ 2.90GHz	4	7,827	2,223	45	FCBGA1440	Laptop
☞	Intel Core i7-7820HQ @ 2.90GHz	4	7,146	2,132	45	FCBGA1440	Laptop
☞	Intel Core i7-7820X @ 3.60GHz	8	17,359	2,540	140	FCLGA2066	Desktop
☞	Intel Core i7-7900X @ 3.30GHz	10	19,358	2,610	140	FCLGA2066	Desktop
☞	Intel Core i7-7920HQ @ 3.10GHz	4	7,657	2,274	45	FCBGA1440	Laptop
☞	Intel Core i7-7Y75 @ 1.30GHz	2	2,576	1,540	4.5	FCBGA1515	Desktop, Laptop
☞	Intel Core i7-8086K @ 4.00GHz	6	14,691	2,914	95	FCLGA1151-2	Desktop
☞	Intel Core i7-820QM @ 1.73GHz	4	1,791	1,026	45	PGA988A	Laptop
☞	Intel Core i7-840QM @ 1.87GHz	4	1,879	1,093	45	PGA988A	Laptop
☞	Intel Core i7-8500Y @ 1.50GHz	2	2,888	1,690	5	FCBGA1515	Laptop
☞	Intel Core i7-8550U @ 1.80GHz	4	5,936	2,074	15	FC-BGA1356	Laptop
☞	Intel Core i7-8557U @ 1.70GHz	4	8,429	2,651	15	FCBGA1528	Laptop
☞	Intel Core i7-8559U @ 2.70GHz	4	8,846	2,576	28	FCBGA1528	Laptop
☞	Intel Core i7-8565U @ 1.80GHz	4	6,377	2,264	15	FCBGA1356	Laptop
☞	Intel Core i7-8565UC @ 1.80GHz	4	6,187	2,527	15	FCBGA1528	Laptop
☞	Intel Core i7-8569U @ 2.80GHz	4	8,668	2,778	28	FCBGA1528	Laptop
☞	Intel Core i7-860 @ 2.80GHz	4	2,855	1,318	95	LGA1156	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i7-860S @ 2.53GHz	4	2,725	1,413	82	LGA1156	Desktop
☞	Intel Core i7-8650U @ 1.90GHz	4	6,463	2,187	15	FC-BGA1356	Laptop
☞	Intel Core i7-8665U @ 1.90GHz	4	6,530	2,295	15	FCBGA1528	Laptop
☞	Intel Core i7-8665UE @ 1.70GHz	4	6,587	2,491	15	FCBGA1528	Laptop
☞	Intel Core i7-870 @ 2.93GHz	4	3,052	1,402	95	LGA1156	Desktop
☞	Intel Core i7-8700 @ 3.20GHz	6	13,078	2,677	65	FCLGA1151-2	Desktop
☞	Intel Core i7-8700B @ 3.20GHz	6	12,698	2,749	65	FCBGA1440	Laptop
☞	Intel Core i7-8700K @ 3.70GHz	6	13,900	2,780	95	FCLGA1151-2	Desktop
☞	Intel Core i7-8700T @ 2.40GHz	6	10,791	2,379	35	FCLGA1151-2	Desktop
☞	Intel Core i7-8705G @ 3.10GHz	4	7,905	2,277	65	BGA2270	Laptop
☞	Intel Core i7-8706G @ 3.10GHz	4	8,136	2,519	65	BGA2270	Laptop
☞	Intel Core i7-8709G @ 3.10GHz	4	7,921	2,312	100	BGA2270	Laptop
☞	Intel Core i7-870S @ 2.67GHz	4	2,786	1,270	82	LGA1156	Desktop
☞	Intel Core i7-8750H @ 2.20GHz	6	10,158	2,346	45	FCBGA1440	Laptop
☞	Intel Core i7-875K @ 2.93GHz	4	3,127	1,367	95	LGA1156	Desktop
☞	Intel Core i7-880 @ 3.07GHz	4	2,803	1,356	95	LGA1156	Desktop
☞	Intel Core i7-8809G @ 3.10GHz	4	8,790	2,460	100	BGA2270	Laptop
☞	Intel Core i7-8850H @ 2.60GHz	6	10,461	2,421	45	FCBGA1440	Laptop
☞	Intel Core i7-920 @ 2.67GHz	4	2,715	1,220	130	LGA1366	Desktop
☞	Intel Core i7-920XM @ 2.00GHz	4	2,044	1,072	55	PGA988B	Laptop
☞	Intel Core i7-930 @ 2.80GHz	4	2,864	1,278	130	LGA1366	Desktop
☞	Intel Core i7-940 @ 2.93GHz	4	3,075	1,349	130	LGA1366	Desktop
☞	Intel Core i7-940XM @ 2.13GHz	4	2,367	1,268	55	PGA988	Laptop
☞	Intel Core i7-950 @ 3.07GHz	4	3,101	1,389	130	LGA1366	Desktop
☞	Intel Core i7-960 @ 3.20GHz	4	3,252	1,456	130	LGA1366	Desktop
☞	Intel Core i7-965 @ 3.20GHz	4	3,288	1,452	130	LGA1366	Desktop
☞	Intel Core i7-970 @ 3.20GHz	6	6,776	1,497	130	LGA1366	Desktop
☞	Intel Core i7-9700 @ 3.00GHz	8	13,489	2,802	65	FCLGA1151-2	Desktop
☞	Intel Core i7-9700E @ 2.60GHz	8	11,869	2,628	65	FCLGA1151-2	Desktop
☞	Intel Core i7-9700F @ 3.00GHz	8	13,533	2,808	65	FCLGA1151-2	Desktop
☞	Intel Core i7-9700K @ 3.60GHz	8	14,541	2,908	95	FCLGA1151-2	Desktop
☞	Intel Core i7-9700KF @ 3.60GHz	8	14,632	2,947	95	FCLGA1151-2	Desktop
☞	Intel Core i7-9700T @ 2.00GHz	8	10,594	2,503	35	FCLGA1151-2	Desktop
☞	Intel Core i7-9700TE @ 1.80GHz	8	10,722	2,302	35	FCLGA1151-2	Desktop, Laptop
☞	Intel Core i7-975 @ 3.33GHz	4	3,311	1,504	130	LGA1366	Desktop
☞	Intel Core i7-9750H @ 2.60GHz	6	11,309	2,504	45	FCBGA1440	Laptop
☞	Intel Core i7-9750HF @ 2.60GHz	6	11,608	2,562	45	FCBGA1440	Laptop
☞	Intel Core i7-980 @ 3.33GHz	6	7,012	1,559	130	LGA1366	Desktop
☞	Intel Core i7-9800X @ 3.80GHz	8	18,350	2,628	165	FCLGA2066	Desktop
☞	Intel Core i7-980X @ 3.33GHz	6	6,734	1,525	130	LGA1366	Desktop
☞	Intel Core i7-985 @ 3.47GHz	4	3,928	1,579	NA	LGA1366	Unknown
☞	Intel Core i7-9850H @ 2.60GHz	6	11,625	2,582	45	Unknown	Laptop
☞	Intel Core i7-9850HL @ 1.90GHz	6	9,112	2,139	25	FCBGA1440	Desktop, Laptop
☞	Intel Core i7-990X @ 3.47GHz	6	7,251	1,601	130	LGA1366	Desktop
☞	Intel Core i7-995X @ 3.60GHz	6	7,079	1,683	NA	Unknown	Desktop
☞	Intel Core i9-10850K @ 3.60GHz	10	23,331	3,101	125	FCLGA1200	Desktop
☞	Intel Core i9-10880H @ 2.30GHz	8	15,390	2,777	45	FCBGA1440	Laptop
☞	Intel Core i9-10885H @ 2.40GHz	8	16,088	2,869	45	FCBGA1440	Laptop
☞	Intel Core i9-10900 @ 2.80GHz	10	20,782	3,070	65	FCLGA1200	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core i9-10900F @ 2.80GHz	10	20,875	3,072	65	FCLGA1200	Desktop
☞	Intel Core i9-10900K @ 3.70GHz	10	23,960	3,166	125	FCLGA1200	Desktop
☞	Intel Core i9-10900KF @ 3.70GHz	10	23,813	3,137	125	FCLGA1200	Desktop
☞	Intel Core i9-10900T @ 1.90GHz	10	15,425	2,515	35	FCLGA1200	Desktop
☞	Intel Core i9-10900TE @ 1.80GHz	10	17,888	2,684	35	FCLGA1200	Mobile/Embedded
☞	Intel Core i9-10900X @ 3.70GHz	10	22,823	2,711	165	FCLGA2066	Desktop
☞	Intel Core i9-10910 @ 3.60GHz	10	22,066	3,153	125	FCLGA1200	Desktop
☞	Intel Core i9-10920X @ 3.50GHz	12	26,406	2,746	165	FCLGA2066	Desktop
☞	Intel Core i9-10940X @ 3.30GHz	14	29,120	2,731	165	FCLGA2066	Desktop
☞	Intel Core i9-10980HK @ 2.40GHz	8	16,596	2,918	45	FCBGA1440	Laptop
☞	Intel Core i9-10980XE @ 3.00GHz	18	33,947	2,659	165	FCLGA2066	Desktop
☞	Intel Core i9-11900 @ 2.50GHz	8	23,186	3,476	65	FCLGA1200	Desktop
☞	Intel Core i9-11900F @ 2.50GHz	8	23,862	3,586	65	FCLGA1200	Desktop
☞	Intel Core i9-11900H @ 2.50GHz	8	23,154	3,340	45	FCBGA1787	Laptop
☞	Intel Core i9-11900K @ 3.50GHz	8	25,675	3,501	125	FCLGA1200	Desktop
☞	Intel Core i9-11900KF @ 3.50GHz	8	25,082	3,594	125	FCLGA1200	Desktop
☞	Intel Core i9-11900T @ 1.50GHz	8	21,553	3,397	35	FCLGA1200	Desktop
☞	Intel Core i9-11950H @ 2.60GHz	8	24,248	3,442	45	FCBGA1787	Laptop
☞	Intel Core i9-11980HK @ 2.60GHz	8	23,494	3,290	45	FCBGA1787	Laptop
☞	Intel Core i9-7900X @ 3.30GHz	10	21,427	2,608	140	FCLGA2066	Desktop
☞	Intel Core i9-7920X @ 2.90GHz	12	23,453	2,472	140	FCLGA2066	Desktop
☞	Intel Core i9-7940X @ 3.10GHz	14	26,709	2,497	165	FCLGA2066	Desktop
☞	Intel Core i9-7960X @ 2.80GHz	16	27,149	2,577	165	FCLGA2066	Desktop
☞	Intel Core i9-7980XE @ 2.60GHz	18	29,481	2,473	165	FCLGA2066	Desktop
☞	Intel Core i9-8950HK @ 2.90GHz	6	10,946	2,491	45	FCBGA1440	Laptop
☞	Intel Core i9-9820X @ 3.30GHz	10	20,524	2,431	165	FCLGA2066	Desktop
☞	Intel Core i9-9880H @ 2.30GHz	8	13,982	2,567	45	FCBGA1440	Laptop
☞	Intel Core i9-9900 @ 3.10GHz	8	17,086	2,891	65	FCLGA1151-2	Desktop
☞	Intel Core i9-9900K @ 3.60GHz	8	18,856	2,974	95	FCLGA1151-2	Desktop
☞	Intel Core i9-9900KF @ 3.60GHz	8	18,864	2,991	95	FCLGA1151-2	Desktop
☞	Intel Core i9-9900KS @ 4.00GHz	8	19,569	3,047	127	FCLGA1151-2	Desktop
☞	Intel Core i9-9900T @ 2.10GHz	8	13,993	2,484	35	FCLGA1151-2	Desktop
☞	Intel Core i9-9900X @ 3.50GHz	10	21,678	2,597	165	FCLGA2066	Desktop
☞	Intel Core i9-9920X @ 3.50GHz	12	25,292	2,630	165	FCLGA2066	Desktop
☞	Intel Core i9-9940X @ 3.30GHz	14	28,356	2,630	165	FCLGA2066	Desktop
☞	Intel Core i9-9960X @ 3.10GHz	16	31,281	2,637	165	FCLGA2066	Desktop
☞	Intel Core i9-9980HK @ 2.40GHz	8	14,935	2,648	45	FCBGA1440	Laptop
☞	Intel Core i9-9980XE @ 3.00GHz	18	32,292	2,570	165	FCLGA2066	Desktop
☞	Intel Core i9-9990XE @ 4.00GHz	14	30,162	2,970	255	LGA2066	Desktop
☞	Intel Core M-5Y10 @ 0.80GHz	2	1,627	1,029	4.5	Unknown	Laptop
☞	Intel Core M-5Y10a @ 0.80GHz	2	1,905	993	4.5	FCBGA1234	Laptop
☞	Intel Core M-5Y10c @ 0.80GHz	2	1,719	1,053	4.5	FCBGA1234	Laptop
☞	Intel Core M-5Y31 @ 0.90GHz	2	2,087	1,303	4.5	FCBGA1234	Laptop
☞	Intel Core M-5Y51 @ 1.10GHz	2	2,011	1,330	4.5	FCBGA1234	Laptop
☞	Intel Core M-5Y70 @ 1.10GHz	2	1,705	1,039	4.5	BGA1234	Laptop
☞	Intel Core M-5Y71 @ 1.20GHz	2	2,318	1,457	4.5	FCBGA1234	Laptop
☞	Intel Core m3-6Y30 @ 0.90GHz	2	1,821	1,193	4.5	FCBGA1515	Laptop
☞	Intel Core m3-7Y30 @ 1.00GHz	2	2,541	1,406	4.5	FCBGA1515	Laptop
☞	Intel Core m3-7Y32 @ 1.10GHz	2	2,882	1,636	4.5	FCBGA1515	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core m3-8100Y @ 1.10GHz	2	3,028	1,794	5	FCBGA1515	Laptop
☞	Intel Core m5-6Y54 @ 1.10GHz	2	2,161	1,231	7	FCBGA1515	Laptop
☞	Intel Core m5-6Y57 @ 1.10GHz	2	2,336	1,344	7	FCBGA1515	Laptop
☞	Intel Core m7-6Y75 @ 1.20GHz	2	2,328	1,444	7	FCBGA1515	Laptop
☞	Intel Core Solo T1300 @ 1.66GHz	1	210	518	27	PGA478	Laptop
☞	Intel Core Solo T1350 @ 1.86GHz	1	194	413	31	Unknown	Laptop
☞	Intel Core Solo T1400 @ 1.83GHz	1	253	525	27	PGA478	Laptop
☞	Intel Core Solo U1300 @ 1.06GHz	1	127	340	6	PBGA479	Laptop
☞	Intel Core Solo U1400 @ 1.20GHz	1	130	365	5.5	PBGA479	Laptop
☞	Intel Core Solo U1500 @ 1.33GHz	1	164	375	5.5	Unknown	Laptop
☞	Intel Core2 Duo E4300 @ 1.80GHz	2	537	658	65	LGA775	Desktop
☞	Intel Core2 Duo E4400 @ 2.00GHz	2	656	773	65	LGA775	Desktop
☞	Intel Core2 Duo E4500 @ 2.20GHz	2	738	830	65	LGA775	Desktop
☞	Intel Core2 Duo E4600 @ 2.40GHz	2	785	911	65	LGA775	Desktop
☞	Intel Core2 Duo E4700 @ 2.60GHz	2	803	985	65	LGA775	Desktop
☞	Intel Core2 Duo E6300 @ 1.86GHz	2	557	679	65	LGA775, PLGA775	Desktop
☞	Intel Core2 Duo E6320 @ 1.86GHz	2	524	599	65	PLGA775	Desktop
☞	Intel Core2 Duo E6400 @ 2.13GHz	2	787	846	65	LGA775	Desktop
☞	Intel Core2 Duo E6420 @ 2.13GHz	2	780	836	65	PLGA775	Desktop
☞	Intel Core2 Duo E6540 @ 2.33GHz	2	808	969	65	LGA775	Desktop
☞	Intel Core2 Duo E6550 @ 2.33GHz	2	878	916	65	LGA775	Desktop
☞	Intel Core2 Duo E6600 @ 2.40GHz	2	873	948	65	PLGA775	Desktop
☞	Intel Core2 Duo E6700 @ 2.66GHz	2	986	1,047	65	LGA775	Desktop
☞	Intel Core2 Duo E6750 @ 2.66GHz	2	997	1,052	65	LGA775	Desktop
☞	Intel Core2 Duo E6850 @ 3.00GHz	2	1,144	1,199	65	LGA775	Desktop
☞	Intel Core2 Duo E7200 @ 2.53GHz	2	974	1,082	65	LGA775	Desktop
☞	Intel Core2 Duo E7300 @ 2.66GHz	2	929	1,085	65	LGA775	Desktop
☞	Intel Core2 Duo E7400 @ 2.80GHz	2	949	1,083	65	LGA775	Desktop
☞	Intel Core2 Duo E7500 @ 2.93GHz	2	1,106	1,212	65	LGA775	Desktop
☞	Intel Core2 Duo E7600 @ 3.06GHz	2	1,180	1,297	65	LGA775	Desktop
☞	Intel Core2 Duo E8135 @ 2.40GHz	2	972	1,027	NA	Unknown	Unknown
☞	Intel Core2 Duo E8135 @ 2.66GHz	2	1,092	1,117	NA	Socket P	Laptop
☞	Intel Core2 Duo E8200 @ 2.66GHz	2	999	1,108	65	LGA775	Desktop
☞	Intel Core2 Duo E8235 @ 2.80GHz	2	995	1,113	NA	Socket P	Laptop
☞	Intel Core2 Duo E8290 @ 2.83GHz	2	1,408	1,302	65	LGA775	Unknown
☞	Intel Core2 Duo E8300 @ 2.83GHz	2	1,034	1,169	65	LGA775	Desktop
☞	Intel Core2 Duo E8335 @ 2.66GHz	2	1,172	1,126	NA	Socket P	Laptop
☞	Intel Core2 Duo E8335 @ 2.93GHz	2	1,216	1,202	NA	Socket P	Laptop
☞	Intel Core2 Duo E8400 @ 3.00GHz	2	1,156	1,243	65	LGA775	Desktop
☞	Intel Core2 Duo E8435 @ 3.06GHz	2	1,213	1,304	NA	Socket P	Laptop
☞	Intel Core2 Duo E8500 @ 3.16GHz	2	1,231	1,316	65	LGA775	Desktop
☞	Intel Core2 Duo E8600 @ 3.33GHz	2	1,339	1,403	65	LGA775	Desktop
☞	Intel Core2 Duo L7100 @ 1.20GHz	2	476	492	NA	BGA956	Laptop
☞	Intel Core2 Duo L7300 @ 1.40GHz	2	550	635	17	BGA479	Laptop
☞	Intel Core2 Duo L7400 @ 1.50GHz	2	516	555	17	BGA479	Laptop
☞	Intel Core2 Duo L7500 @ 1.60GHz	2	575	600	17	BGA479	Laptop
☞	Intel Core2 Duo L7700 @ 1.80GHz	2	607	748	17	Unknown	Laptop
☞	Intel Core2 Duo L7800 @ 2.00GHz	2	680	622	NA	Unknown	Unknown
☞	Intel Core2 Duo L9300 @ 1.60GHz	2	615	636	17	BGA956	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Core2 Duo L9600 @ 2.13GHz	2	865	837	17	BGA956	Laptop
☞	Intel Core2 Duo P7350 @ 2.00GHz	2	734	784	25	BGA479	Laptop
☞	Intel Core2 Duo P7370 @ 2.00GHz	2	790	793	25	PGA478	Laptop
☞	Intel Core2 Duo P7450 @ 2.13GHz	2	766	848	25	PGA478	Laptop
☞	Intel Core2 Duo P7550 @ 2.26GHz	2	915	951	25	PGA478	Laptop
☞	Intel Core2 Duo P7570 @ 2.26GHz	2	747	882	25	PGA478	Laptop
☞	Intel Core2 Duo P8400 @ 2.26GHz	2	833	931	25	BGA479	Laptop
☞	Intel Core2 Duo P8600 @ 2.40GHz	2	857	955	25	BGA479	Laptop
☞	Intel Core2 Duo P8700 @ 2.53GHz	2	941	1,032	25	BGA479	Laptop
☞	Intel Core2 Duo P8800 @ 2.66GHz	2	903	1,082	25	BGA479	Laptop
☞	Intel Core2 Duo P9300 @ 2.26GHz	2	909	855	NA	Unknown	Laptop
☞	Intel Core2 Duo P9500 @ 2.53GHz	2	959	1,056	25	BGA479	Laptop
☞	Intel Core2 Duo P9600 @ 2.53GHz	2	1,012	1,075	25	PGA478	Laptop
☞	Intel Core2 Duo P9600 @ 2.66GHz	2	1,067	1,109	25	PGA478	Laptop
☞	Intel Core2 Duo P9700 @ 2.80GHz	2	1,082	1,119	28	PGA478	Laptop
☞	Intel Core2 Duo SL9400 @ 1.86GHz	2	737	759	17	BGA956	Laptop
☞	Intel Core2 Duo SP9400 @ 2.40GHz	2	948	936	25	BGA956	Laptop
☞	Intel Core2 Duo SU9400 @ 1.40GHz	2	529	593	10	BGA956	Laptop
☞	Intel Core2 Duo T5200 @ 1.60GHz	2	409	559	34	Socket M	Laptop
☞	Intel Core2 Duo T5250 @ 1.50GHz	2	483	542	35	PGA478	Laptop
☞	Intel Core2 Duo T5270 @ 1.40GHz	2	496	586	35	PGA478	Laptop
☞	Intel Core2 Duo T5300 @ 1.73GHz	2	635	423	34	PGA478	Laptop
☞	Intel Core2 Duo T5450 @ 1.66GHz	2	535	569	35	PGA478	Laptop
☞	Intel Core2 Duo T5470 @ 1.60GHz	2	459	576	35	PGA478	Laptop
☞	Intel Core2 Duo T5500 @ 1.66GHz	2	510	594	34	PGA478	Laptop
☞	Intel Core2 Duo T5550 @ 1.83GHz	2	585	657	35	PGA478	Laptop
☞	Intel Core2 Duo T5600 @ 1.83GHz	2	634	715	34	PGA478	Laptop
☞	Intel Core2 Duo T5670 @ 1.80GHz	2	539	664	35	Socket P	Laptop
☞	Intel Core2 Duo T5750 @ 2.00GHz	2	668	760	35	Socket P	Laptop
☞	Intel Core2 Duo T5800 @ 2.00GHz	2	655	751	35	PGA478	Laptop
☞	Intel Core2 Duo T5850 @ 2.16GHz	2	705	797	NA	Socket P	Laptop
☞	Intel Core2 Duo T5870 @ 2.00GHz	2	678	734	35	PPGA478, Socket	Laptop
☞	Intel Core2 Duo T5900 @ 2.20GHz	2	701	767	NA	Socket P	Laptop
☞	Intel Core2 Duo T6400 @ 2.00GHz	2	703	800	35	PGA478	Laptop
☞	Intel Core2 Duo T6500 @ 2.10GHz	2	687	835	35	PGA478	Laptop
☞	Intel Core2 Duo T6570 @ 2.10GHz	2	710	832	35	PGA478	Laptop
☞	Intel Core2 Duo T6600 @ 2.20GHz	2	755	858	35	PGA478	Laptop
☞	Intel Core2 Duo T6670 @ 2.20GHz	2	783	877	35	PGA478	Laptop
☞	Intel Core2 Duo T7100 @ 1.80GHz	2	628	704	35	BGA479	Laptop
☞	Intel Core2 Duo T7200 @ 2.00GHz	2	724	770	34	PBGA479, PPGA478	Laptop
☞	Intel Core2 Duo T7250 @ 2.00GHz	2	689	770	35	BGA479	Laptop
☞	Intel Core2 Duo T7300 @ 2.00GHz	2	691	778	35	BGA479	Laptop
☞	Intel Core2 Duo T7400 @ 2.16GHz	2	656	738	34	BGA479	Laptop
☞	Intel Core2 Duo T7500 @ 2.20GHz	2	804	870	35	BGA479	Laptop
☞	Intel Core2 Duo T7600 @ 2.33GHz	2	758	843	34	PBGA479, PPGA478	Laptop
☞	Intel Core2 Duo T7700 @ 2.40GHz	2	816	890	35	BGA479	Laptop
☞	Intel Core2 Duo T7800 @ 2.60GHz	2	932	1,015	35	BGA479	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞☞	Intel Core2 Duo T8100 @ 2.10GHz	2	750	865	35	BGA479	Laptop
☞☞	Intel Core2 Duo T8300 @ 2.40GHz	2	903	1,009	35	BGA479	Laptop
☞☞	Intel Core2 Duo T9300 @ 2.50GHz	2	991	1,047	35	BGA479	Laptop
☞☞	Intel Core2 Duo T9400 @ 2.53GHz	2	913	1,025	35	BGA479	Laptop
☞☞	Intel Core2 Duo T9500 @ 2.60GHz	2	1,015	1,097	35	BGA479	Laptop
☞☞	Intel Core2 Duo T9550 @ 2.66GHz	2	899	1,017	35	BGA479	Laptop
☞☞	Intel Core2 Duo T9600 @ 2.80GHz	2	1,079	1,152	35	BGA479	Laptop
☞☞	Intel Core2 Duo T9800 @ 2.93GHz	2	1,172	1,232	35	BGA479	Laptop
☞☞	Intel Core2 Duo T9900 @ 3.06GHz	2	1,197	1,166	35	BGA479,PGA478	Laptop
☞☞	Intel Core2 Duo U7300 @ 1.30GHz	2	509	540	10	BGA956	Laptop
☞☞	Intel Core2 Duo U7500 @ 1.06GHz	2	366	427	10	BGA479	Laptop
☞☞	Intel Core2 Duo U7600 @ 1.20GHz	2	316	427	10	BGA479	Laptop
☞☞	Intel Core2 Duo U7700 @ 1.33GHz	2	345	345	10	Unknown	Laptop
☞☞	Intel Core2 Duo U9300 @ 1.20GHz	2	485	542	10	BGA956	Laptop
☞☞	Intel Core2 Duo U9600 @ 1.60GHz	2	577	651	10	BGA956	Laptop
☞☞	Intel Core2 Extreme Q6800 @ 2.93GHz	4	2,267	1,202	75	LGA775	Desktop
☞☞	Intel Core2 Extreme Q6850 @ 3.00GHz	4	2,242	1,227	130	LGA775	Desktop
☞☞	Intel Core2 Extreme Q9200 @ 2.40GHz	4	2,011	1,080	NA	Unknown	Desktop
☞☞	Intel Core2 Extreme Q9300 @ 2.53GHz	4	1,845	1,046	45	PGA478	Desktop
☞☞	Intel Core2 Extreme X6800 @ 2.93GHz	2	1,004	1,094	75	PLGA775	Desktop
☞☞	Intel Core2 Extreme X7800 @ 2.60GHz	2	1,138	1,077	44	PGA478	Laptop
☞☞	Intel Core2 Extreme X7900 @ 2.80GHz	2	1,018	1,040	44	PGA478	Laptop
☞☞	Intel Core2 Extreme X9000 @ 2.80GHz	2	1,207	1,181	44	PGA478	Laptop
☞☞	Intel Core2 Extreme X9100 @ 3.06GHz	2	1,187	1,187	44	PGA478	Laptop
☞☞	Intel Core2 Extreme X9650 @ 3.00GHz	4	2,453	1,285	130	LGA775	Desktop
☞☞	Intel Core2 Extreme X9750 @ 3.16GHz	4	2,348	1,352	NA	Unknown	Unknown
☞☞	Intel Core2 Extreme X9770 @ 3.20GHz	4	2,632	1,398	136	LGA775	Desktop
☞☞	Intel Core2 Extreme X9775 @ 3.20GHz	4	2,780	1,451	150	LGA771	Desktop
☞☞	Intel Core2 Quad Q6600 @ 2.40GHz	4	1,769	957	105	LGA775	Desktop
☞☞	Intel Core2 Quad Q6700 @ 2.66GHz	4	2,033	1,077	105	LGA775	Desktop
☞☞	Intel Core2 Quad Q8200 @ 2.33GHz	4	1,773	1,011	95	LGA775	Desktop
☞☞	Intel Core2 Quad Q8300 @ 2.50GHz	4	1,795	1,058	95	LGA775	Desktop
☞☞	Intel Core2 Quad Q8400 @ 2.66GHz	4	2,013	1,154	95	LGA775	Desktop
☞☞	Intel Core2 Quad Q9000 @ 2.00GHz	4	1,495	863	45	PGA478	Laptop
☞☞	Intel Core2 Quad Q9100 @ 2.26GHz	4	1,923	1,004	45	PGA478	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞☞	Intel Core2 Quad Q9300 @ 2.50GHz	4	1,948	1,084	95	LGA775	Desktop
☞☞	Intel Core2 Quad Q9400 @ 2.66GHz	4	2,043	1,139	95	LGA775	Desktop
☞☞	Intel Core2 Quad Q9450 @ 2.66GHz	4	2,074	1,141	95	LGA775	Desktop
☞☞	Intel Core2 Quad Q9500 @ 2.83GHz	4	2,198	1,223	95	LGA775	Desktop
☞☞	Intel Core2 Quad Q9505 @ 2.83GHz	4	2,010	1,187	95	LGA775	Desktop
☞☞	Intel Core2 Quad Q9550 @ 2.83GHz	4	2,267	1,227	95	LGA775	Desktop
☞☞	Intel Core2 Quad Q9650 @ 3.00GHz	4	2,373	1,289	95	LGA775	Desktop
☞☞	Intel Core2 Solo U2100 @ 1.06GHz	1	233	258	5.5	Unknown	Laptop
☞☞	Intel Core2 Solo U3500 @ 1.40GHz	1	252	546	5.5	BGA956	Laptop
☞☞	Intel Pentium 1403 @ 2.60GHz	2	1,851	990	80	LGA1356	Server
☞☞	Intel Pentium 1403 v2 @ 2.60GHz	2	2,284	1,391	80	Unknown	Server
☞☞	Intel Pentium 2020M @ 2.40GHz	2	1,384	1,299	35	FCPGA988	Laptop
☞☞	Intel Pentium 2030M @ 2.50GHz	2	1,542	1,387	35	FCPGA988	Laptop
☞☞	Intel Pentium 2117U @ 1.80GHz	2	1,027	949	17	FCBGA1023	Laptop
☞☞	Intel Pentium 2127U @ 1.90GHz	2	1,110	1,018	17	FCBGA1023	Laptop
☞☞	Intel Pentium 2129Y @ 1.10GHz	2	635	587	10	FCBGA1023	Laptop
☞☞	Intel Pentium 3550M @ 2.30GHz	2	1,412	1,311	37	FCPGA946	Laptop
☞☞	Intel Pentium 3556U @ 1.70GHz	2	997	938	15	BGA1168	Laptop
☞☞	Intel Pentium 3558U @ 1.70GHz	2	994	930	15	FCBGA1168	Laptop
☞☞	Intel Pentium 3560M @ 2.40GHz	2	1,552	1,421	37	FCPGA946	Laptop
☞☞	Intel Pentium 3560Y @ 1.20GHz	2	849	700	11.5	BGA1168	Laptop
☞☞	Intel Pentium 3805U @ 1.90GHz	2	1,085	1,027	15	FCBGA1168	Laptop
☞☞	Intel Pentium 3825U @ 1.90GHz	2	1,338	1,095	15	FCBGA1168	Laptop
☞☞	Intel Pentium 4 1.50GHz	1	86	228	57.8	PGA423	Desktop
☞☞	Intel Pentium 4 1.60GHz	1	84	225	38	PGA478	Desktop
☞☞	Intel Pentium 4 1.70GHz	1	86	254	64	PGA423	Desktop
☞☞	Intel Pentium 4 1.80GHz	1	115	318	68.1	PGA478	Desktop
☞☞	Intel Pentium 4 1.90GHz	1	104	292	69.2	PGA423	Desktop
☞☞	Intel Pentium 4 1300MHz	1	77	203	51.6	PGA423	Desktop
☞☞	Intel Pentium 4 1400MHz	1	83	180	54.7	PGA423	Desktop
☞☞	Intel Pentium 4 1500MHz	1	81	223	57.8	PGA423	Desktop
☞☞	Intel Pentium 4 1700MHz	1	100	266	64	PGA423	Desktop
☞☞	Intel Pentium 4 1800MHz	1	114	317	68.1	PGA478	Desktop
☞☞	Intel Pentium 4 2.00GHz	1	133	349	54.3	PGA478	Desktop
☞☞	Intel Pentium 4 2.20GHz	1	157	379	57.1	PGA478	Desktop
☞☞	Intel Pentium 4 2.26GHz	1	151	409	58	PGA478	Desktop
☞☞	Intel Pentium 4 2.40GHz	1	131	360	59.8	PGA478	Desktop
☞☞	Intel Pentium 4 2.50GHz	1	160	385	61	PGA478	Desktop
☞☞	Intel Pentium 4 2.53GHz	1	162	442	61.5	PGA478	Desktop
☞☞	Intel Pentium 4 2.60GHz	1	215	494	69	PGA478	Desktop
☞☞	Intel Pentium 4 2.66GHz	1	157	431	66.1	PGA478	Desktop
☞☞	Intel Pentium 4 2.80GHz	1	235	506	69.7	PGA478	Desktop
☞☞	Intel Pentium 4 2.93GHz	1	150	269	NA	Unknown	Desktop
☞☞	Intel Pentium 4 3.00GHz	1	315	563	81.9	PGA478	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Pentium 4 3.06GHz	1	249	551	81.8	PGA478	Desktop
☞	Intel Pentium 4 3.20GHz	1	302	549	82	PGA478	Desktop
☞	Intel Pentium 4 3.40GHz	1	299	665	89	PGA478	Desktop
☞	Intel Pentium 4 3.46GHz	1	295	512	110.7	Unknown	Desktop
☞	Intel Pentium 4 3.60GHz	1	320	605	115	Unknown	Desktop
☞	Intel Pentium 4 3.73GHz	1	385	572	115	Unknown	Desktop
☞	Intel Pentium 4 3.80GHz	1	313	596	65	Unknown	Desktop
☞	Intel Pentium 4 3.83GHz	1	154	237	NA	Unknown	Desktop
☞	Intel Pentium 4 Mobile 1.60GHz	1	116	254	NA	Unknown	Laptop
☞	Intel Pentium 4 Mobile 1.80GHz	1	114	195	NA	Unknown	Laptop
☞	Intel Pentium 4 Mobile 1.90GHz	1	136	282	NA	Unknown	Laptop
☞	Intel Pentium 4 Mobile 2.00GHz	1	132	310	NA	Unknown	Laptop
☞	Intel Pentium 4405U @ 2.10GHz	2	2,067	1,220	15	FCBGA1356	Laptop
☞	Intel Pentium 4405Y @ 1.50GHz	2	1,518	868	6	FCBGA1515	Laptop
☞	Intel Pentium 4410Y @ 1.50GHz	2	1,444	777	6	FCBGA1515	Laptop
☞	Intel Pentium 4415U @ 2.30GHz	2	2,211	1,280	15	BGA1356	Laptop
☞	Intel Pentium 4415Y @ 1.60GHz	2	1,616	917	6	FCBGA1515	Laptop
☞	Intel Pentium 4417U @ 2.30GHz	2	2,250	1,328	15	FCBGA1356	Laptop
☞	Intel Pentium 4425Y @ 1.70GHz	2	1,688	963	6	FCBGA1515	Laptop
☞	Intel Pentium 5405U @ 2.30GHz	2	2,307	1,360	15	FCBGA1528	Laptop
☞	Intel Pentium 6405U @ 2.40GHz	2	2,359	1,420	15	FCBGA1528	Laptop
☞	Intel Pentium 6805 @ 1.10GHz	2	4,600	1,788	15	FCBGA1526	Laptop
☞	Intel Pentium 957 @ 1.20GHz	2	622	574	17	FCBGA1023	Laptop
☞	Intel Pentium 967 @ 1.30GHz	2	626	620	17	FCBGA1023	Laptop
☞	Intel Pentium 987 @ 1.50GHz	2	653	628	17	FCBGA1023	Laptop
☞	Intel Pentium 997 @ 1.60GHz	2	789	729	17	BGA-1023	Unknown
☞	Intel Pentium A1018 @ 2.10GHz	2	1,117	1,020	35	FCPGA988	Laptop
☞	Intel Pentium A1020 @ 2.41GHz	4	1,265	705	10	FCBGA1170	Laptop
☞	Intel Pentium B940 @ 2.00GHz	2	821	869	35	PGA988	Laptop
☞	Intel Pentium B950 @ 2.10GHz	2	964	921	35	PGA988	Laptop
☞	Intel Pentium B960 @ 2.20GHz	2	891	939	35	PGA988	Laptop
☞	Intel Pentium B970 @ 2.30GHz	2	1,103	1,065	35	PGA988	Laptop
☞	Intel Pentium B980 @ 2.40GHz	2	1,075	1,053	35	FCPGA988	Laptop
☞	Intel Pentium D 805 @ 2.66GHz	2	374	497	95	PLGA775	Desktop
☞	Intel Pentium D 830 @ 3.00GHz	2	513	560	95	PLGA775	Desktop
☞	Intel Pentium D 915 @ 2.80GHz	2	472	567	95	PLGA775	Desktop
☞	Intel Pentium D 940 @ 3.20GHz	2	498	574	130	PLGA775	Desktop
☞	Intel Pentium D 950 @ 3.40GHz	2	680	695	130	PLGA775	Desktop
☞	Intel Pentium D 960 @ 3.60GHz	2	743	775	130	PLGA775	Desktop
☞	Intel Pentium D1508 @ 2.20GHz	2	3,240	1,760	25	FCBGA1667	Server
☞	Intel Pentium E2140 @ 1.60GHz	2	508	594	65	LGA775, PLGA775	Desktop
☞	Intel Pentium E2160 @ 1.80GHz	2	618	674	65	LGA775	Desktop
☞	Intel Pentium E2180 @ 2.00GHz	2	660	740	65	LGA775	Desktop
☞	Intel Pentium E2200 @ 2.20GHz	2	751	852	65	LGA775	Desktop
☞	Intel Pentium E2210 @ 2.20GHz	2	702	946	65	LGA775	Desktop
☞	Intel Pentium E2220 @ 2.40GHz	2	793	892	65	LGA775	Desktop
☞	Intel Pentium E5200 @ 2.50GHz	2	840	1,002	65	LGA775	Desktop
☞	Intel Pentium E5300 @ 2.60GHz	2	905	1,033	65	LGA775	Desktop
☞	Intel Pentium E5400 @ 2.70GHz	2	912	1,072	65	LGA775	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Pentium E5500 @ 2.80GHz	2	1,005	1,143	65	LGA775	Desktop
☞	Intel Pentium E5700 @ 3.00GHz	2	1,010	1,169	65	LGA775	Desktop
☞	Intel Pentium E5800 @ 3.20GHz	2	1,156	1,309	65	LGA775	Desktop
☞	Intel Pentium E6300 @ 2.80GHz	2	952	1,104	65	LGA775	Desktop
☞	Intel Pentium E6500 @ 2.93GHz	2	1,091	1,224	65	LGA775	Desktop
☞	Intel Pentium E6600 @ 3.06GHz	2	1,025	1,112	65	LGA775	Desktop
☞	Intel Pentium E6700 @ 3.20GHz	2	1,120	1,292	65	LGA775	Desktop
☞	Intel Pentium E6800 @ 3.33GHz	2	1,194	1,376	65	LGA775	Desktop
☞	Intel Pentium Extreme Edition 955 @ 3.46GHz	2	469	515	130	PLGA775	Desktop
☞	Intel Pentium Extreme Edition 965 @ 3.73GHz	2	987	818	130	PLGA775	Desktop
☞	Intel Pentium G2010 @ 2.80GHz	2	1,509	1,461	55	FCLGA1155	Desktop
☞	Intel Pentium G2020 @ 2.90GHz	2	1,653	1,554	55	FCLGA1155	Desktop
☞	Intel Pentium G2020T @ 2.50GHz	2	1,308	1,338	35	FCLGA1155	Desktop
☞	Intel Pentium G2030 @ 3.00GHz	2	1,709	1,614	55	FCLGA1155	Desktop
☞	Intel Pentium G2030T @ 2.60GHz	2	1,595	1,446	35	LGA1155	Desktop
☞	Intel Pentium G2100T @ 2.60GHz	2	1,691	1,460	35	LGA1155	Desktop
☞	Intel Pentium G2120 @ 3.10GHz	2	1,899	1,716	55	FCLGA1155	Desktop
☞	Intel Pentium G2120T @ 2.70GHz	2	1,613	1,493	35	FCLGA1155	Desktop
☞	Intel Pentium G2130 @ 3.20GHz	2	1,823	1,732	55	FCLGA1155	Desktop
☞	Intel Pentium G2140 @ 3.30GHz	2	2,059	1,837	55	LGA1155	Desktop
☞	Intel Pentium G3220 @ 3.00GHz	2	1,839	1,699	54	FCLGA1150	Desktop
☞	Intel Pentium G3220T @ 2.60GHz	2	1,539	1,436	35	LGA1150	Desktop
☞	Intel Pentium G3240 @ 3.10GHz	2	1,879	1,747	53	FCLGA1150	Desktop
☞	Intel Pentium G3240T @ 2.70GHz	2	1,755	1,558	35	LGA1150	Desktop
☞	Intel Pentium G3250 @ 3.20GHz	2	1,906	1,810	53	LGA1150	Desktop
☞	Intel Pentium G3250T @ 2.80GHz	2	1,699	1,553	35	LGA1150	Desktop
☞	Intel Pentium G3258 @ 3.20GHz	2	2,044	1,831	53	FCLGA1150	Desktop
☞	Intel Pentium G3260 @ 3.30GHz	2	2,023	1,862	53	LGA1150	Desktop
☞	Intel Pentium G3260T @ 2.90GHz	2	1,755	1,568	35	LGA1150	Desktop
☞	Intel Pentium G3320TE @ 2.30GHz	2	1,623	1,314	35	FCLGA1150	Desktop
☞	Intel Pentium G3420 @ 3.20GHz	2	1,976	1,796	54	FCLGA1150	Desktop
☞	Intel Pentium G3420T @ 2.70GHz	2	1,912	1,570	35	LGA1150	Desktop
☞	Intel Pentium G3430 @ 3.30GHz	2	2,129	1,891	54	FCLGA1150	Desktop
☞	Intel Pentium G3440 @ 3.30GHz	2	2,129	1,895	53	LGA1150	Desktop
☞	Intel Pentium G3440T @ 2.80GHz	2	2,107	1,615	35	LGA1150	Desktop
☞	Intel Pentium G3450 @ 3.40GHz	2	1,903	1,730	53	FCLGA1150	Desktop
☞	Intel Pentium G3450T @ 2.90GHz	2	2,016	1,135	35	LGA1150	Desktop
☞	Intel Pentium G3460 @ 3.50GHz	2	2,133	1,927	53	LGA1150	Desktop
☞	Intel Pentium G3470 @ 3.60GHz	2	2,428	2,089	53	LGA1150	Desktop
☞	Intel Pentium G4400 @ 3.30GHz	2	2,605	2,032	54	FCLGA1151	Desktop
☞	Intel Pentium G4400T @ 2.90GHz	2	2,407	1,810	35	FCLGA1151	Desktop
☞	Intel Pentium G4400TE @ 2.40GHz	2	2,190	1,481	35	FCLGA1151	Laptop
☞	Intel Pentium G4500 @ 3.50GHz	2	2,696	2,123	51	FCLGA1151	Desktop
☞	Intel Pentium G4500T @ 3.00GHz	2	2,518	1,845	35	FCLGA1151	Desktop
☞	Intel Pentium G4520 @ 3.60GHz	2	2,945	2,241	51	FCLGA1151	Desktop
☞	Intel Pentium G4560 @ 3.50GHz	2	3,522	2,114	54	FCLGA1151	Desktop
☞	Intel Pentium G4560T @ 2.90GHz	2	2,968	1,743	35	FCLGA1151	Desktop
☞	Intel Pentium G4600 @ 3.60GHz	2	3,589	2,185	51	FCLGA1151	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞☞	Intel Pentium G4600T @ 3.00GHz	2	3,130	1,843	35	FCLGA1151	Desktop
☞☞	Intel Pentium G4620 @ 3.70GHz	2	3,818	2,280	51	FCLGA1151	Desktop
☞☞	Intel Pentium G620 @ 2.60GHz	2	1,218	1,217	65	LGA1155	Desktop
☞☞	Intel Pentium G620T @ 2.20GHz	2	896	961	35	LGA1155	Desktop
☞☞	Intel Pentium G630 @ 2.70GHz	2	1,294	1,246	65	LGA1155	Desktop
☞☞	Intel Pentium G630T @ 2.30GHz	2	1,067	1,009	35	LGA1155	Desktop
☞☞	Intel Pentium G640 @ 2.80GHz	2	1,243	1,302	65	LGA1155	Desktop
☞☞	Intel Pentium G640T @ 2.40GHz	2	1,139	1,102	35	LGA1155	Desktop
☞☞	Intel Pentium G645 @ 2.90GHz	2	1,316	1,278	65	LGA1155	Desktop
☞☞	Intel Pentium G645T @ 2.50GHz	2	1,241	1,195	35	LGA1155	Desktop
☞☞	Intel Pentium G6950 @ 2.80GHz	2	1,262	1,217	73	LGA1156	Desktop
☞☞	Intel Pentium G6951 @ 2.80GHz	2	1,401	1,137	73	LGA1156	Desktop
☞☞	Intel Pentium G6960 @ 2.93GHz	2	1,293	1,264	73	LGA1156	Desktop
☞☞	Intel Pentium G840 @ 2.80GHz	2	1,140	1,240	65	FCLGA1155	Desktop
☞☞	Intel Pentium G850 @ 2.90GHz	2	1,333	1,321	65	FCLGA1155	Desktop
☞☞	Intel Pentium G860 @ 3.00GHz	2	1,379	1,360	65	FCLGA1155	Desktop
☞☞	Intel Pentium G870 @ 3.10GHz	2	1,495	1,464	65	FCLGA1155	Desktop
☞☞	Intel Pentium Gold 7505 @ 2.00GHz	2	5,451	2,377	15	FCBGA1449	Laptop
☞☞	Intel Pentium Gold G5400 @ 3.70GHz	2	3,725	2,228	54	FCLGA1151-2	Desktop
☞☞	Intel Pentium Gold G5400T @ 3.10GHz	2	3,119	1,807	35	FCLGA1151-2	Server
☞☞	Intel Pentium Gold G5420 @ 3.80GHz	2	3,520	2,296	54	FCLGA1151-2	Desktop
☞☞	Intel Pentium Gold G5420T @ 3.20GHz	2	3,716	1,972	35	FCLGA1151-2	Desktop
☞☞	Intel Pentium Gold G5500 @ 3.80GHz	2	3,698	2,244	54	FCLGA1151-2	Desktop
☞☞	Intel Pentium Gold G5500T @ 3.20GHz	2	3,234	1,964	35	FCLGA1151-2	Desktop
☞☞	Intel Pentium Gold G5600 @ 3.90GHz	2	3,709	2,273	54	FCLGA1151-2	Desktop
☞☞	Intel Pentium Gold G5600F @ 3.90GHz	2	4,160	2,442	54	FCLGA1151-2	Desktop
☞☞	Intel Pentium Gold G5620 @ 4.00GHz	2	4,102	2,424	54	FCLGA1151-2	Desktop
☞☞	Intel Pentium Gold G6400 @ 4.00GHz	2	4,165	2,494	58	FCLGA1200	Desktop
☞☞	Intel Pentium Gold G6400T @ 3.40GHz	2	3,610	2,140	35	FCLGA1200	Desktop
☞☞	Intel Pentium Gold G6405 @ 4.10GHz	2	4,274	2,563	58	FCLGA1200	Desktop
☞☞	Intel Pentium Gold G6405T @ 3.50GHz	2	3,746	2,206	35	FCLGA1200	Desktop
☞☞	Intel Pentium Gold G6500 @ 4.10GHz	2	4,191	2,481	58	FCLGA1200	Desktop
☞☞	Intel Pentium Gold G6500T @ 3.50GHz	2	4,005	2,277	35	FCLGA1200	Desktop
☞☞	Intel Pentium Gold G6600 @ 4.20GHz	2	4,396	2,577	58	FCLGA1200	Desktop
☞☞	Intel Pentium III 1400 @ 1400MHz	1	193	272	31.2	Socket 370	Desktop
☞☞	Intel Pentium III 1400S @ 1400MHz	1	194	278	32.2	Socket 370	Desktop
☞☞	Intel Pentium III Mobile 1066MHz	1	160	210	NA	Unknown	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞☞	Intel Pentium III Mobile 1133MHz	1	164	218	NA	Unknown	Laptop
☞☞	Intel Pentium III Mobile 1200MHz	1	156	216	NA	Unknown	Laptop
☞☞	Intel Pentium III Mobile 800MHz	1	119	155	NA	Unknown	Laptop
☞☞	Intel Pentium III Mobile 866MHz	1	99	132	NA	Unknown	Laptop
☞☞	Intel Pentium J2850 @ 2.41GHz	4	1,016	646	10	FCBGA1170	Desktop
☞☞	Intel Pentium J2900 @ 2.41GHz	4	1,235	727	10	FCBGA1170	Desktop
☞☞	Intel Pentium J3710 @ 1.60GHz	4	1,410	697	6.5	Unknown	Desktop
☞☞	Intel Pentium J4205 @ 1.50GHz	4	2,371	917	10	FCBGA1296	Desktop
☞☞	Intel Pentium M 1.10GHz	1	184	218	NA	Unknown	Unknown
☞☞	Intel Pentium M 1.20GHz	1	199	262	NA	Unknown	Unknown
☞☞	Intel Pentium M 1.30GHz	1	196	250	22	H-PBGA479, PPG	Laptop
☞☞	Intel Pentium M 1.40GHz	1	225	264	22	H-PBGA479, PPG	Laptop
☞☞	Intel Pentium M 1.50GHz	1	240	323	24.5	H-PBGA479, PPG	Laptop
☞☞	Intel Pentium M 1.60GHz	1	229	307	24.5	H-PBGA479, PPG	Laptop
☞☞	Intel Pentium M 1.70GHz	1	239	318	24.5	H-PBGA479, PPG	Laptop
☞☞	Intel Pentium M 1.73GHz	1	214	479	27	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 1.80GHz	1	280	389	21	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 1.86GHz	1	238	460	27	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 1000MHz	1	156	222	7	Unknown	Laptop
☞☞	Intel Pentium M 1200MHz	1	155	166	12	Unknown	Laptop
☞☞	Intel Pentium M 1300MHz	1	197	271	22	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 1400MHz	1	208	282	22	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 1500MHz	1	188	251	24.5	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 1600MHz	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 1700MHz	1	237	361	24.5	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 2.00GHz	1	270	363	21	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 2.10GHz	1	292	353	21	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 2.13GHz	1	271	354	27	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 2.26GHz	1	227	508	27	H-PBGA479, PPGA4	Laptop
☞☞	Intel Pentium M 900MHz	1	141	200	7	Unknown	Laptop
☞☞	Intel Pentium N3510 @ 1.99GHz	4	878	534	7.5	FCBGA1170	Laptop
☞☞	Intel Pentium N3520 @ 2.16GHz	4	1,116	667	7.5	FCBGA1170	Laptop
☞☞	Intel Pentium N3530 @ 2.16GHz	4	1,199	706	7.5	FCBGA1170	Laptop
☞☞	Intel Pentium N3540 @ 2.16GHz	4	1,215	715	7.5	FCBGA1170	Laptop
☞☞	Intel Pentium N3700 @ 1.60GHz	4	1,315	646	6	FCBGA1170	Laptop
☞☞	Intel Pentium N3710 @ 1.60GHz	4	1,355	689	6	FCBGA1170	Laptop
☞☞	Intel Pentium N4200 @ 1.10GHz	4	2,152	851	6	FCBGA1296	Laptop
☞☞	Intel Pentium N6415 @ 1.20GHz	4	3,760	1,616	6.5	FCBGA1493	Mobile/Embedded
☞☞	Intel Pentium P6000 @ 1.87GHz	2	789	729	35	PGA988	Laptop
☞☞	Intel Pentium P6100 @ 2.00GHz	2	832	828	35	PGA988	Laptop
☞☞	Intel Pentium P6200 @ 2.13GHz	2	853	845	35	PGA988	Laptop
☞☞	Intel Pentium P6300 @ 2.27GHz	2	967	833	35	PGA988	Laptop
☞☞	Intel Pentium Silver J5005 @ 1.50GHz	4	3,095	1,194	10	FCBGA1090	Desktop
☞☞	Intel Pentium Silver J5040 @ 2.00GHz	4	3,646	1,424	NA	FCBGA1090	Desktop
☞☞	Intel Pentium Silver N5000 @ 1.10GHz	4	2,593	1,149	6	FCBGA1090	Laptop
☞☞	Intel Pentium Silver N5030 @ 1.10GHz	4	2,662	1,311	6	FCBGA1090	Laptop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Pentium Silver N6000 @ 1.10GHz	4	3,637	1,333	6	FCBGA1338	Mobile/Embedded
☞	Intel Pentium SU2700 @ 1.30GHz	1	239	432	10	Unknown	Laptop
☞	Intel Pentium SU4100 @ 1.30GHz	2	476	513	10	BGA956	Laptop
☞	Intel Pentium T2060 @ 1.60GHz	2	328	486	31	PGA478	Laptop
☞	Intel Pentium T2080 @ 1.73GHz	2	348	530	31	PGA478	Laptop
☞	Intel Pentium T2130 @ 1.86GHz	2	382	583	31	PGA478	Laptop
☞	Intel Pentium T2310 @ 1.46GHz	2	430	531	35	PPGA478	Laptop
☞	Intel Pentium T2330 @ 1.60GHz	2	518	569	35	PPGA478	Laptop
☞	Intel Pentium T2370 @ 1.73GHz	2	455	521	35	PPGA478	Laptop
☞	Intel Pentium T2390 @ 1.86GHz	2	543	644	35	PPGA478	Laptop
☞	Intel Pentium T2410 @ 2.00GHz	2	569	787	NA	Unknown	Unknown
☞	Intel Pentium T3200 @ 2.00GHz	2	625	716	35	PPGA478	Laptop
☞	Intel Pentium T3400 @ 2.16GHz	2	610	703	35	PPGA478	Laptop
☞	Intel Pentium T4200 @ 2.00GHz	2	714	799	35	PGA478	Laptop
☞	Intel Pentium T4300 @ 2.10GHz	2	763	831	35	PGA478	Laptop
☞	Intel Pentium T4400 @ 2.20GHz	2	763	866	35	PGA478	Laptop
☞	Intel Pentium T4500 @ 2.30GHz	2	753	899	35	PGA478	Laptop
☞	Intel Pentium U5400 @ 1.20GHz	2	439	470	18	BGA1288	Laptop
☞	Intel Pentium U5600 @ 1.33GHz	2	587	592	18	BGA1288	Laptop
☞	Intel T1400 @ 1.73GHz	2	475	671	NA	Unknown	Unknown
☞	Intel T1500 @ 1.86GHz	2	548	661	NA	Unknown	Unknown
☞	Intel T2050 @ 2.00GHz	2	516	611	31	PPGA478	Unknown
☞	Intel Xeon 2.00GHz	1	152	259	NA	Unknown	Server
☞	Intel XEON 2.20GHz	1	164	351	NA	Unknown	Server
☞	Intel Xeon 2.40GHz	1	180	387	NA	Unknown	Server
☞	Intel Xeon 2.80GHz	1	260	384	103	PPGA604	Server
☞	Intel Xeon 3.00GHz	1	425	607	103	PPGA604	Server
☞	Intel Xeon 3.20GHz	1	478	696	103	PPGA604	Server
☞	Intel Xeon 3.40GHz	1	375	519	103	PPGA604	Server
☞	Intel Xeon 3.60GHz	1	403	643	110	PPGA604	Server
☞	Intel Xeon 3.73GHz	2	901	734	NA	Unknown	Server
☞	Intel Xeon 3.80GHz	1	393	594	110	PPGA604	Server
☞	Intel Xeon 3040 @ 1.86GHz	2	789	474	65	LGA775	Server
☞	Intel Xeon 3050 @ 2.13GHz	2	841	672	65	LGA775	Server
☞	Intel Xeon 3060 @ 2.40GHz	2	939	942	65	LGA775	Server
☞	Intel Xeon 3065 @ 2.33GHz	2	867	836	65	LGA775	Server
☞	Intel Xeon 3070 @ 2.66GHz	2	1,025	1,024	65	LGA775	Server
☞	Intel Xeon 3075 @ 2.66GHz	2	1,096	1,096	NA	Unknown	Server
☞	Intel Xeon 3085 @ 3.00GHz	2	1,070	1,124	65	LGA775	Server
☞	Intel Xeon 5110 @ 1.60GHz	2	600	606	65	LGA771	Server
☞	Intel Xeon 5120 @ 1.86GHz	2	763	748	65	LGA771	Server
☞	Intel Xeon 5130 @ 2.00GHz	2	769	766	65	LGA771	Server
☞	Intel Xeon 5133 @ 2.20GHz	2	887	838	40	LGA771	Server
☞	Intel Xeon 5140 @ 2.33GHz	2	857	870	65	LGA771	Server
☞	Intel Xeon 5148 @ 2.33GHz	2	912	868	40	LGA771	Server
☞	Intel Xeon 5150 @ 2.66GHz	2	728	954	65	LGA771	Server
☞	Intel Xeon 5160 @ 3.00GHz	2	963	1,134	80	LGA771	Server
☞	Intel Xeon @ 2.00GHz	6	7,363	939	NA	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon @ 2.20GHz	1	1,324	1,383	61	PPGA603	Server
☞	Intel Xeon Bronze 3104 @ 1.70GHz	6	4,887	986	85	FCLGA3647	Server
☞	Intel Xeon Bronze 3106 @ 1.70GHz	8	6,532	993	85	FCLGA3647	Server
☞	Intel Xeon Bronze 3204 @ 1.90GHz	6	5,080	1,093	85	FCLGA3647	Server
☞	Intel Xeon D-1518 @ 2.20GHz	4	4,784	1,256	35	FCBGA1667	Server
☞	Intel Xeon D-1520 @ 2.20GHz	4	3,324	419	45	BGA 1667	Server
☞	Intel Xeon D-1521 @ 2.40GHz	4	6,017	1,718	45	FCBGA1667	Server
☞	Intel Xeon D-1528 @ 1.90GHz	6	5,910	1,281	35	FCBGA1667	Laptop, Server
☞	Intel Xeon D-1531 @ 2.20GHz	6	7,967	1,731	45	FCBGA1667	Server
☞	Intel Xeon D-1537 @ 1.70GHz	8	7,176	1,104	35	FCBGA1667	Server
☞	Intel Xeon D-1539 @ 1.60GHz	8	7,175	1,179	35	FCBGA1667	Server
☞	Intel Xeon D-1540 @ 2.00GHz	8	6,982	891	45	FCBGA1667	Server
☞	Intel Xeon D-1541 @ 2.10GHz	8	9,544	1,642	45	FCBGA1667	Server
☞	Intel Xeon D-1548 @ 2.00GHz	8	9,075	1,647	45	FCBGA1667	Server
☞	Intel Xeon D-1557 @ 1.50GHz	12	7,118	718	45	FCBGA1667	Server
☞	Intel Xeon D-1559 @ 1.50GHz	12	5,647	569	45	FCBGA1667	Server
☞	Intel Xeon D-1567 @ 2.10GHz	12	9,236	988	65	FCBGA1667	Server
☞	Intel Xeon D-1577 @ 1.30GHz	16	11,645	1,319	45	FCBGA1667	Server
☞	Intel Xeon D-1587 @ 1.70GHz	16	9,223	835	65	FCBGA1667	Server
☞	Intel Xeon D-1602 @ 2.50GHz	2	2,459	1,435	27	FCBGA1667	Server
☞	Intel Xeon D-1622 @ 2.60GHz	4	6,205	1,875	40	FCBGA1667	Server
☞	Intel Xeon D-2123IT @ 2.20GHz	4	7,731	1,750	60	FCBGA2518	Server
☞	Intel Xeon D-2141I @ 2.20GHz	8	12,177	1,756	65	FCBGA2518	Server
☞	Intel Xeon D-2143IT @ 2.20GHz	8	13,107	1,812	65	FCBGA2518	Server
☞	Intel Xeon D-2146NT @ 2.30GHz	8	11,704	1,796	80	FCBGA2518	Server
☞	Intel Xeon D-2166NT @ 2.00GHz	12	15,105	1,751	85	FCBGA2518	Server
☞	Intel Xeon D-2183IT @ 2.20GHz	16	18,385	1,728	100	FCBGA2518	Server
☞	Intel Xeon D-2187NT @ 2.00GHz	16	18,070	1,425	110	FCBGA2518	Server
☞	Intel Xeon E-2104G @ 3.20GHz	4	6,215	1,981	65	FCLGA1151-2	Server
☞	Intel Xeon E-2124 @ 3.30GHz	4	7,036	2,576	71	FCLGA1151-2	Server
☞	Intel Xeon E-2124G @ 3.40GHz	4	7,549	2,801	71	FCLGA1151-2	Server
☞	Intel Xeon E-2126G @ 3.30GHz	6	10,922	2,658	80	FCLGA1151-2	Server
☞	Intel Xeon E-2134 @ 3.50GHz	4	8,253	2,440	71	FCLGA1151-2	Server
☞	Intel Xeon E-2136 @ 3.30GHz	6	13,506	2,713	80	FCLGA1151-2	Server
☞	Intel Xeon E-2144G @ 3.60GHz	4	9,194	2,680	71	FCLGA1151-2	Server
☞	Intel Xeon E-2146G @ 3.50GHz	6	13,288	2,701	80	FCLGA1151-2	Server
☞	Intel Xeon E-2174G @ 3.80GHz	4	9,502	2,590	71	FCLGA1151-2	Server
☞	Intel Xeon E-2176G @ 3.70GHz	6	13,698	2,793	80	FCLGA1151-2	Server
☞	Intel Xeon E-2176M @ 2.70GHz	6	10,978	2,478	45	FCBGA1440	Laptop
☞	Intel Xeon E-2186G @ 3.80GHz	6	13,976	2,824	95	FCLGA1151-2	Server
☞	Intel Xeon E-2186M @ 2.90GHz	6	11,119	2,469	45	FCBGA1440	Laptop
☞	Intel Xeon E-2224 @ 3.40GHz	4	7,438	2,644	71	FCLGA1151-2	Server
☞	Intel Xeon E-2224G @ 3.50GHz	4	7,466	2,714	71	FCLGA1151-2	Server
☞	Intel Xeon E-2226G @ 3.40GHz	6	11,164	2,869	80	FCLGA1151-2	Server
☞	Intel Xeon E-2234 @ 3.60GHz	4	9,818	2,886	71	FCLGA1151-2	Server
☞	Intel Xeon E-2236 @ 3.40GHz	6	14,412	2,888	80	FCLGA1151-2	Server
☞	Intel Xeon E-2244G @ 3.80GHz	4	9,986	2,833	71	FCLGA1151-2	Server
☞	Intel Xeon E-2246G @ 3.60GHz	6	13,957	2,846	80	FCLGA1151-2	Server
☞	Intel Xeon E-2254ML @ 1.70GHz	4	6,333	2,029	25	FCBGA1440	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon E-2274G @ 4.00GHz	4	9,639	2,747	83	FCLGA1151-2	Server
☞	Intel Xeon E-2276G @ 3.80GHz	6	13,300	2,881	80	FCLGA1151-2	Server
☞	Intel Xeon E-2276M @ 2.80GHz	6	12,252	2,714	45	FCBGA1440	Laptop
☞	Intel Xeon E-2276ME @ 2.80GHz	6	9,680	1,692	45	FCBGA1440	Server, Mobile/Embedded
☞	Intel Xeon E-2278G @ 3.40GHz	8	17,609	2,991	80	FCLGA1151-2	Server
☞	Intel Xeon E-2278GE @ 3.30GHz	8	17,210	2,754	80	FCLGA1151-2	Server
☞	Intel Xeon E-2278GEL @ 2.00GHz	8	12,024	2,428	35	FCLGA1151-2	Server
☞	Intel Xeon E-2286G @ 4.00GHz	6	14,396	2,858	95	FCLGA1151-2	Server
☞	Intel Xeon E-2286M @ 2.40GHz	8	15,733	2,800	45	FCBGA1440	Laptop
☞	Intel Xeon E-2288G @ 3.70GHz	8	17,083	2,904	95	FCLGA1151-2	Server
☞	Intel Xeon E3-1205 v6 @ 3.00GHz	4	5,682	1,875	65	FCLGA1151	Server
☞	Intel Xeon E3-1220 @ 3.10GHz	4	3,775	1,566	80	LGA1155	Server
☞	Intel Xeon E3-1220 V2 @ 3.10GHz	4	4,689	1,927	69	LGA1155	Server
☞	Intel Xeon E3-1220 v3 @ 3.10GHz	4	5,080	1,980	80	LGA1150	Server
☞	Intel Xeon E3-1220 v5 @ 3.00GHz	4	5,617	2,035	80	FCLGA1151	Server
☞	Intel Xeon E3-1220 v6 @ 3.00GHz	4	6,048	2,072	72	FCLGA1151	Server
☞	Intel Xeon E3-1220L @ 2.20GHz	2	2,050	1,421	20	LGA1155	Server
☞	Intel Xeon E3-1220L V2 @ 2.30GHz	2	2,845	1,688	17	LGA1155	Server
☞	Intel Xeon E3-1220L v3 @ 1.10GHz	2	1,407	777	13	LGA1150	Server
☞	Intel Xeon E3-1225 @ 3.10GHz	4	3,771	1,560	95	LGA1155	Server
☞	Intel Xeon E3-1225 V2 @ 3.20GHz	4	4,730	1,942	77	LGA1155	Server
☞	Intel Xeon E3-1225 v3 @ 3.20GHz	4	5,272	2,028	84	LGA1150	Server
☞	Intel Xeon E3-1225 v5 @ 3.30GHz	4	5,863	2,000	80	FCLGA1151	Server
☞	Intel Xeon E3-1225 v6 @ 3.30GHz	4	6,343	2,296	73	FCLGA1151	Server
☞	Intel Xeon E3-1226 v3 @ 3.30GHz	4	5,403	2,081	84	FCLGA1150	Server
☞	Intel Xeon E3-1230 @ 3.20GHz	4	5,010	1,670	80	LGA1155	Server
☞	Intel Xeon E3-1230 V2 @ 3.30GHz	4	6,203	1,996	69	LGA1155	Server
☞	Intel Xeon E3-1230 v3 @ 3.30GHz	4	6,781	2,079	80	LGA1150	Server
☞	Intel Xeon E3-1230 v5 @ 3.40GHz	4	7,907	2,088	80	FCLGA1151	Server
☞	Intel Xeon E3-1230 v6 @ 3.50GHz	4	8,266	2,269	72	FCLGA1151	Server
☞	Intel Xeon E3-1230L v3 @ 1.80GHz	4	4,764	1,502	25	LGA1150	Server
☞	Intel Xeon E3-1231 v3 @ 3.40GHz	4	6,973	2,149	80	FCLGA1150	Server
☞	Intel Xeon E3-1235 @ 3.20GHz	4	4,725	1,562	95	LGA1155	Server
☞	Intel Xeon E3-1235L v5 @ 2.00GHz	4	5,013	1,761	25	FCLGA1151	Server
☞	Intel Xeon E3-1240 @ 3.30GHz	4	5,259	1,715	80	LGA1155	Server
☞	Intel Xeon E3-1240 V2 @ 3.40GHz	4	6,286	2,038	69	LGA1155	Server
☞	Intel Xeon E3-1240 v3 @ 3.40GHz	4	6,969	2,141	80	LGA1150	Server
☞	Intel Xeon E3-1240 v5 @ 3.50GHz	4	8,227	2,345	80	FCLGA1151	Server
☞	Intel Xeon E3-1240 v6 @ 3.70GHz	4	8,809	2,469	72	FCLGA1151	Server
☞	Intel Xeon E3-1240L v3 @ 2.00GHz	4	5,062	1,695	25	FCLGA1150	Server
☞	Intel Xeon E3-1240L v5 @ 2.10GHz	4	6,025	1,921	25	FCLGA1151	Server
☞	Intel Xeon E3-1241 v3 @ 3.50GHz	4	7,135	2,158	80	LGA1150	Server
☞	Intel Xeon E3-1245 @ 3.30GHz	4	5,329	1,739	95	LGA1155	Server
☞	Intel Xeon E3-1245 V2 @ 3.40GHz	4	6,173	2,014	77	LGA1155	Server
☞	Intel Xeon E3-1245 v3 @ 3.40GHz	4	7,030	2,164	84	LGA1150	Server
☞	Intel Xeon E3-1245 v5 @ 3.50GHz	4	8,030	2,277	80	FCLGA1151	Server
☞	Intel Xeon E3-1245 v6 @ 3.70GHz	4	8,533	2,429	73	FCLGA1151	Server
☞	Intel Xeon E3-1246 v3 @ 3.50GHz	4	7,162	2,175	84	FCLGA1150	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon E3-1260L @ 2.40GHz	4	3,891	1,452	45	LGA1155	Server
☞	Intel Xeon E3-1260L v5 @ 2.90GHz	4	7,757	2,287	45	FCLGA1151	Server
☞	Intel Xeon E3-1265L @ 2.40GHz	4	3,589	1,451	45	LGA1155	Server
☞	Intel Xeon E3-1265L V2 @ 2.50GHz	4	4,582	1,442	45	LGA1155	Server
☞	Intel Xeon E3-1265L v3 @ 2.50GHz	4	6,394	2,069	45	FCLGA1150	Server
☞	Intel Xeon E3-1265L v4 @ 2.30GHz	4	6,493	1,977	35	FCLGA1150	Server
☞	Intel Xeon E3-1268L v3 @ 2.30GHz	4	5,333	1,896	45	LGA1150	Server
☞	Intel Xeon E3-1268L v5 @ 2.40GHz	4	6,600	1,869	35	FCLGA1151	Laptop, Server
☞	Intel Xeon E3-1270 @ 3.40GHz	4	5,361	1,759	80	LGA1155	Server
☞	Intel Xeon E3-1270 V2 @ 3.50GHz	4	6,512	2,089	69	LGA1155	Server
☞	Intel Xeon E3-1270 v3 @ 3.50GHz	4	7,213	2,155	80	LGA1150	Server
☞	Intel Xeon E3-1270 v5 @ 3.60GHz	4	8,342	2,287	80	FCLGA1151	Server
☞	Intel Xeon E3-1270 v6 @ 3.80GHz	4	9,001	2,421	72	FCLGA1151	Server
☞	Intel Xeon E3-1270L v4 @ 3.00GHz	4	7,662	2,378	45	LGA1150	Server
☞	Intel Xeon E3-1271 v3 @ 3.60GHz	4	7,397	2,278	80	FCLGA1150	Server
☞	Intel Xeon E3-1275 @ 3.40GHz	4	5,352	1,748	95	LGA1155	Server
☞	Intel Xeon E3-1275 V2 @ 3.50GHz	4	6,398	2,119	77	LGA1155	Server
☞	Intel Xeon E3-1275 v3 @ 3.50GHz	4	7,044	2,224	95	LGA1150	Server
☞	Intel Xeon E3-1275 v5 @ 3.60GHz	4	8,389	2,344	80	FCLGA1151	Server
☞	Intel Xeon E3-1275 v6 @ 3.80GHz	4	9,206	2,580	73	FCLGA1151	Server
☞	Intel Xeon E3-1275L v3 @ 2.70GHz	4	5,949	2,065	45	LGA1150	Server
☞	Intel Xeon E3-1276 v3 @ 3.60GHz	4	7,381	2,269	84	FCLGA1150	Server
☞	Intel Xeon E3-1280 @ 3.50GHz	4	5,510	1,780	95	LGA1155	Server
☞	Intel Xeon E3-1280 V2 @ 3.60GHz	4	6,277	2,153	69	LGA1155	Server
☞	Intel Xeon E3-1280 v3 @ 3.60GHz	4	6,965	2,229	82	LGA1150	Server
☞	Intel Xeon E3-1280 v5 @ 3.70GHz	4	8,320	2,343	80	FCLGA1151	Server
☞	Intel Xeon E3-1280 v6 @ 3.90GHz	4	9,087	2,564	72	FCLGA1151	Server
☞	Intel Xeon E3-1281 v3 @ 3.70GHz	4	7,210	2,308	82	LGA1150	Server
☞	Intel Xeon E3-1285 v3 @ 3.60GHz	4	6,919	2,253	84	LGA1150	Server
☞	Intel Xeon E3-1285 v4 @ 3.50GHz	4	7,614	2,260	95	FCLGA1150	Server
☞	Intel Xeon E3-1285 v6 @ 4.10GHz	4	9,276	2,692	79	FCLGA1151	Server
☞	Intel Xeon E3-1285L v3 @ 3.10GHz	4	6,848	2,132	65	LGA1150	Server
☞	Intel Xeon E3-1285L v4 @ 3.40GHz	4	7,963	2,338	65	LGA1150	Server
☞	Intel Xeon E3-1286 v3 @ 3.70GHz	4	7,418	2,391	84	LGA1150	Server
☞	Intel Xeon E3-1286L v3 @ 3.20GHz	4	6,450	2,207	65	LGA1150	Server
☞	Intel Xeon E3-1290 @ 3.60GHz	4	4,988	1,833	95	LGA1155	Server
☞	Intel Xeon E3-1290 V2 @ 3.70GHz	4	6,588	2,189	87	LGA1155	Server
☞	Intel Xeon E3-1505L v5 @ 2.00GHz	4	4,838	1,635	25	FCBGA1440	Laptop, Server
☞	Intel Xeon E3-1505L v6 @ 2.20GHz	4	6,088	1,848	25	FCBGA1440	Laptop, Server
☞	Intel Xeon E3-1505M v5 @ 2.80GHz	4	7,057	2,026	45	FCBGA1440	Server
☞	Intel Xeon E3-1505M v6 @ 3.00GHz	4	6,972	2,185	45	Unknown	Server
☞	Intel Xeon E3-1515M v5 @ 2.80GHz	4	7,918	2,151	45	FCBGA1440	Server
☞	Intel Xeon E3-1535M v5 @ 2.90GHz	4	7,478	2,104	45	FCBGA1440	Laptop, Server
☞	Intel Xeon E3-1535M v6 @ 3.10GHz	4	8,355	2,403	35	FCBGA1440	Laptop, Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon E3-1545M v5 @ 2.90GHz	4	7,806	2,069	45	FCBGA1440	Laptop, Server
☞	Intel Xeon E3-1575M v5 @ 3.00GHz	4	7,721	2,142	45	FCBGA1440	Server
☞	Intel Xeon E3-1585 v5 @ 3.50GHz	4	8,408	2,402	65	FCBGA1440	Server
☞	Intel Xeon E3-1585L v5 @ 3.00GHz	4	8,021	2,179	45	FCBGA1440	Server
☞	Intel Xeon E3110 @ 3.00GHz	2	1,242	1,331	65	LGA775	Server
☞	Intel Xeon E3113 @ 3.00GHz	2	1,429	1,282	65	LGA775	Server
☞	Intel Xeon E3120 @ 3.16GHz	2	1,330	1,364	65	LGA775	Server
☞	Intel Xeon E5-1410 @ 2.80GHz	4	4,634	1,484	80	LGA1356	Server
☞	Intel Xeon E5-1410 v2 @ 2.80GHz	4	5,842	1,689	80	LGA 1356	Server
☞	Intel Xeon E5-1428L v2 @ 2.20GHz	6	6,566	1,321	60	FCLGA1356	Server
☞	Intel Xeon E5-1603 @ 2.80GHz	4	3,481	1,346	130	LGA2011	Server
☞	Intel Xeon E5-1603 v3 @ 2.80GHz	4	4,511	1,638	140	LGA2011-v3	Server
☞	Intel Xeon E5-1603 v4 @ 2.80GHz	4	4,812	1,754	140	FCLGA2011-3	Server
☞	Intel Xeon E5-1607 @ 3.00GHz	4	3,776	1,438	130	LGA2011	Server
☞	Intel Xeon E5-1607 v2 @ 3.00GHz	4	4,312	1,626	130	LGA 2011	Server
☞	Intel Xeon E5-1607 v3 @ 3.10GHz	4	4,977	1,812	140	LGA2011-v3	Server
☞	Intel Xeon E5-1607 v4 @ 3.10GHz	4	5,438	1,951	140	FCLGA2011-3	Server
☞	Intel Xeon E5-1620 @ 3.60GHz	4	5,869	1,777	130	LGA2011	Server
☞	Intel Xeon E5-1620 v2 @ 3.70GHz	4	6,552	1,981	130	FCLGA2011	Server
☞	Intel Xeon E5-1620 v3 @ 3.50GHz	4	6,994	2,028	140	LGA2011-v3	Server
☞	Intel Xeon E5-1620 v4 @ 3.50GHz	4	7,386	2,256	140	FCLGA2011-3	Server
☞	Intel Xeon E5-1630 v3 @ 3.70GHz	4	7,461	2,141	140	LGA2011-v3	Server
☞	Intel Xeon E5-1630 v4 @ 3.70GHz	4	7,524	2,367	140	FCLGA2011-3	Server
☞	Intel Xeon E5-1650 @ 3.20GHz	6	8,090	1,739	130	LGA2011	Server
☞	Intel Xeon E5-1650 v2 @ 3.50GHz	6	9,220	1,987	130	FCLGA2011	Server
☞	Intel Xeon E5-1650 v3 @ 3.50GHz	6	10,378	2,116	140	LGA2011-v3	Server
☞	Intel Xeon E5-1650 v4 @ 3.60GHz	6	11,258	2,375	140	FCLGA2011-3	Server
☞	Intel Xeon E5-1660 @ 3.30GHz	6	8,388	1,790	130	LGA2011	Server
☞	Intel Xeon E5-1660 v2 @ 3.70GHz	6	10,262	2,102	130	LGA 2011	Server
☞	Intel Xeon E5-1660 v3 @ 3.00GHz	8	11,617	1,887	140	LGA2011-v3	Server
☞	Intel Xeon E5-1660 v4 @ 3.20GHz	8	13,395	2,209	140	FCLGA2011-3	Server
☞	Intel Xeon E5-1680 v2 @ 3.00GHz	8	12,403	2,072	130	LGA 2011	Server
☞	Intel Xeon E5-1680 v3 @ 3.20GHz	8	13,081	2,107	140	LGA2011-v3	Server
☞	Intel Xeon E5-1680 v4 @ 3.40GHz	8	14,451	2,381	140	FCLGA2011-3	Server
☞	Intel Xeon E5-1681 v3 @ 2.90GHz	10	14,820	2,040	135	LGA2011-v3	Server
☞	Intel Xeon E5-2403 @ 1.80GHz	4	2,464	731	80	LGA 1356	Server
☞	Intel Xeon E5-2403 v2 @ 1.80GHz	4	2,873	991	80	FCLGA1356	Server
☞	Intel Xeon E5-2407 @ 2.20GHz	4	2,661	883	80	LGA 1356	Server
☞	Intel Xeon E5-2407 v2 @ 2.40GHz	4	4,034	1,302	80	FCLGA1356	Server
☞	Intel Xeon E5-2418L @ 2.00GHz	4	3,518	977	50	LGA 1356	Server
☞	Intel Xeon E5-2420 @ 1.90GHz	6	5,153	1,101	95	LGA1356	Server
☞	Intel Xeon E5-2420 v2 @ 2.20GHz	6	6,495	1,388	80	FCLGA1356	Server
☞	Intel Xeon E5-2430 @ 2.20GHz	6	5,867	1,234	95	LGA 1356	Server
☞	Intel Xeon E5-2430 v2 @ 2.50GHz	6	6,864	1,413	80	LGA 1356	Server
☞	Intel Xeon E5-2430L @ 2.00GHz	6	5,273	1,005	60	FCLGA1356	Server
☞	Intel Xeon E5-2430L v2 @ 2.40GHz	6	5,943	1,106	60	LGA 1356	Server
☞	Intel Xeon E5-2440 @ 2.40GHz	6	5,841	1,334	95	LGA 1356	Server
☞	Intel Xeon E5-2440 v2 @ 1.90GHz	8	6,927	962	95	LGA 1356	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon E5-2448L v2 @ 1.80GHz	10	6,774	1,235	70	LGA 1356	Server
☞	Intel Xeon E5-2450 @ 2.10GHz	8	7,321	1,137	95	LGA 1356	Server
☞	Intel Xeon E5-2450L @ 1.80GHz	8	5,769	1,013	70	LGA 1356	Server
☞	Intel Xeon E5-2470 @ 2.30GHz	8	8,205	1,442	95	LGA 1356	Server
☞	Intel Xeon E5-2470 v2 @ 2.40GHz	10	10,871	1,623	95	LGA 1356	Server
☞	Intel Xeon E5-2603 @ 1.80GHz	4	2,362	868	80	LGA 2011	Server
☞	Intel Xeon E5-2603 v2 @ 1.80GHz	4	2,751	977	80	LGA 2011	Server
☞	Intel Xeon E5-2603 v3 @ 1.60GHz	6	3,948	939	85	LGA2011-v3	Server
☞	Intel Xeon E5-2603 v4 @ 1.70GHz	6	4,695	1,046	85	FCLGA2011-3	Server
☞	Intel Xeon E5-2608L v3 @ 2.00GHz	6	6,415	1,210	52	LGA2011-v3	Server
☞	Intel Xeon E5-2609 @ 2.40GHz	4	2,640	1,059	80	LGA2011	Server
☞	Intel Xeon E5-2609 v2 @ 2.50GHz	4	3,666	1,376	80	LGA 2011	Server
☞	Intel Xeon E5-2609 v3 @ 1.90GHz	6	4,391	1,095	80	LGA2011-v3	Server
☞	Intel Xeon E5-2609 v4 @ 1.70GHz	8	5,974	1,078	85	FCLGA2011-3	Server
☞	Intel Xeon E5-2618L v3 @ 2.30GHz	8	10,464	1,872	75	LGA2011-v3	Server
☞	Intel Xeon E5-2618L v4 @ 2.20GHz	10	12,041	1,879	75	FCLGA2011-3	Server
☞	Intel Xeon E5-2620 @ 2.00GHz	6	5,258	1,113	95	LGA2011	Server
☞	Intel Xeon E5-2620 v2 @ 2.10GHz	6	6,212	1,292	80	FCLGA2011	Server
☞	Intel Xeon E5-2620 v3 @ 2.40GHz	6	7,913	1,685	85	LGA2011-v3	Server
☞	Intel Xeon E5-2620 v4 @ 2.10GHz	8	8,811	1,582	85	FCLGA2011-3	Server
☞	Intel Xeon E5-2623 v3 @ 3.00GHz	4	7,382	2,006	105	LGA2011-v3	Server
☞	Intel Xeon E5-2623 v4 @ 2.60GHz	4	7,469	1,700	85	FCLGA2011-3	Server
☞	Intel Xeon E5-2628L v2 @ 1.90GHz	8	7,181	1,106	70	LGA 2011	Server
☞	Intel Xeon E5-2628L v3 @ 2.00GHz	10	9,949	1,483	75	LGA2011-v3	Server
☞	Intel Xeon E5-2628L v4 @ 1.90GHz	12	11,079	1,433	75	FCLGA2011-3	Server
☞	Intel Xeon E5-2629 v3 @ 2.40GHz	8	9,062	1,451	85	LGA2011-v3	Server
☞	Intel Xeon E5-2630 @ 2.30GHz	6	6,134	1,302	95	LGA2011	Server
☞	Intel Xeon E5-2630 v2 @ 2.60GHz	6	7,440	1,571	80	FCLGA2011	Server
☞	Intel Xeon E5-2630 v3 @ 2.40GHz	8	10,080	1,754	85	LGA2011-v3	Server
☞	Intel Xeon E5-2630 v4 @ 2.20GHz	10	11,691	1,795	85	FCLGA2011-3	Server
☞	Intel Xeon E5-2630L @ 2.00GHz	6	5,305	1,119	60	LGA 2011	Server
☞	Intel Xeon E5-2630L v2 @ 2.40GHz	6	6,337	1,340	60	LGA 2011	Server
☞	Intel Xeon E5-2630L v3 @ 1.80GHz	8	8,807	1,536	55	LGA2011-v3	Server
☞	Intel Xeon E5-2630L v4 @ 1.80GHz	10	10,864	1,743	55	FCLGA2011-3	Server
☞	Intel Xeon E5-2637 @ 3.00GHz	2	2,978	1,526	80	FCLGA2011	Server
☞	Intel Xeon E5-2637 v2 @ 3.50GHz	4	6,666	1,899	130	LGA 2011	Server
☞	Intel Xeon E5-2637 v3 @ 3.50GHz	4	7,995	2,103	135	LGA2011-v3	Server
☞	Intel Xeon E5-2637 v4 @ 3.50GHz	4	6,509	2,051	135	FCLGA2011-3	Server
☞	Intel Xeon E5-2640 @ 2.50GHz	6	6,319	1,351	95	LGA2011	Server
☞	Intel Xeon E5-2640 v2 @ 2.00GHz	8	7,784	1,274	95	LGA 2011	Server
☞	Intel Xeon E5-2640 v3 @ 2.60GHz	8	11,204	1,859	90	LGA2011-v3	Server
☞	Intel Xeon E5-2640 v4 @ 2.40GHz	10	11,482	1,700	90	FCLGA2011-3	Server
☞	Intel Xeon E5-2643 @ 3.30GHz	4	5,510	1,641	130	LGA2011	Server
☞	Intel Xeon E5-2643 v2 @ 3.50GHz	6	8,867	1,857	130	FCLGA2011	Server
☞	Intel Xeon E5-2643 v3 @ 3.40GHz	6	10,529	2,093	135	LGA2011-v3	Server
☞	Intel Xeon E5-2643 v4 @ 3.40GHz	6	11,152	2,249	135	FCLGA2011-3	Server
☞	Intel Xeon E5-2648L @ 1.80GHz	8	4,235	931	70	LGA 2011	Server
☞	Intel Xeon E5-2648L v2 @ 1.90GHz	10	8,611	1,350	70	FCLGA2011	Server
☞	Intel Xeon E5-2648L v3 @ 1.80GHz	12	9,847	1,292	75	LGA2011-v3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon E5-2648L v4 @ 1.80GHz	14	11,547	1,435	75	FCLGA2011-3	Server
☞	Intel Xeon E5-2649 v3 @ 2.30GHz	10	11,796	1,654	105	LGA2011-v3	Server
☞	Intel Xeon E5-2650 @ 2.00GHz	8	7,306	1,248	95	LGA2011	Server
☞	Intel Xeon E5-2650 v2 @ 2.60GHz	8	10,000	1,681	95	FCLGA2011	Server
☞	Intel Xeon E5-2650 v3 @ 2.30GHz	10	11,907	1,597	105	LGA2011-v3	Server
☞	Intel Xeon E5-2650 v4 @ 2.20GHz	12	12,225	1,430	105	FCLGA2011-3	Server
☞	Intel Xeon E5-2650L @ 1.80GHz	8	5,929	1,091	70	LGA 2011	Server
☞	Intel Xeon E5-2650L v2 @ 1.70GHz	10	7,475	1,102	70	FCLGA2011	Server
☞	Intel Xeon E5-2650L v3 @ 1.80GHz	12	11,711	1,356	65	LGA2011-v3	Server
☞	Intel Xeon E5-2650L v4 @ 1.70GHz	14	11,918	1,541	65	FCLGA2011-3	Server
☞	Intel Xeon E5-2651 v2 @ 1.80GHz	12	9,384	1,115	NA	LGA 2011	Server
☞	Intel Xeon E5-2658 @ 2.10GHz	8	6,073	1,156	95	LGA2011	Server
☞	Intel Xeon E5-2658 v2 @ 2.40GHz	10	10,280	1,301	95	LGA 2011	Server
☞	Intel Xeon E5-2658 v3 @ 2.20GHz	12	13,487	1,711	105	LGA2011-v3	Server
☞	Intel Xeon E5-2658 v4 @ 2.30GHz	14	14,168	1,590	105	FCLGA2011-3	Server
☞	Intel Xeon E5-2660 @ 2.20GHz	8	8,185	1,407	95	LGA2011	Server
☞	Intel Xeon E5-2660 v2 @ 2.20GHz	10	10,482	1,510	95	LGA 2011	Server
☞	Intel Xeon E5-2660 v3 @ 2.60GHz	10	13,013	1,758	105	LGA2011-v3	Server
☞	Intel Xeon E5-2660 v4 @ 2.00GHz	14	14,342	1,713	105	FCLGA2011-3	Server
☞	Intel Xeon E5-2663 v3 @ 2.80GHz	10	11,777	2,040	120	LGA2011-v3	Server
☞	Intel Xeon E5-2665 @ 2.40GHz	8	8,459	1,409	115	LGA2011	Server
☞	Intel Xeon E5-2667 @ 2.90GHz	6	7,407	1,554	130	LGA2011	Server
☞	Intel Xeon E5-2667 v2 @ 3.30GHz	8	12,188	2,012	130	LGA 2011	Server
☞	Intel Xeon E5-2667 v3 @ 3.20GHz	8	12,826	2,061	135	LGA2011-v3	Server
☞	Intel Xeon E5-2667 v4 @ 3.20GHz	8	14,148	2,236	135	FCLGA2011-3	Server
☞	Intel Xeon E5-2669 v3 @ 2.30GHz	12	16,107	1,502	120	LGA2011-v3	Server
☞	Intel Xeon E5-2670 @ 2.60GHz	8	8,942	1,468	115	LGA2011	Server
☞	Intel Xeon E5-2670 v2 @ 2.50GHz	10	11,459	1,574	115	FCLGA2011	Server
☞	Intel Xeon E5-2670 v3 @ 2.30GHz	12	14,020	1,671	120	LGA2011-v3	Server
☞	Intel Xeon E5-2673 v2 @ 3.30GHz	8	11,919	1,959	110	LGA 2011	Server
☞	Intel Xeon E5-2673 v3 @ 2.40GHz	12	14,055	1,711	110	LGA2011-v3	Server
☞	Intel Xeon E5-2673 v4 @ 2.30GHz	20	17,533	1,909	135	FCLGA2011-3	Server
☞	Intel Xeon E5-2675 v3 @ 1.80GHz	16	11,960	1,209	NA	LGA2011-v3	Server
☞	Intel Xeon E5-2676 v3 @ 2.40GHz	12	14,407	1,727	120	LGA2011-v3	Server
☞	Intel Xeon E5-2676 v4 @ 2.40GHz	16	18,978	1,730	145	FCLGA2011-3	Server
☞	Intel Xeon E5-2678 v3 @ 2.50GHz	12	14,825	1,704	120	LGA2011-v3	Server
☞	Intel Xeon E5-2679 v4 @ 2.50GHz	20	23,639	1,928	200	FCLGA2011-3	Server
☞	Intel Xeon E5-2680 @ 2.70GHz	8	9,328	1,562	130	LGA2011	Server
☞	Intel Xeon E5-2680 v2 @ 2.80GHz	10	12,582	1,791	115	FCLGA2011	Server
☞	Intel Xeon E5-2680 v3 @ 2.50GHz	12	15,439	1,770	120	LGA2011-v3	Server
☞	Intel Xeon E5-2680 v4 @ 2.40GHz	14	18,373	1,945	120	FCLGA2011-3	Server
☞	Intel Xeon E5-2680R v4 @ 2.40GHz	14	17,795	1,833	120	FCLGA2011-3	Server
☞	Intel Xeon E5-2682 v4 @ 2.50GHz	16	19,372	1,859	120	FCLGA2011-3	Server
☞	Intel Xeon E5-2683 v3 @ 2.00GHz	14	14,734	1,587	120	LGA2011-v3	Server
☞	Intel Xeon E5-2683 v4 @ 2.10GHz	16	18,254	1,702	120	FCLGA2011-3	Server
☞	Intel Xeon E5-2685 v3 @ 2.60GHz	12	12,944	1,726	120	LGA2011-v3	Server
☞	Intel Xeon E5-2686 v3 @ 2.00GHz	18	17,678	1,862	120	LGA2011-v3	Server
☞	Intel Xeon E5-2686 v4 @ 2.30GHz	18	16,745	1,613	145	FCLGA2011-3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon E5-2687W @ 3.10GHz	8	9,699	1,717	150	LGA2011	Server
☞	Intel Xeon E5-2687W v2 @ 3.40GHz	8	12,240	2,042	150	FCLGA2011	Server
☞	Intel Xeon E5-2687W v3 @ 3.10GHz	10	14,779	1,899	160	LGA2011-v3	Server
☞	Intel Xeon E5-2687W v4 @ 3.00GHz	12	17,791	2,130	160	FCLGA2011-3	Server
☞	Intel Xeon E5-2689 @ 2.60GHz	8	9,767	1,558	115	LGA 2011	Server
☞	Intel Xeon E5-2689 v4 @ 3.10GHz	10	16,706	2,380	165	FCLGA2011-3	Server
☞	Intel Xeon E5-2690 @ 2.90GHz	8	9,973	1,675	135	LGA2011	Server
☞	Intel Xeon E5-2690 v2 @ 3.00GHz	10	13,406	1,890	130	FCLGA2011	Server
☞	Intel Xeon E5-2690 v3 @ 2.60GHz	12	16,330	1,892	135	LGA2011-v3	Server
☞	Intel Xeon E5-2690 v4 @ 2.60GHz	14	20,776	2,132	135	FCLGA2011-3	Server
☞	Intel Xeon E5-2692 v2 @ 2.20GHz	12	12,119	1,571	115	LGA 2011	Server
☞	Intel Xeon E5-2695 v2 @ 2.40GHz	12	13,382	1,535	115	LGA 2011	Server
☞	Intel Xeon E5-2695 v3 @ 2.30GHz	14	16,032	1,778	120	LGA2011-v3	Server
☞	Intel Xeon E5-2695 v4 @ 2.10GHz	18	20,096	1,922	120	FCLGA2011-3	Server
☞	Intel Xeon E5-2696 v2 @ 2.50GHz	12	14,229	1,663	NA	LGA2011	Server
☞	Intel Xeon E5-2696 v3 @ 2.30GHz	18	21,418	1,927	NA	LGA2011-v3	Server
☞	Intel Xeon E5-2696 v4 @ 2.20GHz	22	21,965	1,950	145	FCLGA2011-3	Server
☞	Intel Xeon E5-2697 v2 @ 2.70GHz	12	14,003	1,738	130	FCLGA2011	Server
☞	Intel Xeon E5-2697 v3 @ 2.60GHz	14	18,844	1,970	145	LGA2011-v3	Server
☞	Intel Xeon E5-2697 v4 @ 2.30GHz	18	20,556	1,849	145	FCLGA2011-3	Server
☞	Intel Xeon E5-2697A v4 @ 2.60GHz	16	18,996	2,184	145	FCLGA2011-3	Server
☞	Intel Xeon E5-2697R v4 @ 2.30GHz	18	20,843	2,007	145	FCLGA2011-3	Server
☞	Intel Xeon E5-2698 v3 @ 2.30GHz	16	19,552	1,971	135	LGA2011-v3	Server
☞	Intel Xeon E5-2698 v4 @ 2.20GHz	20	22,091	2,066	135	FCLGA2011-3	Server
☞	Intel Xeon E5-2699 v3 @ 2.30GHz	18	19,763	1,890	145	LGA2011-v3	Server
☞	Intel Xeon E5-2699 v4 @ 2.20GHz	22	24,272	1,903	145	FCLGA2011-3	Server
☞	Intel Xeon E5-2699A v4 @ 2.40GHz	22	14,917	1,037	145	FCLGA2011-3	Server
☞	Intel Xeon E5-4603 @ 2.00GHz	4	3,391	953	95	LGA 2011	Server
☞	Intel Xeon E5-4607 v2 @ 2.60GHz	6	6,986	1,363	95	FCLGA2011	Server
☞	Intel Xeon E5-4610 @ 2.40GHz	6	6,460	1,401	95	FCLGA2011	Server
☞	Intel Xeon E5-4610 v3 @ 1.70GHz	10	7,229	1,027	105	FCLGA2011-3	Server
☞	Intel Xeon E5-4617 @ 2.90GHz	6	6,298	1,552	130	LGA 2011	Server
☞	Intel Xeon E5-4620 @ 2.20GHz	8	6,830	1,239	95	LGA 2011	Server
☞	Intel Xeon E5-4620 v3 @ 2.00GHz	10	10,681	NA	105	FCLGA2011-3	Server
☞	Intel Xeon E5-4627 v2 @ 3.30GHz	8	9,320	1,786	130	FCLGA2011	Server
☞	Intel Xeon E5-4627 v3 @ 2.60GHz	10	11,344	1,749	135	FCLGA2011-3	Server
☞	Intel Xeon E5-4627 v4 @ 2.60GHz	10	12,969	2,030	135	FCLGA2011-3	Server
☞	Intel Xeon E5-4640 @ 2.40GHz	8	7,308	1,311	95	LGA2011	Server
☞	Intel Xeon E5-4640 v3 @ 1.90GHz	12	10,372	1,514	105	FCLGA2011-3	Server
☞	Intel Xeon E5-4648 v3 @ 1.70GHz	12	9,061	1,317	105	FCLGA2011-3	Server
☞	Intel Xeon E5-4650 @ 2.70GHz	8	8,574	1,482	130	LGA2011	Server
☞	Intel Xeon E5-4650 v3 @ 2.10GHz	12	10,838	1,384	105	FCLGA2011-3	Server
☞	Intel Xeon E5-4650L @ 2.60GHz	8	8,415	1,457	115	LGA 2011	Server
☞	Intel Xeon E5-4655 v3 @ 2.90GHz	6	9,377	1,817	135	FCLGA2011-3	Server
☞	Intel Xeon E5-4657L v2 @ 2.40GHz	12	12,495	1,478	115	FCLGA2011	Server
☞	Intel Xeon E5-4660 v3 @ 2.10GHz	14	14,256	1,558	120	FCLGA2011-3	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon E5-4667 v3 @ 2.00GHz	16	15,397	1,461	135	FCLGA2011-3	Server
☞	Intel Xeon E5-4669 v3 @ 2.10GHz	18	17,209	1,433	135	FCLGA2011-3	Server
☞	Intel Xeon E5-4669 v4 @ 2.20GHz	22	11,523	1,366	135	FCLGA2011-3	Server
☞	Intel Xeon E5205 @ 1.86GHz	2	838	788	65	LGA771	Server
☞	Intel Xeon E5240 @ 3.00GHz	2	1,448	1,312	65	LGA771	Server
☞	Intel Xeon E5310 @ 1.60GHz	4	1,306	640	80	LGA771	Server
☞	Intel Xeon E5320 @ 1.86GHz	4	1,402	769	80	LGA771	Server
☞	Intel Xeon E5335 @ 2.00GHz	4	1,549	817	80	LGA771	Server
☞	Intel Xeon E5345 @ 2.33GHz	4	1,814	947	80	LGA771	Server
☞	Intel Xeon E5405 @ 2.00GHz	4	1,630	875	80	LGA771	Server
☞	Intel Xeon E5410 @ 2.33GHz	4	1,923	1,024	80	LGA771	Server
☞	Intel Xeon E5420 @ 2.50GHz	4	1,920	1,065	80	LGA771	Server
☞	Intel Xeon E5430 @ 2.66GHz	4	2,212	1,157	80	LGA771	Server
☞	Intel Xeon E5440 @ 2.83GHz	4	2,242	1,235	80	LGA771	Server
☞	Intel Xeon E5450 @ 3.00GHz	4	2,464	1,289	80	LGA771	Server
☞	Intel Xeon E5462 @ 2.80GHz	4	2,027	1,142	80	LGA771	Server
☞	Intel Xeon E5472 @ 3.00GHz	4	2,432	1,297	80	LGA771	Server
☞	Intel Xeon E5502 @ 1.87GHz	2	837	799	80	LGA1366	Server
☞	Intel Xeon E5503 @ 2.00GHz	2	804	845	80	LGA1366	Server
☞	Intel Xeon E5504 @ 2.00GHz	4	1,529	838	80	LGA1366	Server
☞	Intel Xeon E5506 @ 2.13GHz	4	1,853	935	80	LGA1366	Server
☞	Intel Xeon E5507 @ 2.27GHz	4	1,928	997	80	LGA1366	Server
☞	Intel Xeon E5520 @ 2.27GHz	4	2,514	1,036	80	LGA1366	Server
☞	Intel Xeon E5530 @ 2.40GHz	4	2,603	1,150	80	LGA1366	Server
☞	Intel Xeon E5540 @ 2.53GHz	4	2,679	1,173	80	LGA1366	Server
☞	Intel Xeon E5603 @ 1.60GHz	4	1,935	712	80	LGA1366	Server
☞	Intel Xeon E5606 @ 2.13GHz	4	2,500	945	80	LGA1366	Server
☞	Intel Xeon E5607 @ 2.27GHz	4	2,686	1,002	80	LGA1366	Server
☞	Intel Xeon E5620 @ 2.40GHz	4	3,709	1,118	80	LGA1366	Server
☞	Intel Xeon E5630 @ 2.53GHz	4	3,720	1,195	80	LGA1366	Server
☞	Intel Xeon E5640 @ 2.67GHz	4	4,018	1,204	80	LGA1366	Server
☞	Intel Xeon E5645 @ 2.40GHz	6	4,951	1,140	80	LGA1366	Server
☞	Intel Xeon E5649 @ 2.53GHz	6	4,936	1,176	80	LGA1366	Server
☞	Intel Xeon E7- 2830 @ 2.13GHz	4	2,027	559	105	LGA1567	Server
☞	Intel Xeon E7320 @ 2.13GHz	4	1,469	776	80	604	Server
☞	Intel Xeon Gold 5117 @ 2.00GHz	14	15,816	1,531	105	Unknown	Server
☞	Intel Xeon Gold 5118 @ 2.30GHz	12	16,015	1,768	105	FCLGA3647	Server
☞	Intel Xeon Gold 5120 @ 2.20GHz	14	16,990	1,887	105	FCLGA3647	Server
☞	Intel Xeon Gold 5120T @ 2.20GHz	14	17,540	1,827	105	FCLGA3647	Server
☞	Intel Xeon Gold 5122 @ 3.60GHz	4	8,598	2,098	105	FCLGA3647	Server
☞	Intel Xeon Gold 5215 @ 2.50GHz	10	16,058	2,021	85	FCLGA3647	Server
☞	Intel Xeon Gold 5217 @ 3.00GHz	8	15,036	2,039	115	FCLGA3647	Server
☞	Intel Xeon Gold 5218 @ 2.30GHz	16	22,117	2,245	125	FCLGA3647	Server
☞	Intel Xeon Gold 5218R @ 2.10GHz	20	22,243	1,998	125	FCLGA3647	Server
☞	Intel Xeon Gold 5220 @ 2.20GHz	18	25,740	2,396	125	FCLGA3647	Server
☞	Intel Xeon Gold 5222 @ 3.80GHz	4	9,428	2,372	105	FCLGA3647	Server
☞	Intel Xeon Gold 5317 @ 3.00GHz	12	30,555	2,537	150	FCLGA4189	Server
☞	Intel Xeon Gold 6126 @ 2.60GHz	12	19,223	2,019	125	FCLGA3647	Server
☞	Intel Xeon Gold 6128 @ 3.40GHz	6	14,273	2,247	115	FCLGA3647	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon Gold 6130 @ 2.10GHz	16	18,634	1,859	125	FCLGA3647	Server
☞	Intel Xeon Gold 6130T @ 2.10GHz	16	21,803	1,698	125	FCLGA3647	Server
☞	Intel Xeon Gold 6132 @ 2.60GHz	14	19,552	2,177	140	FCLGA3647	Server
☞	Intel Xeon Gold 6133 @ 2.50GHz	1	1,172	1,429	150	FCLGA3647	Server
☞	Intel Xeon Gold 6134 @ 3.20GHz	8	16,513	2,251	130	FCLGA3647	Server
☞	Intel Xeon Gold 6136 @ 3.00GHz	12	21,799	2,207	150	FCLGA3647	Server
☞	Intel Xeon Gold 6137 @ 3.90GHz	16	19,365	2,499	205	FCLGA-3647	Server
☞	Intel Xeon Gold 6138 @ 2.00GHz	20	24,115	2,224	125	FCLGA3647	Server
☞	Intel Xeon Gold 6138T @ 2.00GHz	20	24,800	2,050	125	FCLGA3647	Server
☞	Intel Xeon Gold 6140 @ 2.30GHz	18	22,733	1,840	140	FCLGA3647	Server
☞	Intel Xeon Gold 6143 @ 2.80GHz	16	24,786	2,248	205	FCLGA3647	Server
☞	Intel Xeon Gold 6144 @ 3.50GHz	8	18,656	2,523	150	FCLGA3647	Server
☞	Intel Xeon Gold 6146 @ 3.20GHz	12	23,432	2,493	165	FCLGA3647	Server
☞	Intel Xeon Gold 6148 @ 2.40GHz	20	24,133	2,056	150	FCLGA3647	Server
☞	Intel Xeon Gold 6152 @ 2.10GHz	22	22,291	2,155	140	FCLGA3647	Server
☞	Intel Xeon Gold 6154 @ 3.00GHz	18	26,298	2,249	200	FCLGA3647	Server
☞	Intel Xeon Gold 6208U @ 2.90GHz	16	26,901	2,247	150	FCLGA3647	Server
☞	Intel Xeon Gold 6210U @ 2.50GHz	20	27,131	2,295	150	FCLGA3647	Server
☞	Intel Xeon Gold 6212U @ 2.40GHz	24	27,470	2,013	165	FCLGA3647	Server
☞	Intel Xeon Gold 6226 @ 2.70GHz	12	19,810	2,104	125	FCLGA3647	Server
☞	Intel Xeon Gold 6226R @ 2.90GHz	16	25,570	2,217	150	FCLGA3647	Server
☞	Intel Xeon Gold 6230 @ 2.10GHz	20	25,326	2,250	125	FCLGA3647	Server
☞	Intel Xeon Gold 6230R @ 2.10GHz	26	32,113	2,309	150	FCLGA3647	Server
☞	Intel Xeon Gold 6238 @ 2.10GHz	22	27,617	1,691	140	FCLGA3647	Server
☞	Intel Xeon Gold 6242 @ 2.80GHz	16	26,288	2,196	150	FCLGA3647	Server
☞	Intel Xeon Gold 6242R @ 3.10GHz	20	35,955	2,442	205	FCLGA3647	Server
☞	Intel Xeon Gold 6246 @ 3.30GHz	12	24,446	2,450	165	FCLGA3647	Server
☞	Intel Xeon Gold 6246R @ 3.40GHz	16	30,145	2,370	205	FCLGA3647	Server
☞	Intel Xeon Gold 6248 @ 2.50GHz	20	31,285	2,326	150	FCLGA3647	Server
☞	Intel Xeon Gold 6248R @ 3.00GHz	24	38,521	2,270	205	FCLGA3647	Server
☞	Intel Xeon Gold 6252 @ 2.10GHz	24	32,410	2,143	150	FCLGA3647	Server
☞	Intel Xeon Gold 6254 @ 3.10GHz	18	29,356	2,381	200	FCLGA3647	Server
☞	Intel Xeon L3110 @ 3.00GHz	2	1,338	1,279	45	LGA775	Server
☞	Intel Xeon L3360 @ 2.83GHz	4	2,273	1,226	65	LGA775	Server
☞	Intel Xeon L3406 @ 2.27GHz	2	928	647	30	LGA1156	Server
☞	Intel Xeon L3426 @ 1.87GHz	4	2,193	1,149	45	LGA1156	Server
☞	Intel Xeon L5240 @ 3.00GHz	2	1,337	1,299	40	LGA771	Server
☞	Intel Xeon L5310 @ 1.60GHz	4	1,385	662	50	LGA771	Server
☞	Intel Xeon L5320 @ 1.86GHz	4	1,118	281	50	LGA771	Server
☞	Intel Xeon L5335 @ 2.00GHz	4	1,678	827	50	LGA771	Server
☞	Intel Xeon L5408 @ 2.13GHz	4	1,761	935	40	LGA771	Server
☞	Intel Xeon L5410 @ 2.33GHz	4	1,916	1,027	50	LGA771	Server
☞	Intel Xeon L5420 @ 2.50GHz	4	2,038	1,103	50	LGA771	Server
☞	Intel Xeon L5430 @ 2.66GHz	4	2,210	1,144	50	LGA771	Server
☞	Intel Xeon L5520 @ 2.27GHz	4	2,312	1,067	60	LGA1366	Server
☞	Intel Xeon L5530 @ 2.40GHz	4	2,522	1,169	60	LGA1366	Server
☞	Intel Xeon L5609 @ 1.87GHz	4	3,298	1,160	40	LGA1366	Server
☞	Intel Xeon L5630 @ 2.13GHz	4	2,836	1,031	40	LGA1366	Server
☞	Intel Xeon L5638 @ 2.00GHz	6	3,225	727	60	LGA1366	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞☞	Intel Xeon L5639 @ 2.13GHz	6	4,419	1,102	60	LGA1366	Server
☞☞	Intel Xeon L5640 @ 2.27GHz	6	4,591	1,139	60	LGA1366	Server
☞☞	Intel Xeon L7455 @ 2.13GHz	6	2,494	601	65	PGA604	Server
☞☞	Intel Xeon MV 3.20GHz	2	582	378	90	mPGA604	Server
☞☞	Intel Xeon Platinum 8124M @ 3.00GHz	18	25,456	2,084	NA	FCLGA3647	Server
☞☞	Intel Xeon Platinum 8151 @ 3.40GHz	2	6,591	2,393	NA	Unknown	Server
☞☞	Intel Xeon Platinum 8160 @ 2.10GHz	24	26,485	1,984	150	FCLGA3647	Server
☞☞	Intel Xeon Platinum 8167M @ 2.00GHz	26	25,396	1,455	NA	FCLGA3647	Server
☞☞	Intel Xeon Platinum 8168 @ 2.70GHz	24	33,503	2,157	205	FCLGA3647	Server
☞☞	Intel Xeon Platinum 8173M @ 2.00GHz	28	27,377	2,123	165	FCLGA3647	Server
☞☞	Intel Xeon Platinum 8175M @ 2.50GHz	24	26,659	1,903	NA	FCLGA3647	Server
☞☞	Intel Xeon Platinum 8176 @ 2.10GHz	28	23,179	2,048	165	FCLGA3647	Server
☞☞	Intel Xeon Platinum 8259CL @ 2.50GHz	24	31,500	1,863	210	LGA 3647	Server
☞☞	Intel Xeon Platinum 8260M @ 2.30GHz	24	33,970	2,315	165	LGA3647	Server
☞☞	Intel Xeon Platinum 8268 @ 2.90GHz	24	30,103	2,167	205	FCLGA3647	Server
☞☞	Intel Xeon Platinum 8280 @ 2.70GHz	28	37,575	2,011	205	FCLGA3647	Server
☞☞	Intel Xeon Silver 4108 @ 1.80GHz	8	9,302	1,535	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4109T @ 2.00GHz	8	10,348	1,445	70	FCLGA3647	Server
☞☞	Intel Xeon Silver 4110 @ 2.10GHz	8	10,160	1,634	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4112 @ 2.60GHz	4	6,420	1,690	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4114 @ 2.20GHz	10	12,581	1,630	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4116 @ 2.10GHz	12	14,785	1,678	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4116T @ 2.10GHz	12	15,187	1,781	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4123 @ 3.00GHz	8	14,405	1,967	105	Unknown	Server
☞☞	Intel Xeon Silver 4208 @ 2.10GHz	8	11,163	1,818	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4210 @ 2.20GHz	10	14,231	1,856	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4210R @ 2.40GHz	10	14,983	1,868	100	FCLGA3647	Server
☞☞	Intel Xeon Silver 4214 @ 2.20GHz	12	16,140	1,712	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4214R @ 2.40GHz	12	18,935	2,008	100	FCLGA3647	Server
☞☞	Intel Xeon Silver 4214Y @ 2.20GHz	12	15,248	1,790	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4215 @ 2.50GHz	8	14,439	2,060	85	FCLGA3647	Server
☞☞	Intel Xeon Silver 4216 @ 2.10GHz	16	18,561	1,667	100	FCLGA3647	Server
☞☞	Intel Xeon Silver 4310 @ 2.10GHz	12	25,218	2,327	120	FCLGA4189	Server
☞☞	Intel Xeon W-10855M @ 2.80GHz	6	13,184	2,822	45	FCBGA1440	Laptop, Server
☞☞	Intel Xeon W-10885M @ 2.40GHz	8	16,895	2,925	45	FCBGA1440	Laptop, Server
☞☞	Intel Xeon W-11855M @ 3.20GHz	6	20,088	3,388	45	FCBGA1787	Laptop, Server
☞☞	Intel Xeon W-11955M @ 2.60GHz	8	25,119	3,444	45	FCBGA1787	Laptop, Server
☞☞	Intel Xeon W-1250 @ 3.30GHz	6	14,001	2,912	80	FCLGA1200	Server
☞☞	Intel Xeon W-1250P @ 4.10GHz	6	14,632	2,971	125	FCLGA1200	Desktop, Server
☞☞	Intel Xeon W-1270 @ 3.40GHz	8	18,093	3,060	80	FCLGA1200	Server
☞☞	Intel Xeon W-1270P @ 3.80GHz	8	19,347	3,096	95	FCLGA1200	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon W-1290 @ 3.20GHz	10	21,674	3,073	80	FCLGA1200	Server
☞	Intel Xeon W-1290E @ 3.50GHz	10	22,138	2,923	95	FCLGA1200	Server
☞	Intel Xeon W-1290P @ 3.70GHz	10	23,594	3,236	125	FCLGA1200	Server
☞	Intel Xeon W-1290T @ 1.90GHz	10	18,409	2,974	35	FCLGA1200	Server
☞	Intel Xeon W-1350 @ 3.30GHz	6	19,154	3,462	80	FCLGA1200	Server
☞	Intel Xeon W-1370P @ 3.60GHz	8	25,324	3,447	125	FCLGA1200	Desktop, Server
☞	Intel Xeon W-2102 @ 2.90GHz	4	5,149	1,764	120	FCLGA2066	Server
☞	Intel Xeon W-2104 @ 3.20GHz	4	6,362	1,841	120	FCLGA2066	Server
☞	Intel Xeon W-2123 @ 3.60GHz	4	8,661	2,271	120	FCLGA2066	Server
☞	Intel Xeon W-2125 @ 4.00GHz	4	10,205	2,652	120	FCLGA2066	Server
☞	Intel Xeon W-2133 @ 3.60GHz	6	12,181	2,284	140	FCLGA2066	Server
☞	Intel Xeon W-2135 @ 3.70GHz	6	14,136	2,607	140	FCLGA2066	Server
☞	Intel Xeon W-2140B @ 3.20GHz	8	16,992	2,525	NA	FCLGA2066	Server
☞	Intel Xeon W-2145 @ 3.70GHz	8	18,237	2,627	140	FCLGA2066	Server
☞	Intel Xeon W-2150B @ 3.00GHz	10	19,977	2,640	NA	FCLGA2066	Server
☞	Intel Xeon W-2155 @ 3.30GHz	10	21,137	2,666	140	FCLGA2066	Server
☞	Intel Xeon W-2170B @ 2.50GHz	14	23,300	2,559	NA	FCLGA-2066	Server
☞	Intel Xeon W-2175 @ 2.50GHz	14	22,973	2,460	140	FCLGA2066	Server
☞	Intel Xeon W-2191B @ 2.30GHz	18	28,656	2,592	140	FCLGA2066	Server
☞	Intel Xeon W-2195 @ 2.30GHz	18	27,325	2,413	140	FCLGA2066	Server
☞	Intel Xeon W-2223 @ 3.60GHz	4	8,669	2,275	120	FCLGA2066	Server
☞	Intel Xeon W-2225 @ 4.10GHz	4	11,226	2,699	105	FCLGA2066	Server
☞	Intel Xeon W-2235 @ 3.80GHz	6	14,387	2,691	130	FCLGA2066	Server
☞	Intel Xeon W-2245 @ 3.90GHz	8	19,457	2,765	155	FCLGA2066	Server
☞	Intel Xeon W-2255 @ 3.70GHz	10	22,680	2,763	165	FCLGA2066	Desktop, Server
☞	Intel Xeon W-2265 @ 3.50GHz	12	26,048	2,853	165	FCLGA2066	Server
☞	Intel Xeon W-2275 @ 3.30GHz	14	27,348	2,858	165	FCLGA2066	Desktop
☞	Intel Xeon W-2295 @ 3.00GHz	18	31,594	2,693	165	FCLGA2066	Server
☞	Intel Xeon W-3175X @ 3.10GHz	28	36,360	2,247	255	FCLGA3647	Desktop
☞	Intel Xeon W-3223 @ 3.50GHz	8	16,979	2,469	160	FCLGA3647	Server
☞	Intel Xeon W-3235 @ 3.30GHz	12	25,371	2,571	180	FCLGA3647	Server
☞	Intel Xeon W-3245 @ 3.20GHz	16	30,246	2,531	205	FCLGA3647	Server
☞	Intel Xeon W-3265 @ 2.70GHz	24	30,105	2,572	205	FCLGA3647	Server
☞	Intel Xeon W-3275M @ 2.50GHz	28	41,412	2,735	205	FCLGA3647	Server
☞	Intel Xeon W3503 @ 2.40GHz	2	1,078	1,024	130	LGA1366	Server
☞	Intel Xeon W3505 @ 2.53GHz	2	1,130	1,105	130	LGA1366	Server
☞	Intel Xeon W3520 @ 2.67GHz	4	2,756	1,243	130	LGA1366	Server
☞	Intel Xeon W3530 @ 2.80GHz	4	2,981	1,329	130	LGA1366	Server
☞	Intel Xeon W3540 @ 2.93GHz	4	2,890	1,289	130	LGA1366	Server
☞	Intel Xeon W3550 @ 3.07GHz	4	3,158	1,424	130	LGA1366	Server
☞	Intel Xeon W3565 @ 3.20GHz	4	3,298	1,497	130	LGA1366	Server
☞	Intel Xeon W3570 @ 3.20GHz	4	3,354	1,520	130	LGA1366	Server
☞	Intel Xeon W3580 @ 3.33GHz	4	3,471	1,546	130	LGA1366	Server
☞	Intel Xeon W3670 @ 3.20GHz	6	6,484	1,479	130	LGA1366	Server
☞	Intel Xeon W3680 @ 3.33GHz	6	6,742	1,522	130	LGA1366	Server
☞	Intel Xeon W3690 @ 3.47GHz	6	7,148	1,599	130	LGA1366	Server
☞	Intel Xeon W5580 @ 3.20GHz	4	3,386	1,503	130	LGA1366	Server
☞	Intel Xeon W5590 @ 3.33GHz	4	3,234	1,571	130	LGA1366	Server
☞	Intel Xeon X3210 @ 2.13GHz	4	1,599	875	105	LGA775	Server

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Intel Xeon X3220 @ 2.40GHz	4	1,819	942	105	LGA775	Server
☞	Intel Xeon X3230 @ 2.66GHz	4	2,073	1,089	95	LGA775	Server
☞	Intel Xeon X3320 @ 2.50GHz	4	1,986	1,097	95	LGA775	Server
☞	Intel Xeon X3323 @ 2.50GHz	4	1,837	1,059	80	LGA775	Server
☞	Intel Xeon X3330 @ 2.66GHz	4	1,928	1,160	95	LGA775	Server
☞	Intel Xeon X3350 @ 2.66GHz	4	2,158	1,156	95	LGA775	Server
☞	Intel Xeon X3353 @ 2.66GHz	4	2,229	1,173	80	LGA775	Server
☞	Intel Xeon X3360 @ 2.83GHz	4	2,253	1,243	95	LGA775	Server
☞	Intel Xeon X3363 @ 2.83GHz	4	2,225	1,237	80	LGA771	Server
☞	Intel Xeon X3370 @ 3.00GHz	4	2,446	1,311	95	LGA775	Server
☞	Intel Xeon X3380 @ 3.16GHz	4	2,308	1,335	95	LGA775	Server
☞	Intel Xeon X3430 @ 2.40GHz	4	2,219	1,002	95	LGA1156	Server
☞	Intel Xeon X3440 @ 2.53GHz	4	2,629	1,148	95	LGA1156	Server
☞	Intel Xeon X3450 @ 2.67GHz	4	2,789	1,220	95	LGA1156	Server
☞	Intel Xeon X3460 @ 2.80GHz	4	2,705	1,206	95	LGA1156	Server
☞	Intel Xeon X3470 @ 2.93GHz	4	3,154	1,415	95	LGA1156	Server
☞	Intel Xeon X3480 @ 3.07GHz	4	3,245	1,472	95	LGA1156	Server
☞	Intel Xeon X5260 @ 3.33GHz	2	1,238	1,406	80	LGA771	Server
☞	Intel Xeon X5270 @ 3.50GHz	2	1,524	1,485	80	LGA771	Server
☞	Intel Xeon X5272 @ 3.40GHz	2	1,451	1,411	80	LGA771	Server
☞	Intel Xeon X5355 @ 2.66GHz	4	1,979	1,060	120	LGA771	Server
☞	Intel Xeon X5365 @ 3.00GHz	4	2,198	1,207	150	LGA771	Server
☞	Intel Xeon X5450 @ 3.00GHz	4	2,367	1,261	120	LGA771	Server
☞	Intel Xeon X5460 @ 3.16GHz	4	2,540	1,377	120	LGA771	Server
☞	Intel Xeon X5470 @ 3.33GHz	4	2,689	1,448	120	LGA771	Server
☞	Intel Xeon X5472 @ 3.00GHz	4	2,340	1,273	120	LGA771	Server
☞	Intel Xeon X5482 @ 3.20GHz	4	2,636	1,394	150	LGA771	Server
☞	Intel Xeon X5492 @ 3.40GHz	4	2,705	1,446	150	LGA771	Server
☞	Intel Xeon X5550 @ 2.67GHz	4	2,957	1,298	95	LGA1366	Server
☞	Intel Xeon X5560 @ 2.80GHz	4	3,045	1,374	95	LGA1366	Server
☞	Intel Xeon X5570 @ 2.93GHz	4	3,148	1,418	95	LGA1366	Server
☞	Intel Xeon X5647 @ 2.93GHz	4	4,522	1,368	130	LGA1366	Server
☞	Intel Xeon X5650 @ 2.67GHz	6	5,779	1,306	95	LGA1366	Server
☞	Intel Xeon X5660 @ 2.80GHz	6	6,188	1,385	95	LGA1366	Server
☞	Intel Xeon X5667 @ 3.07GHz	4	4,534	1,452	95	LGA1366	Server
☞	Intel Xeon X5670 @ 2.93GHz	6	6,160	1,405	95	LGA1366	Server
☞	Intel Xeon X5672 @ 3.20GHz	4	5,123	1,574	95	LGA1366	Server
☞	Intel Xeon X5675 @ 3.07GHz	6	6,368	1,474	95	LGA1366	Server
☞	Intel Xeon X5677 @ 3.47GHz	4	5,184	1,613	130	LGA1366	Server
☞	Intel Xeon X5679 @ 3.20GHz	6	7,095	1,547	115	LGA1366	Server
☞	Intel Xeon X5680 @ 3.33GHz	6	6,718	1,479	130	LGA1366	Server
☞	Intel Xeon X5687 @ 3.60GHz	4	5,351	1,610	130	LGA1366	Server
☞	Intel Xeon X5690 @ 3.47GHz	6	6,922	1,600	130	LGA1366	Server
☞	Intel Xeon X5698 @ 4.40GHz	2	3,447	1,922	130	LGA1366	Server
☞	Intel Xeon X6550 @ 2.00GHz	4	1,936	390	130	LGA1567	Server
☞	Manta	2	362	430	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6735	4	510	304	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6737	4	428	262	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6737M	4	385	200	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	MediaTek MT6737T	4	602	388	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6739WA	4	334	224	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6739WW	4	397	264	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6750	8	948	358	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6750T	8	1,058	463	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6750V/WT	8	1,126	420	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6753	8	909	352	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6753T	8	975	424	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6757CD	8	1,306	564	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6757V	8	1,479	583	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6761V/WBB	4	618	410	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6761V/WE	4	733	454	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6762G	8	992	375	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6762V/CA	8	1,032	395	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6762V/CB	8	1,223	479	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6762V/CN	4	486	339	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6762V/WA	8	1,019	392	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6762V/WB	8	1,230	461	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6762V/WD	8	1,346	474	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6762V/WR	8	1,288	509	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6763V/CE	8	2,108	1,101	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6763V/V	8	1,397	548	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6765G	8	1,231	486	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6765V/CA	8	1,654	629	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6765V/CB	8	1,623	594	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6768V/CA	8	1,962	1,038	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6769T	8	2,186	1,096	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6769V/CB	8	2,081	1,111	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6769V/CU	8	2,166	1,085	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6769V/WB	8	2,192	1,118	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6769Z	8	2,182	1,083	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6771V/C	8	2,068	844	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6771V/CT	8	2,155	928	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6771V/W	8	2,071	879	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6771V/WM	8	1,936	772	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6771V/WT	8	2,115	878	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6779V/CE	8	2,568	1,207	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6779V/CU	8	2,467	1,184	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6779V/CV	8	2,444	1,104	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6785V/CC	8	2,919	1,289	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6785V/CD	8	2,927	1,332	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6797	10	1,640	788	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6797T	10	1,723	533	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6797X	10	1,951	603	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6853T	8	3,163	1,503	NA	Unknown	Mobile/Embedded
☞	MediaTek MT6873	8	3,611	1,316	NA	Unknown	Mobile/Embedded
☞	MediaTek MT8163	4	497	312	NA	Unknown	Mobile/Embedded
☞	MediaTek MT8166B	4	824	515	NA	Unknown	Mobile/Embedded
☞	MediaTek MT8167B	4	342	247	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	MediaTek MT8168A	4	524	364	NA	Unknown	Mobile/Embedded
☞	MediaTek MT8183	8	1,736	829	NA	Unknown	Mobile/Embedded
☞	MediaTek MT8735B	4	294	182	NA	Unknown	Mobile/Embedded
☞	MediaTek MT8768CT	8	1,649	608	NA	Unknown	Mobile/Embedded
☞	MediaTek MT8768WA	8	1,453	548	NA	Unknown	Mobile/Embedded
☞	MediaTek MT8768WT	8	1,662	613	NA	Unknown	Mobile/Embedded
☞	Microsoft ARM SQ1 @ 3.0 GHz	8	3,951	1,847	15	Unknown	Laptop
☞	Microsoft SQ2 @ 3.15 GHz	8	4,242	1,895	NA	Unknown	Unknown
☞	Mobile AMD Athlon 2500+	1	241	365	NA	Unknown	Laptop
☞	Mobile AMD Athlon 4 2400+	1	233	358	NA	Unknown	Laptop
☞	Mobile AMD Athlon 64 3200+	1	326	400	81.5	Unknown	Laptop
☞	Mobile AMD Athlon 64 3400+	1	333	432	81.5	Unknown	Laptop
☞	Mobile AMD Athlon 64 3700+	1	356	485	81.5	Unknown	Laptop
☞	Mobile AMD Athlon 64 4000+	1	313	338	62	Unknown	Laptop
☞	Mobile AMD Athlon MP-M 1800+	1	173	262	35	Unknown	Laptop
☞	Mobile AMD Athlon MP-M 2400+	1	192	314	NA	Unknown	Laptop
☞	Mobile AMD Athlon XP-M 1600+	1	169	274	NA	Unknown	Laptop
☞	Mobile AMD Athlon XP-M 1800+	1	193	291	45	Socket A	Laptop
☞	Mobile AMD Athlon XP-M 2000+	1	196	301	NA	Unknown	Laptop
☞	Mobile AMD Athlon XP-M 2200+	1	237	363	NA	Unknown	Laptop
☞	Mobile AMD Athlon XP-M 2400+	1	225	355	NA	Unknown	Laptop
☞	Mobile AMD Athlon XP-M 2500+	1	226	355	NA	Unknown	Laptop
☞	Mobile AMD Athlon XP-M 2600+	1	241	375	NA	Unknown	Laptop
☞	Mobile AMD Athlon XP-M 2800+	1	238	385	NA	Unknown	Laptop
☞	Mobile AMD Athlon XP-M 3000+	1	238	365	NA	Unknown	Laptop
☞	Mobile AMD Sempron 2100+	1	164	203	8	S1	Laptop, Mobile/Embedded
☞	Mobile AMD Sempron 2600+	1	256	316	NA	Unknown	Laptop
☞	Mobile AMD Sempron 2800+	1	237	299	NA	Unknown	Laptop
☞	Mobile AMD Sempron 3000+	1	269	350	NA	Unknown	Laptop
☞	Mobile AMD Sempron 3100+	1	277	359	NA	Unknown	Laptop
☞	Mobile AMD Sempron 3200+	1	245	525	NA	Unknown	Laptop
☞	Mobile AMD Sempron 3300+	1	294	391	NA	Unknown	Laptop
☞	Mobile AMD Sempron 3400+	1	321	455	25	Socket S1 (S1g1)	Laptop
☞	Mobile AMD Sempron 3500+	1	290	654	NA	Unknown	Laptop
☞	Mobile AMD Sempron 3600+	1	302	724	25	S1	Laptop
☞	Mobile AMD Sempron 3800+	1	335	735	NA	Unknown	Laptop
☞	Mobile Intel Celeron 1.70GHz	1	118	254	NA	Unknown	Laptop
☞	Mobile Intel Celeron 1.80GHz	1	121	280	66.1	PPGA478	Laptop
☞	Mobile Intel Celeron 1333MHz	1	183	248	NA	Unknown	Laptop
☞	Mobile Intel Celeron 2.00GHz	1	133	290	NA	Unknown	Laptop
☞	Mobile Intel Celeron 2.20GHz	1	147	355	NA	Unknown	Laptop
☞	Mobile Intel Celeron 2.40GHz	1	154	376	NA	Unknown	Laptop
☞	Mobile Intel Pentium 4 - M 1.70GHz	1	121	297	NA	Unknown	Laptop
☞	Mobile Intel Pentium 4 - M 1.80GHz	1	119	297	NA	Unknown	Laptop
☞	Mobile Intel Pentium 4 - M 2.00GHz	1	138	345	NA	Unknown	Laptop
☞	Mobile Intel Pentium 4 - M 2.20GHz	1	143	388	NA	Unknown	Laptop
☞	Mobile Intel Pentium 4 - M 2.40GHz	1	139	317	NA	Unknown	Laptop
☞	Mobile Intel Pentium 4 2.66GHz	1	182	425	66.1	PGA478	Desktop
☞	Mobile Intel Pentium 4 2.80GHz	1	205	397	69.7	PGA478	Desktop

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Mobile Intel Pentium 4 3.06GHz	1	220	423	81.8	PGA478	Desktop
☞	Mobile Intel Pentium 4 3.20GHz	1	232	468	82	PGA478	Desktop
☞	Mobile Intel Pentium 4 3.33GHz	1	344	552	NA	Unknown	Laptop
☞	Mobile Intel Pentium III - M 1200MHz	1	146	185	22	BGA2, microPGA2	Laptop
☞	Mobile Intel Pentium III - M 933MHz	1	130	177	20.1	BGA2, microPGA2	Laptop
☞	msm8960dt	2	252	279	NA	Unknown	Mobile/Embedded
☞	MT6592	8	521	211	NA	Unknown	Mobile/Embedded
☞	MT6735M	4	228	131	NA	Unknown	Mobile/Embedded
☞	MT6735P	4	303	182	NA	Unknown	Mobile/Embedded
☞	MT6750V/W	8	600	247	NA	Unknown	Mobile/Embedded
☞	MT6755M	8	1,172	497	NA	Unknown	Mobile/Embedded
☞	MT6755V/B	8	1,404	551	NA	Unknown	Mobile/Embedded
☞	MT6755V/CM	8	1,172	334	NA	Unknown	Mobile/Embedded
☞	MT6755V/WM	8	976	310	NA	Unknown	Mobile/Embedded
☞	MT6755V/WS	8	1,359	531	NA	Unknown	Mobile/Embedded
☞	MT6757W	8	1,712	602	NA	Unknown	Mobile/Embedded
☞	MT6757WD	8	1,559	632	NA	Unknown	Mobile/Embedded
☞	MT6757WH	8	1,161	419	NA	Unknown	Mobile/Embedded
☞	MT6761V/CAB	4	575	372	NA	Unknown	Mobile/Embedded
☞	MT6761V/CBB	4	846	536	NA	Unknown	Mobile/Embedded
☞	MT6761V/CD	4	784	488	NA	Unknown	Mobile/Embedded
☞	MT6761V/WAB	4	561	342	NA	Unknown	Mobile/Embedded
☞	mt6762m	4	538	350	NA	Unknown	Mobile/Embedded
☞	MT6762V/CR	8	857	359	NA	Unknown	Mobile/Embedded
☞	MT6763V/B	8	1,461	549	NA	Unknown	Mobile/Embedded
☞	MT6763V/CT	8	1,412	492	NA	Unknown	Mobile/Embedded
☞	MT6763V/WT	8	1,313	621	NA	Unknown	Mobile/Embedded
☞	MT6765	8	1,677	624	NA	Unknown	Mobile/Embedded
☞	MT6765V/WA	8	1,706	629	NA	Unknown	Mobile/Embedded
☞	MT6765V/WB	8	1,643	609	NA	Unknown	Mobile/Embedded
☞	MT6769V/CT	8	2,169	1,099	NA	Unknown	Mobile/Embedded
☞	MT6769V/CZ	8	2,168	1,097	NA	Unknown	Mobile/Embedded
☞	MT6771V/WL	8	2,338	898	NA	Unknown	Mobile/Embedded
☞	MT6785	8	2,721	1,205	NA	Unknown	Mobile/Embedded
☞	MT6795	8	1,099	428	NA	Unknown	Mobile/Embedded
☞	MT6795M	8	968	377	NA	Unknown	Mobile/Embedded
☞	MT6797M	10	1,804	939	NA	Unknown	Mobile/Embedded
☞	MT6833	8	3,106	1,448	NA	Unknown	Mobile/Embedded
☞	MT6853V/NZA	8	2,770	1,231	NA	Unknown	Mobile/Embedded
☞	MT6853V/TNZA	8	3,059	1,502	NA	Unknown	Mobile/Embedded
☞	MT6875	8	3,561	1,168	NA	Unknown	Mobile/Embedded
☞	MT6889Z/CZA	8	3,994	1,968	NA	Unknown	Mobile/Embedded
☞	MT6893Z/CZA	8	4,822	1,947	NA	Unknown	Mobile/Embedded
☞	MT6969T	8	2,228	1,125	NA	Unknown	Mobile/Embedded
☞	MT8168B	4	886	537	NA	Unknown	Mobile/Embedded
☞	MT8735	4	375	227	NA	Unknown	Mobile/Embedded
☞	MT8735P	4	405	191	NA	Unknown	Mobile/Embedded
☞	MT8765WB	4	364	235	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
MT8766A	4	581	380	NA	Unknown	Mobile/Embedded
MT8766B	4	847	527	NA	Unknown	Mobile/Embedded
MT8768WD	8	905	382	NA	Unknown	Mobile/Embedded
MT8788	8	1,961	893	NA	Unknown	Mobile/Embedded
MTK6757	8	1,158	709	NA	Unknown	Mobile/Embedded
Nvidia Tegra T132	2	981	1,051	NA	Unknown	Mobile/Embedded
Nvidia Tegra T210	4	1,436	764	NA	Unknown	Mobile/Embedded
Pentium Dual-Core E6000 @ 3.46GHz	2	1,472	1,542	NA	Unknown	Unknown
Pentium Dual-Core T4500 @ 2.30GHz	2	1,003	944	NA	Unknown	Unknown
QCT APQ8064 AWIFI	4	382	276	NA	Unknown	Mobile/Embedded
QCT APQ8064 DEB	4	447	277	NA	Unknown	Mobile/Embedded
QCT APQ8064 FLO	4	457	277	NA	Unknown	Mobile/Embedded
QCT APQ8064 MAKO	4	399	254	NA	Unknown	Unknown
Qualcomm APQ 8084 (Flattened Device Tree)	4	776	500	NA	Unknown	Mobile/Embedded
Qualcomm APQ8026	4	291	176	NA	Unknown	Mobile/Embedded
Qualcomm APQ8084	4	468	307	NA	Unknown	Mobile/Embedded
Qualcomm MSM 8939 HUAWEI KIW-L21	8	1,023	351	NA	Unknown	Mobile/Embedded
Qualcomm MSM 8939 HUAWEI KIW-L24	8	1,051	345	NA	Unknown	Mobile/Embedded
Qualcomm MSM 8939 HUAWEI TEXAS-A1	8	1,085	383	NA	Unknown	Mobile/Embedded
Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre	4	566	219	NA	Unknown	Mobile/Embedded
Qualcomm MSM8226	4	265	176	NA	Unknown	Mobile/Embedded
Qualcomm MSM8228	4	332	214	NA	Unknown	Mobile/Embedded
Qualcomm MSM8626	4	294	185	NA	Unknown	Mobile/Embedded
Qualcomm MSM8917	4	599	381	NA	Unknown	Mobile/Embedded
Qualcomm MSM8926	4	291	177	NA	Unknown	Mobile/Embedded
Qualcomm MSM8928	4	338	210	NA	Unknown	Mobile/Embedded
Qualcomm MSM8937	8	892	338	NA	Unknown	Mobile/Embedded
Qualcomm MSM8974	4	601	369	NA	Unknown	Mobile/Embedded
Qualcomm MSM8974PRO-AA	4	629	342	NA	Unknown	Mobile/Embedded
Qualcomm MSM8974PRO-AB	4	596	334	NA	Unknown	Mobile/Embedded
Qualcomm MSM8974PRO-AC	4	626	383	NA	Unknown	Mobile/Embedded
Qualcomm MSM8992	6	1,054	465	NA	Unknown	Mobile/Embedded
Qualcomm MSM8994	8	739	327	NA	Unknown	Mobile/Embedded
Qualcomm MSM8996	4	1,197	761	NA	Unknown	Mobile/Embedded
Qualcomm MSM8996PRO-AB	4	1,503	935	NA	Unknown	Mobile/Embedded
Qualcomm Snapdragon 8350	8	4,618	2,515	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc APQ8009	4	289	184	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc APQ8016	4	332	209	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc APQ8017	4	318	258	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc APQ8053	8	1,796	560	NA	Unknown	Mobile/Embedded

Showing 1 to 3,482 of 3,482 entries

[Previous](#) [1](#) [Next](#)

Copyright © 2021 PassMark® Software

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Qualcomm Technologies, Inc APQ8076	8	1,391	564	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc APQ8096	4	1,411	1,147	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc ATOLL-AB	8	2,723	1,552	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc BENGAL	8	2,126	895	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc BENGALP	8	2,243	957	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc KONA	8	4,832	2,323	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc LAGOON	8	2,925	1,653	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc LITO	8	2,924	1,573	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8216	4	292	155	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8909	4	264	169	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8916	4	355	220	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8917	4	440	278	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8920	4	393	258	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8929	8	714	369	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8937	8	999	376	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8939	8	776	323	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8940	8	890	313	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8952	8	764	336	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8953	8	1,597	514	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8956	6	1,233	689	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8976	8	1,448	712	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8976SG	8	1,628	741	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8992	6	957	556	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8994	8	932	539	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8996	4	1,193	861	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8996pro	4	1,311	858	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc MSM8998	8	2,399	1,039	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc QCM2150	4	356	244	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc QM215	4	433	273	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc SDA450	8	1,369	442	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞☞	Qualcomm Technologies, Inc SDA660	8	2,178	958	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM429	4	858	556	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM439	8	1,073	423	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM450	8	1,185	399	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM460	8	1,868	755	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM630	8	1,691	617	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM632	8	1,754	740	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM636	8	1,818	804	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM660	8	2,048	964	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM662	8	1,807	953	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM665	8	1,990	864	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM670	8	2,087	1,064	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM710	8	2,115	1,138	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM712	8	2,261	1,302	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM720G	8	2,797	1,606	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM730G AIE	8	2,890	1,496	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDM765G 5G	8	2,817	1,606	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDMMAGPIE	8	2,785	1,463	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SDMMAGPIEP	8	2,977	1,504	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM4250	8	1,843	728	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM4350	8	2,172	1,415	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM6125	8	2,054	883	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM6150	8	2,447	1,275	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM7125	8	2,830	1,574	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM7150	8	2,638	1,352	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM7225	8	3,121	1,770	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM7250	8	2,985	1,543	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM8150	8	3,814	1,775	NA	Unknown	Mobile/Embedded
☞☞	Qualcomm Technologies, Inc SM8150_Plus	8	3,491	1,792	NA	Unknown	Mobile/Embedded

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Qualcomm Technologies, Inc SM8150P	8	3,825	1,811	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc SM8250	8	5,068	2,275	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc SM8350	8	4,599	2,090	NA	Unknown	Mobile/Embedded
☞	Qualcomm Technologies, Inc TRINKET	8	2,123	904	NA	Unknown	Mobile/Embedded
☞	Renoir based on Qualcomm Technologies, Inc SM7350	8	4,390	1,897	NA	Unknown	Mobile/Embedded
☞	Rockchip (Device Tree)	4	636	436	NA	Unknown	Mobile/Embedded
☞	Rockchip RK3229	4	191	115	NA	Unknown	Mobile/Embedded
☞	Rockchip RK3288	4	603	740	NA	Unknown	Mobile/Embedded
☞	Rockchip RK3288 (Flattened Device Tree)	4	508	403	NA	Unknown	Mobile/Embedded
☞	Rockchip RK3326	4	260	201	NA	Unknown	Mobile/Embedded
☞	Rockchip RK3328	4	356	252	NA	Unknown	Mobile/Embedded
☞	Rockchip RK3368	8	702	344	NA	Unknown	Mobile/Embedded
☞	Rockchip RK3399	8	2,211	899	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 2100	8	4,520	2,055	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 7420	8	1,612	812	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 7570	4	383	248	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 7580	8	869	302	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 7870	8	855	277	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 7880	8	1,560	468	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 7884	8	1,645	708	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 7885	8	1,545	832	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 7904	8	1,610	744	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 8890	8	2,164	920	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 8895	8	2,603	984	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 9610	8	1,678	924	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 9611	8	2,014	1,013	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 9810	8	3,141	1,307	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 9820	8	3,207	1,674	NA	Unknown	Mobile/Embedded
☞	Samsung Exynos 9825	8	3,226	1,626	NA	Unknown	Mobile/Embedded
☞	Samsung EXYNOS5420	4	633	417	NA	Unknown	Mobile/Embedded
☞	Samsung EXYNOS5433	8	936	371	NA	Unknown	Mobile/Embedded
☞	SAMSUNG Exynos7420	8	1,710	734	NA	Unknown	Mobile/Embedded
☞	SAMSUNG Exynos7580	8	779	219	NA	Unknown	Mobile/Embedded
☞	Samsung GrandPrimePlus LTE CIS rev04 board based o	4	312	213	NA	Unknown	Mobile/Embedded
☞	Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba	4	415	179	NA	Unknown	Mobile/Embedded
☞	Samsung J7 Max LTE SWA board based on MT6757V/WL	8	1,104	325	NA	Unknown	Mobile/Embedded
☞	SAMSUNG JF	4	448	322	NA	Unknown	Mobile/Embedded
☞	SAMSUNG SERRANO	2	238	328	NA	Unknown	Mobile/Embedded
☞	SMDK4x12	8	3,006	1,271	NA	Unknown	Mobile/Embedded
☞	Snapdragon 7c @ 2.40 GHz	8	2,349	1,420	9	Unknown	Unknown
☞	Snapdragon 7c Gen 2 @ 2.55	8	2,515	1,521	7	Unknown	Unknown
☞	Snapdragon 835	8	1,759	1,005	9	Unknown	Unknown
☞	Snapdragon 850 @ 2.96 GHz	8	2,192	1,374	5	Unknown	Unknown

	CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
☞	Snapdragon 8cx @ 2.84 GHz	8	3,667	1,755	NA	Unknown	Mobile/Embedded
☞	Snapdragon 8cx Gen 2 @ 3.1	8	4,103	1,946	7	Unknown	Unknown
☞	Sony Mobile fusion3	4	433	238	NA	Unknown	Unknown
☞	Spreadtrum SC7731e	4	288	185	NA	Unknown	Unknown
☞	Spreadtrum SC9853I-IA	8	766	469	NA	Unknown	Mobile/Embedded
☞	Star based on Qualcomm Technologies, Inc SM8350	8	4,661	2,203	NA	Unknown	Mobile/Embedded
☞	tn8	4	931	562	NA	Unknown	Mobile/Embedded
☞	Unisoc SC7731e	4	294	200	NA	Unknown	Mobile/Embedded
☞	Unisoc SC9832e	4	453	276	NA	Unknown	Mobile/Embedded
☞	Unisoc SC9863a	8	1,315	485	NA	Unknown	Mobile/Embedded
☞	Unisoc T618	8	2,054	1,142	NA	Unknown	Mobile/Embedded
☞	Unisoc UIS8581E	8	1,279	498	NA	Unknown	Mobile/Embedded
☞	Unisoc ums512	8	2,109	1,142	NA	Unknown	Mobile/Embedded
☞	UNIVERSAL3475	4	280	172	NA	Unknown	Mobile/Embedded
☞	Venus based on Qualcomm Technologies, Inc SM8350	8	4,938	2,361	NA	Unknown	Mobile/Embedded
☞	VIA C7-D 1800MHz	1	150	147	20	BGA400	Desktop
☞	VIA C7-M 1200MHz	1	112	93	NA	Unknown	Unknown
☞	VIA C7-M 1600MHz	1	116	124	15	BGA400	Laptop
☞	VIA C7-M 6300MHz	1	145	121	NA	Unknown	Unknown
☞	VIA Eden 1000MHz	1	80	83	5	NanoBGA2	Laptop
☞	VIA Eden 1200MHz	1	93	97	7	NanoBGA2	Laptop
☞	VIA Eden C1050@1.06GHz	1	263	283	NA	Unknown	Unknown
☞	VIA Eden X2 U4200 @ 1.0+ GHz	2	315	281	NA	Unknown	Unknown
☞	VIA Eden X4 C4250 @ 1.2+GHz	4	944	476	NA	Unknown	Unknown
☞	VIA Esther 1000MHz	1	95	82	NA	Unknown	Unknown
☞	VIA Esther 1500MHz	1	135	112	NA	Unknown	Unknown
☞	VIA Nano L2007@1600MHz	1	254	242	25	BGA400	Laptop
☞	VIA Nano L2100@1800MHz	1	279	182	25	BGA400	Laptop
☞	VIA Nano L2207@1600MHz	1	165	191	17	BGA400	Laptop
☞	VIA Nano U2250 (1.6GHz Capable)	1	270	259	8	BGA400	Laptop
☞	VIA Nano U2250@1300+MHz	1	179	156	10	BGA400	Laptop
☞	VIA Nano U2500@1200MHz	1	199	184	7	BGA400	Laptop
☞	VIA Nano U3500@1000MHz	1	184	286	5	BGA400	Laptop
☞	VIA Nano X2 U4025 @ 1.2 GHz	2	393	213	NA	BGA400	Laptop
☞	VIA Nehemiah	1	101	75	NA	Unknown	Unknown
☞	VIA QuadCore C4650@2.0GHz	4	1,323	557	NA	Unknown	Unknown
☞	VIA QuadCore L4700 @ 1.2+ GHz	4	773	355	27.5	Unknown	Laptop
☞	VIA QuadCore U4650 @ 1.0+ GHz	4	666	296	27.5	Unknown	Desktop
☞	ZHAOXIN KaiXian KX-6640MA@2.2+GHz	4	1,601	770	70	Unknown	Unknown
☞	ZHAOXIN KaiXian KX-U6580@2.5GHz	8	3,066	745	NA	Unknown	Unknown
☞	ZHAOXIN KaiXian KX-U6780A@2.7GHz	8	3,744	570	NA	Unknown	Unknown
☞	ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz	4	1,547	556	NA	Unknown	Unknown