




















































Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									<div>MKT</div>	
Treść rys.: Zbrojenie dolne płyty parteru										
31.08.2022		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K02-ark.2				1 / 5	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Detal "A"	9	<div>140</div>	-	12	140.0	-	4	5.6	5.0	Σ= 73.0
	77	<div>315-341 (co 1.7)</div>	-	10	328.0	-	16	52.5	32.4	
	78	<div>306-333 (co 1.7)</div>	-	10	319.5	-	17	54.3	33.5	
	89	<div>185</div>	-	10	185.0	-	1	1.9	1.1	
	91	<div>165</div>	-	10	165.0	-	1	1.7	1.0	
Zbrojenie dolne płyty parteru	1	<div>660</div>	-	12	660.0	-	2	13.2	11.7	Σ= 1333.8
	2	<div>470</div>	-	12	470.0	-	2	9.4	8.3	
	3	<div>420</div>	-	12	420.0	-	2	8.4	7.5	
	4	<div>211-271 (co 3) <div>60</div> 14</div>	-	12	315.0	-	42	132.3	117.5	
	5	<div>310</div>	-	12	310.0	-	2	6.2	5.5	
	6	<div>240</div>	-	12	240.0	-	2	4.8	4.3	
	7	<div>235</div>	-	12	235.0	-	2	4.7	4.2	
	8	<div>150</div>	-	12	150.0	-	2	3.0	2.7	
	10	<div>1185</div>	-	10	1185.0	-	25	296.3	182.6	
	11	<div>1170-1196 (co 1.6)</div>	-	10	1183.0	-	17	201.1	124.0	
	12	<div>1155</div>	-	10	1155.0	-	6	69.3	42.7	
	13	<div>1146-1155 (co 1.8)</div>	-	10	1150.5	-	6	69.0	42.6	
	14	<div>1150</div>	-	10	1150.0	-	14	161.0	99.3	
	15	<div>1085</div>	-	10	1085.0	-	62	672.7	414.7	
	16	<div>1055</div>	-	10	1055.0	-	6	63.3	39.0	
	17	<div>1030</div>	-	10	1030.0	-	8	82.4	50.8	
	18	<div>1025</div>	-	10	1025.0	-	11	112.8	69.5	
	19	<div>1020</div>	-	10	1020.0	-	17	173.4	106.9	
MSZ-PW-K02-ark.2_spec									<div><div></div>Adelante Solutions © 2014 - 2022</div>	

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie dolne płyty parteru										
31.08.2022		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K02-ark.2				2 / 5	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Zbrojenie dolne płyty parteru	20		-	10	990.0	-	62	613.8	378.4	Σ= 2381.7
	21		-	10	930.0	-	90	837.0	516.0	
	22		-	10	915.0	-	4	36.6	22.6	
	23		-	10	897.0	-	16	143.5	88.5	
	24		-	10	895.0	-	16	143.2	88.3	
	25		-	10	894.0	-	17	152.0	93.7	
	26		-	10	880.0	-	19	167.2	103.1	
	27		-	10	870.0	-	2	17.4	10.7	
	28		-	10	870.0	-	20	174.0	107.3	
	29		-	10	860.0	-	11	94.6	58.3	
	30		-	10	800.0	-	18	144.0	88.8	
	31		-	10	787.0	-	16	125.9	77.6	
	32		-	10	785.0	-	16	125.6	77.4	
	33		-	10	784.0	-	17	133.3	82.2	
	34		-	10	783.0	-	13	101.8	62.8	
	35		-	10	775.0	-	3	23.3	14.3	
	36		-	10	772.0	-	10	77.2	47.6	
	37		-	10	770.0	-	19	146.3	90.2	
	38		-	10	760.0	-	20	152.0	93.7	
	39		-	10	755.0	-	13	98.2	60.5	
	40		-	10	751.5	-	10	75.2	46.3	
	41		-	10	750.0	-	12	90.0	55.5	
	42		-	10	735.0	-	26	191.1	117.8	
MSZ-PW-K02-ark.2_spec						 Adelante Solutions © 2014 - 2022				

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie dolne płyty parteru										
31.08.2022		SPECYFIKACJA DO RYSUNKU NR:		MSZ-PW-K02-ark.2					3 / 5	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Zbrojenie dolne płyty parteru	43		-	10	730.0	-	6	43.8	27.0	Σ= 1061.2
	44		-	10	725.0	-	4	29.0	17.9	
	45		-	10	720.0	-	30	216.0	133.2	
	46		-	10	705.0	-	1	7.1	4.3	
	47		-	10	700.0	-	7	49.0	30.2	
	48		-	10	695.0	-	42	291.9	180.0	
	49		-	10	690.0	-	8	55.2	34.0	
	50		-	10	670.0	-	2	13.4	8.3	
	51		-	10	665.0	-	3	20.0	12.3	
	52		-	10	650.0	-	7	45.5	28.1	
	53		-	10	645.0	-	13	83.9	51.7	
	54		-	10	641.5	-	10	64.2	39.6	
	55		-	10	630.0	-	25	157.5	97.1	
	56		-	10	625.0	-	26	162.5	100.2	
	57		-	10	620.0	-	6	37.2	22.9	
	58		-	10	615.0	-	4	24.6	15.2	
	59		-	10	590.0	-	4	23.6	14.6	
	60		-	10	560.0	-	32	179.2	110.5	
	61		-	10	540.0	-	5	27.0	16.6	
	62		-	10	510.0	-	20	102.0	62.9	
	63		-	10	500.0	-	11	55.0	33.9	
	64		-	10	490.0	-	3	14.7	9.1	
	65		-	10	480.0	-	4	19.2	11.8	
										Σ= 1061.2
MSZ-PW-K02-ark.2_spec						 Adelante Solutions © 2014 - 2022				

ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F		Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		na 1 el.	na S el.			
1	2	3	4	5	6	7	8	9	10	11
Zbrojenie dolne płyty parteru	66		-	10	478.5	-	4	19.1	11.8	Σ= 627.2
	67		-	10	450.0	-	31	139.5	86.0	
	68		-	10	423.5	-	9	38.1	23.5	
	69		-	10	400.5	-	9	36.0	22.2	
	70		-	10	400.0	-	30	120.0	74.0	
	71		-	10	390.0	-	3	11.7	7.2	
	72		-	10	369.0	-	13	48.0	29.6	
	73		-	10	360.0	-	16	57.6	35.5	
	74		-	10	354.0	-	2	7.1	4.4	
	75		-	10	352.0	-	34	119.7	73.8	
	76		-	10	340.0	-	8	27.2	16.8	
	79		-	10	300.0	-	39	117.0	72.1	
	80		-	10	290.0	-	1	2.9	1.8	
	81		-	10	265.0	-	31	82.2	50.6	
	82		-	10	258.5	-	17	43.9	27.1	
	83		-	10	242.0	-	6	14.5	9.0	
	84		-	10	235.0	-	1	2.4	1.4	
	85		-	10	232.0	-	20	46.4	28.6	
	86		-	10	227.0	-	16	36.3	22.4	
	87		-	10	210.0	-	1	2.1	1.3	
	88		-	10	200.0	-	1	2.0	1.2	
	90		-	10	175.0	-	8	14.0	8.6	
	92		-	10	164.0	-	18	29.5	18.2	

ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		na 1 el.	na S el.		wg F	S
1	2	3	4	5	6	7	8	9	10	11
Zbrojenie dolne płyty parteru	93		-	10	157.0	-	20	31.4	19.4	71.2 Σ=
	94		-	10	124.0	-	40	49.6	30.6	
	95		-	8	300.0	-	18	54.0	21.3	