
















































Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie detali płyty 1 piętra										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K03-ark.4				1 / 5	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Belka "B1.1"	41		-	12	37.7 mb	-	-	37.7	33.5	Σ= 72.7
	47		-	8	196.0	-	50	98.0	38.7	
	55		-	4.5	31.0	-	15	4.7	0.6	
Belka "B1.2"	41		-	12	39.6 mb	-	-	39.6	35.2	Σ= 114.7
	47		-	8	196.0	-	102	199.9	78.9	
	55		-	4.5	31.0	-	16	5.0	0.6	
Belka "B2"	37		-	12	183.5	-	28	51.4	45.6	Σ= 130.6
	41		-	12	26.6 mb	-	-	26.6	23.6	
	44		-	10	129.0	-	55	71.0	43.7	
	51		-	8	160.0	-	28	44.8	17.7	
Belka "B3.1"	34		-	12	223.5	-	49	109.5	97.2	Σ= 318.0
	41		-	12	63.6 mb	-	-	63.6	56.5	
	42		-	10	161.0	-	97	156.2	96.3	
	48		-	8	176.0	-	98	172.5	68.1	
Belka "B3.2"	34		-	12	223.5	-	7	15.6	13.9	Σ= 44.5
	41		-	12	8.2 mb	-	-	8.2	7.3	
	42		-	10	161.0	-	14	22.5	13.9	
	50		-	8	171.0	-	14	23.9	9.4	
Belka "B4.1"	41		-	12	40.5 mb	-	-	40.5	36.0	Σ= 90.1
	48		-	8	176.0	-	78	137.3	54.2	
MSZ-PW-K03-ark.4_spec										
Adelante Solutions © 2014 - 2022										

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie detali płyty 1 piętra										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K03-ark.4				2 / 5	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Belka "B4.2"	41		-	12	45.3 mb	-	-	45.3	40.2	Σ= 161.1
	48		-	8	176.0	-	174	306.2	120.8	
Belka "B5.1"	41		-	12	24.4 mb	-	-	24.4	21.6	Σ= 37.9
	49		-	8	172.0	-	24	41.3	16.3	
Belka "B5.2"	41		-	12	24.3 mb	-	-	24.3	21.6	Σ= 53.5
	49		-	8	172.0	-	47	80.8	31.9	
Belka "B6"	53		-	8	92.0	-	9	8.3	3.3	Σ= 3.3
Dozbrojenie otworów	45		-	10	124.0	-	6	7.4	4.6	Σ= 16.5
	46		-	10	121.0	-	16	19.4	11.9	
Szczegół "L1"	40		-	12	145.0	-	16	23.2	20.6	Σ= 20.6
Oparcie "Ns1"	41		-	12	105.3 mb	-	-	105.3	93.5	Σ= 269.0
	43		-	10	133.0	-	214	284.6	175.5	
MSZ-PW-K03-ark.4_spec						 Adelante Solutions © 2014 - 2022				

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie detali płyty 1 piętra										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K03-ark.4				3 / 5	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Detal "X1.1"	41		-	12	87.9 mb	-	-	87.9	78.1	Σ= 78.1
Detal "X1.2"	41		-	12	10.3 mb	-	-	10.3	9.1	Σ= 9.1
Detal "X2.1" szt. 6	39		-	12	145.0	2	12	17.4	15.4	Σ= 15.4
Detal "X2.2" szt. 4	39		-	12	145.0	2	8	11.6	10.3	Σ= 10.3
Detal "X3.1" szt. 2	26		-	12	1150.0	2	4	46.0	40.8	Σ= 52.8
	54		-	8	39.0	39	78	30.4	12.0	
Detal "X3.2" szt. 7	27		-	12	1082.0	2	14	151.5	134.5	Σ= 174.3
	54		-	8	39.0	37	259	101.0	39.9	
Zbrojenie detali płyty poz. +3.99	1		-	25	560.0	-	2	11.2	43.2	Σ= 270.9
	2		-	20	1170.0	-	3	35.1	86.6	
	3		-	20	1050.0	-	3	31.5	77.7	
	4		-	20	560.0	-	2	11.2	27.6	
	5		-	20	485.0	-	3	14.6	35.9	
MSZ-PW-K03-ark.4_spec										
<div> Adelante Solutions © 2014 - 2022</div>										

ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F		Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		na 1 el.	na S el.			
1	2	3	4	5	6	7	8	9	10	11
Zbrojenie detali płyty poz.+3.99	6	Kształt wg rysunku	-	20	480.0	-	3	14.4	35.5	Σ= 733.0
	7	475	-	20	475.0	-	4	19.0	46.9	
	8	270	-	20	270.0	-	3	8.1	20.0	
	9	835 242 245 37	-	16	1080.0	-	4	43.2	68.2	
	10	840 114 115 17	-	16	955.0	-	2	19.1	30.1	
	11	745	-	16	745.0	-	4	29.8	47.0	
	12	680 59 60 11	-	16	740.0	-	4	29.6	46.7	
	13	655 59 60 11	-	16	715.0	-	4	28.6	45.1	
	14	610	-	16	610.0	-	4	24.4	38.5	
	15	530	-	16	530.0	-	3	15.9	25.1	
	16	520	-	16	520.0	-	4	20.8	32.8	
	17	425 75	-	16	500.0	-	6	30.0	47.4	
	18	100 15 4 267 15 100 16 16	-	16	499.0	-	2	10.0	15.8	
	19	480	-	16	480.0	-	6	28.8	45.5	
	20	235 222 225 39	-	16	460.0	-	4	18.4	29.0	
	21	122 15 4 162 50 16	-	16	350.0	-	4	14.0	22.1	
	22	225 99 100 15	-	16	325.0	-	4	13.0	20.5	
	23	265 50	-	16	315.0	-	4	12.6	19.9	
	24	180 60 15	-	16	255.0	-	4	10.2	16.1	
	25	180	-	16	180.0	-	4	7.2	11.4	
	28	330	-	12	330.0	-	12	39.6	35.2	
	29	300	-	12	300.0	-	12	36.0	32.0	
	30	180 60 15	-	12	255.0	-	1	2.6	2.3	

